

ASTRONOMICAL OBSERVATIONS

MADE AT

THE HONORABLE

THE EAST INDIA COMPANY'S OBSERVATORY

AT MADRAS.

BY

CAPTAIN WILLIAM KINNAIRD WORSTER, ARTILLERY, F. R. A. S.  
ACTING ASTRONOMER.

AND

WILLIAM STEPHEN JACOB, ESQ., F. R. A. S.  
ASTRONOMER TO THE HONORABLE COMPANY.

FOR THE YEARS 1848—1852.

-----

PRINTED BY ORDER OF

THE MADRAS GOVERNMENT.

-----

**MADRAS:**

PRINTED BY J. TULLOCH, AT THE AMERICAN MISSION PRESS.

MDCCCLIV.



## ERRATA.

---

<i>Page.</i>	<i>line or No.</i>	<i>for</i>	<i>read</i>
26	(7163)	Magnitude	7.7
37	line 3	L. C.	n. p.
73	287	$\eta$ 6 Orionis	$\eta$ $\sigma$ Orionis
75	322	(N. P. D.) 113°	133°
76	351	$\omega$ Lupi	$\pi$ Lupi
(3)	heading	105	107
(4)			
(5) to (13)	heading	106	107

## ERRATA, LIST No. 2.

---

<i>Page.</i>	<i>line or No.</i>	<i>Column.</i>	<i>for</i>	<i>read.</i>
7	.... 2939	.... 9th (P.M.)	.... +·05	.... — ·05
8	.... 3189	.... Do.	.... — <sup>1</sup> ·28	.... + ·28
21	.... 6328	.... Do.	.... —·03	.... + ·03
37	.... 5045	....	.... B.	.... L.C.
38	.... 5370	....	.... + <sup>s</sup> 0·30	.... — <sup>b</sup> 0·30
39	.... 5505	....	.... — <sup>1</sup> ·4	.... + <sup>1</sup> ·4
40	.... 6481	....	.... +1·5	.... — 1·5
75	.... 339	.... A.R.	.... —	.... <sup>h</sup> 12
(20)	.... Equation 7	....	.... =1·75	.... =1·175

*Scull*

## TRANSIT INSTRUMENT.

THIS Instrument having been frequently described, it will be sufficient to state that it has a focal length of 60<sup>in.</sup>4 and an aperture of 3<sup>in.</sup>7—but on my arrival at Madras in July 1849, I found the aperture of 2<sup>in.</sup> almost exclusively employed. With a larger aperture, the brighter stars were disfigured by wings, shewing that the object glass was not exactly centered. The inconvenience of this being apparent, the centering was corrected between 16th and 19th November, by filing down two of the three brass pieces (mentioned in Vol. IV. by the late Mr. Taylor as) placed under the cell of the object glass, until stars of 1st magnitude gave a round image; since then the 2<sup>in.</sup> aperture has been for the most part confined to Solar Observations.

The apparent difference of the pivots was found to be

on 16th December, 1849,	6 <sup>in.</sup> 01
19th March, 1850,	5 <sup>in.</sup> 51
13th December, 1852,	5 <sup>in.</sup> 61

the illuminating end being least; the correction used has been between the two first dates 3<sup>in.</sup>00, and subsequently to 19th March 1850, 2<sup>in.</sup>78: previously to the first date the old correction left by Mr. Taylor was used, viz. 1<sup>in.</sup>80. The level error, as will be evident from inspection of the Table is subject to great changes, the annual range sometimes exceeding 1<sup>in.</sup>0, while a difference of 3 or 4 will frequently be found in the lapse of a few days, particularly after heavy rain. This is probably owing to the foundation for the Instruments resting not upon rock but sand, which in long continued rain becomes softened and allows the brick work to settle in a small degree. In consequence of injuries sustained by the setting circle on the other side, the Instrument can be used only with the illuminating end W., but the practice has been to invert the axis about the middle of every month and examine the collimation; and, as long as the micrometer was in order, to measure the distance of the central wire from the meridian mark in both positions, and thus determine the collimation error; latterly the micrometer having become unserviceable, I have adjusted for collimation whenever the error has appeared to exceed 1<sup>in.</sup>0, but this has been a rare occurrence.

The Azimuth has been determined throughout by the Transits of circumpolar stars; both Transits of Polaris have been taken when practicable, but by reason of its low altitude this can be done during only a small portion of the year.

The equatorial intervals of the four outer wires from the central one I found to be on 4th November 1849, by 98 Transits of stars

55 <sup>in.</sup> 14	agreeing very nearly with the values determined by my predecessor* on 16th
27 <sup>in.</sup> 67	March and implying a correction to reduce the mean of the five to the centre,
27 <sup>in.</sup> 17	amounting to + 0 <sup>in.</sup> 18 x sec. dec.
54 <sup>in.</sup> 76	

In adjusting the centering of the object glass and re-adjusting collimation, a small change was produced, and the intervals were re-determined by 34 Transits as follows:—

55 <sup>in.</sup> 21
27 <sup>in.</sup> 67
27 <sup>in.</sup> 23
54 <sup>in.</sup> 82

A

* Intervals on 1st January, 1848,	{	$\left. \begin{array}{l} 54^{\text{in.}} 91 \\ 27^{\text{in.}} 15 \\ 27^{\text{in.}} 23 \\ 54^{\text{in.}} 76 \end{array} \right\}$	And after putting in a new set of wires on 16th March, 1849.	}	$\left. \begin{array}{l} 55^{\text{in.}} 15 \\ 27^{\text{in.}} 69 \\ 27^{\text{in.}} 15 \\ 54^{\text{in.}} 76 \end{array} \right\}$
-----------------------------------	---	-------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------	---	-------------------------------------------------------------------------------------------------------------------------------------

so that the mean requires a correction of  $+ 0.17 \times \text{sec. dec.}$ —applicable from 19th November 1849 to 4th March 1850. By the latter date the micrometer plate having, in spite of frequent cleanings, become stiff in its motion and nearly useless, and the intervals between the wires, being found inconveniently large, two wires were affixed to the micrometer plate, and set nearly midway between 2d and 3d, and 3d and 4th wires, and the use of the old 1st and 5th was discontinued.

The intervals were then determined as below:—

27.66  
13.47  
13.86  
27.30

The mean of 5 therefore requires a correction of only  $- 0.01 \times \text{sec. dec.}$ —which was neglected. On 12th October 1850, the 1st wire was gone; after inserting a fresh one, the intervals were found

27.24  
13.68  
13.56  
27.46

implying a correction of  $- 0.02 \times \text{sec. dec.}$ —which was neglected.

About 12th November the values were again ascertained and found as follow

27.22  
13.68  
13.52  
27.42

requiring no correction.

About 5th February 1851, an inequality was noticed and the values were found to be

27.13  
14.05  
13.16  
27.45

And after adjustment on the 10th February the values were

27.13  
13.76  
13.45  
27.45

In the latter part of March the wires had again shifted and the intervals were found

27.24  
14.30  
13.00  
27.48

and after adjustment on the 26th March,

27.24  
13.72  
13.48  
27.48

on 19th April they were again found to be

27.25  
13.73  
13.50  
27.42

on 12th September the first wire was found broken and a new one inserted, when the values were found to be

27.34  
13.66  
13.60  
27.34

and after adjustment on 18th September

<sup>s</sup>  
27·35  
13·59  
13·63  
27·32

On 11th January 1852 the 4th wire was found slack, and a new pair were fixed on the micrometer plate, after which the values were

<sup>s</sup>  
27·39  
14·03  
13·76  
27·58

implying a correction of  $+ \cdot 016 \times \text{sec. dec.}$ —which was neglected; these values were used until 1st October when a change being suspected the values were ascertained to be between that date and 10th December

<sup>s</sup>  
27·40  
14·42  
13·35  
27·57

requiring a correction of  $+ \cdot 18 \times \text{sec. dec.}$

after adjustment on 10th December the values were

<sup>s</sup>  
27·32  
14·05  
13·70  
27·60

The power used throughout the observations, as measured by a dynameter, has been 109, hitherto erroneously called 150.

The Instrument having been in use upwards of twenty years, is nearly worn out, and it will be desirable ere long to have its place supplied by one of greater power. Besides the defective state of the micrometer and of one of the setting circles alluded to above, the Ys are much worn away, and from the comparison of the right ascensions of standard stars with the Greenwich determinations, the pivots would also appear to have worn unequally.

In observing the sun, a light screen has been used since October 1849, to protect the axis from the sun's rays.

---

#### CLOCK ERRORS AND RATES.

The amount of these, as stated in the Table, has been corrected for personal equation, which was carefully ascertained for each observer, but as it was doubtful if the value of this continued quite permanent, it was but rarely employed in correcting the places of the stars, the plan adopted by Mr. Taylor being followed out, of deducing when practicable the clock error for each observer separately from his own Observations of Standard Stars, three of which were usually taken in each watch of three hours; the Standard Stars adopted being all the Nautical Almanac Stars within  $30^\circ$  of the equator, excepting a few which were considered doubtful, because of their places in the N. Almanac differing widely from those determined at this Observatory.

---

#### MURAL CIRCLE.

The circle having been frequently described, it will be sufficient to state that its diameter is 48; the Telescope has a focal length of  $48\cdot6$  and an aperture of  $3\cdot6$ ; and a power of 97 (hitherto erroneously called 120), has been constantly used in observations of the heavenly bodies, the power employed with the Reflecting Collimator being about 60.

In determining the Index Error, those Nautical Almanac Stars were used which passed within  $30^\circ$  of the zenith, Sirius only being excluded, as being very near the limit and having also a large and somewhat uncertain proper motion. The mean Polar distances employed have been those given in Vol. VII. of this Observatory as the result of observations from 1843 to 1847 inclusive, with a correction of  $0.1$ , by which the latitude hitherto employed requires to be diminished, as appears both from the Solar Observations, and a comparison with the Greenwich Observations of the Standard Stars.

#### REVISION OF THE B. A. CATALOGUE.

This is a work which I had planned before arriving at Madras and was commenced in August 1849, it was considerably advanced before I was aware that my esteemed friend, the Astronomer at the Cape, was engaged in a similar revision.

The stars selected for Observation were, all those numbers in the B. A. Catalogue, between the N. P. D. of  $40^\circ$  and  $155^\circ$ , which depended on one modern observer, or which were otherwise doubtful; a few have been taken beyond these limits, especially to the northward; and a few of those previously well determined have been re-observed, generally from having been mistaken for some missing number in the neighbourhood. The numbers reported as "not seen," are in the course of being re-examined, they appear for the most part to be duplicate observations of another number with errors of  $1''$  or  $1'$  or something of the kind.

It was intended to take four observations of each star, and this has been accomplished excepting where the stars came too *thickly* to allow of its being done within a reasonable time, or where a wrong star has been observed and the mistake not detected till the time of reduction. The great majority of these observations were taken by the Native Assistants, and may be considered creditable to them, as shewn by the general close agreement with former observers, especially Groombridge; by way of check, I have occasionally taken a turn at the Transit Instrument and, more rarely, at the Circle.

I have continued to employ Atkinson's Refractions as used by my predecessor, for the following reasons; the Native Assistants being used to the Table, I thought it undesirable to introduce a change unless it could be *proved* to be for the better; now, though Atkinson's Refractions differ but slightly from Bessel's, they appear to be rather more correct, at least in this latitude, since a comparison of the Polar distances of Standard Stars, as observed here and at Greenwich, shews, in the case of stars passing N. of both zeniths, a mean difference of only  $0.01$ ; i. e. Atkinson's Refractions, at zenith distances from  $38^\circ$  to  $76^\circ$ , are equally good with Bessel's (used at Greenwich) from  $0^\circ$  to  $38^\circ$ ; a similar comparison of the stars passing S. of both zeniths as far as  $76^\circ$  of zenith distance at Greenwich, shews a difference of  $1.16$ ; (Greenwich Stars S.) those below  $65^\circ$  shew a difference of  $1.32$  and below  $75^\circ$ ,  $1.65$ ; so that Bessel's fail at low altitudes; probably they may be correct for low observations N. of the zenith, and yet not for those to the S. Since a *grazing* ray N. and S. will in high latitudes pass through strata of different temperatures, and therefore be differently refracted.

In the column of magnitudes I have given the mean result, to the nearest tenth, of all the different estimations as entered in the Transit and Circle books, but do not attach much value to them; those assigned to the low southern stars, (say from 140 downwards) are certainly too low.

As much uncertainty still attaches to the amount of proper motions, I have not taken them into account in reducing the mean places to 1850; there was the less need for this, as the mean date of observation differs so very little from that epoch. The sole exception has been No. 4010, (1830 Groombridge) the proper motion of which being large and well established has been allowed for.

It will be seen from the notes, that many of the objects marked as nebulae in the B. A. C. are loose cluster of stars; it is probable that these were not resolved by Lacaille's Instrument, and that he therefore observed the centre or brightest portion of the cluster; Brisbane or other subsequent observer would take a particular star in the cluster, and a comparison of the observations might indicate a large proper motion without any real foundation. In the cases where a conspicuous star could be selected in such a cluster, it has been observed; but many have had to be passed over; from the impossibility of identifying the object observed at the Transit with that at the Circle; for such cases the great advantage of a *Transit Circle* is most evident.



## EQUATORIAL INSTRUMENT.

The Equatorial is by Lerebours and Secretan of Paris, and was originally ordered for private use and afterwards purchased by the Government. It reached Madras on 22d March, 1850, and was erected and in use by 12th April. The Object glass at first furnished had an aperture of 6.2<sup>m</sup> and 86.3<sup>m</sup> focus: this was found not only ill-centered, but also to have several serious flaws and striæ round the edge, preventing the use of a larger aperture than 4<sup>m</sup> excepting on very faint objects; and all the observations are to be understood as taken with that aperture, unless otherwise noted. On these defects being represented to the makers, they very readily engaged to furnish another Object glass, the making of which was to occupy six months, but it was not actually received here until 23d July, 1852. All the observations now given, with the exception of a few specially noted, were therefore taken with the old lens. The new lens has the same aperture as the old, but a focal length of 88.64<sup>m</sup>, and is nearly perfect, clearly dividing  $\epsilon$  Arietis and  $\tau$  Ophiuchi, and perceptibly elongating B of  $\gamma$  Andromedæ: shewing also distinctly six stars in the trapezium in Orion as in the annexed diagram.

The Telescope is mounted somewhat like the Great Northumberland at Cambridge, in a cage of strong brass tubes forming the polar axis, with a flat brass bar by way of polar rod. The hour circle is of 13<sup>m</sup> and declination circle 14<sup>m</sup> diameter, the one reading to 5 by one vernier, and the other to 30 by two; but single seconds in the one case and 10 or even 5 in the other, can easily be read by estimation. The angle between the transverse axis of the Telescope and the polar axis differs from 90° by 1' 45"; the inclination being such as to increase observed right ascensions, with face East and in North declination, and vice versa. There is a driving clock of the German construction, the regulating power of which consists in the friction, within a conical brass box, of two steel balls attached to slender springs and turning on a spindle, and the rate is varied by raising or depressing the spindle, so as to cause the balls to rub at a wider or narrower part of the cone; it performs its work pretty well when clean, but requires frequent cleaning.

The micrometer furnished by the maker is of rather inferior quality, the screws being coarse and sensibly unequal, while the planes, in which the wires move, are separated so far as to cause a perceptible parallax. The position circle is less than 2<sup>m</sup> in diameter, which renders it rather troublesome to read, though the division is sufficiently accurate; the powers furnished were very low, ranging according to the maker's statement from 75 to 240, but as measured by a Dynameter, from 53 to 200; the Object glass of an Achromatic Microscope has occasionally been used giving a power of 340, and a Ramsden's eye-piece has lately been adapted giving with the new Object glass 293, but these are almost too great for the micrometer by reason of the parallax above-noticed. Two other micrometers (kindly lent by General Fraser) have also been used occasionally. These are designated in the observations as *Dollond's* and *Troughton's* Micrometers: the one with powers ranging to 600 and the other to 280. The value of one revolution of the screw of the former being 23.87 and of the latter 23.28; with the new Object glass these values become 23.23 and 22.65. In Lerebour's micrometer the value of screw A is 43.36, and of B 43.50; with the new Object glass 42.22 and 42.35; screw A was the one generally used: in the case of repetitions the mean of the two values has to be employed. These values were ascertained by numerous transits of stars of small polar distance; an attempt was made to ascertain if change of temperature affected the values of the screws; but it failed, as the alteration, if any, was much less than the error of observation, the range of temperature available being very small. Two Huygenian eye-pieces were furnished by the maker, with powers of 300 and 400.

The Instrument is mounted, on stout wooden tressels firmly braced, on the roof of the Astronomer's quarters, a very thick and solid terrace. the reason of placing it there was that, on account of high trees and buildings in the neighbourhood, an extensive view could be obtained from no other spot; it was intended in the first instance as an experiment, which has fully succeeded, as even when workmen have been employed about the walls, no tremors could be perceived in observing with high powers.

Instead of a rotatory roof, a folding one was erected, similar to that constructed at Poona and briefly described in the monthly notices of the Royal Astronomical Society for November 1843, which was also brought to the notice of the British

Association in 1850 by Professor C. P. Smyth. The roof is a truncated octagonal pyramid formed of eight separate frames of teak of the form shewn in Fig. 1. covered with canvas and painted, attached by hinges to eight horizontal beams arranged in an octagon and resting on eight posts, the walls between the posts being formed of weather boarding. Each frame opens independently, and when closed they mutually support each other, the edges being bevelled so as to fit correctly; the top is closed by an octagonal wooden shutter hinged to one of the frames, and which can be opened alone when observing very near the zenith; a plan and sectional elevation of the building are shewn at Fig. 2 and 3. For want of room within the building, one leg of each tressel has to pass outside of the walls, but these are carefully bordered round so as nowhere to come in contact with the tressels. The reasons for constructing such a roof in preference to a rotatory one were two-fold; the first was that of economy, the instrument being at the time private property, and consequently having to be erected at the expense of the Astronomer in the first instance, and it being also doubtful if the erection would be permanent, and the expense being about  $\frac{1}{2}$  of that of the cheapest kind of rotatory roof; the second was, that from the situation it was expedient that the building erected should be as light as possible consistent with the requisite strength. It should be observed that the tressels supporting the polar axis stand over party walls, which give additional security, but it was found that even in the middle of the terrace neither a spirit level, nor even the reflection from the surface of mercury, were in the least affected by persons walking near them.

The following observations have been made on Saturn with the new Object glass.

24th August 1852, power 365, at day break. The inner faint ring was seen of a greyish tint, occupying about half the space between the bright ring and the planet; it could not be traced quite up to the planet. One dark line was also seen in the outer ring at each ansa, but not very distinctly. The shadow of the ring on the planet had a brownish tint: that of the planet on the ring was black and sharply defined—no belts were seen on Saturn excepting a broad bright band round the equatorial portion, the whole of the southern hemisphere being shaded over with a kind of mottled dun, almost uniformly, only a little darker near the pole; the inner edge of the bright ring was shaded off, but not quite evenly. On 22d September the appearances were much the same with power 277, except that the division of the outer ring was perhaps a little less distinct. On 27th October both the faint ring and outer division were seen with power 177; and with 277 the former could be traced up to and across the planet. Between 1st and 7th January 1853, 4 sets of measures were obtained with power 365 and 277, which are given in the Appendix, page 2, the mean results of which, reduced to Saturn's mean distance (9·5430, by Bouvard's Tables), are as follow:—

Outer diameter of outer ring, .. ..	39·92
Diameter of fine division, .. ..	38·09
Inner diameter of outer ring, .. ..	35·46
Outer diameter of inner ring, .. ..	34·77
Inner diameter of inner ring, .. ..	26·55
Inner diameter of faint ring, .. ..	22·19
Equatorial diameter of Saturn, .. ..	17·86
Polar diameter of Saturn, .. ..	16·50

The broad division between the two old rings was not black but of an umber brown hue and the faint ring as seen across the planet had nearly the same hue, and a filmy appearance, and the planet's limb was seen through it as through a film of smoke. There was no suspicion of any other division in the outer ring besides the one above noticed and measured. Four Satellites have been frequently seen, but Japetus only on one or two occasions. On 5th January at about 2 <sup>h</sup> 10 <sup>m</sup> Sidereal time Tethys became faint and disappeared, being most probably eclipsed: the time not very exact, it was then just opposite the E. ansa, at 5 it was seen again near Saturn's pole.

The planet has subsequently been examined from time to time with various powers, but no decided change has been perceptible in the appearance of either the faint ring or the outer division. The former never appears well defined at its inner edge, neither has its surface an uniform tint. Fig. 4 represents the planet as seen on 1st January, 1853.

ERROR OF LEVEL OF THE TRANSIT AXIS.								
(Illuminating Pivot, West.)								
Date.	L.-P.*	Means.	Date.	L.-P.	Means.	Date.	L.-P.	Means.
1848.	"	"	1848.	"		1849.	"	
Jan. 3	2.17 W.	1.14 W.	June 4	6.62 E.		Jan. 2	5.43 E.	
6	1.60	P = 1.80	7	6.78		8	6.60	
10	0.34 E.	L = 2.94 W.	10	5.00		18	6.92	
			13	5.47		24	7.65	
			20	6.84		30	6.35.	
13	2.86 E.	2.90 E.	27	7.19		Feb. 5	7.25	
17	2.95	P = 1.80	30	5.96		9	6.80	
		L = 1.10 E.				13	7.18	
20	4.22 E.		July 4	6.70		17	7.40	
24	4.35		9	6.72		21	6.18	
27	5.89		16	Inverted the	Instrument.	25	5.90	
28	I cleaned the	Level Instrument.	16	7.96 E.				
31	4.59 E.		20	6.17		Mar. 1	6.89	6.67 E.
			26	Adjusted the	Level to bring the bub-	7	6.62	P = 1.80
			26	ble within	the scale.	10	6.23	L = 4.87 E.
Feb. 3	4.45	"	26	6.46 E.	"			
7	5.77	5.09 E.				15	Adjusted the	Level.
12	5.95	P = 1.80	Aug. 1	6.54	P = 1.80	15	9.30 E.	
16	5.38	L = 3.29 E.	7	6.98	L = 4.77 E.	18	Inverted the	Axis.
19	5.18					18	9.40 E.	
			15	7.45 E.	"	22	8.20	
23	5.67 E.		22	6.04	6.42 E.	26	8.70	
27	6.39		30	6.12	P = 1.80	29	8.02	"
					L = 4.62 E.			8.66 E.
Mar. 2	5.94	"	Sept. 5	6.05		Apr. 2	8.29	P = 1.80
7	4.45					5	8.74	L = 6.86 E.
11	4.78	5.30 E.						
15	4.87	P = 1.80	6	Inverted the	Axis.	9	6.85 E.	
18	4.84	L = 3.50 E.	11	6.00 E.		13	7.51	
22	5.49		14	5.68		16	8.00	
			21	6.21		20	7.49	
26	5.11 E.		26	7.02		24	7.66	
30	5.04		29	6.19		28	8.65	
April 2	Inverted the	Axis.	Oct. 3	6.40		May 1	7.55	
2	4.15 E.		7	6.00		5	7.27	
7	5.39		11	7.20		8	7.15	
11	4.89		16	7.62	6.80 E.	12	6.85	
14	4.00		20	7.90	P = 1.80	Adjusted the	Level to bring the bub-	
16	4.66		27	7.19	L = 5.00 E.	ble within	the scale.	
19	3.99					16	7.64 E.	
24	3.97		30	8.75 E.		18	7.13	
	Heavy rain and	loud thunder on the				19	6.19	
	27th.	"	Nov. 3	8.19		20	7.07	
28	5.10 E.	4.72 E.	7	7.40		26	7.75	
		P = 1.80	11	8.31		30	8.26	
May 3	5.60	L = 2.92 E.	12	Inverted the	Axis.	June 4	8.46	7.48 E.
			12	8.47 E.		8	7.32	P = 1.80
			21	8.80		12	7.28	L = 5.68 E.
	Adjusted the	Level. "	25	6.88				
3	6.55 E.	6.03 E.	30	8.20				
22	5.72	P = 1.80						
26	5.81	L = 4.23 E.	Dec. 5	7.80		16	10.11 E.	10.24 E.
			12	7.32	7.86 E.	21	10.70	P = 1.80
June 1	7.17 E.		18	6.80	P = 1.80	26	9.90	L = 8.44 E.
			23	7.41	L = 6.06 E.			

\* L.-P. is the Level error as observed; i. e. the true inclination — difference of Pivots

ERROR OF LEVEL OF THE TRANSIT AXIS, (Continued)									
(Illuminating Pivot, West.)									
Date.	L.—P.	Means.	Date.	L.—P.	Means.	Date.	L.—P.	Means.	
1849.	"		1850.	"		1850.	"		
June 30	7.52 E.		Jan. 9	8.67 E.		June 29	5.25 E.		
July 2	6.70	Adjusted the Level.	16	7.98		July 3	4.07		
6	6.38 E.		19	6.95		9	4.87		
10	7.52		25	7.25		13	5.07		
14	7.40		30	8.17	"	17	5.30		
18	6.90			Feb. 2	7.98	P = 3.00	22	5.55	
24	4.96 E.			6	7.98	L = 4.83 E.	27	5.63	"
30	6.99			9	9.94 E.		30	5.80	5.08 E.
Aug. 3	6.20		6.54 E.	13	8.95		Aug. 3	5.95	P = 3.00
8	5.50		P = 1.80	16	9.90		7	5.00 E.	L = 2.08 E.
18	5.25		L = 4.74 E.	20	9.26		10	6.25	5.44 E.
20	7.12 E.	Inverted the Axis.	23	8.65		13	5.07	P = 3.00	
24	6.00 E.		26	8.25		17	5.54 E.	L = 2.44 E.	
30	6.05		Mar. 2	7.60		19	4.94 E.	Adjusted the Level.	
Sept 4	5.80		5	8.87		23	6.18	Inverted the Axis.	
8	6.12		9	9.98		27	5.22	"	
12	5.62		12	8.55		31	4.76 E.	5.47 E.	
17	5.86		16	8.20		Sep. 3	4.80	P = 3.00	
22	5.80		19	Inverted the Axis.		7	3.97	L = 1.51 E.	
26	6.07		19	8.10 E.		10	6.95 E.	"	
Oct. 2	5.50	5.91 E.	22	7.99		12	5.89	6.23 E.	
8	6.25	P = 1.80	26	8.32		16	5.85	P = 3.00	
13	9.32 E.	L = 4.11 E.	28	7.71		20	5.25 E.	L = 3.23 E.	
15	9.14		Apr. 2	7.79	"	24	4.58	"	
20	9.17		6	6.90	8.36 E.	28	5.62	5.12 E.	
24	8.87		10	6.94	P = 3.00	Oct. 1	5.27	P = 3.00	
30	8.00		15	7.03	L = 5.36 E.	5	4.90	L = 2.12 E.	
Nov. 3	8.62		19	Inverted the Axis.		8	4.55 E.	"	
10	9.12		23	5.13 E.		11	4.35	4.69 E.	
14	8.87		26	5.54		15	4.75	P = 3.00	
17	8.30		30	5.60		19	5.40	L = 1.69 E.	
21	8.87		May 4	5.06		22	4.75	"	
26	8.25		7	6.37		25	4.67	4.69 E.	
30	8.31		11	3.86		28	4.38	P = 3.00	
Dec. 4	8.62		14	5.12		Nov. 1	5.16 E.	L = 2.42 E.	
8	8.12		17	5.20		5	5.65	"	
12	7.96		21	Inverted the Axis.		9	4.92	"	
16	Inverted the Axis twice.		26	5.31 E.	5.42 E.	14	5.35	5.42 E.	
16	8.57 E.	8.61 E.	30	6.25	P = 3.00	18	6.02	P = 3.00	
20	8.86	P = 3.00	31	6.15	L = 2.42 E.	21	5.42	L = 2.42 E.	
24	8.00	L = 5.61 E.	June 4	3.30 E.					
1850.			5	3.52					
Jan. 2	7.25 E.		11	4.25					
5	8.20		15	5.22					
			19	6.12					
			22	5.87					
			26	5.35					
				5.92					

ERROR OF LEVEL OF THE TRANSIT AXIS, (Continued.)  
(Illuminating Pivot, West.)

Date.	L.—P.	Means.	Date.	L.—P.	Means.	Date.	L.—P.	Means.
1850.	"				"	1851.	"	
Nov. 25	6.90 E.		1851.	"	5.79 E.	Oct. 18	3.55 E.	"
29	6.95		May 9	5.64 E.	P = 2.78 L = 3.01 E.	22	3.82	3.62 E.
Dec. 2	7.37		14	4.25 E.		25	3.57	P = 2.78
5	6.52			Inverted the	Axis.	30	2.90	L = 0.84 E.
9	6.07		16	4.44 E.		Nov. 7	6.30 E.	Heavy rain during the last 5 days.
13	7.00		20	3.54			"	"
17	6.50	"	23	3.50		11	4.41	6.16 E.
20	6.32	6.65 E.	26	4.15	"	17	7.58	P = 2.78
24	6.17	P = 3.00	30	3.42	3.75 E.	20	6.37	L = 3.38 E.
28	6.67	L = 3.65 E.	June 3	2.98	P = 2.78 L = 0.97 E.	24	4.72 E.	
1851.						28	3.94	
Jan. 2	5.92 E.		11	3.64 E.		Dec. 3	4.02	"
6	5.60		16	2.62		6	4.30	4.18 E.
8	6.12			Inverted the	Axis.	13	4.12	P = 2.78
12	5.75	"	17	2.74 E.		17	4.00	L = 1.40 E.
15	5.60	5.84 E.	21	3.75				
19	5.72	P = 3.00	26	2.20		1852.		
23	6.20	L = 2.84 E.	July 1	3.32	"	Jan. 2	4.40 E.	
27	7.02 E.		4	2.92			Inverted the	Axis.
30	6.52		8	4.05	3.24 E.	6	5.33 E.	
Feb. 7	6.90		11	3.78	P = 2.78	11	3.72	
11	6.54		15	3.38	L = 0.46 E.	15	4.30	
15	5.96	"		Inverted the	Axis.	19	3.60	
19	6.12	6.57 E.	19	4.12 E.		19	3.69	
22	7.75	P = 3.00	22	3.55		23	3.89	
26	5.72	L = 3.57 E.	26	4.12	"	26	3.89	
Mar. 1	5.75 E.		30	4.00	3.98 E.	30	4.15	
5	5.85		Aug. 6	3.62	P = 2.78	Feb. 4	5.00	
8	5.45		11	4.47	L = 1.20 E.	7	5.12	
12	5.27					11	3.15	
17	5.30		16	5.77 E.		14	4.12	"
19	Inverted the	Axis.	19	5.20		19	3.92	4.12 E.
19	5.47 E.	5.50 E.	26	5.90	"	25	4.00	P = 2.78
22	5.27	P = 2.78	Sep. 3	5.85	5.57 E.	28	3.37	L = 1.34 E.
27	5.68	L = 2.72 E.	6	5.13	P = 2.78 L = 2.79 E.			
31	3.77 E.	"	10	6.88 E.		Mar. 3	2.96 E.	
April 5	4.61	3.92 E.		Inverted the	Axis.	6	2.55	
12	3.37	P = 2.78 L = 1.14 E.			"	11	2.95	
17	3.00 E.				6.78 E.	16	2.93	
22	2.30	"	17	6.67 E.	P = 2.78 L = 4.00 E.	19	3.22	
26	2.87	2.56 E.	20	2.45 E.		23	3.75	
May 1	2.05	P = 2.78 L = 0.22 W.	25	4.02		26	3.61	
6	5.94 E.	Heavy rain and gale during the last 3 days.	27	3.50		30	2.20	
			Oct. 4	4.20		April 2	2.92	
			9	4.50		6	2.82	
			11	4.02		9	2.60	
			16	3.20		13	1.75	2.76 E.
						16	1.80	P = 2.78
						20	2.62	L = 0.02 W.

TRANSIT INSTRUMENT AND OBSERVATIONS, ETC.

ERROR OF LEVEL OF THE TRANSIT AXIS, (Continued.)								
(Illuminating Pivot, West.)								
Date.	L.-P.	Means.	Date.	L.-P.	Means.	Date.	L.-P.	Means.
1852.			1852.	"		1852.	"	
	Inverted the Axis		July 23	4.68 E.	Heavy rain and loud thunder on the 22d.	Oct. 16	3.37 E.	
Apr. 24	* 0.87 E.		27	3.62		20	4.00	
28	2.10		29	3.50		28	4.00	
May 3	1.50		Augt. 4	4.00		Nov. 2	3.00	
6	1.67		9	5.70		6	4.71	
10	1.70		14	3.00		10	4.65	
14	1.67			Inverted the Axis.	"	15	4.57	
18	2.22				4.15 E.	19	4.85	
22	2.42				P = 2.78	24	3.42	
27	2.05		21	4.54 E.	L = 1.37 E.	27	3.30	
31	2.80							"
June 5	2.25	1.98 E. P = 2.78						3.89 E. P = 2.78
12	1.87	L = 0.80 W.	25	6.85 E.	6.43 E. P = 2.78	Dec. 4	3.45	L = 1.11 E.
			28	6.00	L = 3.65 E.	11	1.50 W.	
17	Inverted the Axis.		Sept. 1	4.20 E.		13	Found the screw of level plate loose; tightened it.	
21	3.12 E.	"	4	2.60		13	Inverted the Axis.	
26	3.25	3.34 E. P = 2.78	8	2.70				"
July 1	2.98	L = 0.56 E.	11	3.07				2.09 W. P = 2.78
			15	3.20				L = 4.87 W.
4	1.75 E.			Inverted the Axis.		13	2.69 W.	
7	1.70		18	4.71 E.				
11	2.60		22	3.97				
15	2.60		26	3.62				
	Inverted the Axis.	"						The long continued rain has perhaps caused a settlement in the foundation.
18	1.48 E.	2.03 E. P = 2.78 L = 0.75 W.	Oct. 1	3.60	3.37 E.			
			4	2.95	P = 2.78			
			11	2.50	L = 0.59 E.	20	0.17 E.	

\* Omitted in taking the Mean.

Date.	Azimuth.		Date.	Azimuth.		Date.	Azimuth.	
1848.	"		1848.	"		1848.		
Jan. 3	3.50 E.		Apr. 17-29	1.50 E.		Nov. 12	Inverted the Instrument, centre wire left in the same state.	
4	2.50 "		Apr. 30	2.50 "		"		
5	3.00 "		to			10-18	1.50 W.	
6	2.50 "		May 3	Inverted the Axis—Collimation good.		19-25	2.00 "	
7-9	3.00 "		"			Nov. 29	5.00 "	
10	4.50 "	Found the Azimuth and Collimation adjustment both in error—corrected them.	4-9	3.50 E.	Dec. 4			
			10	2.00 "				
11-12	1.00 E.		11-13	2.50 "				The mark is not bisected, but the wires appear bent by the dampness of the atmosphere.
13	1.50 "		14-16	3.00 "				
14-20	1.00 "			Inverted the Axis—Collimation good.		5-31	5.00 W.	
21-29	1.50 "							
Jan. 30	2.00 "		17-20	3.00 E.		1849.		
to			May 21	2.50 "		Jan. 1-8	2.50 W.	
Feb. 2		to				9-19	3.50 "	
			June 4	Inverted the Instrument—Collimation good—Mark wavering.		20-24	3.00 "	
			"			25-26	2.50 "	
8	Inverted the Axis to correct for a small deviation of the centre wire to the West in Azimuth.				27-29	2.00 "		
			5-6	3.50 E.	30-31	1.00 "		
3-9	0.50 E.		7	4.00 "	Feb. 1	1.50 "		
10-16	1.00 "		8-19	3.00 "	2	2.50 "		
				Inverted—Collimation correct.	3-5	3.00 "		
17	Inverted the Axis for the examination of the Collimation error $C = 0.0$ .		June 20	4.50 E.	6-10	2.00 "		
			to			11-13	1.50 "	
17-19	1.00 E.		July 3	4.00 "	14	1.00 "		
20-21	2.00 "		4-16			15-16	2.50 "	
22	1.50 "			Inverted the Instrument—Collimation correct.	17-21	2.00 "		
23-24	1.00 "		July 26	3.50 E.	22-23	1.00 "		
Feb. 25	1.50 "		to			24	1.50 "	
to			Aug. 4		25-26	1.00 "		
Mar. 4				Inverted the Instrument—Collimation correct.	Feb. 27	0.50 "		
					to			
					Mar. 3			
					4-7	1.50 "		
					8	0.00 "		
					9-10	0.50 W.		
					11-12	0.00 "		
					13-15	2.00 W.		
					16-18	0.50 E.		
4-16	0.50 E.		18	Found the deviation in Azimuth about $\frac{1}{2}$ second <i>apparently</i> to the West, corrected it, Collimation good; mark is rather unsteady.	18	Examined the adjustment and corrected it for a SMALL deviation in Azimuth and Collimation.		
			Sept. 6	Inverted the Axis—Collimation good.				
Mar. 17	0.50 E.		Sept. 20	2.00 E.		19-22	0.50 E.	
to			to			Mar. 23	1.00 "	
April 1		Oct. 7			to			
			10-17	1.50 "	Apr. 5			
2	Inverted the Axis and found the Collimation good.		18-20	2.00 "	6-15	1.50 "		
			21-23	2.50 "	16-18	1.00 "		
3-15	1.00 E.		Oct. 24	2.00 "	19-25	0.00 "		
			to			26-27	0.50 E.	
			Nov. 7		28-30	1.00 "		
16	Inverted the Axis—slight deviation <i>apparently</i> to the West, but bisected perfectly on re-inversion. The Transit Axis has a slight lateral play between the Ys.		9	Wires appear bent, owing to the dampness of the air, centre wire <i>appears</i> about 2 seconds to the East.	May 1-3	2.00 "		
					4-9	2.50 "		
					10-16	2.00 "		
					17-18	3.50 "		
					19-26	2.00 "		

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1849. May 27 to June 6 7-26	" 2:50 E. 3:00 "		1849. Oct. 15	λ. At 19 Inverted Transit :		1849. Dec. 11	" 0:5 E.	α Ursæ Min. S.P.
				Before inversion wire is E of Δ. $\frac{R. d.}{1} 15.2$		12	0:9 "	α " "
				After do. $\frac{1}{1} 13.0$		13	0:4 "	α " "
				Again do. $\frac{1}{1} 14.8$		14	2:5 "	α " "
				After reversion. $\frac{1}{1} 15.2$		16	Inverted Transit :	
				∴ Error of Collimation is E $\frac{.0}{.0} 0.65$			Before inversion Δ reads... $\frac{R. d.}{1} 09.0$	
				= $\frac{.0}{.0} 0.15$			After do. $\frac{.06.5}{.07.9}$	
				"			Again do. ....	
July 6	2:0 E.	ζ Ursæ Min.	16	2:3 E.	δ Ursæ Min. S.P.		After reversion . ....	$\frac{.06.0}{.07.9}$
9	1:7 "	ζ " "	17	1:5 "	α " "		Consequently Collimation of } $\frac{.0}{.0} 15. E.$	
10	0:8 "	ζ " "	18	1:6 "	α " "	17	0:1 E.	α Ursæ Min. S.P.
11	0:1 "	ζ " "	19	1:0 "	α " "	19	1:5 "	α " "
12	0:9 W.	ζ " "	20	0:9 "	α " "	21	0:4 "	α " "
13	0:6 "	ζ " "	22	1:6 "	α " "	27	0:5 "	α " "
14	1:9 E.	δ " "	23	1:4 "	α " "	1-31	0:93 E.	
15	2:0 "	ζ " "	24	0:0 "	α " "			
16	0:1 W.	ζ " "	25	0:1 E.	α " "	1850. Jan. 2	1:4 W.	α Ursæ Min.
17	2:1 E.	ζ " "	30	0:3 W.	α " "	3	0:1 "	α " "
18	0:3 W.	ζ " "	31	0:8 E.	δ " " S.P.	15	Inverted the Transit.	
19	1:9 E.	δ " "	13-31	1:06 E.		16	1:4 E.	α Ursæ Min. S.P.
20	0:4 "	δ " "	Nov. 1	0:8 E.	α " "	18	1:3 "	δ " "
21	1:5 "	δ " "	2	1:0 "	α " "	25	0:5 "	α " "
22	2:0 "	δ " "	3	0:6 "	α " "	26	1:2 "	δ " "
23	1:0 "	δ " "	10	0:7 "	α " "	27	1:0 W.	α " "
24	0:9 E.	δ " "	13	0:3 "	α " "	29	0:3 "	α " "
25	0:6 W.	δ " "	14	0:2 "	α " "	1-31	0:27 E.	
26	0:9 E.	δ " "	18	Inverted Instrument:		Feb. 19	Inverted Instrument, found the middle wire out in Collima- tion about $\frac{1}{2}$ its breadth to the East; did not alter it; the Mi- crometer wire hangs, and can- not be used.	
27	0:6 W.	δ " "		Before inversion Δ measures $\frac{R. d.}{1} 07.6$		21	1:0 E.	δ Ursæ Min. S.P.
28	0:3 W.	δ " "		After do. $\frac{1}{1} 10.4$		22	1:3 "	δ " " "
29	0:1 W.	δ " "		Again do. $\frac{1}{1} 10.2$		23	0:7 "	δ " " "
30	0:8 E.	δ " "		After reversion. $\frac{1}{1} 07.6$		28	2:1 "	α Ursæ Min. "
31	0:8 E.	δ " "		∴ The error of Collimation is $\frac{.0}{.0} 1.85$ W		1-28	1:28 E.	
1-31	0:97 E.		19	Inverted Instrument when the wire appeared about its own breadth (= $\frac{.0}{.0} 10$ ) E of mark ; no measure could be taken as the movable wire fiddles; ad- justed the Collimation by the screws.		March 1	0:5 E.	51 Cephei.
August 9	0:9 E.	δ " "	20	1:0 E.	α Ursæ Min.	4	1:1 "	51 " "
10	1:2 "	δ " "	"	0:4 "	δ " " S.P.	5	0:5 "	51 " "
11	0:6 W.	δ " "	21	1:1 "	α " "	1-6	0:73 E.	
15	At 19 Inverted the Transit in its Ys; before inversion the Mi- crometer set on the Δ of the Meridian mark read—		22	0:9 "	α " "	7	0:5 W.	δ Ursæ Min. S.P.
	$\frac{R. d.}{1} 09.0$ wire E of mark		23	0:1 "	α " "	8	0:7 "	δ " " "
	After inversion. $\frac{1}{1} 11.0$ do. do		24	0:5 W.	α " "	"	0:2 E.	51 Cephei.
	Again. . . . $\frac{.1}{.1} 10.0$		28	1:1 E.	α " "	13	0:1 W.	51 " "
	After reversion $\frac{.1}{.1} 09.5$		29	1:0 "	α " "	14	0:8 E.	51 " "
	$\frac{.0}{.0} 0.06$ error of Collima- tion W. or $\frac{.0}{.0} 0.13$ in time.		"	2:4 "	α Ursæ Min. S.P.	18	0:0 "	51 " "
August 16	1:0 E.	α Ursæ Min.	1-30	0:74 E.				
17	2:0 "	α " "	Dec. 2	1:7 E.	α Ursæ Min.			
18	0:5 "	δ " "	3	0:0 "	α " "			
20	0:9 W.	δ " "	4	0:0 "	α " "			
21	0:4 E.	δ " "	10	1:5 E.	α " "			
22	0:4 "	α " "	"	1:1 "	δ " " S.P.			
23	0:7 "	δ " "	"	1:9 "	α " " "			
24	0:7 "	α " "						
1-31	0:57 E.							
Sept. 19	Inverted Transit :							
	with I E the Δ mark reads $\frac{R. d.}{1} 16.0$							
	L W " " $\frac{1}{1} 14.0$							
	error of Collimation W. . . . $\frac{.0}{.0} 1.0$							
	= $\frac{.0}{.0} 0.02$							
Oct. 13	1:8 E.	α Ursæ Min.						



ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date	Azimuth.	Star observed.
1850.			1850.	"		1850.	"	
Mar. 18	Inverted Instrument on new mark—Collimation found perfect.		May 21	3.2 E.	$\alpha$ Ursæ Min. S.P.	Oct. 26	0.1 W.	$\alpha$ Ursæ Min.
" 19	0.5 E.	51 Cephei.	30	2.4 "	" " "	29	0.7 "	"
" 20	0.4 "	$\delta$ Ursæ Min. S.P.	31	1.3 "	$\epsilon$ Ursæ Min.	30	0.5 "	"
" 22	0.4 W.	51 Cephei.	1—31	2.84 E.		Nov. 2	0.00	"
" 22	1.2 E.	$\delta$ Ursæ Min. S.P.	June 3	3.5 E.	$\alpha$ Ursæ Min. S.P.	11	Inverted the Instrument and found the error of Collimation half the breadth of the wire = 0.05 West.	
" 23	0.6 W.	51 Cephei.	8	3.1 "	" " "	13	0.00 W.	$\alpha$ Ursæ Min.
" 23	1.4 E.	$\delta$ Ursæ Min. S.P.	16	Inverted Axis and found the Collimation correct.		14	0.9 "	"
" 25	1.4 "	51 Cephei.	20	2.9 E.	$\delta$ Ursæ Min.	18	0.8 "	"
" 25	0.2 W.	"	21	2.9 "	$\delta$ "	19	1.0 "	"
" 26	0.3 "	"	29	3.8 "	$\delta$ "	20	0.8 "	"
" 27	0.0	"	1—30	3.24 E.		22	1.2 "	"
7—31	0.19 E.		July 6	0.00	$\epsilon$ Ursæ Min.	23	1.5 "	"
April 8	1.7 E.	$\alpha$ Ursæ Min. S.P.	8	1.5 E.	$\delta$ "	25	1.1 "	"
11	2.0 "	" " "	10	1.0 "	$\delta$ "	27	1.4 "	"
1—13	1.85 E.		17	Inverted Axis, found the Collimation erroneous by half the breadth of the middle wire = 0.05 to the east. Left it so.		28	2.0 "	"
15	3.0 E.	$\alpha$ " "	29	3.5 E.	$\delta$ Ursæ Min.	Dec. 4	0.6 "	"
16	Inverted the Instrument; found Collimation perfect.		30	3.0 "	$\delta$ "	5	1.1 "	"
17	3.8 E.	$\alpha$ Ursæ Min. S.P.	1—31	1.80 E.		7	1.0 "	"
18	3.5 "	" " "	Augt. 6	1.8 E.		8	1.6 "	"
20	2.6 "	" " "	18	Inverted Instrument; found the Collimation perfect.		10	0.8 "	"
23	1.6 "	" " "	31	2.6 E.	$\delta$ Ursæ Min.	11	1.4 "	"
25	3.5 "	$\delta$ Ursæ Min.	Sept. 17	Inverted Instrument and found the error of Collimation half the breadth of the wire = 0.05 East.		12	1.3 "	"
29	4.0 "	$\delta$ "	Oct. 9	1.6 E.	$\alpha$ Ursæ Min.	13	1.1 "	"
30	3.5 "	$\delta$ "	11	The 1st wire was gone; took out diaphragm and inserted a fresh silk line and re-adjusted the Collimation, inverting the Instrument for the purpose; it is not known how the accident occurred.		14	2.3 "	"
14—30	3.12 E.		12	2.3 E.	$\alpha$ Ursæ Min.	15	1.1 "	"
May 1	3.4 E.	$\alpha$ Ursæ Min. S.P.	14	1.9 "	"	16	1.6 "	"
3	3.6 "	" " "	Augt. 1	2.04 E.		17	1.6 "	"
4	4.0 "	" " "	to				17	1.6 "
6	2.8 "	$\delta$ Ursæ Min.	Oct. 25			19	Inverted the Axis and found Collimation perfect.	
" 9	1.8 "	51 Cephei S.P.				20	2.0 W.	$\alpha$ Ursæ Min.
" 9	1.5 "	$\delta$ Ursæ Min.				21	1.9 "	"
11	4.0 "	$\alpha$ Ursæ Min. S.P.				22	2.6 "	"
13	3.8 "	" " "				23	0.4 "	"
14	2.7 "	" " "				27	0.9 "	"
16	At 20 Mean Time inverted the Transit: the Collimation appeared perfect.					Oct. 26	1.14 W.	
17	2.9 E.	$\alpha$ Ursæ Min. S.P.			Dec. 31			
18	2.3 E.	" " "						
19	At 22 30 observed that the wire had shifted on the North mark. Inverted Instrument and found Collimation correct. The pillar has perhaps received a blow. The change is very small about 1.5. The wire is now exactly on the central mark.					1851.		
						Jan. 2	1.1 W.	$\alpha$ Ursæ Min.
						" 3	0.6 E.	$\delta$ " S.P.
						" 3	0.5 W.	51 Cephei.
						" 4	1.5 "	$\alpha$ Ursæ Min.
						" 4	1.4 "	"
						" 6	1.7 "	$\delta$ " S.P.
						" 8	0.4 "	"
						" 8	0.8 "	"
						" 10	0.2 "	$\delta$ " S.P.
						" 11	0.2 E.	51 Cephei.
						" 11	0.3 W.	$\delta$ Ursæ Min. S.P.
						" 13	0.7 E.	51 Cephei.
						" 13	1.4 W.	$\alpha$ Ursæ Min.

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1851.	"		1851.	"		1851.	"	
Jan. 14	0.6 W.	$\delta$ Ursæ Min. S.P.	Feb. 28	0.1 W.	$\delta$ Ursæ Min. S.P.	June 15	1.2 E.	$\alpha$ Ursæ Min.
"	0.4 E.	51 Cephei.				16	Inverted the Axis—no alteration in Collimation.	
15	0.6 W.	$\delta$ Ursæ Min. S.P.	23—28	0.01				
16	1.1 "	$\alpha$ "						
"	Inverted Instrument, and found the error of Collimation half the breadth of the wire = 0.05 East.		Mar. 1	0.6 W.	$\delta$ " "	17	3.0 E.	$\alpha$ Ursæ Min. S.P.
17	0.6 W.	$\alpha$ Ursæ Min.	3	0.7 "	" "	18	0.5 "	" "
18	1.3 "	$\alpha$ "	4	0.9 "	" "	28	1.3 "	" "
20	0.4 "	$\alpha$ "	5	0.0 "	" "	24	1.8 "	" "
"	0.3 E.	$\delta$ " S.P.	6	0.1 W.	" "	"	1.7 "	" S.P.
"	0.0	51 Cephei.	10	0.0	" "	"	3.2 "	" "
21	0.2 W.	$\alpha$ Ursæ Min.	12	1.8 E.	51 Cephei.	30	1.5 "	" "
22	0.9 "	$\delta$ " S.P.	14	0.9 "	" "	"	4.5 "	$\delta$ "
24	0.2 "	$\alpha$ "	15	1.0 "	" "	"	1.3 "	$\alpha$ "
25	0.7 "	$\alpha$ "	16	Inverted the Axis and found the Collimation perfect.		1—30	2.00 E.	
27	0.1 E.	$\alpha$ "	17	0.2 E.	$\delta$ Ursæ Min. S.P.	July 1	0.8 E.	$\alpha$ Ursæ Min. S.P.
28	0.6 "	51 Cephei.	18	0.1 W.	$\lambda$ " "	2	1.3 "	" "
29	0.2 W.	$\delta$ Ursæ Min. S.P.	"	0.3 E.	$\delta$ " "	3	1.3 "	" "
"	0.2 "	51 Cephei.	"	0.1 W.	$\lambda$ " "	16	Inverted the Axis; Collimation not altered.	
30	0.2 "	51 do.	19	0.8 "	$\delta$ " "	21	0.3 W.	$\delta$ Ursæ Min.
31	0.2 "	$\delta$ Ursæ Min. S.P.	20	0.6 "	$\lambda$ " "			
"	0.6 "	51 Cephei.	"	0.7 "	$\delta$ " "	Aug. 18	Inverted Axis and found the error of Collimation half the breadth of the wire = 0.05 West.	
Jan. 1—31	0.44 W.		21	1.2 "	$\lambda$ " "			
			25	1.2 "	$\lambda$ " "			
			28	0.4 "	$\lambda$ " "			
Feb. 6	1.8 E.	$\alpha$ Ursæ Min. S.P.	1—31	0.20 W.		Sept. 3	1.3 E.	$\delta$ Ursæ Min.
7	1.8 "	$\alpha$ " "	April 1	4.5 E.	$\delta$ Ursæ Min.	July 1 } to Sept. 12 }	0.88 E.	
9	2.3 "	$\alpha$ " "	2	3.8 "	" "	13	2.9 E.	$\delta$ Ursæ Min.
10	2.2 "	$\alpha$ " "	3	4.3 "	" "	14	Inverted Axis and found error of Collimation about 1 W. corrected it by the screw.	
11	1.8 "	$\delta$ " "	4	3.8 "	" "	16	2.3 E.	51 Cephei.
"	3.2 "	$\alpha$ " "	8	2.8 "	" "	27	4.5 "	$\delta$ Ursæ Min.
12	3.0 "	$\alpha$ " "	9	4.5 "	" "	Sept. 13 } to Oct. 14 }	3.23 E.	
13	3.1 "	$\delta$ " "	10	4.5 "	" "	14	Inverted Instrument and found the error of Collimation one breadth of the wire, i. e. 0.10 East; corrected it by the screw.	
14	1.9 "	$\delta$ " "	16	1.7 "	" "	Oct. 15	1.2 E.	$\lambda$ Ursæ Min.
15	3.3 "	$\alpha$ " "	"	Inverted the Axis and found the Collimation correct.		21	0.5 W.	$\alpha$ "
16	Inverted Instrument and found error of Collimation one breadth of the wire (= 0.10) East. Corrected it by the screw.		22	3.8 E.	$\delta$ Ursæ Min.	24	0.1 E.	" S.P.
19	1.1 E.	$\delta$ Ursæ Min. S.P.	25	4.0 "	$\delta$ "	24	1.8 "	" "
"	1.1 "	$\alpha$ " "	10	2.9 "	$\alpha$ " S. P.	25	0.4 "	" "
20	0.7 "	$\delta$ " "	12	5.5 "	$\delta$ "	28	0.1 W.	" "
"	1.2 "	$\alpha$ " "	14	4.3 "	$\delta$ "	30	0.6 "	" "
21	2.1 "	$\delta$ " "	15	4.1 "	$\delta$ "	15—31	0.33 E.	
22	1.3 "	$\delta$ " "	"	Inverted the Axis; Collimation correct.				
1—22	2.01 E.		21	3.2 E.	$\delta$ Ursæ Min.			
24	0.3 W.	$\delta$ " "	28	3.4 "	$\delta$ "			
25	0.2 E.	" "	April 1 } to May 31 }	3.82 E.				
26	0.7 "	" "						
27	0.0	" "						

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1851.	"		1852.	"		1852.	"	
Nov. 7	3.2 W.	$\alpha$ Ursæ Min.	Jan. 8	3.8 W.	$\delta$ UrsæMin.S.P.	Mar. 5	1.1 W.	$\delta$ UrsæMin.S.P.
17	5.7 "	"	8	3.7 "	$\alpha$ "	8	2.4 "	" "
18	Inverted Axis and found error of Collimation $\frac{1}{2}$ the breadth of the wire W. or about 1.0.		9	3.6 "	$\delta$ " S.P.	9	2.6 "	" "
19	4.9 W.	$\alpha$ Ursæ Min.	10	2.3 "	$\delta$ " "	10	2.9 "	" "
20	4.9 "	"	12	2.0 "	$\alpha$ " "	11	2.6 "	" "
21	5.0 "	"	"	3.0 "	$\delta$ " S.P.	16	Inverted Axis; Collimation found correct.	
22	5.0 "	" S.P.	15	2.3 "	$\alpha$ " "	20	2.8 W.	$\delta$ UrsæMin.S.P.
24	4.8 "	"	"	0.7 "	$\delta$ " S.P.	1-31	2.21 W.	
25	3.9 "	"	16	2.2 "	$\alpha$ " "	April 22	Inverted Axis and found the Collimation correct.	
28	3.5 "	" S.P.	"	0.8 "	$\delta$ " S.P.	23	0.1 E.	$\alpha$ UrsæMin.S.P.
1-30	4.54 E.		22	3.0 W.	$\alpha$ UrsæMin.S.P.	24	0.2 "	" "
Dec. 2	2.4 W.	$\alpha$ Ursæ Min.	24	2.0 "	$\alpha$ " S.P.	28	0.4 W.	" "
3	2.7 "	"	26	2.6 "	$\delta$ " "	29	0.6 "	" "
4	3.2 "	" S.P.	30	2.8 "	$\alpha$ " "	1-30	0.25 W.	
5	2.7 "	" S.P.	31	3.7 "	$\alpha$ " "	May 8	0.8 E.	$\alpha$ UrsæMin.S.P.
6	2.9 "	"	1-31	2.36 E.		16	Inverted Axis and found error of Collimation 0.5 E.; left it so.	
8	2.8 "	"	Feb. 2	2.3 W.	$\alpha$ Ursæ Min.	20	0.9 E.	$\alpha$ UrsæMin.S.P.
9	2.0 "	"	"	4.1 "	$\delta$ " S.P.	25	0.6 W.	" "
10	3.2 "	"	3	1.6 "	$\delta$ " "	26	0.8 E.	" "
16	Inverted Axis and found error of Collimation one breadth of the wire W. or 1.5; corrected it by the screw.		6	2.1 "	$\alpha$ " S.P.	27	0.5 "	" "
17	3.1 W.	$\alpha$ UrsæMin.S.P.	"	3.2 "	$\delta$ " "	31	1.4 W.	" "
18	2.7 "	"	7	2.9 "	$\alpha$ " S.P.	1-31	0.17 E.	
19	2.5 "	"	"	3.0 "	$\delta$ " "	June 1	0.2 E.	$\alpha$ UrsæMin.S.P.
21	2.6 "	"	9	1.5 "	$\delta$ " "	2	0.2 W.	" "
22	2.3 "	"	10	1.5 "	$\delta$ " "	3	0.2 E.	" S.P.
24	1.4 "	"	11	2.4 "	$\delta$ " "	"	0.2 "	" "
29	2.9 "	" S.P.	12	3.4 "	$\alpha$ " "	4	0.6 W.	" "
1-31	2.63 W.		"	2.2 "	$\delta$ " S.P.	5	0.4 E.	" "
1852.			13	2.3 "	$\delta$ " "	7	0.0 "	" "
Jan. 1	1.5 W.	$\alpha$ Ursæ Min.	14	2.3 "	$\alpha$ " S.P.	8	0.2 W.	" "
2	1.9 "	"	"	2.6 "	$\delta$ " "	16	Inverted the Axis and found the Collimation correct.	
3	2.4 "	"	16	2.1 "	$\delta$ " "	1-30	0.00	
5	Found the whole of the Transit wires broken as if by the insertion of a finger, put in a new set of silk lines; inverted Axis and adjusted for Collimation.		17	1.9 "	$\alpha$ " S.P.	July 15	Inverted Axis; Collimation correct.	
6	2.6 W.	$\alpha$ Ursæ Min.	"	2.0 "	$\delta$ " "	19	1.3 E.	$\alpha$ Ursæ Min.
"	2.9 "	$\delta$ " S.P.	21	2.3 "	$\delta$ " "	9	0.7 E.	"
7	1.6 "	$\alpha$ " "	23	2.0 "	$\delta$ " "	15	Inverted Transit and found Collimation correct.	
			1-28	2.29 W.				
			Mar. 2	2.4 W.	$\delta$ UrsæMin.S.P.			
			3	1.7 "	" "			
			4	1.4 "	" "			

ERRORS OF AZIMUTH AND COLLIMATION OF THE TRANSIT INSTRUMENT.

Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.	Date.	Azimuth.	Star observed.
1852.	"					1852.	"	
Aug. 25	1.6 E.	$\alpha$ Ursæ Min.	1852.			Nov. 24	7.7 W.	$\alpha$ Ursæ Min.
26	2.1 "	"	Oct. 15	Inverted Axis ; Collimation found correct.		25	7.5 "	"
27	2.7 "	"		"				
28	2.7 "	"	25	5.0 W.	$\alpha$ Ursæ Min.	1-30	7.46 W.	
July 1 } to Aug. 31 }	1.85 E.		26	5.6 "	"	Dec. 8	8.1 W.	$\alpha$ Ursæ Min.
Sept. 2	2.4 E.	$\alpha$ Ursæ Min.	27	5.5 "	"	"	8.1 "	" S.P.
3	0.2 "	"	28	4.8 "	"	10	7.7 "	" "
8	0.8 "	"	29	5.0 "	"	13	Inverted Axis and found Collimation correct.	
16	Inverted Axis and found error of Collimation about 0.5 E.		10-31	5.18 W.		15	6.0 W.	$\alpha$ Ursæ Min. S.P.
18	1.1 E.	$\alpha$ Ursæ Min.	Nov. 2	5.0 W.	$\alpha$ Ursæ Min.	16	8.3 "	$\alpha$ Ursæ Min.
22	0.6 "	"	8	7.6 "	"	21	8.2 "	"
23	1.7 "	"	9	9.1 "	"	22	8.5 "	"
24	0.6 "	"	11	7.8 "	"	30	6.8 "	"
25	0.0 "	"	15	7.2 "	" S.P.	1-31	7.71 W.	
Sept. 1 } to Oct. 9. }	0.9 3E.			Inverted Axis and found error of Collimation 0.5 E.				
			20	7.7 W.	$\alpha$ Ursæ Min.			
			23	7.6 "	"			



DAILY RATE OF THE TRANSIT CLOCK, (Continued.)

1848.		1848.		1849.		1849.	
	s.		s.		s.		s.
Sep. 27	+ 1.11	Dec. 16&17	+ 0.91	Feb. 19	+ 2.00	Apr. 18	+ 1.31
Sep. 28	} + 1.47	18	+ 0.74	20	+ 2.22	19	+ 1.31
to		19	+ 0.81	21	+ 2.06	20	Wound up the clock and put back 1 minute.
Oct. 2	} 3 Wound up the clock.	20	+ 0.59		„ Clock oiled by Mr. Orr.	21 to 23	+ 0.97
3		21	+ 0.54	22	+ 1.64	24	+ 1.16
4	+ 1.26	22	+ 0.39	23	+ 1.64	25	+ 1.32
5 to 10	+ 0.92	23 to 27	+ 0.47	24	+ 1.64	26	+ 1.03
11	+ 0.90	28	+ 0.55	25	+ 1.63	27	+ 0.84
12	+ 0.86	29	+ 0.50	26	+ 1.68	28	+ 0.80
13	+ 0.78	30	+ 0.60	27	+ 1.86	29	+ 0.73
14	+ 0.82			28	+ 1.42	30	+ 0.74
15	+ 0.83	1849.			„ Wound up the clock and put back 1 minute.	May 1	+ 0.77
16	+ 0.83	Jan. 2	+ 0.47	Mar. 1	+ 0.87	2	+ 0.77
17	+ 0.86	3	+ 0.30	2	+ 0.87	3	+ 0.74
18	+ 1.03	4	+ 0.31	3	+ 0.82	4	+ 0.69
19	+ 0.83	8	+ 0.27	4	+ 0.67	5	+ 0.73
20	+ 0.95		„ Wound up the clock and put back 1 minute.	5	+ 0.63	7	+ 0.75
21	+ 0.88	10	- 0.15	6	+ 0.64	8	+ 0.82
22	+ 1.04	11	+ 0.25	7	+ 0.62	9	+ 0.96
23	+ 0.99	12	+ 0.34	8	+ 0.60	10	+ 0.90
24	+ 1.02	13	+ 0.39	9	+ 0.96	11	+ 0.98
27	Wound up the clock and put back 1 minute.	15	+ 0.30	10	+ 1.47	12	+ 0.64
28	+ 0.80	16	+ 0.24	11	+ 1.70	13	+ 0.82
30	+ 0.83	17	+ 0.28	12	+ 1.96	14	+ 0.84
		18	+ 0.24	13	+ 1.64	15	+ 1.19
Nov. 2	+ 1.20	19	+ 0.25	14	+ 1.38	16	+ 1.11
6	+ 1.25	20 to 22	+ 0.45	15	+ 1.22		„ Clock stopt, 40 in winding up.
7	+ 1.26	23	+ 0.45	16	+ 1.22	17&18	+ 1.09
10	+ 1.42	24	+ 0.64	17	+ 1.47	19	+ 0.85
11	+ 1.47	25	+ 0.91	18	+ 1.66	21	+ 0.86
13	+ 1.37	26	+ 0.74	19	+ 1.56	22	+ 0.74
17	+ 1.26	27	+ 0.74	20	+ 1.26	23	+ 0.80
18	+ 1.26	28	+ 0.77	21	+ 1.32	25	+ 0.79
		29	+ 0.81	22	+ 1.23	26	+ 0.34
19	Wound up the clock.	30	+ 0.75	23	+ 1.30	27	+ 0.50
20	+ 0.89	31	+ 1.00	24&25	+ 1.31	28	+ 0.52
21	+ 0.62	Feb. 1	+ 0.85	26&27	+ 1.29		May 29 to June 3 } + 0.67
22	+ 0.52	2	+ 0.79	28	+ 1.21	4	+ 0.65
23	+ 0.67		„ Wound up the clock.	29	+ 1.23	5	+ 0.89
24	+ 0.45	3	} + 0.17	30	+ 1.31	6	+ 0.91
25 to 28	+ 0.70	4			31	+ 1.25	7
29	+ 0.78	5	+ 0.17	Apr. 1	+ 1.15	8	+ 1.13
30	+ 1.00	6	+ 0.41	2	+ 1.05		10 Wound up the clock.
		7	+ 1.27	3	+ 1.18	11&12	+ 0.79
Dec. 2	+ 2.12	8	+ 1.62	4	+ 0.98	13 to 19	+ 1.02
4	+ 2.12	9	+ 1.33	5	+ 1.01	20	+ 1.02
5	+ 1.85	10	+ 1.45	6 to 8	+ 1.11	21 to 23	+ 1.03
6	+ 2.08	11	+ 1.37	9	+ 1.12	24	+ 1.00
7	+ 1.72	12	+ 1.13	10	+ 1.23	25	+ 0.99
8	+ 1.48	13	+ 1.13	11	+ 1.24	26	+ 0.91
9	+ 1.55	14	+ 0.96	12	+ 1.25	27	+ 0.92
12	+ 1.55	15	+ 1.12	13	+ 1.22	29	+ 0.92
		16	+ 1.16	14	+ 1.12		
14	Wound up the clock.	17	+ 1.24	15	+ 1.52		
15	+ 1.63	18	+ 1.67	16	+ 1.52		
				17	+ 1.32		

DAILY RATE OF THE TRANSIT CLOCK, (Continued.)

1849.	s.	1849.	s.	1849.	s.	1850.	s.
June 30	+ 0.92	Sep. 14		Nov. 16	+ 1.68	Jan. 15	+ 3.12
July 3	+ 1.06	15	+ 1.41	17	+ 1.51	16	+ 3.80
5	+ 1.06	17	+ 1.41	18	+ 1.70	17	+ 4.36
6	+ 0.95	18	+ 1.41	19	+ 1.67	18	+ 4.39
	Wound up the clock.	19	+ 1.49	20	+ 1.61	19	+ 4.77
7	+ 1.21	20	+ 1.38	21	+ 1.72	20	+ 4.79
		21	Wound up the clock and put back 1 minute.	22	+ 1.92	21	Clock removed to be cleaned by Mr. Orr.
July 9	+ 1.21	22 to 24	+ 1.25	23	+ 1.79	24	Clock set up again, having been cleaned.
10	+ 1.37	25	+ 1.18	24	+ 1.63	24 & 25	— 2.50
11	+ 1.12	26	+ 1.12	25	+ 1.63		As the clock is losing
12	+ 1.20	27	+ 1.02	26	+ 1.80		about 3 per day, altered
13	+ 1.45	28	+ 1.03	28	+ 1.98		pendulum screw one di-
14	+ 1.58	29	+ 1.05	29	+ 1.90		vision; in doing so stop-
15	+ 1.62			30	+ 1.73		ped the clock for 1.3—
16	+ 1.69	Oct. 1	+ 1.08	Dec. 1	+ 1.78		time 15 40.
17	+ 1.64	2	+ 1.24	2	+ 1.83	26	— 1.86
18	+ 1.38	3 to 7	+ 1.34	3	+ 1.89		At 15 48 altered pen-
19	+ 1.39	8	+ 1.02	4	+ 1.91		dulum screw two divi-
20	+ 1.40	10	+ 1.43	5	+ 1.91		sions; in doing so stop-
21	+ 1.40	11	+ 1.56	6	Wound up the clock and put back 1 minute.		ped the clock 1.0.
27 to 31	+ 1.25	12	+ 1.50	8	+ 1.69	27	— 0.80
Aug. 1	Wound up the clock.	13	+ 1.50	10	+ 1.66	28	— 0.90
4	+ 1.16	14	+ 1.44	11	+ 1.62	29	— 0.98
6	+ 1.25	15	+ 1.51	12	+ 1.64	30	— 0.83
7	+ 1.30	16	+ 1.50	13	+ 1.62	31	— 0.65
8	+ 1.25	17	Wound up the clock.	14	+ 1.56		
9	+ 1.10		+ 1.26	15	+ 1.86	Feb. 1	— 0.43
10	+ 1.14	18	+ 1.40	17	+ 2.04	2	— 0.12
11	+ 1.20	19	+ 1.61	18	+ 2.65	3	— 0.06
12	+ 1.38	20	+ 1.61	19	+ 2.35	4	— 0.07
13	+ 1.38	21	+ 1.50	20	+ 2.02	5	— 0.29
14	+ 1.34	22	+ 1.54	21	+ 1.97	6	— 0.53
15	+ 1.36	23	+ 1.50	22	+ 1.73	7	— 0.74
16	+ 1.48	24	+ 1.58	26	+ 2.04	8	— 0.74
17	+ 1.30	25	+ 1.59	27	+ 2.08	11	— 0.54
18	+ 1.29	26	+ 1.59	28	+ 2.07	12	— 0.10
19	+ 1.42	27	+ 1.60	29	+ 2.03	13	+ 0.13
20	+ 1.45	28	+ 1.60			14	— 0.08
21	+ 1.44	29	+ 1.60	1850.		15	— 0.39
22	+ 1.73	30	+ 1.84	Jan. 1	+ 2.29	16	— 0.56
23	+ 1.68	31	+ 1.73		Wound up the clock.	17	— 0.30
24	+ 1.80	Nov. 1	+ 1.67	2	+ 2.20	18	— 0.29
25 to 27	+ 1.80	2	+ 1.56	3	+ 2.25	19	— 0.22
28	Wound up the clock and put back 1 minute.	3	+ 1.59	4	+ 2.22	20	— 0.48
29 & 30	+ 1.27	4	+ 1.56	5	+ 2.36		Wound up the clock.
31	+ 1.31	5	+ 1.72	6	+ 2.29	21	+ 0.09
Sept. 1 to 4	+ 1.70	6	+ 1.75	7	+ 2.22	22	+ 0.40
5	+ 1.60	8	+ 1.62	8	+ 2.27	23	+ 0.30
6	+ 1.58	9	+ 1.65	9	+ 2.33	24	+ 0.30
8	+ 1.58	10	+ 1.80	10	+ 2.48		
11	+ 1.53	11	+ 1.80	11	+ 2.32		
12	+ 1.51		Wound up the clock, and put back 1 minute.	12	+ 2.29		
13	+ 1.51	12 & 13	+ 1.84	13	+ 2.29		
		14	+ 1.97	14	+ 2.60		
		15	+ 1.82		Oiled the clock.		





DAILY RATE OF THE TRANSIT CLOCK, (Continued.)

1852.	s.		1852.	s.		1852.	s.	
Feb. 3	+ 2.45		Mar. 25	Wound up the clock.	May 21	+ 1.35	July 16	- 1.38
4	+ 2.76				22	+ 1.35		
5	+ 2.83		25 & 26	+ 0.78	23	+ 1.35	17	Turned up pendulum screw 2 divisions without stopping the clock.
6	+ 2.64		27	+ 0.66	"	Let the pendulum screw down 1 division without stopping the clock.	18	+ 0.24
7	+ 2.77		28	+ 0.76			19	+ 0.29
8	+ 2.76		29	+ 0.78			20	+ 0.38
9	+ 2.45		30	+ 0.67			21	+ 0.92
10	+ 2.80		31	+ 0.65	24 & 25	- 0.16	22	+ 0.99
11	+ 2.80				26	- 0.12	23	+ 0.99
12	+ 2.50		Apr. 1	+ 0.63	27	- 0.18	24	+ 0.99
13	+ 2.64		2	+ 0.66	28	- 0.21	25	+ 0.99
14	+ 2.67		3	+ 0.62	29	- 0.28	26	+ 1.07
15	+ 2.58		4	+ 0.62	30	- 0.28	27	+ 0.95
16	+ 2.23		5	+ 0.63	31	- 0.28	28	+ 1.04
17	+ 2.81		6	+ 0.54	June 1	- 0.34	29	+ 1.14
18	+ 2.40		7	+ 0.56	2	- 0.34	Aug. 2	+ 1.24
19	+ 2.55		8	+ 0.62	3	- 0.45	4	+ 1.21
20	+ 2.44		9	+ 0.56	4	- 0.48	5	+ 1.19
21	+ 2.39		10 & 11	+ 0.43	5	- 0.54	6	+ 1.24
22	+ 2.38		12	+ 0.50	6	- 0.65	7	+ 1.20
23	+ 2.34		13	+ 0.50	7	- 0.53	8	+ 1.03
24	+ 2.35		14	+ 0.50	8	- 0.50	9	+ 0.97
25	+ 2.35		15	+ 0.45	9	- 0.64	10	+ 1.19
"	Wound up the clock and put back 1 minute.		16	+ 0.47	10	- 0.62	11	+ 1.35
26 & 27	+ 1.99		17	+ 0.51	11	- 0.48	12	+ 1.35
28	+ 2.06		18	+ 0.51	12	- 0.68	13 & 14	+ 1.35
29	+ 2.06		19	+ 0.52	13	- 0.66	15	Wound up the clock. Let down pendulum screw 1.5 division.
Mar. 1	+ 2.06		20	+ 0.55	14 & 15	- 0.66	16 & 17	- 3.29
2	+ 2.14		21	+ 0.55	16	Wound up the clock.	17	Turned up pendulum screw 2 divisions.
3	+ 2.18		"	Wound up the clock.	18	- 1.07	18 to 22	+ 2.35
4	Let down pendulum screw 3 divisions without stopping the clock.		22	+ 0.55	19	- 1.16	23	+ 1.18
5	- 1.05		23	+ 0.55	20	- 1.14	"	Turned pendulum screw down 1 division.
6	- 0.82		24	+ 0.59	21	- 1.15	24	- 0.98
7	- 0.82		26	+ 0.61	25	- 1.20	25	Turned up pendulum screw 0.5 division.
8	Turned up pendulum screw 1 division without stopping the clock.		27	+ 0.57	28	- 1.20	26	- 1.94
8 & 9	+ 0.57		28	+ 0.66	29	- 1.21	27	- 1.88
10	+ 0.80		29	+ 0.82	July 1	- 1.21	28	- 1.77
11	+ 0.68		30	+ 0.76	2	- 1.21	29	- 1.80
12	+ 0.78		May 1	+ 0.76	3	- 1.32	Sep. 1	- 1.88
13	+ 0.85		3	+ 0.76	4	- 1.18	"	Pendulum going unsteady with a twist; removed the case and found a number of cobwebs attached to the upper part; removed them.
15	+ 0.86		4 to 6	+ 0.77	5	- 1.12		
16	+ 0.86		7	+ 0.76	6	- 1.00		
17	+ 0.94		8	+ 0.70	7	- 1.09		
18	+ 0.94		9	+ 0.69	8	- 0.98		
19	+ 1.02		10	+ 0.62	9	- 0.97		
20	+ 1.13		11 & 12	+ 0.59	10	- 1.02		
21	+ 1.13		13	+ 0.55	11	- 1.05		
22	+ 0.96		14	+ 0.44	12	- 1.06		
23	+ 0.77		15	+ 0.48	13	- 1.16		
24	+ 0.77		16	+ 0.50	14	- 1.33		
			17	+ 0.51	15	- 1.33		
			18	+ 0.60	"	Wound up the clock. Turned the pendulum screw up 1 division without stopping the clock.		
			19	+ 0.66				
			20	+ 0.60				
			"	Wound up the clock.				



MURAL CIRCLE OBSERVATIONS AT THE MADRAS OBSERVATORY, IN 1848—1852.

INDEX ERROR OF THE MURAL CIRCLE.

Date	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference
<p>1848. Jan. 2 I took out the circle and cleaned the Axis; also cleaned and adjusted the Micrometers. T. G. T.</p>						<p>1848. Feb. ' ' ' ' ' "</p>					
3	13	+ 1 38.58	3	+ 1 37.18	+ 1.40	20 & 21	14	+ 1 18.44	5	+ 1 18.48	- 0
4	11	37.41	4	36.54	+ 0.87	22	10	18.32	4	19.32	- 1
5	13	36.90	3	37.10	- 0.20	23	10	18.75	4	18.92	- 0
6	9	36.16	5	36.04	+ 0.12	24	9	17.94	4	17.69	+ 0
7	13	35.55	5	36.23	- 0.68	25	8	17.77	4	17.17	+ 0
8	12	35.03	4	35.64	- 0.61	26 & 27	13	17.70	4	16.80	+ 0
10	9	34.56	5	35.42	- 0.86	28	14	17.94	4	16.85	+ 1
11 & 12	10	32.78	9	33.32	- 0.54	29	13	16.07	5	16.07	0
13	10	25.75	3	25.61	+ 0.14	<p>Mar. 1 17 15.89 5 14.41 + 1</p>					
14	6	26.17	4	24.90	+ 1.27	2 16 15.69 5 15.28 + 0					
15 & 16	11	24.69	5	24.73	- 0.04	3 5 15.51 4 15.35 + 0					
17 & 18	16	23.57	5	22.90	+ 0.67	4 16 15.86 4 15.13 + 0					
<p>I reduced the reading of Microscope D, 20, which altered suddenly to about this amount on the 13th. T. G. T.</p>						5 14 14.82 5 14.59 + 0					
18	13	+ 1 29.79	4	+ 1 28.44	+ 1.35	6 14 12.24 5 13.02 - 0					
19	16	28.36	5	27.45	+ 0.91	7 15 12.26 4 11.98 + 0					
20	15	28.27	5	27.61	+ 0.66	8 14 12.03 4 11.76 + 0					
21	16	28.19	5	28.07	+ 0.12	9 13 11.83 4 11.53 + 0					
22 to 24	19	26.49	7	26.90	- 0.41	10 11 11.88 5 11.36 + 0					
<p>This sudden alteration of the Microscope D arises from the shoulder of the screw having worn so as to allow of the rim of the Micrometer head to rub against the zero lozenge, on the body of the Micrometer—the observations are suspended in consequence. I rectified this by filing away the edge of the Micrometer head. T. G. T.</p>						11 14 11.38 4 11.36 + 0					
25	12	+ 1 27.06	5	+ 1 27.93	- 0.87	12 13 11.83 5 11.84 - 0					
26	10	26.87	3	27.11	- 0.24	13 13 11.70 5 11.90 - 0					
27	13	25.58	5	25.74	- 0.16	14 12 11.37 5 10.55 + 0					
28	15	25.30	5	25.75	- 0.45	15 12 11.38 5 10.40 + 0					
29 & 30	16	24.56	5	23.97	+ 0.59	16 11 10.93 5 11.22 - 0					
31	14	24.25	3	23.19	+ 1.06	17 5 10.35 4 10.09 + 0					
<p>Feb. 1 13 23.59 5 23.58 + 0.01</p>						18 9 9.33 - -					
2	14	23.55	4	23.16	+ 0.39	19 2 11.02 4 11.50 - 0					
3	12	23.02	5	22.84	+ 0.18	20 13 10.82 5 9.82 + 1					
4	16	22.26	5	23.51	- 1.25	21 11 10.43 5 10.26 + 0					
5	12	22.33	4	21.65	+ 0.68	22 12 10.00 5 10.17 - 0					
6 & 7	17	20.47	5	21.33	- 0.86	23 12 10.30 5 9.89 + 0					
8	9	20.65	4	20.39	+ 0.26	24 10 10.51 4 10.29 + 0					
9	12	20.45	5	20.94	- 0.49	25 10 10.15 5 11.39 -					
10	9	20.23	5	19.85	+ 0.38	<p>The wires were frayed and covered with dust trying to shake it off and blowing gently, I effected a separation of the vertical wire; it was replaced in a new set. The dust appears to be black of the tube of the Telescope, and also it and the oil of the Micrometer screw, as the particles about the wire plate left a greasy black. The wires are rather thick, similar to the Transits. W. K.</p>					
11	11	19.59	4	19.74	- 0.15	26 8   + 1 46.69   2   + 1 44.75   +					
12	11	19.12	3	19.71	- 0.59	<p>On examining the wires found them clearly firmly set, but the adjusting screw of the horizontal wire was not home, moving whilst I shade hand from the light, my hand resting on the —set it firm and re-adjusted the vertical and zontal wires. The following are the readings for Error: W. K.</p>					
14	7	19.56	3	19.80	- 0.24	27 9   + 0 54.95   3   + 0 55.25   -					
15	9	19.15	4	19.35	- 0.20						
16	7	19.18	4	18.47	+ 0.71						
17	5	19.19	3	19.29	- 0.10						
18	8	19.40	5	19.45	- 0.05						
19	10	18.99	4	19.26	- 0.27						

## MURAL CIRCLE OBSERVATIONS AT THE

INDEX ERROR OF THE MURAL CIRCLE, (Continued)											
Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1848.						1848.					
Mar. 29		The south friction roller Axle has worn its bearing very much away.			W. K. W.	May 5	10	+ 0 53.08	5	+ 0 52.49	+ 0.59
						6	10	53.41	4	52.77	+ 0.64
30	8	+ 0 54.81	5	+ 0 54.88	— 0.07	8	9	53.19	5	52.66	+ 0.53
31	11	54.72	5	54.95	— 0.23	9	10	52.81	5	52.88	— 0.07
						10	10	53.59	5	53.48	+ 0.11
						11	9	52.07	5	52.84	— 0.77
						12	10	52.49	5	52.74	— 0.25
						13	10	52.53	4	52.70	— 0.17
						15	7	53.44	5	52.62	+ 0.82
						16	8	60.57	2	58.99	+ 1.58
						17	6	54.45	5	53.18	+ 1.27
						18	8	54.83	4	54.35	+ 0.48
						19	6	53.94	4	53.77	+ 0.17
						20	6	52.88	4	52.46	+ 0.42
April 1	9	+ 0 54.45	4	+ 0 55.33	— 0.88	22&23	5	51.37	5	53.06	— 1.69
						25	4	50.16	3	51.90	— 1.74
2		Vide remark 29th March. The bearing continues to enlarge. Lest the axis of the circle should be subjected to unequal wear, discontinued the observations, Captain Smith having kindly promised to repair the injury, after examining it and agreeing with me that it would be advisable to do so. The hole is worn .85* larger than the Axle. Sent for repair.			W. K. W.	26	9	51.49	3	51.36	+ 0.13
						27	9	51.88	4	51.31	+ 0.57
						May 29 } to } June 1 }	8	50.88	13	50.54	+ 0.29
						6 & 7	7	51.02	7	51.60	— 0.58
						8	5	50.92	3	50.09	+ 0.83
						9 & 10	6	51.64	6	50.72	+ 0.92
						19	7	52.14	3	49.99	+ 2.15
						20	6	51.39	3	50.18	+ 1.21
10		Captain Smith returned the Friction Wheels having bouched the damaged bearing with steel. Mr. R. Allan and C. Veerasawmy Pillay remarked that previous to the discovery of the damage, subsequent in fact to the last oiling in January, the divisions of the circle, "were on one side" of the cross wire, and suggested that the Friction Wheels had been sustaining more than their due weight. On examining this, I found that the Circle was <i>not</i> pushed home. I put the Circle gently in and Mr. R. Allan tightened the back screws with his fingers fully "four turns" Whilst the wheels were under repair, I sent the Collimator to be adjusted and fitted.				21 & 22	4	51.87	6	50.34	+ 1.53
						23	5	50.95	3	50.01	+ 0.94
						26	5	50.86	3	51.02	— 0.16
						27	5	50.94	4	50.59	+ 0.35
						28	3	49.98	4	50.88	— 0.90
						30	4	51.40	3	50.00	+ 1.40
						July 1	6	51.24	3	49.51	+ 1.73
						3	5	50.22	4	49.43	+ 0.79
						6 to 11	6	50.13	11	49.40	+ 0.73
						22 to 24	6	49.52	5	49.90	— 0.38
						25	16	50.38	4	48.80	+ 1.58
						26 & 27	10	50.62	6	49.73	+ 0.89
						29	11	50.49	3	49.23	+ 1.26
						31	9	50.39	3	49.11	+ 1.28
						Aug. 1 to 3	7	50.01	7	48.70	+ 1.31
						4 & 5	6	48.88	4	48.43	+ 0.45
						9 & 10	6	49.84	6	48.45	+ 1.39
						15	6	50.31	3	48.18	+ 2.13
						23	10	50.00	3	48.18	+ 1.82
						24	11	49.50	4	48.89	+ 0.61
						25	14	49.53	4	48.37	+ 1.16
						26	8	49.34	2	49.01	+ 0.33
						Aug. 31 } to } Sep. 1 }	5	49.49	5	48.08	+ 1.41
						4 & 5	6	48.40	5	47.96	+ 0.44
						6 to 8	8	48.95	10	48.32	+ 0.63
						9 & 10	12	48.65	3	48.06	+ 0.59
						13	11	48.92	4	47.76	+ 1.16
11	4	+ 0 54.73	—	—	—						
12	7	54.68	—	—	—						
13	6	54.38	2	+ 0 55.20	— 0.82						
14	8	54.28	4	55.50	— 1.22						
15	8	53.92	4	54.24	— 0.32						
17	6	51.44	4	52.22	— 0.78						
18	7	51.60	5	51.18	+ 0.42						
19	8	51.14	5	51.14	0.00						
20	9	51.34	4	51.59	— 0.25						
22 to 24	11	52.24	5	51.61	+ 0.63						
25	11	52.21	5	51.58	+ 0.63						
28	9	53.89	4	51.90	+ 1.99						
29	8	53.00	3	52.33	+ 0.67						
May 1 & 2	11	53.35	9	52.77	+ 0.58						
3	9	53.31	5	52.51	+ 0.80						
4	3	53.89	5	52.99	+ 0.90						

\* Sic. The scale intended is not known.

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)												
Date	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	
1848.		' "		' "	"	1849.		' "		' "	"	
Sept. 14	12	+ 0 48.40	4	+ 0 48.18	+ 0.22	Jan. 22	7	+ 0 52.57	4	+ 0 53.71	— 1.14	
15	11	48.33	4	47.58	+ 0.75	23	12	52.38	5	52.95	— 0.57	
18	8	48.76	3	47.20	+ 1.56	24	10	51.79	5	52.98	— 1.19	
19	4	48.71	3	47.50	+ 1.21	25	14	52.19	5	52.40	— 0.21	
20	7	47.96	3	47.59	+ 0.37	26	9	51.43	5	53.22	— 1.79	
22	8	48.42	3	47.20	+ 1.22	27 & 28	10	51.50	4	52.24	— 0.74	
25	Found the wires of D Microscope broken—put in a new set.						29	12	51.48	4	51.04	+ 0.44
					W. K. W.		30	4	51.27	3	51.53	— 0.26
							31	10	51.47	4	50.86	+ 0.61
25	4	+ 0 47.50	2	+ 0 47.64	— 0.14	Feb. 1	13	50.88	5	50.65	+ 0.23	
26	12	48.34	3	46.69	+ 1.65	2	15	50.77	4	50.41	+ 0.36	
27	4	48.05	3	47.50	+ 0.55	3	11	50.47	3	50.28	+ 0.24	
Oct 2 & 3	6	49.33	6	47.23	+ 2.10	5	9	50.03	5	50.25	— 0.22	
7	4	48.57	2	46.96	+ 1.61	6	10	49.68	4	48.39	+ 1.29	
11 to 13	7	50.41	8	48.64	+ 1.77	7	8	49.23	3	49.05	+ 0.18	
14	5	50.61	2	49.09	+ 1.52	8	5	49.99	3	49.70	+ 0.29	
16	7	50.40	3	49.42	+ 0.98	9	11	48.77	4	49.31	— 0.54	
17	8	51.45	3	49.22	+ 2.23	10 & 11	8	48.55	5	47.66	+ 0.89	
18	6	51.18	3	49.49	+ 1.69	12	7	48.39	3	49.21	— 0.82	
19	8	50.92	3	49.09	+ 1.83	13	4	48.84	3	48.71	+ 0.13	
20	9	50.72	3	48.31	+ 2.41	14	12	48.75	4	47.77	+ 0.98	
21 & 22	12	50.06	2	49.70	+ 0.36	15	11	48.07	4	48.67	— 0.60	
23	9	50.23	3	48.30	+ 1.93	16	11	48.23	4	48.62	— 0.39	
24	7	49.12	3	48.77	+ 0.35	17 & 18	12	48.02	4	48.16	— 0.14	
27 to 30	4	51.96	7	50.31	+ 1.65	19	13	48.08	4	47.24	+ 0.84	
Nov. 2 to 6	8	53.46	8	52.91	+ 0.55	20	11	48.14	4	47.25	+ 0.89	
10 & 11	4	57.21	4	56.57	+ 0.64	21	9	48.28	4	46.97	+ 1.31	
18	9	56.52	2	55.96	+ 0.56	22	10	48.07	5	47.00	+ 1.07	
20 & 21	7	55.96	7	55.76	+ 0.20	23	6	47.77	3	47.72	+ 0.05	
22	8	54.92	4	54.30	+ 0.62	24	9	47.33	3	47.45	— 0.12	
23 & 24	6	55.69	5	55.59	+ 0.10	26	5	48.11	3	47.17	+ 0.94	
30	4	55.99	3	57.64	— 1.65	27	4	48.18	3	46.51	+ 1.67	
Dec. 2 to 4	8	62.92	6	61.83	+ 1.09	28	6	47.42	4	47.48	— 0.06	
5 & 6	7	63.56	6	62.44	+ 1.12	Mar. 1	10	47.13	5	47.04	+ 0.09	
8 & 9	7	62.88	4	62.52	+ 0.36	2	9	46.79	5	48.81	— 2.02	
15 & 16	9	62.42	6	62.58	— 0.16	3	9	46.67	3	47.48	— 0.81	
18	6	62.38	3	62.61	— 0.23	5	9	46.93	4	46.00	+ 0.93	
19	7	61.15	4	62.10	— 0.95	6	11	47.15	4	46.64	+ 0.51	
20	9	61.15	4	61.40	— 0.25	7	10	46.97	4	47.70	— 0.73	
21	10	60.70	4	61.87	— 1.17	8	11	46.89	4	47.61	— 0.72	
22 & 23	14	59.64	5	61.82	— 2.18	9	9	47.38	4	47.09	+ 0.29	
1849.						10	4	46.99	2	48.35	— 1.36	
Jan. 2	8	55.80	3	55.98	— 0.18	12	9	47.33	4	47.17	+ 0.16	
3 & 4	8	54.70	8	54.87	— 0.17	13	10	46.83	4	47.22	— 0.39	
8	9	56.02	4	55.90	+ 0.12	14	9	46.39	5	47.17	— 0.78	
10	6	55.55	3	56.56	— 1.01	15	13	46.22	4	47.35	— 1.13	
11 to 15	10	55.91	9	55.67	+ 0.24	16	8	46.54	4	47.65	— 1.11	
16	8	55.61	5	55.02	+ 0.59	17	12	45.96	3	46.45	— 0.49	
17	6	54.85	4	55.73	— 0.88	19	9	46.31	4	46.07	+ 0.24	
18	6	54.85	3	55.24	— 0.39	20	9	46.19	5	45.90	+ 0.29	
19	9	53.95	5	53.56	+ 0.39	21	7	46.16	4	46.41	— 0.25	
20	6	54.31	2	54.06	+ 0.25	22	9	46.55	4	46.44	+ 0.11	
						23	7	46.46	3	45.96	+ 0.50	
						24	6	46.43	3	46.31	+ 0.12	
						26 & 27	7	47.02	6	46.20	+ 0.82	
						28	5	46.95	3	46.98	— 0.03	

## MURAL CIRCLE OBSERVATIONS AT THE

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)											
Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1849.		' "		' "	"	1849.		' "		' "	"
Mar. 29	6	+ 0 47.34	3	+ 0 46.48	+ 0.86	July 6	4	+ 0 51.99	4	+ 0 51.70	+ 0.29
30	6	47.11	3	46.26	+ 0.85	7 & 8	6	51.25	4	51.42	- 0.17
31	6	48.16	2	46.49	+ 1.67	9	12	52.84	5	52.18	+ 0.66
April 2	7	48.38	3	46.00	+ 2.38	10	9	52.46	5	52.21	+ 0.25
3	7	48.40	2	46.58	+ 1.82	11	6	51.44	4	51.26	+ 0.18
4	8	48.24	2	46.18	+ 2.06	12	14	52.34	5	51.96	+ 0.38
5	7	47.89	3	47.16	+ 0.73	13	10	52.73	5	51.63	+ 1.10
9	7	48.83	3	47.86	+ 0.97	14 & 15	12	52.62	5	51.62	+ 1.00
10	7	48.29	3	48.08	+ 0.21	16	13	52.36	5	52.08	+ 0.28
11	6	47.88	4	47.45	+ 0.43	17	7	51.97	4	52.41	- 0.44
12	10	51.03	5	48.89	+ 2.14	18	4	51.73	4	51.52	+ 0.21
13	7	51.29	4	50.66	+ 0.63	19	6	52.18	4	51.70	+ 0.48
14	4	50.72	3	50.44	+ 0.28	20	8	52.27	5	52.15	+ 0.12
16	8	53.22	4	52.26	+ 0.96	21	4	51.35	3	51.59	- 0.24
17	8	55.73	3	54.45	+ 1.28	Aug. 6	3	51.34	3	49.91	+ 1.43
18	9	56.10	4	55.66	+ 0.44	8	16	51.30	4	49.96	+ 1.34
21	4	55.07	2	56.61	- 1.54	9	6	51.17	4	50.58	+ 0.59
23	3	56.92	3	55.85	+ 1.07	10	5	51.23	5	50.44	+ 0.79
24 & 25	12	56.67	7	55.90	+ 0.77	11	5	51.45	3	50.57	+ 0.88
26	7	55.24	4	56.94	- 0.70	12	3	52.45	1	48.50	+ 3.95
27	11	55.55	4	55.17	+ 0.38	13 & 14	7	51.89	7	49.57	+ 2.32
28	7	55.58	3	55.89	- 0.31	15	3	51.64	3	49.94	+ 1.70
30	9	55.71	4	56.89	- 1.18	16	6	51.90	5	50.28	+ 1.62
May 1	10	55.42	5	55.93	- 0.51	17	4	51.61	5	50.53	+ 1.08
2	11	55.18	4	56.40	- 1.22	18	3	53.25	4	49.82	+ 3.43
3	11	55.39	5	55.51	- 0.12	19	4	50.62	1	49.75	+ 0.87
4	8	52.77	4	53.66	- 0.89	20	7	51.25	4	49.80	+ 1.45
5	8	53.11	4	54.77	- 1.66	21	5	51.75	4	49.93	+ 1.82
7	11	53.11	4	52.80	+ 0.31						
8	8	53.22	5	53.83	- 0.61						
9	10	53.57	5	53.97	- 0.40						
10 & 11	5	52.87	8	53.74	- 0.87						
12	3	53.52	1	52.80	+ 0.72	22	5	+ 2 14.78	4	+ 2 13.68	+ 1.10
14	8	53.42	4	54.21	- 0.79	23	4	14.31	4	13.91	+ 0.40
15	8	52.99	5	52.83	+ 0.16	24	3	14.25	4	13.82	+ 0.43
16	7	52.92	4	52.00	+ 0.92	25 & 26	5	14.42	4	13.72	+ 0.70
17	8	53.02	5	52.64	+ 0.38						
18 & 19	5	52.93	7	53.15	- 0.22	Aug. 30					
21	9	53.44	5	52.39	+ 1.05	to	4	15.04	8	14.19	+ 0.85
22 & 23	6	53.26	6	52.76	+ 0.50	Sep. 1					
25	9	53.14	5	52.90	+ 0.24	4 to 6	4	14.05	10	15.01	- 0.96
26	8	53.11	3	52.81	+ 0.30	8 to 10	5	14.40	7	16.58	- 2.18
28	7	53.21	4	53.51	- 0.30	11	4	14.52	3	16.02	- 1.50
June 4	6	54.02	3	53.76	+ 0.26	12	5	14.22	3	16.11	- 1.89
5	9	53.38	4	53.95	- 0.57	13	4	13.55	4	15.81	- 2.26
6 to 8	11	53.56	10	52.85	+ 0.71	14	7	14.21	4	15.68	- 1.47
11 & 12	4	53.65	5	52.95	+ 0.70	15	5	13.85	4	14.47	- 0.62
20 & 21	4	53.06	5	53.31	- 0.25	18	7	14.21	4	15.68	- 1.47
23	7	52.57	2	54.35	- 1.78	19	5	13.85	4	14.47	- 0.62
24 & 25	9	53.03	4	51.72	+ 1.31	20 to 22	4	13.72	9	15.03	- 1.36
26 & 27	6	52.65	5	52.43	+ 0.22	24 & 25	4	13.24	4	13.42	- 0.18
29 & 30	3	51.51	4	53.02	- 1.51	26 & 27	8	14.63	7	14.66	- 0.03
July 3 to 5	5	52.52	8	51.89	+ 0.63	29					

Altered the fixed wire so as to bring it into adjustment with the Micrometer wire at Zero. The Index Error is therefore changed. W. S. J.

The Object Glass being dirty took it out and wiped it—something was heard to rattle in the tube probably a small screw, but nothing could be discovered on examination. W. S. J.

## INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1849.		' "		' "	"	1850.		' "		' "	"
Sep. 29 } to Oct. 1 } 2	5	+ 2 13.29	6	+ 2 15.03	— 1.74	Jan. 4	5	+ 2 14.13	4	+ 2 14.30	— 0.17
6 to 8	6	13.68	4	13.31	+ 0.37	5	7	13.12	4	14.04	— 0.92
10	5	15.49	3	14.51	+ 0.98	7	4	12.62	3	14.66	— 2.04
12	5	15.54	4	14.10	+ 1.44	8 & 9	4	13.58	7	13.79	— 0.21
13	5	15.60	1	13.70	+ 1.90	10	4	12.90	4	13.59	— 0.69
15 & 16	6	15.11	6	14.03	+ 1.08	11	3	11.82	4	12.88	— 1.06
17 & 18	5	15.31	6	14.56	+ 0.75	13 & 14	8	11.71	6	12.60	— 0.89
19	4	15.75	4	14.89	+ 0.86	15	4	11.11	4	12.41	— 1.30
20 & 21	4	15.12	4	16.12	— 1.00	16	8	11.81	5	11.78	+ 0.03
22	7	15.37	4	16.71	— 1.34	17	10	11.73	5	13.23	— 1.50
23	8	14.56	4	16.83	— 2.27	18	8	11.79	5	13.27	— 1.48
24 & 25	8	14.64	8	16.53	— 1.89	19 & 20	8	12.44	5	14.16	— 1.72
26	6	14.46	4	15.88	— 1.42	21	7	11.76	5	13.70	— 1.94
28 to 30	8	13.36	7	14.84	— 1.48	22	9	11.58	4	13.51	— 1.93
31	4	13.91	4	15.78	— 1.87	23	7	12.10	4	12.13	— 0.03
Nov. 1	9	13.14	4	16.00	— 2.86	Lifted the circle off its bearings and oiled the Axis.					
2	9	13.01	5	14.94	— 1.93	24	12	+ 2 12.54	5	+ 2 13.35	— 0.81
3	5	13.56	2	15.72	— 2.16	Adjusted readings of Microscopes. W. S. J.					
4 & 5	7	12.84	6	15.91	— 3.07	25	14	+ 2 11.09	5	+ 2 10.92	+ 0.17
6 to 8	6	12.78	9	15.18	— 2.40	26	6	10.54	4	11.03	— 0.49
9	5	13.03	3	14.08	— 1.05	27	9	9.44	1	10.77	— 1.33
10	5	13.79	4	14.18	— 0.34	28	10	8.75	5	9.94	— 1.19
11 & 12	9	12.75	6	14.29	— 1.54	29	14	9.25	5	9.28	— 0.03
13	8	12.82	5	13.29	— 0.47	30	7	9.81	5	9.98	— 0.17
14	7	14.44	5	13.67	+ 0.77	31	9	10.02	5	9.54	+ 0.48
15 & 16	5	14.89	8	14.48	+ 0.41	Feb. 1	8	10.37	5	9.97	+ 0.40
17 & 18	3	14.47	3	14.20	+ 0.27	2 & 3	9	10.22	4	10.07	+ 0.15
19	9	14.24	4	14.10	+ 0.14	4	9	10.27	4	10.30	— 0.03
20	11	13.80	5	13.37	+ 0.43	5	10	10.24	3	10.24	0.00
21	12	13.51	4	14.73	— 1.22	6	9	10.01	4	9.81	+ 0.20
22	7	13.43	5	13.87	— 0.44	7	7	9.34	3	9.20	+ 0.14
23 & 24	7	14.07	8	14.18	— 0.11	8	8	8.95	3	9.05	— 0.10
25 & 26	5	13.23	5	13.59	— 0.36	11	6	10.24	3	8.79	+ 1.45
28	9	14.52	4	13.68	+ 0.84	12	6	10.74	3	8.46	+ 2.28
29 & 30	8	14.52	8	14.73	— 0.21	13	10	10.74	5	10.22	+ 0.52
Dec. 1 & 2	8	13.65	4	14.45	— 0.80	14	11	11.06	4	11.05	+ 0.01
3 to 5	8	14.50	9	14.55	— 0.05	15	8	10.61	5	11.62	— 1.01
8	8	14.40	3	14.58	— 0.18	16 & 17	10	11.36	4	11.78	— 0.42
10	13	12.47	4	13.99	— 1.52	18	10	11.01	5	10.90	+ 0.11
11	8	12.95	5	13.94	— 0.99	19	12	10.97	4	10.42	+ 0.55
12	12	12.89	5	12.86	+ 0.03	20	4	11.34	5	10.86	+ 0.48
13	13	12.52	4	12.83	— 0.31	21	10	11.10	4	11.09	+ 0.01
14 & 15	5	13.01	5	13.56	— 0.55	22	11	10.69	5	10.97	— 0.28
17	6	12.71	5	13.06	— 0.35	23 & 24	11	9.43	5	10.87	+ 1.44
18	6	12.33	5	13.28	— 0.95	25	11	9.49	3	10.26	— 0.77
19	8	11.43	5	13.18	— 1.75	26	12	10.05	4	10.60	— 0.55
20	9	11.71	4	13.13	— 1.42	27	14	9.72	5	10.36	— 0.64
21	13	12.16	4	13.43	— 1.27	28	13	9.51	4	9.90	— 0.39
22	4	11.59	2	12.41	— 0.82	Mar. 1	12	9.44	5	10.76	— 1.32
1850.						2	12	9.41	4	10.28	— 0.87
Jan. 2	4	14.09	5	13.84	+ 0.25	3	5	8.67	1	9.00	— 0.33
3	5	13.77	3	13.95	— 0.18						

## MURAL CIRCLE OBSERVATIONS AT THE

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)											
Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1850.		' "		' "	"	1850.		' "		' "	"
Mar. 4	14	+ 2 8.94	4	+ 2 9.17	- 0.23	May 20	8	+ 2 7.86	4	+ 2 7.15	+ 0.71
5	15	8.54	5	8.63	- 0.09	21	8	7.27	4	7.18	+ 0.09
6	13	8.24	4	8.54	- 0.30	22	10	7.41	4	7.88	+ 0.47
7	17	7.78	3	8.55	- 0.77	25 to 27	8	8.04	8	8.96	- 0.92
8	12	7.82	4	8.33	- 0.51						
9	9	8.46	3	8.30	+ 0.16						
10	3	7.66	1	8.40	- 0.74						
11	12	8.66	4	8.92	- 0.26						
12	10	8.77	4	9.94	- 1.17						
13	10	9.33	4	9.44	- 0.11						
14	12	9.14	3	10.21	- 1.07						
15 to 17	12	9.11	7	10.12	- 1.01						
18	10	6.46	4	5.58	+ 0.88						
19	9	6.36	5	6.40	- 0.04						
20	3	6.97	3	6.11	+ 0.86						
21	8	7.18	4	6.64	+ 0.54						
22	7	6.92	5	8.42	- 1.50						
23	6	7.03	3	6.91	- 0.12						
25	8	6.67	4	6.44	+ 0.23						
26	7	6.94	4	6.20	+ 0.74						
27	7	6.90	3	6.56	+ 0.34						
28	4	7.63	3	6.30	+ 1.33						
Apr. 3	5	7.45	4	7.69	- 0.24	July 1	4	14.83	2	12.94	+ 1.89
4	7	6.80	4	7.01	- 0.21	2	3	13.67	3	13.49	+ 0.18
5 & 6	9	6.19	6	7.04	- 0.85	3 & 4	4	14.18	6	14.26	- 0.08
8	6	5.94	4	5.85	+ 0.09	5	9	13.95	4	14.43	- 0.48
9	4	6.32	4	5.86	+ 0.46	6 & 7	4	14.36	3	13.81	+ 0.55
10	6	6.35	4	6.04	+ 0.31	8	5	14.06	3	15.47	- 1.41
11	5	6.39	4	5.85	+ 0.54	9 & 10	7	13.56	6	13.99	- 0.43
13	4	6.43	4	6.06	+ 0.37	11 & 12	3	14.06	6	13.87	+ 0.19
15	4	6.89	4	7.31	- 0.42	13	3	14.41	2	13.30	+ 1.11
16	4	7.01	2	6.98	+ 0.03	18	4	13.53	3	14.11	- 0.58
17 & 18	5	5.89	9	6.95	- 1.06	19 & 20	3	13.65	3	14.08	- 0.43
19	4	6.88	4	6.39	+ 0.49	23 to 25	3	14.23	7	13.65	+ 0.58
20	5	6.91	4	7.20	- 0.29	26	4	13.75	2	13.06	+ 0.69
22 & 23	5	6.59	9	7.23	- 0.64	27	3	13.76	3	12.75	+ 1.01
24	5	7.77	3	6.96	+ 0.81	29	6	12.70	4	13.76	- 1.06
25	5	7.23	3	7.62	- 0.39	July 30 )					
26	5	7.81	3	7.95	- 0.14	to )					
27 & 28	4	7.34	3	7.24	+ 0.10	Aug. 2 )					
29 & 30	7	7.31	5	6.82	+ 0.49	5	5	13.19	4	12.81	+ 0.38
May 1	7	6.86	4	6.41	+ 0.45	6	6	12.54	3	12.01	+ 0.53
2	7	6.65	4	6.96	- 0.31	7 & 8	6	11.32	6	12.52	- 1.20
3	6	6.71	4	7.74	- 1.03	9	6	12.08	3	12.58	- 0.50
4	6	6.75	3	7.86	- 1.11	12	12	12.46	4	11.67	+ 0.79
6	8	7.11	4	6.47	+ 0.64	13	4	12.89	2	13.14	- 0.25
7 & 8	9	7.32	7	6.70	+ 0.62	14	6	12.79	3	13.98	- 1.19
9	7	7.50	3	7.11	+ 0.39	15	7	12.19	3	12.16	+ 0.03
10	6	7.42	3	6.59	+ 0.83						
11	7	7.46	3	6.75	+ 0.71						
13	7	7.69	4	7.35	+ 0.34						
14	6	7.95	4	6.21	+ 1.74						
15	7	8.31	4	7.76	+ 0.55						
17	6	7.96	4	7.59	+ 0.37						
18	6	6.99	2	8.89	- 1.90						
						20 & 21	10	+ 2 35.98	6	+ 2 35.23	+ 0.75
						22 & 23	11	35.55	5	34.75	+ 0.80
						24 & 25	5	36.02	3	34.89	+ 1.13
						26	6	36.36	4	35.18	+ 1.18
						27	6	36.20	3	34.89	+ 1.31
						29	4	36.44	3	35.85	+ 1.09

Diminished the readings of B and C by 10 each.  
W. S. J.

19 Found a hair on the fixed wire, removed it carefully,  
but the Index Error changed.







## INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1851.		' "		' "	"	1851.		' "		' "	"
June 1&2	10	+ 2 23·72	3	+ 2 22·90	+ 0·82	Oct. 13	7	+ 2 27·77	3	+ 2 25·15	+ 2·62
3 & 4	4	23·95	5	23·41	+ 0·54	15 & 16	7	27·09	5	25·57	+ 1·52
6 & 7	5	23·46	6	22·23	+ 1·23	17	5	26·72	3	24·59	+ 2·13
8 to 12	8	22·85	10	22·80	+ 0·05	18	4	26·51	2	23·57	+ 2·94
13 to 15	7	23·24	5	22·67	+ 0·57	20 & 21	6	27·36	5	24·61	+ 2·75
16 & 17	9	24·07	5	22·57	+ 1·50	24	9	26·61	3	25·22	+ 1·39
18	4	23·08	4	22·94	+ 0·14	25 & 26	10	26·43	3	24·63	+ 1·80
20 to 23	12	23·19	10	22·25	+ 0·94	27	7	26·56	3	24·75	+ 1·81
24	7	22·75	2	21·19	+ 1·56	28	7	24·95	3	23·36	+ 1·59
28 & 29	5	22·89	2	22·11	+ 0·78	29	5	25·11	2	23·79	+ 1·32
30	7	23·18	4	21·04	+ 2·14	30	10	24·19	3	23·61	+ 0·58
						31	4	24·59	2	23·35	+ 1·24
July 1	7	21·21	4	20·41	+ 0·80	Nov. 7 to 11	11	30·41	8	27·86	+ 2·55
2	6	22·24	4	21·75	+ 0·49	17 & 18	7	34·12	8	33·92	+ 0·20
3	6	23·08	4	20·95	+ 2·13	19	5	34·65	2	33·49	+ 1·16
4 to 8	5	21·24	9	20·38	+ 0·86	20	14	35·02	2	33·34	+ 1·68
9 & 10	5	22·11	6	19·81	+ 2·30	21	12	34·48	3	32·75	+ 1·73
21	10	24·14	4	21·73	+ 2·41	22 & 23	8	34·69	2	32·22	+ 2·47
22 & 23	7	24·08	4	23·24	+ 0·84	24	12	34·18	3	32·31	+ 1·87
24 & 26	7	24·67	7	22·65	+ 2·02	25	14	33·28	3	30·71	+ 2·57
Aug. 5 & 6	8	25·40	5	23·60	+ 1·80	26 & 27	13	30·80	5	30·02	+ 0·78
8 & 9	9	24·58	5	22·73	+ 1·85	28	14	30·80	2	29·80	+ 1·00
11	6	25·52	2	23·38	+ 2·14	Dec. 1	5	29·97	2	28·50	+ 1·47
12	6	25·28	4	23·25	+ 2·03	3 & 4	8	28·80	5	28·63	+ 0·17
13 & 14	11	26·24	6	23·56	+ 2·68	5	9	28·37	3	27·66	+ 0·71
15	8	26·45	4	23·47	+ 2·98	6 & 7	7	27·52	3	26·84	+ 0·68
16 & 17	7	26·40	3	24·33	+ 1·57	8	10	26·99	3	26·22	+ 0·77
18	10	27·46	3	25·50	+ 1·96	9	8	26·21	3	26·77	— 0·56
19 & 20	4	27·24	5	24·94	+ 2·30	10 & 11	7	26·85	4	26·71	+ 0·14
27 & 28	8	27·40	5	25·23	+ 2·17	15	5	26·87	3	26·58	+ 0·29
31	7	27·38	1	25·67	+ 1·71	16	8	26·98	3	26·65	+ 0·33
Sept. 2	6	26·53	3	25·37	+ 1·46	17 & 18	11	27·70	6	26·55	+ 1·15
3	8	27·61	3	26·40	+ 1·21	19	6	26·66	3	27·37	— 0·71
4	5	25·89	2	25·61	+ 0·28	20	10	26·86	1	25·32	+ 1·54
5	4	26·73	2	24·79	+ 1·94	21	6	25·68	1	26·25	— 0·57
6 & 7	6	25·41	2	24·21	+ 1·20	22	12	25·59	3	25·19	+ 0·40
8	5	25·99	2	23·41	+ 2·58	23 & 24	9	25·13	5	24·45	+ 0·68
9	7	26·96	2	24·34	+ 2·62	1852.					
10	5	24·46	2	22·86	+ 1·60	Jan. 1 & 2	6	23·80	2	21·01	+ 2·79
12 & 13	8	24·23	3	23·62	+ 0·61	6	7	22·79	2	22·41	+ 0·38
15	4	23·69	2	23·53	+ 0·16	7 & 8	5	21·75	4	23·63	— 1·88
16	13	23·94	3	22·79	+ 1·15	9 to 11	9	22·42	4	23·56	— 1·14
17	5	23·20	2	23·33	— 0·63	12 to 15	11	21·48	3	21·83	— 0·35
18	7	22·74	2	23·11	— 0·37	16	7	21·11	2	22·01	— 0·90
19	12	23·10	2	22·42	+ 0·68	17 & 18	6	20·15	2	23·16	— 3·01
20	6	22·99	1	21·32	+ 1·67	19	6	20·01	2	21·83	— 1·82
21	5	22·08	1	23·67	— 1·59	20 & 21	13	20·92	4	21·27	— 0·35
22	6	22·65	2	22·68	— 0·03	22 & 23	7	21·00	4	20·60	+ 0·40
24 & 25	11	22·07	5	21·76	+ 0·31	24	6	22·82	2	22·59	+ 0·23
27 to 30	6	23·75	7	21·57	+ 2·18	25 & 26	9	23·66	5	22·96	+ 0·70
Oct. 1	9	24·45	2	22·96	+ 1·49	27	5	23·01	4	22·63	+ 0·38
2 & 3	5	24·13	1	22·30	+ 1·83	28	6	23·93	4	22·71	+ 1·22
6 & 7	4	25·80	5	23·95	+ 1·85	29	7	22·75	4	22·09	+ 0·66
11	5	26·94	1	23·52	+ 3·42	30	8	22·86	4	22·71	+ 0·15

MURAL CIRCLE OBSERVATIONS AT THE

INDEX ERROR OF THE MURAL CIRCLE, (Continued)												
Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	
1852.		' "		' "	"	1852.		' "		' "	"	
Jan. 31	4	+ 2 22.92	3	+ 2 22.61	+ 0.31	April 14	6	+ 2 29.83	3	+ 2 28.86	+ 0.97	
Feb. 1&2	6	23.11	3	22.87	+ 0.24	15	5	28.28	3	27.45	+ 0.78	
3 & 4	6	23.04	6	22.99	+ 0.05	16 & 17	9	30.59	5	28.83	+ 2.26	
5 & 6	7	23.62	5	22.99	+ 0.63	19	5	31.61	3	28.77	+ 2.64	
7 to 9	7	23.04	6	23.94	- 0.90	20 & 21	11	30.05	6	27.91	+ 2.14	
10	8	24.29	3	22.59	+ 1.70	22	7	29.69	2	30.26	- 0.57	
11	5	24.23	3	23.81	+ 0.42	23 & 24	8	30.38	5	28.91	+ 1.47	
12	8	23.67	3	23.15	+ 0.52	26 & 27	8	30.50	6	30.42	+ 0.08	
13	7	23.89	3	23.83	+ 0.06	28	5	30.28	3	30.91	- 0.63	
14	6	23.55	2	23.30	+ 0.25	29	4	30.46	3	30.09	+ 0.37	
15 & 16	7	23.56	4	23.04	+ 0.52	Apr. 30	}	31.52	6	30.18	+ 1.39	
17 & 18	7	23.56	6	23.13	+ 0.43	to						
19 & 20	7	24.79	6	23.98	+ 0.81	May 3	7	5	30.95	2	30.64	+ 0.31
21 to 23	9	24.40	6	24.08	+ 0.32	8 to 13	9	30.60	13	29.90	+ 0.70	
24	4	24.56	3	24.25	+ 0.31	17 & 18	6	29.61	6	29.41	+ 0.20	
25	6	23.90	3	23.79	+ 0.11	20	6	31.57	2	28.61	+ 2.96	
26	9	24.56	3	24.32	+ 0.24	21 to 25	8	30.33	8	28.04	+ 2.29	
27	5	24.24	3	22.99	+ 1.25	26	4	30.47	3	29.01	+ 1.46	
28	6	24.22	2	24.77	- 0.55	27 & 28	5	30.52	6	28.57	+ 1.95	
Mar. 1	8	24.98	2	24.30	+ 0.68	29 to 31	6	31.01	6	31.02	- 0.01	
2	11	25.39	2	25.05	+ 0.34	June 1	5	30.94	3	30.81	+ 0.13	
3	10	24.94	3	24.18	+ 0.76	2	4	31.37	3	31.69	- 0.32	
4	11	25.33	2	24.46	+ 0.87	3	9	32.73	3	32.30	+ 0.43	
						4	9	31.86	3	31.42	+ 0.44	
						5	8	36.16				
Found some dirt hanging on the horizontal wire, removed it. W. S. J.												
5	12	+ 2 26.73	3	+ 2 26.20	+ 0.53	Microscope C has suddenly altered its reading 15 in defect—cause unknown.						
6 & 7	11	26.69	3	25.53	+ 1.16	Corrected the reading of the Microscope C + 15						
8	5	25.96	3	24.12	+ 1.84	6	10	+ 2 32.69	3	+ 2 32.58	+ 0.11	
9	9	25.56	3	24.55	+ 1.01	8	6	32.28	3	31.57	+ 0.71	
10	8	25.37	3	23.77	+ 1.60	9	9	32.14	3	31.29	+ 0.85	
11	7	25.62	3	24.17	+ 1.45	10	6	30.78	3	32.09	- 1.31	
12	7	25.04	2	24.59	+ 0.45	11	4	32.03	3	31.34	+ 0.69	
13	6	25.31	2	24.64	+ 0.67	12 to 14	6	31.88	6	29.90	+ 1.98	
15	6	25.59	3	24.66	+ 0.93	22 to 28	5	32.09	12	31.66	+ 0.43	
16 & 17	11	25.50	5	23.49	+ 2.01	July 4 to 10	8	32.20	11	32.66	- 0.46	
19 to 21	7	26.31	6	24.02	+ 2.29	12	7	33.93	3	33.27	+ 0.66	
22	7	26.59	2	25.13	+ 1.46	13	6	33.46	2	31.80	+ 1.66	
23	11	27.91	3	25.37	+ 2.54	14	5	32.63	3	33.47	- 0.84	
24 & 25	7	26.21	5	25.44	+ 0.77	15	10	32.75	3	33.59	- 0.84	
26	10	27.18	3	26.01	+ 1.17	16	4	33.15	2	33.57	- 0.42	
27	9	27.48	2	25.10	+ 2.38	17 & 18	5	33.19	3	33.12	+ 0.07	
29	10	28.23	2	26.63	+ 1.60	19	9	32.81	2	33.65	- 0.84	
30	9	27.72	2	26.66	+ 1.06	20	5	32.87	2	31.49	+ 1.38	
31	12	27.70	3	26.18	+ 1.52	22 & 23	4	32.43	3	32.64	- 0.21	
April 1	11	28.56	3	27.75	+ 0.81	25 to 27	11	32.44	6	33.55	- 1.11	
2	11	29.76	2	27.63	+ 2.13	Aug. 6 to 9	10	32.87	7	33.76	- 0.89	
3	9	29.58	2	27.59	+ 1.99	10	5	34.05	2	34.75	- 0.70	
5 & 6	10	28.95	6	27.46	+ 1.49							
7	7	29.40	3	27.70	+ 1.70							
8	7	29.00	2	27.53	+ 1.47							
13	6	29.81	3	28.53	+ 1.28							

INDEX ERROR OF THE MURAL CIRCLE, (Continued.)

Date	No. of Obs.	Index Error by Stars	No. of Obs.	Index Error by Reflecting Collimator.	Difference.	Date.	No. of Obs.	Index Error by Stars.	No. of Obs.	Index Error by Reflecting Collimator.	Difference.
1852.						1852.					
/ /						/ /					
Aug. 11	5	+ 2 32.80	3	+ 2 34.25	- 1.45	Oct. 23 to 25	6	+ 2 41.57	5	+ 2 40.42	+ 1.15
12 to 17	6	32.79	12	33.24	- 0.45	26	6	40.69	3	40.16	+ 0.53
23	5	31.91	2	32.10	- 0.19	27	10	40.51	2	39.32	+ 1.19
24	10	32.81	2	31.43	+ 1.38	28	8	39.74	3	39.52	+ 0.22
25	15	32.53	3	31.58	+ 0.95	29	5	39.15	3	40.60	- 1.45
26	17	32.48	3	32.06	+ 0.42						
27	13	31.90	3	32.46	- 0.56	Oct. 30 } to } Nov. 4 }	8	39.26	13	40.50	- 1.24
28	11	31.52	2	32.80	- 1.28	7 & 8	8	44.95	1	44.21	+ 0.74
Sept. 1	5	31.01	2	32.10	- 1.09	9 to 11	6	46.20	6	46.25	- 0.05
2	7	30.47	3	30.72	- 0.25	12 to 16	8	46.43	9	48.90	- 2.47
3 to 6	12	30.59	5	29.33	+ 1.26	19 to 21	9	48.94	6	49.64	- 0.70
7	10	30.91	3	31.23	- 0.32	22	5	49.48	2	48.73	+ 0.75
8	3	31.00	2	31.89	- 0.89	23 & 24	10	48.52	5	49.66	- 1.14
15	5	32.89	3	32.95	- 0.06	25	7	47.94	3	50.57	- 2.63
16 & 17	5	33.22	6	33.39	- 0.17						
18 to 21	6	32.29	6	32.93	- 0.64						
22	10	33.51	2	32.19	+ 1.32						
23 & 24	8	33.38	5	33.25	+ 0.13						
25	8	34.74	2	34.45	+ 0.29						
26 & 27	10	34.37	4	34.19	+ 0.18	Dec. 3 & 4	2	+ 2 61.66	3	+ 2 61.48	+ 0.18
28 & 29	12	34.88	6	33.33	+ 1.55	5 & 6	3	54.17	4	55.20	- 1.03
30	7	33.92	2	34.14	- 0.22						
Oct. 1	12	34.01	3	33.35	+ 0.66						
2 & 3	9	33.84	3	33.44	+ 0.40						
4	6	33.09	3	33.48	- 0.39						
5	6	32.28	3	33.32	- 1.04						
6	4	32.92	3	33.72	- 0.80	7	6	+ 2 55.85	3	+ 2 56.56	- 0.71
10 & 11	7	37.70	3	37.56	+ 0.14	8	4	56.03	3	57.03	- 1.00
12	7	38.48	2	36.91	+ 1.57	9 & 10	8	56.26	5	55.98	+ 0.28
13	7	39.56	3	38.16	+ 1.40	11 & 12	7	54.59	3	55.84	- 1.25
14	6	39.88	3	39.28	+ 0.60	13 to 15	5	54.88	4	56.29	- 1.41
15	7	36.65	2	35.71	+ 0.94	16 to 20	11	54.05	10	56.15	- 2.10
16 to 18	5	40.08	4	38.22	+ 1.86	21	4	53.24	2	56.85	- 3.61
						23 & 24	2	54.20	4	55.69	- 1.49

The Index Error has altered several seconds without any apparent cause.

A fine cobweb was seen to be attached the horizontal wire; removed it carefully; also took out and cleaned the Object Glass.

N. B.—This perhaps accounts for the change on 3d.

RIGHT ASCENSION AND NORTH POLAR DISTANCE  
OF  
THE SUN, MOON, AND PLANETS,  
AS DEDUCED FROM  
THE MADRAS OBSERVATIONS,  
COMPARED WITH THE TABLES.

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE.

Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.			Error of N. A.			N. P. D. from Observation.			N. P. D. from N. A.			Error of N. A.			Mean Hor. Scand.		
d.	h.	m.	s.	h.	m.	s.	s.	s.	o	'	"	"	"	"	"	"	"	"	"	"	"	"	"	
4	0	4	54.2	18	56	57.98	58.11	+ 0.13	112	48	39.07	36.00	- 3.07	16	0.62									
5	0	5	21.6	19	1	22.02	22.22	+ 0.20	112	42	16.18	22.90	+ 6.72	16	2.38									
6	0	5	49.2		5	46.29	45.90	- 0.39	112	35	45.67	42.60	- 3.07	16	0.64									
7	0	6	15.4		10	9.05	9.14	+ 0.09	112	28	30.59	35.50	+ 4.91	16	0.68									
8	0	6	41.5		14	31.80	31.89	+ 0.09	112	21	1.37	1.90	+ 0.53	16	4.14									
9	0	7	7.2		18	54.15	54.12	- 0.03						16	3.10									
10	0	7	32.4		23	15.98	15.80	- 0.18	112	4	32.48	35.90	+ 3.42	16	3.42									
11	0	7	57.0		27	37.23	36.93	- 0.30	111	55	43.59	43.90	+ 0.31	16	3.10									
12	0	8	20.9		31	57.77	57.45	- 0.32	111	46	23.81	26.30	+ 2.49	16	2.00									
13	0	8	44.1		36	17.63	17.32	- 0.31	111	36	39.38	43.40	+ 4.02	16	2.32									
14	0	9	6.7		40	36.84	36.57	- 0.27						16	2.16									
16	0	9	49.7		49	13.14	13.01	- 0.13						16	2.00									
17	0	10	10.7		53	30.61	30.19	- 0.42						16	1.92									
18	0	10	30.6		57	47.17	46.65	- 0.52	110	41	61.23	59.20	- 2.03	16	3.14									
19	0	10	49.8	20	2	2.95	2.37	- 0.58	110	29	48.68	50.50	+ 1.82	16	1.48									
20	0	11	7.9		6	17.66	17.35	- 0.31	110	17	18.89	18.60	- 0.29	16	2.45									
21	0	11	25.7		10	32.08	31.62	- 0.46																
22	0	11	42.6		14	45.54	45.09	- 0.45																
23	0	11	58.6		18	58.14	57.81	- 0.33	109	51	7.33	6.60	- 0.73	16	2.85									
24	0	12	14.0		23	10.19	9.75	- 0.44						16	1.30									
25	0	12	28.4		27	21.22	20.91	- 0.31																
27	0	12	55.3		35	41.24	40.88	- 0.36	108	39	18.00	14.60	+ 1.60	16	0.08									
28	0	13	7.5		39	50.01	49.67	- 0.34	108	23	46.91	49.70	+ 2.79	16	3.92									
29	0	13	19.0		43	58.09	57.68	- 0.41	108	8	4.15	4.80	+ 0.65	16	2.85									
30	0	13	29.4		48	5.09	4.87	- 0.22						16	2.94									
31	0	13	39.3		52	11.62	11.26	- 0.36	107	35	32.10	36.70	+ 4.60	16	2.98									
1	0	13	48.2	20	56	17.09	16.84	- 0.25	107	18	52.22	54.40	+ 2.18	16	2.70									
2	0	13	56.6	21	0	22.09	21.61	- 0.48	107	1	53.65	53.70	+ 0.05	16	0.38									
3	0	14	4.0		4	26.01	25.57	- 0.44	106	44	32.83	35.10	+ 2.27	16	1.88									
4	0	14	10.4		8	29.02	28.70	- 0.32	106	26	57.84	59.00	+ 1.16	16	2.50									
5	0	14	16.2		12	31.38	31.01	- 0.37	106	9	1.33	5.80	+ 4.47	16	2.30									
6	0	14	21.3		16	33.04	32.50	- 0.54						16	2.65									
7	0	14	25.3		20	33.55	33.17	- 0.38	105	32	30.43	29.90	- 0.53	16	0.42									
8	0	14	28.5		24	33.40	33.03	- 0.37	105	13	45.25	48.10	+ 2.85	16	2.60									
9	0	14	31.1		28	32.55	32.07	- 0.48	104	54	50.39	50.90	+ 0.51	16	2.23									
11	0	14	33.5		36	28.03	27.70	- 0.33	104	16	6.83	12.10	+ 5.27	16	1.86									
12	0	14	33.3		40	24.33	24.32	- 0.01	103	56	28.30	31.40	+ 3.10	16	2.12									
13	0	14	33.0		44	20.68	20.15	- 0.53						16	1.40									
14	0	14	31.1		48	15.33	15.20	- 0.13	103	16	21.24	29.10	+ 7.86	16	4.10									
15	0	14	29.0		52	9.68	9.41	- 0.27	102	56	5.36	8.50	+ 3.14	16	2.60									
18	0	14	17.8	22	3	48.27	47.87	- 0.40																
19	0	14	12.6		7	39.62	39.22	- 0.40	101	32	38.73	45.70	+ 6.97	16	1.15									
20	0	14	6.8		11	30.26	29.90	- 0.36						16	0.40									
22	0	13	53.2		19	9.73	9.24	- 0.49	100	28	13.13	18.20	+ 5.07	16	3.34									
23	0	13	45.3		22	58.36	57.96	- 0.40	106	6	28.52	29.20	+ 0.68	16	1.90									
24	0	13	36.9		26	46.51	46.06	- 0.45	99	44	25.23	30.90	+ 5.67	16	2.90									
25	0	13	28.1		30	34.24	33.57	- 0.67	99	22	25.24	23.70	- 1.54	16	1.66									
26	0	13	18.3		34	20.91	20.50	- 0.41	98	59	59.33	68.00	+ 8.67											
27	0	13	7.7		38	6.89	6.88	- 0.01						16	1.06									
28	0	12	57.3		41	53.02	52.69	- 0.33	98	15	10.78	12.80	+ 2.02	16	2.88									
29	0	12	46.3		45	38.51	37.99	- 0.52	97	52	26.76	34.00	+ 7.24	16	1.70									
1	0	12	34.4	22	49	23.10	22.80	- 0.30	97	29	47.14	48.40	+ 1.26	16	1.90									
2	0	12	22.3		53	7.50	7.11	- 0.39	97	6	49.80	56.40	+ 6.60	16	1.64									
3	0	12	9.4		56	51.18	50.93	- 0.25																
4	0	11	56.4	23	0	34.66	34.29	- 0.37	96	20	49.50	54.40	+ 4.90	16	3.98									

## OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

xxxix

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)													
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N P. D from Observation.	N P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1848.	d.	h.	m.	s.	h.	m.	s.	o	'	"	'	"	
Mar.	5	0	11	42.6	23	4	17.86	17	21	—	16	3.14	
	6	0	11	28.6		7	59.88	59	68	—	16	2.30	
	7	0	11	14.1		11	41.92	41	75	—	16	2.56	
	8	0	10	59.2		15	23.56	23	42	—	16	3.08	
	9	0	10	44.0		19	4.80	4	70	—	16	1.10	
	10	0	10	28.4		22	45.71	45	61	—	16	2.12	
	11	0	10	12.5		26	26.33	26	18	—	16	2.16	
	12	0	9	56.1		30	6.47	6	41	—	16	1.10	
	13	0	9	39.4		33	46.25	46	33	—	16	2.90	
	14	0	9	22.6		37	25.97	25	97	—	16	1.96	
	15	0	9	5.5		41	5.39	5	33	—	16	1.40	
	16	0	8	48.1		44	44.46	44	44	—	16	2.92	
	17	0	8	30.7		48	28.62	28	32	—	16	1.38	
	18	0	8	12.9		52	2.27	2	02	—	16	2.02	
	19	0	7	55.3		55	41.22	40	54	—	16	3.58	
	20	0	7	36.8		59	19.15	18	89	—	16	1.82	
	21	0	7	18.2	0	2	57.08	57	13	—	16	2.80	
	22	0	7	0.0		6	35.40	35	25	—	16	2.14	
	23	0	6	41.6		10	13.51	13	31	—	16	0.82	
	24	0	6	23.0		13	51.37	51	29	—	16	2.14	
	25	0	6	4.5		17	29.39	29	27	—	16	2.23	
	27	0	5	27.4		24	45.29	45	20	—	16	2.98	
	28	0	5	8.8		28	23.22	23	20	—	16	2.60	
	29	0	4	50.4		32	1.26	1	24	—	16	3.18	
	30	0	4	32.1		35	39.44	39	36	—	16	2.45	
	31	0	4	18.7		39	17.59	17	58	—	16	1.85	
April	1	0	3	55.4	0	42	55.75	55	90	—	16	2.80	
	3	0	3	19.5		50	12.88	12	91	—	16	1.70	
	6	0	2	26.6	1	1	9.54	9	59	—	16	1.78	
	7	0	2	9.4		4	48.88	48	86	—	16	0.00	
	9	0	1	36.0		12	8.40	8	04	—	16	2.63	
	10	0	1	19.2		15	48.07	47	98	—	16	2.32	
	11	0	1	2.4		19	27.85	28	18	—	16	2.50	
	12	0	0	46.9		23	8.80	8	65	—	15	58.00	
	13	0	0	31.0		26	49.44	49	89	—	16	2.63	
	14	0	0	15.4		30	30.29	30	47	—	16	2.40	
	15	0	0	0.4		34	11.87	11	86	—	16	0.62	
	16	23	59	31.2		41	35.77	35	71	—	16	3.45	
	17	23	59	17.2		45	18.19	18	18	—	16	5.10	
	18	23	59	3.6		49	1.17	1	07	—	16	3.16	
	19	23	58	50.3		52	44.42	44	37	—	16	3.00	
	20	23	58	37.5		56	28.13	28	10	—	16	1.80	
	23	23	58	1.9	2	7	42.06	42	06	—	16	2.08	
	24	23	57	50.9		11	27.59	27	69	—	16	2.65	
	27	23	57	21.4		22	47.71	47	66	—	16	3.72	
	28	23	57	12.5		26	35.23	35	35	—	16	2.60	
	29	23	57	4.2		30	23.51	23	60	—	16	2.33	
	30	23	56	56.4		34	12.27	12	41	—	16	3.28	
May	1	23	56	49.2	2	38	1.57	1	75	—	16	1.26	
	2	23	56	42.7		41	51.59	51	64	—	16	2.45	
	3	23	56	36.5		45	41.90	42	08	—	16	2.43	
	4	23	56	31.0		49	32.99	33	09	—	16	0.80	
	5	23	56	25.9		53	24.38	24	65	—	16	2.23	
	6	23	56	21.4		57	16.47	16	78	—	16	1.90	
	7	23	56	17.6	3	1	9.19	9	46	—	16	2.32	
								74	34	7.33	5.80	—	1.53
								74	16	23.60	22.20	—	1.40
								73	58	54.64	54.20	—	0.44
								73	41	39.61	42.00	—	2.39
								73	24	46.39	45.90	—	0.49
								72	51	43.51	43.80	—	0.29



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)													
Mean Solar Time of Observation				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Scand.	
1848.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	'	"
May	8	23	56	14.6	3	5	2.75	2.68	72	35	36.47	38.40	+ 1.93
	9	23	56	11.8		8	56.47	56.47	72	19	50.12	50.80	+ 0.18
	10	23	56	9.5		12	50.72	50.81	72	4	17.47	20.10	+ 2.63
	11	23	56	7.7		16	45.48	45.71					
	12	23	56	6.8		20	41.19	41.17	71	34	15.80	14.00	- 1.80
	13	23	56	6.2		24	37.10	37.20					
	14	23	56	6.2		28	33.67	33.77	71	5	28.95	22.80	- 1.65
	15	23	56	7.1		32	31.17	30.91	70	51	32.11	25.00	- 7.11
	16	23	56	7.8		36	28.37	28.61	70	37	48.75	47.20	- 0.55
	17	23	56	9.6		40	26.71	26.87	70	24	31.28	29.10	- 2.18
	18	23	56	11.9		44	25.63	25.69	70	11	31.96	30.80	- 1.16
	19	23	56	14.6		48	24.83	25.07	69	58	54.53	52.80	- 1.73
	20	23	56	17.8		52	24.64	25.00					
	22	23	56	26.4	4	0	26.35	26.50					
	23	23	56	31.3		4	27.68	28.07					
	24	23	56	36.9		8	30.04	30.17					
	25	23	56	43.0		12	32.68	32.80	68	50	20.85	21.90	+ 1.05
	26	23	56	49.8		16	35.83	35.91	68	40	12.61	11.70	- 0.91
	28	23	57	4.0		24	43.38	43.63					
	30	23	57	20.4		32	52.97	53.20					
June	1	23	57	38.7	4	41	4.38	4.46					
	4	23	58	8.3		53	23.82	24.17	67	25	37.66	36.20	- 1.46
	6	23	58	30.2	5	1	38.91	38.95	67	13	26.94	18.00	- 8.94
	7	23	58	41.0		5	46.22	46.75	67	7	42.85	44.70	+ 1.85
	8	23	58	52.4		9	54.23	54.80	67	2	35.89	35.60	- 0.29
	9	23	59	4.2		14	2.61	3.08	66	57	50.53	50.70	+ 0.17
	12	23	59	41.0					66	46	2.01	2.30	+ 0.29
	13	23	59	53.0					66	42	58.45	55.10	- 3.35
	20	0	1	9.7		55	34.01	34.21	66	32	51.94	51.00	- 0.94
	21	0	1	22.3		59	43.24	43.73	66	32	36.53	37.10	+ 0.57
	22	0	1	35.5	6	3	53.03	53.24	66	32	49.10	48.00	- 1.10
	23	0	1	48.1		8	2.25	2.74	66	33	23.14	23.80	+ 0.66
	26	0	2	26.5		20	30.34	30.79	66	37	39.45	39.40	- 0.05
	27	0	2	39.3		24	39.78	39.93	60	39	55.94	54.00	- 1.94
	30	0	3	15.6		37	5.87	6.36	66	49	7.45	5.00	- 2.45
July	1	0	3	27.5	6	41	14.31	14.75	66	51	60.34	57.50	- 2.84
	2	0	3	39.2		45	22.60	22.88					
	4	0	4	1.4		53	38.02	38.29					
	5	0	4	12.3		57	45.45	45.50					
	6	0	4	21.9	7	1	51.70	52.36					
	7	0	4	32.0		5	58.27	58.87					
	11	0	5	7.7		22	20.39	20.70					
	19	0	5	55.9		54	41.15	41.64	69	9	28.13	30.10	+ 1.97
	22	0	6	5.9	8	6	40.84	40.92					
	23	0	6	8.1		10	39.57	39.59					
	24	0	6	9.3		14	37.34	37.68					
	25	0	6	10.1		18	34.76	35.22	70	8	30.54	30.70	+ 0.16
	26	0	6	10.5		22	31.77	32.19	70	21	18.08	19.60	+ 1.52
	27	0	6	10.9		26	28.66	28.58	70	34	27.24	28.20	+ 0.96
	28	0	6	10.0		30	24.30	24.37	70	47	54.64	56.00	+ 1.36
	30	0	6	6.5		38	13.90	14.20	71	1	47.15	42.90	- 4.25
	31	0	6	4.2		42	8.12	8.21					
Aug.	1	0	6	0.8	8	46	1.31	1.61	71	44	54.67	55.40	+ 0.73
	4	0	5	47.6		57	37.72	38.15	72	46	41.90	41.60	- 0.30

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)													
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1848.	d.	h.	m.	s.	h.	m.	s.	o.	'	"	"	'	"
Aug.	9	0	5	19.9	9	16	46.73					16	1.18
	10	0	5	5.3	20	34	59					16	1.15
	11	0	4	56.0	24	21	85					16	3.16
	12	0	4	46.				74	45	19.88	19.30	16	3.16
	13	0	4	13.6	39	25	59	75	3	16.18	17.00	16	1.86
	16	0	4	1.5	43	9	89	75	58	33.52	34.50	16	1.96
	23	0	3	24.6	10	9	8.67					16	3.32
	24	0	2	8.8	12	49	40					16	1.28
	25	0	1	52.3	16	29	39	78	55	59.04	58.40	16	0.42
	27	0	1	19.6	23	49	77	79	16	39.05	38.40	16	0.15
	28	0	1	2.								16	1.88
	31	0	0	8.5	38	24	62	80	19	36.86	38.50	16	1.88
								81	24	2.45	2.30	16	2.74
Sept.	5	23	58	13.3	11	0	8.42	83	36	25.47	23.40	16	2.00
	6	23	57	52.9	3	44	54	83	58	48.21	50.80	16	2.00
	8	23	57	12.2	10	56	79	84	44	2.65	3.00	16	2.34
	9	23	56	51.3	14	32	43					15	59.14
	10	23	56	30.6	18	8	23					16	1.64
	12	23	55	48.8	25	19	41					16	1.75
	13	23	55	27.6	28	54	67	86	38	31.43	30.70	16	1.75
	14	23	55	6.4	32	29	97	87	1	35.03	36.70	16	2.58
	16	23	53	41.8	46	51	40	88	34	32.53	31.40	16	3.90
	19	23	53	21.1	50	27	18	88	57	48.29	51.80	16	0.33
	21	23	52	38.8	57	37	77	89	44	35.79	36.00	16	1.75
	22	23	52	18.3	12	1	13.82	90	7	59.24	60.20	16	3.16
	25	23	51	17.1	12	2	05	91	18	17.74	15.90	16	1.35
	26	23	50	57.1	15	38	58	91	41	40.41	41.00	16	2.98
	27	23	50	37.0	19	15	04	92	5	5.43	5.30	16	1.88
	28	23	50	17.				92	28	28.97	28.60	16	0.48
Oct.	1	23	49	20.2	12	33	44.28	93	38	28.21	28.50	16	3.20
	3	23	48	43.				94	24	56.90	56.40	16	2.27
	6	23	47	50.6	51	57	20	95	34	16.18	12.80	16	2.27
	10	23	46	46.8	13	6	39.35	97	5	32.99	31.90	16	3.14
	11	23	46	31.7	10	20	76	97	28	8.81	8.00	16	2.52
	12	23	46	17.3	14	2	94	97	50	34.90	38.06	16	1.57
	13	23	46	3.4	17	45	49	98	13	1.44	1.50	16	1.57
	15	23	45	37.2	25	12	30	98	57	26.50	27.40	16	5.30
	17	23	45	13.5	32	41	43	99	41	25.36	22.90	16	1.88
	18	23	45	2.5	36	27	24	100	3	8.30	8.30	16	2.90
	19	23	44	52.2	40	13	48	100	24	46.86	44.90	16	2.85
	20	23	44	42.2	43	59	97	100	46	12.69	12.40	15	56.25
	21	23	44	33.7	47	47	96					16	2.25
	22	23	44	25.4	51	36	25	101	28	38.97	38.30	16	4.65
Nov.	1	23	43	43.4	14	30	19.59	104	49	20.99	21.00	16	1.40
	5	23	43	48.2	46	10	67	106	8	12.85	14.90	16	2.25
	6	23	43	51.5	50	10	50	106	21	1.03	3.90	16	1.66
	10	23	44	12.7	15	6	18.00	107	29	32.71	30.60	16	2.54
	12	23	44	29.				108	1	55.82	56.90	16	3.54
	17	23	45	23.4	35	4	74					16	3.25
	18	23	45	36.7	39	14	69					16	3.56
	19	23	45	50.8	43	25	38	109	45	14.48	13.90	16	3.12
	20	23	46	6.2	47	37	32	109	58	37.72	36.10	16	3.12
	22	23	46	35.7	56	3	04					15	57.96
	23	23	46	56.2	16	0	17.18					16	1.33
	24	23	47	14.6	4	32	19	110	48	21.87	22.20	16	1.33
	29	23	48	56.8	25	57	41	111	41	50.31	48.30	16	2.76

## RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)														
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1848.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	'	"
Dec.	3	23	50	30.5	16 43 17.61		17.24	- 0.37	112 17	4.26	6.50	+ 2.24	16	3.10
	4	23	50	55.5	47 39.23		38.67	- 0.56					16	3.00
	6	23	51	46.5	56 23.45		23.10	- 0.35	112 39	3.44	3.10	- 0.34	16	3.20
	7	23	52	12.8	17 0 46.33		46.05	- 0.28	112 45	26.15	28.80	+ 2.65	15	59.38
	8	23	52	39.4	5 9.61		9.44	- 0.17	112 51	30.06	27.70	- 2.36	16	4.54
	12	23	54	30.					113 10	52.71	50.40	- 2.31		
	13	23	54	59.					113 14	32.75	32.30	- 0.45	16	3.18
	14	23	55	28.5	31 38.52		37.95	- 0.57	113 17	45.30	46.30	+ 1.00	16	2.70
	15	23	55	57.4	36 4.13		3.79	- 0.34	113 20	30.57	32.20	+ 1.63		
	16	23	56	26.7	40 30.04		29.86	- 0.18					16	0.24
	17	23	56	56.6	44 56.58		56.14	- 0.44	113 24	43.02	40.00	- 3.02	16	2.60
	18	23	57	26.2	49 22.81		22.57	- 0.24	113 25	58.27	61.80	+ 3.53	16	0.40
	19	23	57	56.5	53 49.73		49.14	- 0.59	113 26	55.24	55.20	- 0.04	16	3.43
	20	23	58	26.3	58 16.18		15.61	- 0.37	113 27	18.38	20.30	+ 1.92	16	3.20
	21	23	58	56.4	18 2 42.92		42.53	- 0.39	113 27	17.82	17.10	- 0.72	16	3.05
	22	23	59	26.5	7 9.70		9.27	- 0.43	113 26	43.02	45.60	+ 2.58	16	0.64
	24	0	0	9.7	11 36.12		36.00	- 0.12					16	2.16
	27	0	1	26.2	24 55.94		55.67	- 0.27					16	3.18
	28	0	1	55.8	29 22.17		21.91	- 0.26					16	2.32
	29	0	2	25.6	33 48.57		47.98	- 0.59					16	0.66
1849.														
Jan.	1	0	3	51.8	18 47 4.67		4.58	- 0.14					16	3.25
	2	0	4	20.3	51 29.78		29.39	- 0.39	112 55	42.31	42.70	+ 0.39	16	1.98
	4	0	5	15.5	19 0 18.28		17.95	- 0.33	112 43	57.42	57.30	- 0.12	16	2.98
	8	0	7	0.8	17 50.12		49.63	- 0.49	112 15	2.46	3.50	+ 1.04	16	3.72
	10	0	7	50.2	26 32.75		32.39	- 0.36	111 57	58.02	58.40	+ 0.38	16	3.10
	17	0	10	24.8	56 43.64		43.02	- 0.62	110 44	54.34	55.60	+ 1.26	16	2.54
	19	0	11	2.8	20 5 14.84		14.34	- 0.50	110 20	24.33	25.70	+ 1.37	16	1.75
	22	0	11	54.5	17 56.44		55.86	- 0.58	109 40	47.92	49.40	+ 1.48	15	59.12
	23	0	12	10.2	22 8.67		8.16	- 0.51	109 26	49.46	53.10	+ 3.64	16	2.40
	24	0	12	25.0	26 20.03		19.68	- 0.35	109 12	32.22	35.20	+ 2.98	16	3.45
	25	0	12	39.3	30 30.93		30.40	- 0.53	108 57	53.50	56.20	+ 2.70	16	2.63
	26	0	12	52.5	34 40.78		40.31	- 0.47	108 42	56.94	56.30	- 0.64	16	0.08
	27	0	13	5.0	38 49.84		49.41	- 0.43	108 27	35.76	36.20	+ 0.44	16	0.75
	28	0	13	16.7	42 58.12		57.67	- 0.45					16	0.80
	29	0	13	27.4	47 5.43		5.08	- 0.35	107 55	56.06	56.60	+ 0.54	16	1.96
	30	0	13	37.4	51 11.98		11.66	- 0.32	107 39	36.07	37.80	+ 1.73	16	3.74
	31	0	13	46.7	55 17.85		17.39	- 0.46	107 23	1.11	0.20	- 0.91	16	3.54
Feb.	1	0	13	54.8	20 59 22.53		22.28	- 0.25	107 6	3.58	4.30	+ 0.72	16	4.30
	2	0	14	2.5	21 3 26.85		26.33	- 0.52	106 48	51.68	50.60	- 1.08	16	6.63
	3	0	14	8.4	7 29.31		29.52	+ 0.21	106 31	19.33	19.30	- 0.03	16	1.96
	4	0	14	14.7	11 32.24		31.90	- 0.34					16	3.23
	6	0	14	23.8	19 34.40		34.10	- 0.30					16	1.88
	7	0	14	27.2	23 34.38		34.00	- 0.38	105 18	23.65	26.40	+ 2.75	16	2.07
	8	0	14	29.8	27 33.53		33.08	- 0.45	104 59	32.07	33.40	+ 1.33	16	2.94
	9	0	14	31.1	31 31.45		31.37	- 0.08	104 40	25.63	25.30	- 0.33	15	59.66
	10	0	14	32.6	35 29.45		28.86	- 0.59	104 20	58.15	62.60	+ 4.45		
	11	0	14	32.8	39 26.22		25.60	- 0.66						
	12	0	14	32.0	43 21.95		21.55	- 0.40	103 41	33.42	34.30	+ 0.88	15	58.56
	13	0	14	30.9	47 17.45		16.79	- 0.66	103 21	26.51	29.80	+ 3.29	16	2.12
	14	0	14	28.5	51 11.64		11.28	- 0.36					16	2.36
	15	0	14	25.3	55 4.93		5.05	+ 0.12	102 40	36.56	42.00	+ 5.44	16	1.00
	16	0	14	21.9	58 58.08		58.10	+ 0.07	102 19	57.94	59.40	+ 1.46	16	2.58
	17	0	14	18.3	22 2 51.04		50.46	- 0.58						
	18	0	14	13.4	6 42.69		42.13	- 0.56					16	1.35

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)																
Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1849.	d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	"	"
Feb.	19	0	14	7.8	22	10	33.07	33.18	+ 0.06	101	16	40.71	42.20	+ 1.49	16	2.98
	20	0	14	1.7		14	24.03	23.45	- 0.58	100	55	12.51	14.80	+ 2.29	16	1.62
	21	0	13	54.6		18	13.43	13.12	- 0.31						15	59.52
	22	0	13	46.5		22	1.93	2.16	+ 0.23	100	11	47.21	49.80	+ 2.59	16	2.58
	23	0	13	38.8		25	50.73	50.55	- 0.18	99	49	54.06	53.20	- 0.86		
	24	0	13	30.0		29	33.41	33.32	- 0.09							
	25	0	13	20.4		33	25.35	25.50	+ 0.15						15	53.87
	26	0	13	10.4		37	11.85	12.09	+ 0.24	98	43	10.25	11.50	+ 1.25	16	2.70
	27	0	12	59.7		40	57.69	58.09	+ 0.40	98	20	41.95	41.70	- 0.25	16	0.87
	28	0	12	49.2		44	43.71	43.54	- 0.17	97	58	0.81	4.70	+ 3.89	16	2.85
Mar.	1	0	12	37.6	22	43	28.68	28.42	- 0.26	97	35	18.77	21.00	+ 2.23	16	1.46
	2	0	12	25.5		52	13.11	12.73	- 0.38	97	12	26.45	30.70	+ 4.25	16	2.07
	3	0	12	12.8		55	56.88	56.63	- 0.25	96	49	32.34	34.50	+ 2.16	16	2.10
	4	0	11	59.6		59	40.23	39.99	- 0.24						16	2.14
	5	0	11	46.1	23	3	23.20	22.86	- 0.34	96	3	24.71	25.50	+ 0.79	16	0.87
	6	0	11	31.7		7	5.89	5.31	- 0.58	95	40	12.68	13.50	+ 0.82	16	2.90
	7	0	11	17.4		10	47.60	47.30	- 0.30						16	1.70
	8	0	11	2.4		14	29.06	28.90	- 0.16	94	53	33.56	36.40	+ 2.84	16	3.30
	9	0	10	47.1		18	10.26	10.12	- 0.14	94	30	12.02	11.90	- 0.12	16	2.47
	10	0	10	31.3		21	51.01	50.98	- 0.03	94	6	43.11	44.10	+ 0.99	16	2.12
	11	0	10	15.8		25	32.00	31.49	- 0.51						16	1.23
	12	0	9	58.7		29	11.41	11.72	+ 0.31	93	19	39.00	39.70	+ 0.70	15	59.07
	13	0	9	42.4		32	51.67	51.65	- 0.02	92	56	1.69	3.90	+ 2.21	16	3.63
	14	0	9	25.3		36	31.08	31.32	+ 0.24	92	32	25.50	26.10	+ 0.60	16	4.80
	15	0	9	8.3		40	10.49	10.74	+ 0.25	92	8	42.78	46.60	+ 3.82	16	4.16
	16	0	8	51.						91	45	4.76	5.90	+ 1.14		
	17	0	8	33.2		47	24.46	28.95	+ 0.49	91	21	21.48	24.40	+ 2.92	15	53.23
	18	0	8	15.0		51	7.37	7.79	+ 0.42						16	0.15
	19	0	7	58.1		54	40.39	46.48	+ 0.09	90	33	55.99	59.90	+ 3.91	16	6.07
	20	0	7	40.1		58	24.33	25.02	+ 0.19	90	10	15.58	17.90	+ 2.32	16	2.65
	21	0	7	21.8	0	2	3.03	3.43	+ 0.40	89	46	35.80	36.60	+ 1.00	16	1.08
	22	0	7	3.5		5	41.24	41.73	+ 0.49	89	22	56.24	56.10	- 0.14	15	59.00
	23	0	6	27.4		12	58.19	58.11	- 0.08	88	35	35.81	39.40	+ 3.59	16	1.43
	24	0	6	8.8		16	36.04	36.22	+ 0.18						16	0.30
	25	0	5	50.4		20	14.12	14.29	+ 0.17						16	2.14
	26	0	5	31.7		23	51.93	52.35	+ 0.42						16	0.28
	27	0	5	13.3		27	30.03	30.39	+ 0.36						16	3.23
	28	0	4	54.8		31	8.01	8.44	+ 0.43	88	38	11.01	10.90	- 0.11	16	1.13
	29	0	4	36.4		34	46.13	46.53	+ 0.40	86	14	50.53	51.50	+ 0.97	16	4.87
	30	0	4	17.9		38	24.17	24.67	+ 0.50	85	51	35.63	36.30	+ 0.67	16	3.78
April	1	0	4	0.4	0	42	3.21	2.88	- 0.33						16	1.35
	2	0	3	41.4		45	40.67	41.18	+ 0.51	85	5	17.05	20.30	+ 3.25	16	3.30
	3	0	3	23.1		49	18.92	19.59	+ 0.67	84	42	21.31	20.10	- 1.21	15	59.20
	4	0	3	5.8		52	58.08	58.12	+ 0.04						16	1.48
	5	0	2	47.5		56	36.26	36.80	+ 0.54	83	56	35.28	37.10	+ 1.82	16	5.56
	6	0	2	30.3	1	0	15.61	15.66	+ 0.05						16	1.86
	7	0	2	13.0		3	54.79	54.71	- 0.08						16	1.75
	9	0	1	38.1		11	12.88	13.48	+ 0.60	82	26	28.84	29.30	+ 0.46	16	2.34
	10	0	1	21.3		14	52.57	53.25	+ 0.68	82	4	15.27	15.60	+ 0.33	16	1.77
	11	0	1	4.8		18	32.61	33.30	+ 0.69	81	42	9.73	9.80	+ 0.07	15	58.43
	12	0	0	49.2		22	13.03	13.63	+ 0.60	81	20	8.61	12.30	+ 3.69	16	2.23
	13	0	0	33.2		25	54.04	54.29	+ 0.25						16	3.27
	14	0	0	17.4		29	34.72	35.31	+ 0.59	80	36	43.20	43.30	+ 0.10	16	0.57
	15	0	0	2.6		33	16.65	16.67	+ 0.02						15	59.05
	15	23	59	48.3		36	58.71	58.40	- 0.31	79	53	48.35	51.20	+ 2.85	15	59.77
	16	23	59	33.6		40	40.46	40.50	+ 0.04	79	32	39.16	39.70	+ 0.54	16	2.10

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)																
Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1849. d.	h.	m.	s.	h.	m.	s.	s.	o	'	"	"	"	"	'	"	
April	17	23	59	19	2	1	44 22.60	23.02	+	0.42	79	11	37.02	38.60	+ 1.58	16 1.70
	18	23	59	6							78	50	48.66	48.00	- 0.66	15 58.67
	20	23	58	40	0	55	32.91	33.09	+	0.18	78	9	37.51	39.90	+ 2.39	16 4.47
	22	23	58	15	5	2	3 1.47	2.00	+	0.53						16 0.88
	23	23	58	4	2	6	46.75	47.14	+	0.39	77	9	25.12	25.60	+ 0.48	15 57.77
	24	23	57	53	8	10	32.82	32.73	-	0.09	76	49	44.76	45.50	+ 0.74	16 7.70
	25	23	57	43	4	14	19.01	18.81	-	0.20	76	30	16.92	18.50	+ 1.58	16 3.80
	27	23	57	23	1	21	51.66	52.41	+	0.75	75	52	1.86	4.80	+ 2.94	16 4.50
	28	23	57	14	9	25	40.09	39.96	-	0.13						16 1.26
	29	23	57	6	0	29	27.68	28.00	+	0.32	75	14	44.68	47.10	+ 2.42	16 5.14
	30	23	56	58	4	33	16.56	16.57	+	0.01	74	56	28.47	29.90	+ 1.43	16 2.56
May	1	23	56	50	9	2	37 5.66	5.65	-	0.01	74	38	23.93	27.60	+ 3.67	16 3.56
	2	23	56	43	9	40	55.21	55.26	+	0.05	74	20	36.52	40.70	+ 4.18	16 3.80
	3	23	56	37	8	44	45.55	45.39	-	0.16						16 3.38
	4	23	56	31	6	48	35.93	36.09	+	0.16	73	45	51.35	53.80	+ 2.45	16 3.38
	5	23	56	26	2	52	27.07	27.34	+	0.27						16 3.25
	6	23	56	21	7	56	19.17	19.15	-	0.02	73	12	8.41	11.50	+ 3.09	16 3.05
	7	23	56	17	7	3	0 11.67	11.53	-	0.14	72	55	43.92	45.30	+ 1.38	16 1.75
	8	23	56	14	2	4	4.70	4.49	-	0.21	72	39	35.68	36.10	+ 0.42	16 3.27
	10	23	56	8	1	11	51.76	52.17	+	0.41	72	8	8.62	9.90	+ 1.28	16 3.32
	12	23	56	5	2	19	41.96	42.20	+	0.25						16 0.13
	13	23	56	4	2	23	37.49	38.12	+	0.63						16 0.90
	14	23	56	4	7	27	34.53	34.62	+	0.09	71	8	51.86	54.30	+ 2.44	16 2.96
	15	23	56	5	3	31	31.64	31.71	+	0.07	70	54	52.36	52.10	- 0.26	16 4.88
	16	23	56	6	3	35	29.20	29.41	+	0.21	70	41	7.22	9.20	+ 1.98	16 2.80
	17	23	56	8	2	39	27.68	27.68	0	0.00	70	27	42.74	45.90	+ 3.16	16 2.82
	18	23	56	10	7	43	26.79	26.51	-	0.28	70	14	39.12	42.30	+ 3.18	16 3.85
	20	23	56	16	4	51	25.54	25.69	+	0.35	69	49	34.36	35.80	+ 1.44	16 5.34
	22	23	56	24	9	59	27.25	27.44	+	0.19	69	25	50.77	51.60	+ 0.83	16 4.76
	24	23	56	35	2	4	7 30.70	31.06	+	0.36	69	3	31.16	31.80	+ 0.64	16 2.80
	25	23	56	41	3	11	33.34	33.62	+	0.28	68	52	54.67	54.20	- 0.47	16 2.83
	26	23	56	48	1	15	36.71	36.65	-	0.06						16 4.78
	27	23	56	54	5	19	39.66	40.13	+	0.47	68	32	42.63	44.70	+ 2.07	16 0.50
	28	23	57	2	0	23	43.80	44.06	+	0.26						15 58.03
	31	23	57	27							67	56	53.85	54.60	+ 0.75	16 2.94
June	1	23	57	36							67	48	52.87	54.20	+ 1.33	16 2.03
	3	23	57	54	7	4	48 15.95	16.21	+	0.26	67	34	3.39	3.30	- 0.09	16 2.92
	4	23	58	4	8	52	22.61	22.86	+	0.25						15 59.88
	6	23	58	25	8	5	0 36.82	37.17	+	0.35	67	14	42.76	43.70	+ 0.94	16 5.25
	7	23	58	37	2	4	44.76	44.78	+	0.02	67	9	2.06	4.80	+ 2.74	16 1.30
	10	23	59	12							66	54	31.58	32.80	+ 1.22	16 1.30
	12	23	59	36	0	25	26.49	26.80	+	0.31	66	46	52.14	53.10	+ 0.96	16 3.92
	18	0	0	40							66	34	54.86	53.60	- 1.26	16 3.85
	19	0	0	53							66	33	45.26	43.90	- 1.36	16 1.82
	21	0	1	19	0	58	42.30	42.53	+	0.23	66	32	41.92	38.60	- 3.32	16 3.03
	24	0	1	58	0	6	11 11.08	11.36	+	0.28						16 3.12
	27	0	2	36	3	23	39.14	39.24	+	0.10	66	39	17.69	17.80	+ 0.11	16 3.52
	29	0	3	1	1	31	57.09	56.98	-	0.11	66	44	44.35	43.30	+ 3.95	15 59.58
July	5	0	4	8	8	6	56 44.28	44.20	-	0.08	67	11	4.42	3.70	- 0.72	16 1.70
	6	0	4	18	9	7	0 50.95	50.99	+	0.04	67	16	48.94	50.30	+ 1.36	16 4.78
	7	0	4	28	8	4	57.49	57.45	-	0.04	67	22	56.22	60.60	+ 4.38	16 2.74
	10	0	4	55	7	17	13.18	14.60	+	0.42	67	43	51.53	52.00	+ 0.47	16 4.47
	11	0	5	4	5	21	19.49	19.52	+	0.03	67	51	31.92	35.50	+ 3.58	16 1.94
	12	0	5	12	3	25	23.90	24.03	+	0.13	67	59	42.14	41.80	- 0.34	16 3.70

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)																	
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.		Error of N. A.		N. P. D. from Observation.		N. P. D. from N. A.		Error of N. A.		Mean Hor. Semid.	
1849.	d.	h.	m.	s.	h.	m.	s.	s.	o	'	"	"	"	"	"	'	"
July	13	0	5	19.8	7 29	27.97	28.10	+ 0.13	68	8	9.04	10.70	+ 1.66	16	0.64		
	14	0	5	26.6	33	31.80	31.71	+ 0.41	68	17	2.23	2.30	+ 0.07	16	3.07		
	15	0	5	32.8	37	34.11	34.86	+ 0.75						15	59.73		
	16	0	5	39.4	41	37.25	37.55	+ 0.30	68	35	50.98	52.00	+ 1.02	16	3.78		
	17	0	5	45.1	45	39.61	39.73	+ 0.12						16	2.50		
	19	0	5	54.4	53	42.01	42.56	+ 0.55	69	6	49.40	49.70	+ 0.30	16	3.16		
	20	0	5	58.8	57	42.43	43.17	+ 0.74	69	17	51.40	51.60	+ 0.20	16	5.03		
	21	0	6	2.3	8	1 43.07	43.23	+ 0.16	69	29	15.15	14.50	- 0.65	16	1.80		
Aug.	4	0	5	40.					72	42	44.56	44.20	- 0.36	16	4.67		
	7	0	5	30.4	9	8 12.50	12.13	- 0.37						16	1.04		
	8	0	5	22.8	12	1.37	1.84	- 0.08	73	48	41.47	41.20	- 0.27	16	1.70		
	9	0	5	14.8	15	49.93	49.98	+ 0.05	74	5	48.70	50.40	+ 1.70				
	11	0	4	57.2	23	25.54	25.59	+ 0.05	74	40	54.17	54.70	+ 0.53				
	12	0	4	47.4	27	12.12	12.58	+ 0.46						16	3.78		
	14	0	4	27.5	34	45.30	44.93	- 0.37	75	35	21.13	21.20	+ 0.07	16	1.88		
	15	0	4	16.1	38	30.40	30.31	- 0.09	75	53	56.81	58.10	+ 1.29	16	2.43		
	16	0	4	4.5	42	15.30	15.18	- 0.12	76	12	49.91	48.60	- 1.31	16	3.58		
	20	0	3	12.6	57	9.54	9.60	+ 0.06	77	30	19.54	19.10	- 0.44	16	2.27		
	21	0	2	58.3	10	0 51.77	51.98	+ 0.21	77	50	11.82	12.40	+ 0.58	16	3.58		
	22	0	2	42.7	4	33.69	33.89	+ 0.20	78	10	16.90	17.20	+ 0.30	16	0.86		
	23	0	2	29.1	8	15.56	15.32	- 0.24	78	30	30.15	33.10	+ 2.95	16	0.70		
	24	0	2	12.9	11	55.83	56.32	+ 0.49	78	50	58.32	59.90	+ 1.58	16	2.50		
	27	0	1	24.					79	53	19.36	22.50	+ 3.14	16	1.15		
	30	0	0	31.2	33	53.24	53.48	+ 0.24						16	0.88		
	31	0	0	12.7	37	31.19	31.69	+ 0.50	81	18	41.49	45.20	+ 3.71	16	1.62		
Sept.	3	23	58	57.3	10	52 1.78	1.52	- 0.26	82	46	17.40	21.20	+ 3.80	16	2.58		
	4	23	58	37.4	55	38.43	38.33	- 0.10						16	4.87		
	5	23	58	17.					83	30	52.01	52.90	+ 0.89	16	1.04		
	12	23	55	53.5	24	26.47	26.65	+ 0.18						16	4.96		
	13	23	55	32.9	28	2.36	2.21	- 0.15									
	16	23	54	30.					87	42	18.50	21.50	+ 3.00	16	1.55		
	17	23	54	9.2	11	42 24.68	24.18	- 0.50	88	5	35.88	36.90	+ 1.02	16	4.30		
	19	23	53	27.1	49	35.54	35.19	- 0.35	88	52	13.94	14.70	+ 0.76	16	2.14		
	20	23	53	6.0	53	10.96	10.70	- 0.20	89	15	35.99	36.40	+ 0.41	16	1.24		
	21	23	52	45.4	56	46.79	46.42	- 0.37	89	38	57.26	59.60	+ 2.34	16	1.46		
	22	23	52	3.8	12	3 58.17	58.01	- 0.16	90	25	46.70	48.50	+ 1.80	16	0.90		
	25	23	51	22.4	11	9.81	10.10	+ 0.29	91	12	38.27	38.90	+ 0.63	16	5.12		
	26	23	51	2.2	14	46.12	46.38	+ 0.26									
	27	23	50	42.6	18	22.98	22.85	- 0.13	91	59	26.58	27.60	+ 1.02	16	1.92		
	28	23	50	22.6	21	59.53	59.53	0.00	92	22	48.64	50.50	+ 1.86	16	4.25		
Oct.	1	23	49	25.0	12	32 51.40	51.13	- 0.27	93	32	49.34	49.80	+ 0.46				
	2	23	49	6.0	36	28.88	28.91	+ 0.03	93	56	3.39	5.30	+ 1.91	16	0.64		
	7	23	47	38.1	54	43.51	43.83	- 0.18	95	51	32.59	34.60	+ 2.01	16	2.27		
	9	23	47	6.0	13	2 4.42	4.07	- 0.35	96	37	15.17	17.40	+ 2.23	16	2.12		
	10	23	46	50.6	5	45.55	45.16	- 0.39	97	0	0.14	1.20	+ 1.06	16	2.27		
	11	23	46	35.7	9	27.14	26.78	- 0.38	97	22	37.40	39.50	+ 2.10	16	1.02		
	13	23	46	20.8	13	8.74	8.87	+ 0.13						15	59.07		
	14	23	46	6.0	16	51.39	51.51	+ 0.12						16	3.34		
	15	23	45	53.0	20	34.58	34.72	+ 0.14	98	29	57.33	56.80	- 0.53	15	58.32		
	17	23	45	17.6	31	48.20	47.78	- 0.42	99	36	11.35	9.80	- 1.55	16	2.63		
	18	23	45	6.5	35	32.60	33.22	- 0.28	99	57	56.05	58.00	+ 1.95	16	2.43		
	21	23	44	27.3	46	53.99	53.71	- 0.28	101	2	29.71	28.00	- 1.71	16	3.00		
	22	23	44	28.9	50	42.15	41.83	- 0.32	101	23	36.72	38.60	+ 1.88	16	3.98		
	23	23	44	21.3	54	31.01	30.60	- 0.41	101	44	35.95	38.80	+ 2.85				

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)

Mean Solar Time of Observation.				A. R. from Observation.	A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.
d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	' "
25	23	44	8.1	14 2 10.90	10.20	— 0.70	102 26 5.83	6.30	+ 0.47	—
28	23	43	52.2	13 45.65	45.04	— 0.61	103 26 47.99	49.60	+ 1.61	16 1.96
29	23	43	49.3	17 38.22	38.16	— 0.06	103 46 40.83	38.90	— 1.93	16 0.86
30	23	43	46.8	21 32.25	32.04	— 0.21	104 6 12.36	15.10	+ 2.74	16 0.37
31	23	43	44.9	25 26.94	26.73	— 0.21	104 25 36.97	37.60	+ 0.63	16 1.33
1	23	43	43.9	14 29 22.48	22.21	— 0.27	104 44 43.40	46.30	+ 2.90	16 3.16
2	23	43	43.6	33 18.81	18.52	— 0.29	105 3 39.53	40.60	+ 1.07	—
8	23	43	59.9	57 14.47	14.04	— 0.43	106 51 43.16	42.90	— 0.26	16 2.67
9	23	44	5.8	15 1 16.87	16.30	— 0.57	107 8 47.58	45.70	— 1.88	16 3.96
11	23	44	19.6	9 23.84	23.43	— 0.41	107 41 58.10	58.30	+ 0.20	16 2.58
12	23	44	27.7	13 28.53	28.29	— 0.24	107 58 6.75	7.30	+ 0.55	16 3.45
13	23	44	36.9	17 34.29	34.02	— 0.27	108 13 58.81	57.50	— 1.31	16 2.43
14	23	44	46.9	21 40.92	40.59	— 0.33	108 29 28.98	28.40	— 0.58	16 1.13
18	23	45	34.8	38 15.74	15.26	— 0.48	109 28 10.02	12.70	+ 2.68	16 1.08
19	23	45	49.4	42 26.34	25.97	— 0.37	109 42 2.98	1.70	— 1.28	16 2.60
20	23	46	4.3	46 37.85	37.48	— 0.37	109 55 28.54	29.20	+ 0.66	16 1.42
21	23	46	19.9	50 50.02	49.79	— 0.23	110 8 34.05	34.90	+ 0.85	16 2.43
23	23	46	53.6	59 16.93	16.68	— 0.25	110 33 39.10	39.00	— 0.10	16 0.64
25	23	47	30.7	16 7 47.23	46.58	— 0.65	110 57 10.94	11.20	+ 0.26	16 2.65
27	23	48	9.9	16 19.64	19.37	— 0.27	111 19 8.80	8.90	+ 0.10	16 0.95
28	23	48	30.7	20 37.09	36.82	— 0.27	111 29 30.32	31.50	+ 1.18	16 4.23
29	23	48	52.3	24 55.31	54.95	— 0.36	111 39 32.40	29.60	— 2.80	16 1.86
30	23	49	14.3	29 18.92	18.74	— 0.18	111 49 0.24	2.80	+ 2.56	16 2.85
2	23	50	0.7	16 37 53.60	53.28	— 0.32	112 6 53.48	53.60	+ 0.12	—
3	23	50	24.8	42 14.23	13.97	— 0.26	—	—	—	16 1.98
4	23	50	49.5	46 35.56	35.25	— 0.31	112 23 1.33	1.90	+ 0.57	16 0.73
7	23	52	6.7	59 42.66	42.41	— 0.25	—	—	—	—
9	23	53	1.1	17 8 30.34	29.69	— 0.65	112 55 41.61	41.70	+ 0.09	16 2.63
10	23	53	28.4	12 54.25	53.99	— 0.26	113 0 55.41	52.90	— 5.51	15 59.54
11	23	53	56.3	17 18.74	18.67	— 0.07	113 5 34.80	36.70	+ 1.90	16 1.55
12	23	54	24.8	21 43.93	43.73	— 0.20	—	—	—	15 59.80
13	23	54	53.5	26 9.28	9.12	— 0.16	113 13 41.96	41.70	— 0.26	—
14	23	55	22.5	30 34.90	34.77	— 0.13	113 17 2.21	2.50	+ 0.29	16 2.90
18	23	57	21.0	48 19.94	19.57	— 0.37	113 25 44.50	45.80	+ 1.30	16 1.98
19	23	57	50.8	52 46.36	46.12	— 0.24	113 26 46.48	46.20	— 0.28	16 3.14
20	23	58	20.	—	—	—	113 27 18.93	18.20	— 0.73	—
21	23	58	50.6	18 1 39.44	39.38	— 0.06	—	—	—	—
26	0	0	50.3	19 25.68	25.53	— 0.15	—	—	—	16 0.68
27	0	1	20.1	23 52.12	51.82	— 0.30	—	—	—	16 1.84
1	0	3	45.0	18 46 0.24	0.11	— 0.13	—	—	—	16 4.07
2	0	4	13.4	50 25.27	24.96	— 0.31	112 57 1.56	1.50	— 0.06	—
3	0	4	41.3	54 49.84	49.48	— 0.36	112 51 30.37	28.90	— 1.47	16 3.65
4	0	5	9.0	59 14.10	13.62	— 0.48	—	—	—	16 3.45
5	0	5	35.9	19 3 37.70	37.37	— 0.33	112 39 2.78	2.10	— 0.68	16 2.67
9	0	7	20.3	21 8.52	7.92	— 0.60	—	—	—	—
10	0	7	44.4	25 29.31	29.31	0.00	112 0 9.64	7.70	— 1.94	16 2.43
11	0	8	9.	—	—	—	111 50 59.29	62.50	+ 3.21	—
13	0	8	55.5	38 30.27	30.01	— 0.26	—	—	—	15 58.27
14	0	9	17.4	42 48.82	49.01	+ 0.19	111 21 14.62	14.80	+ 0.18	16 2.73
15	0	9	39.9	47 7.87	7.32	— 0.55	111 10 30.02	29.40	— 0.62	16 2.80
16	0	10	0.9	51 25.54	24.96	— 0.58	110 59 13.79	19.60	+ 0.81	16 2.52
17	0	10	21.0	55 42.23	41.90	— 0.33	110 47 45.07	45.80	+ 0.73	16 1.57
18	0	10	40.6	59 58.47	58.11	— 0.36.	110 35 47.08	48.30	+ 1.22	16 2.76

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)															
Mean Solar Time of Observation				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.			
1850.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	"	'	"
Jan.	19	0	10	59.4	20	4	13.89	13.57	110	28	26.47	27.40	+ 0.93	16	3.43
	21	0	11	34.9			12 42.68	42.20	109	57	35.43	37.00	+ 1.57	16	4.18
	26	0	12	49.7			33 40.34	39.84	108	46	35.48	37.40	+ 1.92		
	27	0	13	1.9			37 59.14	48.94						16	1.22
	28	0	13	13.7			41 57.52	57.21	108	15	43.32	47.90	+ 4.58	16	1.22
	29	0	13	24.4			46 4.84	4.66	107	59	53.50	53.40	- 0.10	16	3.52
	30	0	13	34.7			50 11.68	11.29	107	43	40.06	39.60	- 0.46	16	3.30
Feb.	1	0	13	52.2	20	58	22.40	22.13	107	10	13.82	15.60	+ 1.78	16	4.78
	2	0	13	59.7	21	2	26.41	26.33	106	53	6.44	6.20	- 0.24	16	4.14
	3	0	14	6.7			6 30.03	29.72						16	1.82
	4	0	14	12.6			10 32.45	32.31	106	17	55.41	54.70	- 0.71	16	3.74
	5	0	14	17.4			14 33.84	34.09						16	0.15
	6	0	14	22.1			18 35.10	35.08	105	41	36.03	35.50	- 0.53	16	2.18
	7	0	14	25.8			22 35.39	35.27	105	23	1.95	1.50	- 0.45	16	2.98
	8	0	14	28.9			26 35.06	34.69						16	0.08
	12	0	14	32.1			42 24.49	24.49	108	46	23.86	24.90	+ 1.04	15	57.62
	14	0	14	29.6			50 15.01	14.78	108	6	7.69	8.40	+ 0.71	15	59.93
	15	0	14	26.9			54 8.92	8.79	102	45	39.98	40.90	+ 0.92	16	0.66
	16	0	14	23.5			58 2.07	2.06	102	24	58.50	61.20	+ 2.70	16	2.25
	17	0	14	19.8	22	1	54.77	54.51						16	0.95
	18	0	14	14.7			5 46.33	46.37	101	43	6.25	6.70	+ 0.45	16	1.82
	19	0	14	9.5			9 37.68	37.46	101	21	51.82	52.70	+ 0.88	16	0.53
	20	0	14	3.3			13 27.96	27.84	101	0	29.09	29.30	- 0.79	15	59.00
	21	0	13	56.7			17 17.91	17.55	100	33	52.22	53.60	+ 1.38	15	59.03
	22	0	13	48.8			21 6.56	6.58	100	17	11.97	9.30	- 2.67	16	4.93
	23	0	13	41.0			24 55.28	54.97	99	55	11.01	13.60	+ 4.59	15	58.50
	24	0	13	32.2			28 42.99	42.72						16	2.90
	25	0	13	22.3			32 29.64	29.86	99	11	8.40	1.60	- 6.80	16	3.23
	26	0	13	12.8			36 16.70	16.40	98	48	40.64	42.30	+ 1.66	16	1.08
	27	0	13	2.4			40 2.84	2.37	98	26	13.80	15.00	+ 1.20	16	1.44
	28	0	12	50.9			43 47.35	47.81	98	3	36.05	40.50	+ 4.45	15	59.16
Mar.	1	0	12	39.4	22	47	32.88	32.72	97	40	56.18	53.90	+ 2.72	16	2.34
	2	0	12	27.5			51 17.50	17.12	97	18	9.75	10.70	+ 0.95	16	2.43
	3	0	12	14.4			55 0.86	1.04						16	6.45
	4	0	12	1.					96	32	13.76	15.90	+ 2.14		
	5	0	11	48.1	23	2	27.65	27.49	96	9	9.60	10.00	+ 0.40	15	59.88
	6	0	11	34.4			6 10.47	10.07	95	45	56.24	59.00	+ 2.76	16	1.73
	7	0	11	19.8			9 52.38	52.24	95	22	41.74	43.40	+ 1.66	15	59.43
	8	0	11	5.1			13 34.17	34.05						16	2.74
	9	0	10	50.3			17 15.85	15.47	94	35	59.72	59.20	- 0.52	16	2.52
	10	0	10	34.3			20 56.44	56.57						16	5.07
	11	0	10	18.7			24 37.29	37.31	93	49	1.82	0.70	- 1.12	16	2.38
	12	0	10	2.6			28 17.73	17.76	93	25	23.29	27.10	+ 3.81	16	3.67
	13	0	9	46.4			31 58.00	57.90	93	1	43.87	51.10	+ 2.23	16	0.57
	14	0	9	29.7			35 37.83	37.76	92	38	9.33	13.00	+ 3.67	16	2.36
	15	0	9	12.6			39 17.25	17.35	92	14	33.20	33.40	+ 0.20	16	3.20
	16	0	8	55.5			42 56.59	56.69	91	50	43.82	52.40	+ 3.58	16	3.56
	18	0	8	20.6			50 14.76	14.71						16	5.87
	19	0	8	2.5			53 53.16	53.41	90	39	39.86	46.10	+ 6.24	16	3.32
	20	0	7	44.7			57 31.84	31.94	90	16	2.23	4.10	+ 1.87	16	3.05
	21	0	7	27.1	0	1	10.70	10.30	89	52	20.89	22.80	+ 1.91	16	0.04
	22	0	7	8.3			4 48.43	48.54	89	28	39.10	42.40	+ 3.30	16	0.86
	23	0	6	50.0			8 26.64	26.66	89	4	58.95	63.40	+ 4.45	16	0.44
	24	0	6	31.8			12 4.94	4.67						16	0.08
	25	0	6	13.4			15 43.05	42.62	88	17	48.62	51.00	+ 2.38	16	1.17



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)															
Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1849.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	"	'	"
Oct.	25	23	44	8.1	14	2	10.90	10.20	102	26	5.63	6.30	+ 0.47	16	1.96
	28	23	43	52.2	13	45	65	45.04	103	26	47.99	49.60	+ 1.61	16	0.86
	29	23	43	49.3	17	38	22	38.16	103	46	40.83	38.90	- 1.93	16	0.37
	30	23	43	46.8	21	32	25	32.04	104	6	12.36	15.10	+ 2.74	16	1.33
	31	23	43	44.9	25	26	94	26.73	104	26	36.97	37.60	+ 0.63	16	3.16
Nov.	1	23	43	43.9	14	29	22.48	22.21	104	44	43.40	46.30	+ 2.90	16	2.67
	2	23	43	43.6	33	18	81	18.52	105	3	39.53	40.60	+ 1.07	16	3.96
	8	23	43	59.9	57	14	47	14.04	106	51	43.16	42.90	- 0.26	16	2.58
	9	23	44	5.8	15	1	16.87	16.30	107	8	47.58	45.70	- 1.88	16	3.45
	11	23	44	19.6	9	23	84	23.43	107	41	58.10	58.30	+ 0.20	16	2.48
	12	23	44	27.7	13	28	53	28.29	107	58	6.75	7.30	+ 0.55	16	1.13
	13	23	44	36.9	17	34	29	34.02	108	13	58.81	57.50	- 1.31	16	1.08
	14	23	44	46.9	21	40	92	40.59	108	29	28.98	28.40	- 0.58	16	2.60
	18	23	45	34.8	38	15	74	15.26	109	28	10.02	12.70	+ 2.68	16	1.42
	19	23	45	49.4	42	26	34	25.97	109	42	2.98	1.70	- 1.28	16	2.43
	20	23	46	4.3	46	37	85	37.48	109	55	28.54	29.20	+ 0.66	16	0.64
	21	23	46	19.9	50	50	02	49.79	110	8	34.05	34.90	+ 0.85	16	2.65
	23	23	46	53.6	59	16	93	16.68	110	33	39.10	39.00	- 0.10	16	0.95
	25	23	47	30.7	16	7	47.23	46.58	110	57	10.94	11.20	+ 0.26	16	4.23
	27	23	48	9.9	16	19	64	19.37	111	19	8.80	8.90	+ 0.10	16	1.86
	28	23	48	30.7	20	37	09	36.82	111	29	30.32	31.50	+ 1.18	16	2.85
	29	23	48	52.3	24	55	21	54.95	111	39	32.40	29.60	- 2.80	16	—
	30	23	49	14.3	29	13	92	13.74	111	49	0.24	2.80	+ 2.56	16	—
Dec.	2	23	50	0.7	16	37	53.60	53.28	112	6	53.48	53.60	+ 0.12	16	1.98
	8	23	50	24.8	42	14	23	13.97	—	—	—	—	—	16	0.73
	4	23	50	49.5	46	35	56	35.25	112	23	1.33	1.90	+ 0.57	16	—
	7	23	52	6.7	59	42	66	42.41	—	—	—	—	—	16	2.63
	9	23	53	1.1	17	8	30.34	29.69	112	55	41.61	41.70	+ 0.09	15	59.54
	10	23	53	28.4	12	54	25	53.99	113	0	58.41	52.90	- 5.51	16	1.55
	11	23	53	56.3	17	18	74	18.67	113	5	34.80	36.70	+ 1.90	15	59.80
	12	23	54	24.8	21	43	93	43.73	—	—	—	—	—	16	—
	13	23	54	53.5	26	9	28	9.12	113	13	41.96	41.70	- 0.26	16	2.90
	14	23	55	22.5	30	34	90	34.77	113	17	2.21	2.50	+ 0.29	16	1.98
	18	23	57	21.0	48	19	94	19.57	113	25	44.50	45.80	+ 1.30	16	3.14
	19	23	57	50.8	52	46	36	46.12	113	26	46.48	46.20	- 0.28	16	—
	20	23	58	20.	—	—	—	—	113	27	18.93	18.20	- 0.73	16	—
	21	23	58	50.6	18	1	39.44	39.38	—	—	—	—	—	16	0.68
	26	0	0	50.3	19	25	68	25.53	—	—	—	—	—	16	1.84
	27	0	1	20.1	23	52	12	51.82	—	—	—	—	—	16	—
1850.															
Jan.	1	0	3	45.0	18	46	0.24	0.11	—	—	—	—	—	16	4.07
	2	0	4	13.4	50	25	27	24.96	112	57	1.56	1.50	- 0.06	16	3.65
	3	0	4	41.3	54	49	84	49.48	112	51	30.37	28.90	- 1.47	16	3.45
	4	0	5	9.0	59	14	10	13.62	—	—	—	—	—	16	2.67
	5	0	5	35.9	19	3	37.70	37.37	112	39	2.78	2.10	- 0.68	16	—
	9	0	7	20.3	21	8	52	7.92	—	—	—	—	—	16	2.43
	10	0	7	44.4	25	29	31	29.31	112	0	9.64	7.70	- 1.94	16	—
	11	0	8	9.	—	—	—	—	111	50	59.29	62.50	+ 3.21	15	58.27
	13	0	8	55.5	38	30	27	30.01	—	—	—	—	—	16	2.78
	14	0	9	17.4	42	48	82	49.01	111	21	14.62	14.80	+ 0.18	16	2.80
	15	0	9	39.9	47	7	87	7.32	111	10	30.02	29.40	- 0.62	16	2.52
	16	0	10	0.9	51	25	54	24.96	110	59	18.79	19.60	+ 0.81	16	1.57
	17	0	10	21.0	55	42	23	41.90	110	47	45.07	45.80	+ 0.73	16	2.76
	18	0	10	40.6	59	58	47	53.11	110	35	47.08	48.30	+ 1.22	16	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, ( <i>Continued.</i> )																	
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.					
1850.	d.	h.	m.	s.	h.	m.	s.	o	'	"	"	'	"				
Jan.	19	0	10	59.4	20	4	13.89	13.57	—	0.32	110	23	26.47	27.40	+ 0.93	16	3.43
	21	0	11	34.9		12	42.58	42.20	—	0.38	109	57	35.43	37.00	+ 1.57	16	4.18
	26	0	12	49.7		33	40.34	39.84	—	0.50	108	46	35.48	37.40	+ 1.92		
	27	0	13	1.9		37	59.14	48.94	—	0.20						16	1.22
	28	0	13	13.7		41	57.52	57.21	—	0.31	108	15	43.32	47.90	+ 4.58	16	1.22
	29	0	13	24.4		46	4.84	4.66	—	0.18	107	59	53.50	53.40	— 0.10	16	3.52
	30	0	13	34.7		50	11.68	11.29	—	0.39	107	48	40.06	39.60	— 0.46	16	3.30
Feb.	1	0	13	52.2	20	58	22.40	22.13	—	0.27	107	10	13.82	15.60	+ 1.78	16	4.78
	2	0	13	59.7	21	2	26.41	26.33	—	0.08	108	53	6.44	6.20	— 0.24	16	4.14
	3	0	14	6.7		6	30.03	29.72	—	0.31						16	1.82
	4	0	14	12.6		10	32.45	32.31	—	0.14	106	17	55.41	54.70	— 0.71	16	3.74
	5	0	14	17.4		14	33.84	34.09	+	0.25						16	0.15
	6	0	14	22.1		18	35.10	35.08	—	0.02	105	41	36.03	35.50	— 0.53	16	2.18
	7	0	14	25.8		22	35.39	35.27	—	0.12	105	23	1.95	1.50	— 0.45	16	2.98
	8	0	14	28.9		26	35.06	34.69	—	0.37						16	0.08
	12	0	14	32.1		42	24.49	24.49	0.00		103	46	23.86	24.90	+ 1.04	15	57.62
	14	0	14	29.6		50	15.01	14.78	—	0.23	103	6	7.69	8.40	+ 0.71	15	59.93
	15	0	14	26.9		54	8.92	8.79	—	0.13	102	45	39.98	40.90	+ 0.92	16	0.66
	16	0	14	23.5		58	2.07	2.06	—	0.01	102	24	58.50	61.20	+ 2.70	16	2.25
	17	0	14	19.8	22	1	54.77	54.51	—	0.26						16	0.95
	18	0	14	14.7		5	46.33	46.37	+	0.04	101	43	6.25	6.70	+ 0.45	16	1.82
	19	0	14	9.5		9	37.68	37.46	—	0.22	101	21	51.82	52.70	+ 0.88	16	0.53
	20	0	14	3.3		13	27.96	27.84	—	0.12	101	0	29.09	28.30	— 0.79	15	59.00
	21	0	13	56.7		17	17.91	17.55	—	0.36	100	38	52.22	53.60	+ 1.38	15	59.03
	22	0	13	48.8		21	6.56	6.58	+	0.02	100	17	11.97	9.30	— 2.67	16	4.98
	23	0	13	41.0		24	55.28	54.97	—	0.31	99	55	11.01	15.60	+ 4.59	15	58.50
	24	0	13	32.2		28	42.99	42.72	—	0.27						16	2.90
	25	0	13	22.3		32	29.64	29.86	+	0.22	99	11	8.40	1.60	— 6.80	16	3.23
	26	0	13	12.8		36	16.70	16.40	—	0.30	98	48	40.64	42.30	+ 1.66	16	1.08
	27	0	13	2.4		40	2.84	2.37	—	0.47	98	26	13.80	15.00	+ 1.20	16	1.44
	28	0	12	50.9		43	47.85	47.81	—	0.04	98	3	36.05	40.50	+ 4.45	15	59.16
Mar.	1	0	12	39.4	22	47	32.88	32.72	—	0.16	97	40	56.18	58.90	+ 2.72	16	2.34
	2	0	12	27.5		51	17.50	17.12	—	0.38	97	18	9.75	10.70	+ 0.95	16	2.43
	3	0	12	14.4		55	0.86	1.04	+	0.18						16	6.45
	4	0	12	1.							96	32	13.76	15.90	+ 2.14		
	5	0	11	48.1	23	2	27.65	27.49	—	0.16	96	9	9.60	10.00	+ 0.40	15	59.88
	6	0	11	34.4		6	10.47	10.07	—	0.40	95	45	56.24	59.00	+ 2.76	16	1.73
	7	0	11	19.8		9	52.38	52.24	—	0.14	95	22	41.74	43.40	+ 1.66	15	59.43
	8	0	11	5.1		13	34.17	34.05	—	0.12						16	2.74
	9	0	10	50.3		17	15.85	15.47	—	0.38	94	35	59.72	59.20	— 0.52	16	2.52
	10	0	10	34.3		20	56.44	56.57	+	0.13						16	5.07
	11	0	10	18.7		24	37.29	37.31	+	0.02	93	49	1.82	0.70	— 1.12	16	2.38
	12	0	10	2.6		28	17.73	17.76	+	0.03	93	25	23.29	27.10	+ 3.81	16	3.67
	13	0	9	46.4		31	58.00	57.90	—	0.10	93	1	48.87	51.10	+ 2.23	16	0.57
	14	0	9	29.7		35	37.83	37.76	—	0.07	92	38	9.33	13.00	+ 3.67	16	2.36
	15	0	9	12.6		39	17.25	17.35	+	0.10	92	14	33.20	33.40	+ 0.20	16	3.20
	16	0	8	55.5		42	56.59	56.69	+	0.10	91	50	48.82	52.40	+ 3.58	16	3.58
	18	0	8	20.6		50	14.76	14.71	—	0.05						16	5.87
	19	0	8	2.5		53	53.16	53.41	+	0.25	90	39	39.86	46.10	+ 6.24	16	3.32
	20	0	7	44.7		57	31.84	31.94	+	0.10	90	18	2.23	4.10	+ 1.87	16	3.05
	21	0	7	27.1	0	1	10.70	10.30	—	0.40	89	52	20.89	22.80	+ 1.91	16	0.04
	22	0	7	8.3		4	48.43	48.54	+	0.11	89	28	39.10	42.40	+ 3.30	16	0.86
	23	0	6	50.0		8	26.64	26.66	+	0.02	89	4	58.95	63.40	+ 4.45	16	0.44
	24	0	6	31.8		12	4.94	4.67	—	0.27						16	0.08
	25	0	6	13.4		15	43.05	42.62	—	0.43	88	17	48.62	51.00	+ 2.38	16	1.17

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)															
Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1850. d.	h.	m.	s.	h.	m.	s.	s.	s.	°	'	"	"	"	'	"
Mar.	26	0	5	0	19	20.80	20.55	- 0.25	87	54	16.44	18.30	+ 1.86	16	2.10
	27	0	5		22	58.70	58.43	- 0.27	87	30	43.24	48.30	+ 5.06	16	1.94
	28	0	5		26	36.06	36.32	+ 0.26						16	1.80
April	2	0	3						85	11	1.14	4.80	+ 3.66	16	0.08
	3	0	3	0	48	24.76	24.97	+ 0.21	84	48	2.27	3.40	+ 1.13	15	58.78
	4	0	3		52	3.56	3.50	- 0.06	84	25	7.43	7.40	- 0.03	16	0.53
	5	0	2		55	42.31	42.22	- 0.09	84	2	11.50	17.00	+ 5.50	16	1.66
	6	0	2		59	21.41	21.15	- 0.26						16	1.08
	8	0	1	1	6	40.00	39.62	- 0.38	82	54	21.04	24.10	+ 3.06	16	0.75
	9	0	1		10	19.54	19.22	- 0.32	82	32	0.83	0.20	- 0.63	16	4.03
	10	0	1		13	58.85	59.08	+ 0.23	82	9	44.22	43.80	- 0.42	15	58.87
	11	0	1		17	39.24	39.21	- 0.03	81	47	33.56	35.30	+ 1.74	16	2.07
	13	0	0		25	0.34	0.34	0.00	81	3	44.19	43.00	- 1.19	16	1.17
	15	0	0		32	23.02	22.74	- 0.28	80	20	25.12	26.20	+ 1.08	16	1.35
	15	23	59		36	4.34	4.43	+ 0.09	79	59	1.24	2.10	+ 0.86	16	6.18
	16	23	59		39	46.38	46.46	+ 0.08	79	37	46.05	48.00	+ 1.95	16	0.66
	17	23	59		43	28.97	28.88	- 0.09	79	16	43.44	44.10	+ 0.66	16	1.88
	18	23	59		47	11.96	11.65	- 0.31	78	55	48.91	50.90	+ 1.99	16	1.60
	19	23	58		50	54.88	54.82	- 0.06	78	35	6.40	8.70	+ 2.30	15	59.34
	21	23	58		58	22.50	22.37	- 0.13	77	54	17.30	18.60	+ 1.30	16	1.44
	22	23	58	2	2	7.01	6.79	- 0.22	77	34	9.34	11.30	+ 1.96	16	0.15
	23	23	58		5	51.28	51.66	+ 0.38	77	14	14.84	16.30	+ 1.46	16	1.26
	24	23	57		9	37.16	36.98	- 0.18	76	54	30.56	33.80	+ 3.24	15	59.66
	25	23	57		13	22.35	22.78	+ 0.43	76	35	2.37	4.30	+ 1.93	16	1.53
	26	23	57		17	8.84	9.08	+ 0.24						16	3.45
	27	23	57		20	55.65	55.88	+ 0.23						16	0.88
	28	23	57		24	42.85	43.20	+ 0.35						16	0.06
	29	23	57		28	30.65	31.05	+ 0.40						16	4.34
	30	23	56		32	19.80	19.43	- 0.37	75	0	58.82	60.90	+ 2.08	16	3.07
May	1	23	56	2	36	8.68	8.38	- 0.30	74	42	54.75	55.20	+ 0.45	16	1.37
	2	23	56		39	58.19	57.89	- 0.30	74	25	1.12	4.50	+ 3.38	16	1.53
	3	23	56		43	48.09	47.97	- 0.12	74	7	28.61	29.20	+ 0.59	16	1.66
	4	23	56		47	39.14	38.63	- 0.51						16	3.98
	5	23	56		51	30.16	29.87	- 0.29	73	33	4.02	5.70	+ 1.68	16	2.80
	6	23	56		55	21.66	21.68	+ 0.02	73	16	17.01	18.20	+ 1.19	16	2.10
	7	23	56		59	14.88	14.08	- 0.30	72	59	45.40	47.30	+ 1.90	16	2.80
	8	23	56	3	3	7.29	7.08	- 0.21	72	43	30.85	33.30	+ 2.45	16	0.75
	9	23	56		7	0.63	0.65	+ 0.02	72	27	35.46	36.40	+ 0.94	15	2.47
	10	23	56		10	55.06	54.81	- 0.25	72	11	55.28	57.10	+ 1.82	15	59.64
	11	23	56		14	49.99	49.54	- 0.45						15	59.64
	12	23	56		18	45.28	44.84	- 0.44	71	41	30.07	32.20	+ 2.13	16	2.20
	13	23	56		22	40.86	40.72	- 0.14	71	26	45.85	47.20	+ 1.35	16	2.65
	14	23	56		26	36.83	37.17	+ 0.34	71	12	21.22	21.00	- 0.22	15	59.90
	15	23	56		30	34.53	34.18	- 0.35	70	58	13.03	13.70	+ 0.67	16	1.48
	16	23	56		34	32.00	31.75	- 0.25	70	44	24.88	25.90	+ 1.02	16	0.75
	17	23	56		38	29.78	29.83	+ 0.05	70	30	54.49	57.60	+ 3.11	16	2.32
	19	23	56		46	27.66	27.65	- 0.01	70	5	0.16	0.80	+ 0.64	16	1.64
	20	23	56		50	27.31	27.35	+ 0.04	69	52	31.43	32.90	+ 1.47	16	3.23
	21	23	56		54	27.82	27.58	- 0.24	69	40	26.58	25.60	- 0.98	16	1.40
	22	23	56		58	28.71	28.33	- 0.38	69	28	38.65	39.20	+ 0.55	16	1.50
	26	23	56	4	14	35.99	36.40	+ 0.41	68	45	4.50	6.80	+ 2.30	16	1.40
	27	23	56		18	39.74	39.66	- 0.08	68	35	9.11	8.00	- 1.11	16	2.38
	28	23	56		22	43.48	43.38	- 0.10	68	25	29.90	31.50	+ 1.60	16	1.33
	31	23	57		34	57.49	57.31	- 0.18						16	0.40

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)																
Mean Solar Time of Observation.				A R from Observation.		A R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.				
1850.	d	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	'	"		
June	1	23	57	32.3	4	39	2.70	2.84	—	—	—	—	16	0.17		
	2	23	57	41.8	43	8.85	8.78	-0.07	—	—	—	—	16	0.95		
	3	23	57	51.6	47	15.21	15.13	-0.08	67	35	48.40	48.20	-0.20	16	1.75	
	4	23	58	1.5	51	21.71	21.84	+0.13	—	—	—	—	16	1.20		
	5	23	58	11.9	55	28.73	28.92	+0.19	67	22	18.43	19.30	+0.87	16	0.55	
	6	23	58	22.9	59	36.35	36.35	0.00	—	—	—	—	16	2.20		
	7	23	58	34.0	5	3	43.96	44.07	+0.11	67	10	23.75	25.30	+1.55	16	0.93
	9	23	58	57.	—	—	—	—	67	0	8.90	7.20	-1.70	16	0.33	
	10	23	59	9.3	16	9.05	8.88	-0.17	66	55	34.85	34.50	-0.35	16	2.14	
	11	23	59	21.3	20	17.60	17.63	+0.03	66	51	25.82	26.20	+0.38	16	0.95	
	12	23	59	33.5	24	26.44	26.55	+0.11	66	47	41.69	42.20	+0.51	16	1.66	
	13	23	59	45.8	28	35.32	35.63	+0.31	66	44	22.01	22.70	+0.69	16	1.86	
	17	0	0	24.	—	—	—	—	66	36	51.43	52.40	+0.97	16	2.58	
	18	0	0	37.	—	—	—	—	66	35	14.27	11.80	-2.47	16	1.98	
	19	0	0	50.3	49	22.75	22.57	-0.18	—	—	—	—	—	—		
	20	0	1	2.7	53	31.80	32.10	+0.30	66	33	3.82	5.00	+1.18	16	2.25	
	21	0	1	15.9	57	41.51	41.62	+0.11	66	32	38.96	38.80	-0.16	16	2.74	
	22	0	1	28.7	6	1	50.89	51.12	+0.23	66	32	39.59	37.40	-2.19	16	1.33
	25	0	2	7.	—	—	—	—	66	35	1.94	2.30	+0.36	—	—	
	26	0	2	20.	—	—	—	—	66	36	39.90	40.10	+0.20	16	2.94	
	27	0	2	32.	—	—	—	—	66	38	41.94	42.50	+0.56	16	1.00	
	28	0	2	45.	—	—	—	—	66	41	11.41	9.40	-2.01	16	0.37	
	29	0	2	56.4	30	54.85	55.23	+0.38	66	44	2.73	1.10	-1.63	16	2.67	
	30	0	3	8.5	35	3.49	3.81	+0.32	—	—	—	—	—	16	2.80	
July	1	0	3	20.6	6	39	12.16	12.19	+0.03	66	50	60.10	57.70	-2.40	16	2.00
	2	0	3	32.2	43	20.31	20.35	+0.04	66	55	2.91	2.50	-0.41	16	2.36	
	3	0	3	43.5	47	28.20	28.26	+0.06	66	59	32.46	31.50	-0.96	16	3.18	
	4	0	3	54.5	51	35.81	35.91	+0.10	67	4	24.28	24.60	+0.37	16	0.84	
	5	0	4	5.1	55	43.00	43.29	+0.29	67	9	41.13	41.60	+0.47	16	2.58	
	6	0	4	15.8	59	50.25	50.33	+0.08	67	15	22.93	22.50	-0.43	16	3.96	
	8	0	4	35.7	7	8	3.37	3.42	+0.05	67	27	54.92	55.20	+0.28	16	1.73
	9	0	4	44.8	12	9.06	9.40	+0.34	67	34	46.26	46.80	+0.54	16	2.50	
	11	0	5	2.7	20	20.06	20.16	+0.10	67	49	40.57	39.40	-1.17	16	1.62	
	13	0	5	18.6	28	29.21	29.13	-0.08	—	—	—	—	—	16	0.97	
	18	0	5	49.1	48	42.55	42.90	+0.35	68	58	33.94	34.40	+0.46	16	1.84	
	19	0	5	54.0	52	44.00	44.04	+0.04	69	4	10.51	9.80	-0.71	16	2.87	
	23	0	6	6.2	8	8	42.43	42.95	+0.52	69	49	57.89	60.60	+2.71	16	1.96
	25	0	6	9.4	16	38.74	38.97	+0.23	70	14	59.26	58.40	-0.86	16	0.48	
	28	0	6	9.3	28	23.32	28.60	+0.28	—	—	—	—	—	16	0.53	
	29	0	6	8.9	32	24.45	23.97	-0.48	71	8	49.04	48.50	-0.54	—	—	
	30	0	6	6.8	36	18.97	18.76	-0.21	71	23	0.90	3.40	+2.50	15	58.85	
	31	0	6	4.4	40	13.06	12.97	-0.09	71	37	36.84	36.70	-0.14	16	0.08	
Aug.	2	0	5	57.6	8	47	59.35	59.63	+0.28	72	7	37.54	37.40	-0.14	15	59.70
	3	0	5	53.4	51	51.69	52.07	+0.38	72	23	4.40	4.20	-0.20	16	0.50	
	5	0	5	43.8	59	35.18	35.21	+0.03	72	54	53.33	49.40	-3.93	16	0.02	
	6	0	5	38.1	9	3	26.06	25.90	-0.16	73	11	10.44	7.10	-3.34	16	0.80
	7	0	5	31.8	7	16.25	16.01	-0.24	73	27	41.24	41.10	-0.14	16	2.80	
	8	0	5	24.6	11	5.65	5.52	-0.13	73	44	80.27	31.20	+0.93	16	0.84	
	9	0	5	17.2	14	54.75	54.44	-0.31	74	1	37.87	37.00	-0.87	16	1.84	
	12	0	4	50.4	26	17.56	17.71	+0.15	74	54	22.73	25.70	+2.97	15	59.20	
	13	0	4	40.5	30	4.18	4.31	+0.13	75	12	31.90	31.20	-0.70	16	1.46	
	14	0	4	30.0	33	50.18	50.33	+0.15	—	—	—	—	—	15	59.58	
	20	0	3	15.5	56	14.78	15.05	+0.27	—	—	—	—	—	15	59.43	
	21	0	3	1.0	59	56.80	57.37	+0.57	77	45	18.28	17.40	-0.88	16	3.12	
	22	0	2	46.9	10	3	39.24	39.23	-0.01	78	5	17.43	18.80	+1.37	15	58.50

## RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)															
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N P. D. from Observation			N P. D. from N. A.	Error of N. A.	Mean Hor. Semid		
1850.	d.	h.	m.	s.	h.	m.	s.	s.	o	'	"	"	"	'	"
Aug.	23	0	2	31.6	10	7	20.43	20.62	78	25	32.70	31.40	- 1.30	15	58.47
	24	0	2	16.0	11	1	1.34	1.58	78	45	52.49	55.00	+ 2.51	16	2.23
	26	0	1	43.8	18	22	22.17	22.26	79	27	14.53	14.00	- 0.53	16	0.15
	27	0	1	27.1	22	2	2.00	2.01	79	48	7.11	8.90	+ 1.79	15	59.36
	28	0	1	9.6	25	41	04	41.40	80	9	14.55	13.50	- 1.05	16	2.45
	29	0	0	52.8	29	20	69	20.44							
	30	0	0	35.0	32	59	41	59.14	80	51	54.54	50.90	- 3.64	16	0.02
	31	0	0	16.8	36	37	22	37.51							
Sep.	1	23	59	39.5	10	43	53.44	53.40	81	56	53.93	52.50	- 1.43	15	58.56
	9	23	57	1.2	11	12	47.10	47.22	84	55	39.43	39.20	- 0.23	15	59.32
	10	23	56	40.8	16	23	20	23.09						15	57.70
	11	23	56	19.9	19	58	83	58.83	85	41	18.63	19.20	+ 0.57	16	0.57
	15	23	54	56.					87	13	31.49	29.90	- 1.59	16	1.70
	19	23	53	31.					88	48	33.09	30.60	- 2.49	16	1.77
	22	23	52	28.7	59	29	10	28.63	89	56	42.03	36.50	- 5.53	16	3.20
	24	23	51	47.5	12	6	40.79	40.22	90	43	25.69	25.10	- 0.59	16	0.20
	25	23	51	26.8	10	16	60	16.27	91	6	49.11	50.00	+ 0.89	16	3.12
	26	23	51	6.4	13	52	78	52.52	91	30	12.75	14.70	+ 1.95	16	0.28
	27	23	50	45.9	17	28	73	28.97	91	53	41.05	39.00	- 2.05	16	1.44
	28	23	50	26.4	21	5	68	5.68						15	57.94
	29	23	50	6.7	24	42	50	42.65						16	1.75
	30	23	49	47.3	28	19	68	19.90	98	3	47.14	45.80	- 1.34	16	3.70
Oct.	1	23	49	28.7	12	31	57.56	57.44	98	27	5.85	4.80	- 1.05	16	3.32
	2	23	49	10.3	35	35	63	35.80	98	50	23.64	21.70	- 1.94	16	0.86
	3	23	48	51.9	39	13	74	13.50	94	13	33.26	36.00	+ 2.74	16	0.55
	4	23	48	33.8	42	52	14	52.06	94	36	51.62	47.30	- 4.32	16	0.97
	6	23	47	59.0	50	10	34	10.26	95	22	58.95	59.50	+ 0.55	16	7.45
	9	23	47	9.6	13	1	10.46	10.62							
	11	23	46	39.2	8	33	07	33.08	97	17	12.70	11.30	- 1.40	16	2.18
	14	23	45	56.9	19	40	30	40.41	98	24	34.21	33.00	- 1.21	16	1.82
	15	23	45	44.0	23	23	96	23.92	98	46	43.45	46.30	+ 2.85	15	59.58
	16	23	45	31.8	27	8	23	7.99	99	8	50.31	52.00	+ 1.69	16	0.97
	17	23	45	19.6	30	52	64	52.63						16	4.36
	18	23	45	8.3	34	37	81	37.87						16	1.96
	20	23	44	47.9	42	10	42	10.20	100	35	52.89	51.60	- 1.29	16	2.92
	21	23	44	38.4	45	57	51	57.35	100	57	13.41	13.80	+ 0.39	16	1.55
	22	23	44	29.9	49	45	55	45.19	101	18	25.93	26.30	+ 0.37	16	0.13
	24	23	44	14.					102	0	23.81	20.20	- 3.61	16	4.74
	25	23	44	7.8	14	1	13.04	12.93	102	21	1.87	0.80	- 1.07	15	59.73
	28	23	43	52.4	12	47	25	47.38	103	21	52.68	53.30	+ 0.62	16	4.67
	29	23	43	49.0	16	40	38	40.43						16	0.20
	30	23	43	46.4	20	34	34	34.27	104	1	28.86	26.20	- 2.66	16	1.90
	31	23	43	44.2	24	28	66	28.92	104	20	53.72	52.90	- 0.82	16	0.95
Nov.	3	23	43	43.8	14	36	17.91	17.74	105	17	49.41	48.50	- 0.91	16	2.30
	4	23	43	45.1	40	15	76	15.65	105	36	19.52	17.40	- 2.12	16	1.17
	5	23	43	47.1	44	14	36	14.38	105	54	33.57	30.90	- 2.67	16	3.78
	6	23	43	50.1	48	13	97	13.95						15	59.79
	10	23	44	10.8	15	4	20.88	20.55	107	21	34.69	31.10	- 3.59	16	2.65
	12	23	44	25.4	12	28	68	28.84	107	54	18.19	16.20	- 1.99	15	59.88
	13	23	44	34.4	16	34	22	34.23	108	10	10.97	10.60	- 0.37	16	0.75
	14	23	44	44.0	20	40	45	40.45	108	25	49.31	45.90	- 3.41	16	2.10
	15	23	44	54.0	24	47	13	47.51	108	41	5.82	1.60	- 4.22	16	1.00
	17	23	45	17.8	33	4	01	4.10							
	18	23	45	30.8	37	13	57	13.64	109	24	46.70	47.60	+ 0.90		

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)																
Mean Solar Time of Observation				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Scmid.			
				h. m. s.			s.	s.	° ' "		"	"	' "			
1850.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	'	"		
Nov.	19	23	45	44.7	15	41	24.04	24.01	109	38	44.40	41.40	15	58.67		
	20	23	45	59.1	45	35.10	35.20	+ 0.10	109	52	15.24	13.70	—	—		
	21	23	46	14.5	49	47.01	47.20	+ 0.19	—	—	—	—	16	1.92		
	22	23	46	30.9	54	0.04	0.00	— 0.04	110	18	12.17	12.60	+ 0.43	15	58.83	
	24	23	47	5.9	16	2	28.21	27.99	— 0.22	110	42	42.62	41.90	— 0.72	16	1.75
	25	23	47	24.3	6	48.31	48.17	— 0.14	—	—	—	—	—	—		
	29	23	48	46.2	23	51.65	51.32	— 0.33	—	—	—	—	16	1.94		
Dec.	2	23	49	54.6	16	36	49.89	49.70	— 0.19	112	4	51.94	49.10	— 2.84	16	0.62
	3	23	50	18.4	41	10.24	10.41	+ 0.17	—	—	—	—	15	59.8		
	5	23	51	8.9	49	54.01	53.54	— 0.47	112	28	43.38	42.90	— 0.48	15	58.03	
	6	23	51	34.4	54	16.17	15.90	— 0.27	112	35	49.27	48.50	— 0.77	—	—	
	8	23	52	27.6	17	3	2.58	2.09	— 0.49	112	48	41.76	39.60	— 2.16	16	0.20
	9	23	52	54.3	7	25.90	25.85	— 0.05	—	—	—	—	16	1.33		
	11	23	53	49.5	16	14.38	14.52	+ 0.14	113	4	33.05	33.20	+ 0.15	16	0.70	
	12	23	54	17.7	20	39.21	39.38	+ 0.17	113	8	56.40	56.20	— 0.20	16	1.33	
	13	23	54	46.0	25	4.18	4.54	+ 0.36	113	12	50.29	51.50	+ 1.21	16	2.34	
	15	23	55	44.1	33	55.57	55.66	+ 0.09	113	19	19.43	18.60	— 0.83	16	3.84	
	16	23	56	13.3	38	21.40	21.56	+ 0.16	113	21	49.44	50.10	+ 0.66	16	4.00	
	17	23	56	42.9	42	47.59	47.64	+ 0.05	113	23	51.69	53.50	+ 1.81	16	2.98	
	18	23	57	12.6	47	13.92	13.89	— 0.03	113	25	32.39	28.80	— 3.59	15	58.87	
	19	23	57	42.3	51	40.33	40.27	— 0.06	113	26	37.29	35.80	— 1.49	15	57.38	
	20	23	58	11.7	56	6.35	6.75	+ 0.40	113	27	15.06	14.60	— 0.46	16	1.08	
	22	23	59	11.6	18	4	59.50	59.84	+ 0.34	113	27	8.11	7.30	— 0.81	16	1.75
	23	23	59	41.6	9	26.21	26.42	+ 0.21	113	26	22.62	21.20	— 1.42	16	1.90	
	27	0	1	11.6	22	46.29	45.87	— 0.42	—	—	—	—	16	2.83		
	31	0	3	9.3	40	30.81	29.85	— 0.46	—	—	—	—	16	0.70		
1851.																
Jan.	1	0	3	38.1	18	44	55.79	55.28	— 0.51	—	—	—	16	2.16		
	2	0	4	5.9	49	20.15	20.87	+ 0.22	112	58	24.93	20.00	— 4.93	16	3.85	
	3	0	4	34.1	53	44.99	45.13	+ 0.14	112	52	56.09	54.10	— 1.99	16	2.78	
	4	0	5	1.8	58	9.39	9.53	+ 0.14	112	47	0.81	0.90	+ 0.09	16	2.83	
	6	0	5	56.3	19	6	57.07	57.03	— 0.04	112	33	48.55	53.20	+ 4.65	16	0.17
	7	0	6	22.5	11	19.93	20.08	+ 0.15	112	26	38.64	39.10	+ 0.46	16	4.14	
	8	0	6	48.8	15	42.83	42.64	— 0.19	112	18	55.70	58.50	+ 2.80	16	2.12	
	9	0	7	13.7	20	4.38	4.66	+ 0.28	112	10	51.83	51.60	— 0.23	—	—	
	10	0	7	39.1	24	26.44	26.13	— 0.31	112	2	20.36	18.60	— 1.76	16	0.70	
	11	0	8	2.8	28	46.81	47.00	+ 0.19	—	—	—	—	16	1.86		
	12	0	8	26.7	33	7.28	7.26	— 0.02	—	—	—	—	16	1.22		
	14	0	9	12.2	41	45.99	45.88	— 0.11	111	23	50.37	51.20	+ 0.83	16	2.45	
	15	0	9	33.8	46	4.30	4.19	— 0.11	111	13	10.24	11.90	+ 1.66	16	2.76	
	16	0	9	54.7	50	21.80	21.83	+ 0.03	111	2	6.69	8.10	+ 1.41	16	1.28	
	17	0	10	14.6	54	38.31	38.78	+ 0.45	110	50	40.01	40.40	+ 0.39	16	4.92	
	18	0	10	34.9	58	55.22	55.00	— 0.22	110	38	49.23	48.80	— 0.43	16	3.80	
	20	0	11	12.2	20	6	25.64	25.28	— 0.36	—	—	—	—	—		
	21	0	11	29.2	11	39.33	39.32	— 0.01	110	0	54.36	54.90	+ 0.54	16	1.40	
	22	0	11	45.9	15	52.59	52.62	+ 0.03	109	47	28.86	31.60	+ 2.74	15	59.10	
	23	0	12	2.0	20	5.33	5.17	— 0.16	109	33	47.22	46.20	— 1.02	16	0.33	
	24	0	12	17.2	24	17.12	16.94	— 0.18	109	19	37.97	39.10	+ 1.13	16	1.33	
	25	0	12	31.4	28	27.88	27.93	+ 0.05	109	5	8.89	10.50	+ 1.61	16	2.74	
	27	0	12	57.9	36	47.64	47.58	— 0.06	108	35	10.42	11.00	+ 0.58	16	2.23	
	28	0	13	9.9	40	56.14	56.21	+ 0.07	108	19	40.06	40.70	+ 0.64	16	2.12	
	29	0	13	21.3	45	4.16	4.04	— 0.12	—	—	—	—	15	56.84		
	30	0	13	31.6	49	10.99	11.04	+ 0.05	107	47	39.61	40.90	+ 1.29	16	2.38	
	31	0	13	41.4	53	17.41	17.24	— 0.17	107	31	13.38	12.30	— 1.08	16	2.07	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)																
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.				
1851.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	"	"	"	
Feb.	1	0	13	50.2	20	57	22.79	22.63	—	—	—	—	—	—	—	
	3	0	14	5.4	21	5	31.20	30.91	—	0.29	106	39	54.69	56.30	+ 1.61	16 1.82
	4	0	14	11.9		9	34.19	33.80	—	0.39	—	—	—	—	—	16 2.35
	5	0	14	17.3		13	36.17	35.85	—	0.32	106	4	18.35	18.20	— 0.15	16 2.92
	6	0	14	21.9		17	37.40	37.08	—	0.32	105	46	2.78	4.10	+ 1.32	16 1.66
	7	0	14	25.8		21	37.81	37.47	—	0.34	105	27	31.75	33.90	+ 2.15	16 2.10
	8	0	14	28.8		25	37.43	37.05	—	0.38	105	8	47.28	47.90	+ 0.62	16 2.74
	9	0	14	30.7		29	35.86	35.80	—	0.06	—	—	—	—	—	16 0.06
	10	0	14	32.2		33	33.90	33.73	—	0.17	104	30	34.13	31.00	— 3.13	16 0.80
	11	0	14	33.2		37	31.45	30.86	—	0.59	104	10	54.65	60.60	+ 5.95	16 0.68
	12	0	14	33.0		41	27.79	27.20	—	0.59	103	51	16.68	16.30	— 0.38	—
	13	0	14	31.7		45	23.08	22.75	—	0.33	103	31	20.07	18.40	— 1.67	16 1.82
	14	0	14	30.0		49	17.96	17.54	—	0.42	103	11	5.01	7.20	+ 2.19	16 1.62
	15	0	14	27.7		53	12.16	11.57	—	0.59	102	50	42.20	43.30	+ 1.10	16 0.46
	17	0	14	20.3	22	0	57.86	57.44	—	0.42	102	9	15.19	18.90	+ 3.71	16 2.38
	18	0	14	15.8		4	49.92	49.30	—	0.62	101	48	17.37	19.10	+ 1.73	16 2.70
	19	0	14	10.2		8	40.86	40.49	—	0.37	101	27	4.38	8.10	+ 3.72	16 1.40
	20	0	14	4.1		12	31.30	31.00	—	0.30	101	5	44.55	46.50	+ 1.95	16 1.84
	21	0	13	57.7		16	21.36	20.86	—	0.50	100	44	10.72	14.30	+ 3.58	16 1.53
	22	0	13	50.1		20	10.35	10.09	—	0.26	100	22	31.38	32.20	+ 0.82	16 1.20
	24	0	13	34.0		27	47.26	46.69	—	0.57	99	38	35.61	39.70	+ 4.09	16 0.80
	25	0	13	24.7		31	34.52	34.10	—	0.42	99	16	26.68	30.00	+ 3.34	16 1.33
	26	0	13	15.1		35	21.41	20.94	—	0.47	98	54	11.33	11.90	+ 0.57	16 2.72
	27	0	13	4.8		39	7.67	7.21	—	0.46	98	31	42.75	45.80	+ 3.05	16 2.00
	28	0	12	54.1		42	53.47	52.95	—	0.52	98	9	9.84	12.20	+ 2.36	16 1.73
Mar.	1	0	12	42.5	22	46	38.44	38.16	—	0.28	97	46	26.78	31.50	+ 4.72	16 2.87
	2	0	12	31.2		50	23.61	22.85	—	0.76	—	—	—	—	—	16 3.48
	3	0	12	18.6		54	7.58	7.04	—	0.54	97	0	52.28	50.20	— 2.08	15 58.83
	4	0	12	5.2		57	50.68	50.75	+ 0.07		96	37	46.89	50.40	+ 3.51	16 0.88
	5	0	11	52.0	23	1	34.01	33.98	—	0.03	96	14	45.78	45.20	— 0.58	16 0.66
	6	0	11	38.4		5	16.93	16.76	—	0.17	95	51	32.12	34.70	+ 2.58	16 0.80
	7	0	11	24.0		8	59.07	59.11	+ 0.04		95	28	20.85	19.60	— 1.25	16 0.75
	8	0	11	9.5		12	41.00	41.02	+ 0.02		95	5	0.97	0.20	— 0.77	16 1.17
	10	0	10	39.2		20	3.73	3.66	—	0.07	94	18	8.91	10.20	+ 1.29	16 1.15
	11	0	10	23.1		23	44.20	44.42	+ 0.22		93	54	37.20	40.20	+ 3.00	16 0.64
	12	0	10	7.4		27	25.02	24.84	—	0.18	93	31	6.22	7.50	+ 1.28	16 1.80
	13	0	9	50.9		31	4.95	4.95	0.00		93	7	29.38	32.40	+ 3.02	16 4.07
	14	0	9	34.4		34	44.99	44.73	—	0.26	92	43	53.77	55.40	+ 1.63	16 3.03
	15	0	9	17.2		38	24.30	24.26	—	0.04	92	20	15.73	16.70	+ 0.97	16 1.22
	17	0	8	42.5		45	42.63	42.54	—	0.09	91	32	55.21	55.60	+ 0.39	15 58.63
	18	0	8	24.8		49	21.38	21.35	—	0.03	91	9	11.28	14.20	+ 2.92	16 0.24
	19	0	8	7.0		53	0.15	0.01	—	0.14	90	45	30.67	32.50	+ 1.83	15 57.06
	20	0	7	49.0		56	38.64	38.49	—	0.15	90	21	51.10	50.90	— 0.20	16 2.16
	21	0	7	30.7	0	0	16.80	16.85	+ 0.05		89	53	9.73	9.70	— 0.03	16 4.40
	22	0	7	12.4		3	55.01	55.09	+ 0.08		89	34	26.91	29.20	+ 2.29	16 0.64
	23	0	6	54.5		7	33.65	33.26	—	0.39	—	—	—	—	—	16 2.05
	24	0	6	35.5		11	11.08	11.35	+ 0.27		88	47	10.58	12.10	+ 1.52	16 0.10
	25	0	6	17.4		14	49.63	49.40	—	0.13	88	23	35.27	36.20	+ 0.93	16 0.53
	26	0	5	58.9		18	27.66	27.43	—	0.13	87	59	59.21	62.30	+ 3.09	16 1.48
	27	0	5	40.1		22	5.25	5.46	+ 0.21		87	36	27.86	30.90	+ 3.04	16 0.04
	28	0	5	21.7		25	43.37	43.51	+ 0.14		87	12	58.42	62.40	+ 3.98	15 59.14
	29	0	5	3.3		29	21.43	21.58	+ 0.15		86	49	32.83	37.80	+ 4.47	16 0.70
	30	0	4	44.7		32	59.35	59.70	+ 0.35		—	—	—	—	—	15 57.77
	31	0	4	26.8		36	37.96	37.89	—	0.07	86	2	53.04	57.90	+ 4.86	15 59.12
April	1	0	4	8.1	0	40	15.71	16.16	+ 0.45		85	39	42.12	44.50	+ 2.38	16 2.36
	2	0	3	50.7		43	54.88	54.54	—	0.34	85	16	31.62	35.90	+ 4.28	15 59.75

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)													
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1851.	d.	h.	m.	s.	h.	m.	s.	°	'	"	'	"	
April	3	0	3	32.5	0	47	33.12	84	53	32.78	32.30	16	1.70
	4	0	3	14.7		51	11.89	84	30	28.33	34.10	15	59.78
	5	0	2	57.0		54	50.67	84	7	42.37	41.80	16	0.26
	6	0	2	38.9		58	29.00					16	0.14
	7	0	2	22.0	1	2	8.71	83	22	11.52	15.80	16	2.50
	8	0	2	4.8		5	47.92	82	59	41.04	43.00	16	1.13
	9	0	1	47.8		9	27.47					16	2.05
	10	0	1	30.6		13	6.79	82	14	55.08	59.40	16	1.82
	11	0	1	14.4		16	47.06	81	52	46.49	49.30		
	12	0	0	58.1		20	27.30	81	30	45.02	47.30	16	3.40
	13	0	0	42.1		24	7.86					16	0.50
	14	0	0	26.6		27	48.83	80	47	6.25	9.60	16	0.68
	15	0	0	11.2		31	29.91	80	25	34.15	34.30	16	2.63
	15	23	59	56.0		35	11.25	80	4	4.92	8.50	16	3.18
	16	23	59	41.4		38	53.18	79	42	51.46	52.60	16	2.85
	17	23	59	26.6		42	34.87					16	0.70
	20	23	58	46.7		53	44.49					16	4.54
	21	23	58	33.7		57	23.05	77	59	9.09	11.50	16	2.83
	22	23	58	21.8	2	1	12.64	77	38	58.20	61.20	16	3.47
	23	23	58	10.0		4	57.40	77	19	0.64	2.90	16	2.65
	24	23	57	59.1		8	43.02						
	25	23	57	48.7		12	29.17					16	1.04
	28	23	57	19.0		23	43.98	75	42	22.47	28.40	16	3.70
May	5	23	56	29.9	2	50	35.67	72	37	0.97	2.50	15	59.45
	6	23	56	24.8		54	27.08					16	3.18
	7	23	56	20.1		58	18.96	73	3	30.88	36.00	16	6.05
	8	23	56	16.5	3	2	11.93	72	47	14.22	18.10	16	2.78
	9	23	56	13.1		6	4.99	72	31	16.53	17.40	15	58.72
	11	23	56	8.4		13	53.49	72	0	5.62	8.90	16	2.96
	12	23	56	7.0		17	48.56	71	44	58.05	61.80	15	58.63
	13	23	56	6.5		21	44.63	71	30	8.41	13.10	16	3.74
	14	23	56	5.9		25	40.59					16	1.08
	15	23	56	5.7		29	36.96	71	1	29.01	31.80	15	58.67
	16	23	56	6.3		33	34.15	70	47	39.54	39.90	15	59.86
	18	23	56	10.0		41	30.92	70	20	52.95	54.70	15	58.00
	19	23	56	12.1		45	29.57	70	8	1.01	1.90	15	59.18
	20	23	56	15.4		49	29.44	69	55	26.66	29.20	16	1.50
	21	23	56	18.8		53	29.44	69	43	15.96	17.10	15	57.00
	22	23	56	23.4		57	30.33	69	31	25.51	25.70	15	59.80
	26	23	56	44.9	4	13	38.40	68	47	31.13	31.40	16	1.04
	27	23	56	51.7		17	41.78					16	0.24
	28	23	56	59.3		21	45.96					16	2.43
	29	23	57	6.5		25	49.76					16	0.10
	30	23	57	14.6		29	54.41					16	1.42
	31	23	57	23.4		33	59.74					16	0.97
June	1	23	57	32.2	4	38	5.14	67	52	40.85	40.30	16	2.03
	2	23	57	41.1		42	10.63	67	44	53.32	51.60	15	57.44
	4	23	58	1.5		50	24.22	67	30	22.44	24.30	16	1.75
	5	23	58	12.2		54	31.49	67	23	44.02	45.90	15	59.43
	6	23	58	22.5		58	38.39	67	17	31.97	31.40	16	1.08
	8	23	58	45.				67	6	11.90	14.20	15	57.94
	9	23	58	56.				67	1	12.89	11.80	15	58.70
	11	23	59	19.3	5	19	18.14	66	52	17.96	19.80	15	59.40
	12	23	59	32.				66	48	29.19	30.50	16	1.55
	13	23	59	44.1		27	36.09	66	45	5.43	5.60	16	0.62



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)												
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation		N P D from N. A.	Error of N A	Mean Hor Semid
1851.	d.	h.	m.	s.	h. m. s.	s.	s.	° ' "	"	"	"	' "
June	16	0	0	8.5	5 35 53.64	54.66	+ 1.02	66 39 29.64	29.70	+ 0.06		15 58.78
	17	0	0	21.5	40 3.27	3.95	+ 0.68	66 37 19.60	18.60	- 1.00		15 59.94
	18	0	0	34.9	44 13.24	13.34	+ 0.10	66 35 31.74	32.30	+ 0.56		15 58.03
	19	0	0	47.4	48 22.37	22.81	+ 0.44	66 34 10.46	70.80	+ 0.34		16 1.20
	20	0	1	0.4	52 31.97	32.35	+ 0.38	66 33 10.84	14.00	+ 3.18		16 0.97
	23	0	1	39.5	6 5 0.81	1.07	+ 0.26	66 32 53.65	52.30	- 1.35		15 59.23
	24	0	1	51.8	9 9.71	10.61	+ 0.90	66 33 33.29	34.70	+ 1.41		16 3.10
	25	0	2	5.4	13 19.89	20.09	+ 0.20	66 34 45.50	41.70	- 3.80		16 0.68
	26	0	2	17.6	17 28.73	29.43	+ 0.75	66 36 14.09	13.50	- 0.59		15 59.18
	27	0	2	30.5	21 38.19	38.74	+ 0.55	66 38 9.68	10.00	+ 0.32		16 1.94
	29	0	2	56.2	29 57.09	56.86	- 0.23					16 0.66
	30	0	3	7.9	34 5.35	5.63	+ 0.28	66 46 26.87	27.00	+ 0.13		15 58.00
July	1	0	3	19.7	6 38 13.79	14.18	+ 0.39	66 50 0.97	1.70	+ 0.73		16 1.86
	2	0	3	31.9	42 22.51	22.48	- 0.03	66 53 59.52	60.70	+ 1.18		16 1.02
	3	0	3	43.2	46 30.43	30.50	+ 0.07	66 53 21.64	23.90	+ 2.26		16 0.24
	4	0	3	54.1	50 37.89	38.24	+ 0.35	67 3 7.73	11.20	+ 3.47		16 2.67
	5	0	4	4.9	54 45.28	45.64	+ 0.36	67 8 22.49	22.60	+ 0.11		16 0.70
	7	0	4	25.7	7 2 59.29	59.40	+ 0.11					15 57.60
	8	0	4	35.5	7 5.62	5.71	+ 0.09	67 26 19.74	19.30	- 0.44		15 59.66
	11	0	5	1.6	19 21.50	22.20	+ 0.70					15 59.70
	17	0	5	44.				68 40 59.46	55.30	- 4.16		16 1.26
	19	0	5	53.				69 1 34.98	34.20	- 0.78		15 58.60
	22	0	6	3.8	8 3 46.00	46.59	+ 0.59					
	23	0	6	6.5	7 45.30	45.71	+ 0.41	69 47 8.25	5.40	- 2.85		16 1.46
	24	0	6	8.6	11 43.87	44.26	+ 0.39	69 59 20.87	19.70	- 1.17		16 0.48
	25	0	6	10.0	15 41.84	42.26	+ 0.42	70 11 53.28	54.00	+ 0.72		15 59.00
	26	0	6	11.1	19 39.57	39.68	+ 0.11	70 24 45.66	48.30	+ 2.64		15 58.05
Aug.	4	0	5	52.				72 35 1.55	2.10	+ 0.55		16 2.10
	5	0	5	46.7	8 58 40.63	40.76	+ 0.13	72 50 61.37	59.00	- 2.37		16 1.90
	6	0	5	40.4	9 2 30.86	31.47	+ 0.61	73 7 13.38	12.40	- 0.98		16 2.25
	7	0	5	34.0	6 20.98	21.56	+ 0.58	73 23 40.22	42.30	+ 2.08		16 2.23
	9	0	5	19.9	13 59.96	59.92	- 0.04	73 57 29.27	29.70	+ 0.43		16 1.62
	11	0	5	2.8	21 35.91	35.91	0.00	74 32 19.13	18.80	- 0.33		16 0.95
	12	0	4	53.4	25 23.10	23.04	- 0.06	74 50 2.98	5.80	+ 2.82		16 1.13
	13	0	4	43.5	29 9.72	9.59	- 0.13	75 8 9.33	7.30	- 2.03		15 58.94
	14	0	4	32.7	32 55.40	55.63	+ 0.23	75 26 23.67	23.00	- 0.67		16 1.42
	15	0	4	22.0	36 41.20	41.11	- 0.09	75 44 53.07	52.70	- 0.37		16 2.34
	16	0	4	9.9	40 25.68	26.07	+ 0.39	76 3 35.86	36.10	+ 0.24		16 3.03
	18	0	3	45.8	47 54.56	54.46	- 0.10	76 41 43.89	42.50	- 1.39		
	19	0	3	32.8	51 38.12	37.93	- 0.19	77 1 5.17	4.90	- 0.27		
	21	0	3	4.8	59 3.20	3.45	+ 0.25	77 40 24.92	27.00	+ 2.08		16 1.55
	25	0	2	4.5	10 13 48.86	49.14	+ 0.28					
	26	0	1	48.1	17 29.00	29.53	+ 0.53					16 0.62
	27	0	1	32.0	21 9.43	9.50	+ 0.07	79 43 5.75	6.00	+ 0.25		16 1.06
	28	0	1	15.4	24 49.36	49.08	- 0.28	80 4 10.43	8.90	- 1.53		16 1.90
	31	0	0	21.9	35 45.40	45.63	+ 0.23					16 0.15
Sep.	1	0	0	3.7	10 39 23.65	23.77	+ 0.12	81 29 52.48	52.00	- 0.48		16 3.12
	1	23	59	45.1	43 1.53	1.61	+ 0.03					15 59.86
	2	23	59	26.2	46 39.18	39.13	- 0.05	82 13 31.45	33.70	+ 2.25		16 0.04
	3	23	59	7.1	50 16.59	16.34	- 0.25	82 35 38.12	35.90	- 2.22		16 2.10
	4	23	58	47.4	53 53.32	53.30	- 0.02	82 57 49.33	45.30	- 4.53		16 0.26
	5	23	58	27.6	57 30.03	29.99	- 0.04	83 20 3.04	1.50	- 1.54		16 0.90
	6	23	58	6.8	11 1 5.78	6.46	+ 0.68					16 2.56
	7	23	57	47.6	4 43.01	42.70	- 0.31	84 4 53.24	52.90	- 0.34		16 2.08

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)													
Mean Solar Time of Observation				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1851.	d.	h.	m.	s.	h.	m.	s.	o	'	"	"	'	"
Sep.	8	23	57	27.2	11	8	19.13	84	27	28.63	27.60	16	0.60
	9	23	57	6.1		11	54.57	84	50	4.48	7.80	16	2.50
	10	23	56	45.6		15	30.56	85	12	52.44	53.30	16	1.15
	11	23	56	24.0		19	5.47	85	35	44.08	43.80	16	1.57
	12	23	56	3.9		22	41.83	85	58	38.12	38.90	16	1.50
	13	23	55	42.1		26	16.49					15	57.92
	14	23	55	21.8		29	52.74	86	44	39.83	41.50	16	0.90
	15	23	55	0.6		33	28.00	87	7	49.21	48.50	16	2.18
	16	23	54	39.2		37	3.10	87	30	58.18	59.00	16	3.27
	17	23	54	18.3		40	38.72	87	54	11.81	12.40	16	0.28
	21	23	52	54.6		55	1.00						
	22	23	52	33.8		58	36.68	89	50	54.73	53.90	16	3.50
	23	23	52	12.9	12	2	12.23	90	14	19.04	18.70	16	1.44
	28	23	50	32.0		20	13.86	92	11	28.40	24.50	16	0.68
	29	23	50	12.4		23	50.79	92	34	50.64	47.50		
	30	23	49	53.2		27	28.03	92	58	11.81	9.00	15	58.34
Oct.	2	23	49	14.4	12	34	42.25					15	59.60
	3	23	48	56.1		38	20.44					16	2.25
	4	23	48	38.3		41	59.18					16	4.30
	6	23	48	3.1		49	16.97					16	0.00
	8	23	47	29.				95	17	30.42	24.20		
	10	23	46	57.4	13	3	57.34	96	3	20.92	20.30		
	12	23	46	27.3		11	20.20	96	48	57.52	57.10	16	0.40
	14	23	45	59.5		18	45.45	97	34	13.27	12.00	16	0.17
	15	23	45	46.3		22	28.79	98	18	57.85	62.20	15	59.64
	16	23	45	33.7		26	12.71	98	41	19.94	17.10	16	0.80
	17	23	45	21.7		29	57.26	99	3	22.08	24.60	15	59.14
	19	23	44	59.8		37	28.36	99	25	26.44	24.50	16	0.95
	22	23	44	31.6		48	49.80	100	8	61.71	59.80	16	0.06
	23	23	44	23.5		52	38.18	101	13	17.49	15.60	15	59.38
	24	23	44	16.3		56	27.48	101	34	22.09	21.10	15	58.96
	27	23	43	58.3	14	7	59.11	101	55	14.65	16.20	16	1.42
	28	23	43	53.9		11	51.29	102	56	58.81	54.60	16	0.55
	29	23	43	50.5		15	44.37						
	30	23	43	47.2		19	37.64	108	56	44.59	43.40	16	0.53
Nov.	6	23	43	49.0	14	47	15.37						
	7	23	43	51.8		51	14.72	106	25	51.14	52.00	16	2.94
	8	23	43	56.9		55	16.34					15	58.70
	9	23	44	1.8		59	17.85	107	0	28.95	30.70	16	0.55
	10	23	44	8.0	15	3	20.58	107	17	21.72	24.10	16	2.74
	11	23	44	14.5		7	23.76						
	12	23	44	22.3		11	28.06	107	50	17.25	17.20	16	1.84
	16	23	45	1.2		27	53.32					15	58.18
	17	23	45	13.4		32	2.07						
	18	23	45	26.4		36	11.63	109	21	20.49	19.00	15	59.50
	19	23	45	39.9		40	21.80	109	35	13.63	18.60	16	3.72
	20	23	45	54.5		44	32.95					16	0.06
	21	23	46	9.7		48	44.78	110	2	15.36	13.40	16	1.46
	22	23	46	26.0		52	57.64						
	23	23	46	42.8		57	11.08	110	27	39.53	40.30	16	1.86
	24	23	47	0.7	16	1	25.57	110	39	51.11	49.80	16	1.64
	25	23	47	19.2		5	40.71					16	0.88
	26	23	47	38.5		9	56.59	111	2	59.13	59.10	15	59.54
	27	23	47	58.4		14	13.10	111	13	59.65	58.20	16	0.80
	28	23	48	19.1		18	30.46	111	24	33.74	33.30	16	2.03
	30	23	49	3.1		27	7.62	111	44	29.56	29.60	16	0.44

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)																			
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.								
1851.	d.	h.	m.	s.	h.	m.	s.	o	'	"	'	"							
Dec.	1	23	49	25.5	18	31	26.71	26.40	—	0.31	111	53	52.09	50.30	—	1.79	16	0.77	
	2	23	49	48.8	35	46.62	46.22	—	0.40	—	—	—	—	—	—	—	16	1.24	
	4	23	50	36.9	44	27.91	27.63	—	0.28	112	19	18.94	19.60	+	0.66	—	16	0.50	
	5	23	51	1.7	48	49.36	49.16	—	0.20	112	26	52.94	57.50	+	4.56	—	—	—	
	7	23	51	58.5	57	34.38	33.82	—	0.56	112	40	54.01	54.10	+	0.09	—	16	0.68	
	8	23	52	19.5	17	1	57.00	56.88	—	0.12	112	47	14.27	12.50	—	1.77	—	16	1.77
	9	23	52	46.6	6	20.74	20.41	—	0.33	112	53	2.49	4.00	+	1.51	—	16	0.55	
	10	23	53	14.0	10	44.77	44.38	—	0.39	112	58	28.36	28.20	—	0.16	—	16	1.20	
	11	23	53	41.5	15	8.96	8.75	—	0.21	—	—	—	—	—	—	—	16	1.57	
	14	23	55	6.7	28	24.04	24.02	—	0.02	—	—	—	—	—	—	—	16	1.90	
	16	23	56	5.6	37	16.21	15.70	—	0.51	113	21	16.57	16.40	—	0.17	—	16	0.35	
	17	23	56	35.2	41	42.41	41.90	—	0.51	113	23	26.91	27.00	+	0.09	—	16	0.86	
	18	23	57	4.9	46	8.83	8.28	—	0.55	113	25	9.90	9.50	—	0.40	—	15	59.27	
	19	23	57	34.7	50	35.22	34.81	—	0.41	113	26	24.89	23.70	—	1.19	—	16	2.94	
	20	23	58	4.6	55	1.73	1.46	—	0.27	—	—	—	—	—	—	—	15	59.64	
	21	23	58	35.0	59	28.78	28.18	—	0.60	113	27	28.59	27.30	—	1.29	—	16	0.00	
	22	23	59	4.9	18	3	55.38	54.93	—	0.45	113	27	16.68	16.60	—	0.08	—	16	0.97
	23	23	59	35.1	8	22.19	21.68	—	0.51	113	26	35.80	37.60	+	1.80	—	16	0.20	
	25	0	0	4.8	12	48.57	48.39	—	0.18	—	—	—	—	—	—	—	16	3.52	
	27	0	1	4.8	21	41.85	41.53	—	0.32	—	—	—	—	—	—	—	—	—	
1852.																			
Jan.	2	0	3	59.1	18	48	15.90	16.07	+	0.17	112	59	39.71	38.10	—	1.61	—	16	1.19
	3	0	4	27.7	52	41.18	40.77	—	0.41	112	54	20.81	19.00	—	1.81	—	16	2.56	
	5	0	5	22.	—	—	—	—	—	112	42	17.15	18.60	+	1.45	—	—	—	
	6	0	5	49.4	19	5	52.70	52.48	—	0.22	112	35	36.80	37.90	+	1.10	—	16	2.05
	7	0	6	15.7	10	15.61	15.49	—	0.12	112	28	30.15	30.30	+	0.15	—	16	2.27	
	8	0	6	41.2	14	37.82	38.03	+	0.21	112	20	53.15	56.10	+	2.95	—	15	58.72	
	10	0	7	31.7	23	21.58	21.60	+	0.02	112	4	28.01	29.10	+	1.09	—	16	0.30	
	12	0	8	19.7	32	2.83	3.00	+	0.17	111	46	17.08	18.30	+	1.22	—	16	3.65	
	13	0	8	43.1	36	22.87	22.81	—	0.06	—	—	—	—	—	—	—	16	0.55	
	15	0	9	27.3	45	0.30	0.63	+	0.33	111	15	51.50	52.80	+	1.30	—	15	59.34	
	16	0	9	48.5	49	18.07	18.56	+	0.49	111	4	54.26	55.00	+	0.74	—	15	58.76	
	17	0	10	9.4	53	35.61	35.83	—	0.22	110	53	30.69	32.80	+	2.11	—	15	59.25	
	18	0	10	29.8	57	52.58	52.40	—	0.18	—	—	—	—	—	—	—	16	3.76	
	19	0	10	49.0	20	2	8.44	8.28	+	0.16	—	—	—	—	—	—	—	—	
	20	0	11	7.3	6	23.32	23.43	+	0.11	110	17	2.19	4.30	+	2.11	—	16	2.70	
	21	0	11	25.1	10	37.71	37.85	+	0.14	110	4	6.96	8.60	+	1.64	—	16	1.90	
	22	0	11	42.2	14	51.46	51.51	+	0.05	109	50	49.68	50.40	+	0.72	—	16	2.54	
	23	0	11	58.5	19	4.35	4.38	+	0.03	109	37	10.12	10.00	—	0.12	—	16	2.36	
	24	0	12	14.0	23	16.43	16.47	+	0.04	109	23	7.93	7.70	—	0.23	—	16	1.80	
	26	0	12	42.5	31	38.11	38.21	+	0.10	108	53	55.43	59.40	+	3.97	—	15	59.75	
	27	0	12	55.3	35	47.58	47.86	+	0.28	108	38	51.19	54.20	+	3.01	—	16	2.10	
	28	0	13	7.6	39	56.42	56.66	+	0.24	108	23	28.67	28.60	—	0.07	—	16	1.57	
	29	0	13	18.8	44	4.20	4.63	+	0.43	108	7	40.46	43.20	+	2.74	—	16	5.52	
	30	0	13	29.7	48	11.65	11.76	+	0.11	107	51	35.10	38.40	+	3.30	—	16	3.36	
	31	0	13	39.5	52	18.05	18.04	—	0.01	107	35	15.00	14.50	—	0.50	—	16	1.33	
Feb.	2	0	13	56.8	21	0	28.59	28.09	—	0.50	—	—	—	—	—	—	—	—	
	3	0	14	4.1	4	32.38	31.86	—	0.52	106	44	11.34	12.60	+	1.26	—	15	59.88	
	4	0	14	10.5	8	35.36	34.79	—	0.57	—	—	—	—	—	—	—	16	0.86	
	5	0	14	16.0	12	37.42	36.88	—	0.54	106	8	41.83	43.60	+	1.77	—	16	3.54	
	6	0	14	20.9	16	38.90	38.17	—	0.73	105	50	32.33	34.00	+	1.67	—	16	2.32	
	7	0	14	24.6	20	39.18	38.64	—	0.54	105	32	6.44	8.00	+	1.56	—	16	2.38	
	9	0	14	30.0	28	37.72	37.22	—	0.50	104	54	26.46	29.00	+	2.54	—	16	1.64	
	10	0	14	31.1	32	35.41	35.33	—	0.08	104	35	16.29	16.90	+	0.61	—	16	0.80	
	11	0	14	32.4	36	33.26	32.65	—	0.61	104	15	48.02	50.10	+	2.08	—	16	2.14	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)															
Mean Solar Time of Observation.				A. R. from Observation		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1852.	d.	h.	m.	s.	h.	m.	s.	o.	'	"	"	"	'	"	
Feb.	12	0	14	32.5	21	40	29.84	29	23			9 00	16	2.30	
	13	0	14	31.8	44	25.72	25.05	103	36	11.16	14.10	+ 2.94	16	0.57	
	14	0	14	30.2	48	20.65	20.14	103	16	5.00	5.90	+ 0.90	16	1.42	
	15	0	14	27.8	52	14.85	14.49						16	2.18	
	16	0	14	25.1	56	8.67	8.12	102	35	6.81	10.70	+ 3.89	16	2.30	
	17	0	14	21.6	22	0	1.50	102	14	21.58	24.80	+ 3.22	16	2.36	
	18	0	14	16.8	3	53.45	53.24	101	53	27.42	27.00	- 0.42	16	3.00	
	20	0	14	5.8	11	35.57	35.60	101	10	56.34	58.00	+ 1.66	16	1.17	
	21	0	13	59.7	15	25.94	25.76	100	49	25.16	27.70	+ 2.54	16	2.58	
	23	0	13	45.1	23	4.40	4.09	100	5	56.67	57.20	+ 0.53	16	1.92	
	24	0	13	36.5	26	52.40	52.30	99	43	56.20	57.90	+ 1.70			
	25	0	13	27.9	30	40.30	39.89	99	21	48.61	50.00	+ 1.39	16	0.44	
	26	0	13	18.5	34	27.43	26.85	98	59	30.69	33.70	+ 3.01	16	1.53	
	27	0	13	8.3	38	13.74	13.22	98	37	8.04	9.50	+ 1.46	16	2.00	
	28	0	12	57.3	41	59.24	59.01	98	14	34.32	37.80	+ 3.48	16	2.00	
Mar.	1	0	12	33.8	22	49	28.83	28.94	97	29	8.72	13.60	+ 4.88	16	0.26
	2	0	12	21.4	53	12.95	13.11	97	6	19.02	21.80	+ 2.78	16	1.92	
	3	0	12	8.7	56	56.73	56.78	96	43	20.75	24.00	+ 3.25	16	2.38	
	4	0	11	55.2	23	0	39.81	39.97	96	20	19.63	20.70	+ 1.07	16	1.00
	5	0	11	41.3	4	22.37	22.70	95	57	11.62	12.40	+ 0.78	15	59.58	
	6	0	11	27.4	8	5.01	5.00	95	33	56.13	59.10	+ 2.97	16	3.12	
	7	0	11	13.3	11	47.42	46.89						16	0.60	
	8	0	10	57.4	15	27.99	28.39	94	47	18.83	19.70	+ 0.87	16	3.16	
	9	0	10	42.3	19	9.48	9.53	94	23	52.78	54.20	+ 1.42	16	1.66	
	10	0	10	26.4	22	50.03	50.33	94	0	26.40	25.50	- 0.90	16	1.37	
	11	0	10	10.8	26	30.99	30.83	93	36	50.24	53.70	+ 3.46	16	4.30	
	12	0	9	54.5	30	11.16	11.02	93	13	16.90	19.30	+ 2.40	15	58.87	
	13	0	9	37.9	33	51.06	50.93	92	49	41.48	42.60	+ 1.12	16	2.16	
	14	0	9	20.4	37	30.06	30.60								
	15	0	9	3.9	41	10.07	10.03	92	2	20.95	23.80	+ 2.85	16	1.80	
	16	0	8	46.5	44	49.18	49.25	91	38	43.61	42.40	- 1.21	16	0.80	
	17	0	8	29.2	48	28.42	28.27	91	14	57.00	60.30	+ 3.30	16	3.65	
	18	0	8	11.3	52	7.05	7.10	90	51	15.67	17.80	+ 2.13	16	3.58	
	20	0	7	35.1	59	23.84	24.32	90	3	48.77	52.80	+ 4.03	16	2.90	
	21	0	7	17.8	0	3	3.03						16	1.35	
	22	0	6	59.0	6	40.67	41.04	89	16	24.93	30.70	+ 5.77	16	1.88	
	23	0	6	41.0	10	19.16	19.24	88	52	51.39	51.70	+ 0.31	16	2.20	
	25	0	6	3.7	17	34.96	35.44								
	26	0	5	45.5	21	13.18	13.47	87	42	4.23	7.20	+ 2.97	16	1.68	
	27	0	5	27.0	24	51.25	51.48	87	18	37.60	37.90	+ 0.30	16	0.46	
	28	0	5	9.1	28	29.85	29.48						16	2.03	
	29	0	4	50.0	32	7.19	7.50	86	31	43.58	40.60	+ 6.02	16	3.27	
	30	0	4	31.6	35	45.33	45.57	86	8	32.49	31.50	- 0.99	16	2.40	
	31	0	4	13.0	39	23.20	23.67	85	45	15.58	17.60	+ 2.02	15	58.16	
April	1	0	3	54.9	0	43	1.59	85	22	8.74	8.50	- 0.24	15	59.73	
	2	0	3	36.7	46	39.96	40.16	84	59	1.58	4.60	+ 3.02	16	0.22	
	3	0	3	18.4	50	18.14	18.58	84	36	4.56	6.00	+ 1.44	16	2.87	
	4	0	3	1.1	53	57.31	57.15						16	0.57	
	5	0	2	43.3	57	36.09	35.87	83	50	23.29	26.30	+ 3.01	16	0.93	
	6	0	2	24.9	1	14.14	14.79	83	27	45.13	45.80	+ 0.67	16	3.94	
	7	0	2	7.8	4	53.60	53.98	83	5	12.56	12.00	- 0.56	16	2.40	
	8	0	1	50.6	8	32.84	33.30	82	42	43.46	45.30	+ 1.84	16	2.96	
	9	0	1	34.0	12	12.76	12.92						16	3.14	
	11	0	1	1.8	19	33.64	33.03						16	0.38	
	12	0	0	45.6	23	13.93	13.52						16	0.28	
	13	0	0	28.8	26	53.62	54.35	80	52	27.97	27.40	- 0.57	16	2.22	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)															
Mean Solar Time of Observation				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1852.	d.	h.	m.	s.	h.	m.	s.	s.	o	'	"	"	"	'	"
April	14	0	0	14.3	1	30	35.61	35.53	80	30	41.44	49.30	+ 7.86	15	58.40
	14	23	59	59.3		34	17.12	17.06	80	9	17.53	20.50	+ 2.97	16	2.85
	15	23	59	44.2		37	58.55	58.96	79	48	2.48	1.30	- 1.18	16	1.46
	16	23	59	30.4		41	41.23	41.24	79	26	50.72	52.20	+ 1.48	16	1.26
	18	23	59	3.1		49	6.98	6.99	78	45	6.07	5.30	- 0.77	16	1.98
	19	23	58	50.1		52	50.47	50.49	78	24	24.46	28.20	+ 3.74	16	2.43
	20	23	58	37.4		56	34.36	34.42	78	4	2.19	2.50	+ 0.31		
	21	23	58	25.3	2	0	18.79	18.77	77	43	44.67	48.60	+ 3.93	16	2.32
	22	23	58	13.4		4	3.38	3.57	77	23	46.22	46.80	+ 0.58	16	1.44
	23	23	58	2.3		7	48.76	48.81	77	3	57.34	57.50	+ 0.16	16	2.03
	26	23	57	31.3		19	7.33	7.33	76	5	49.10	47.60	- 1.50	16	2.40
	27	23	57	21.9		22	54.53	54.48	75	46	50.23	51.30	+ 1.07	15	59.12
	28	23	57	13.0		26	42.15	42.12	75	28	7.11	9.30	+ 2.19	16	1.37
	29	23	57	4.4		30	30.12	30.28	75	9	40.99	41.60	+ 0.61	16	2.36
	30	23	56	56.6		34	18.76	18.95	74	51	27.75	28.70	+ 0.95	16	0.97
May	2	23	56	43.0	2	41	58.29	57.89						16	1.90
	5	23	56	26.					73	24	15.03	15.20	+ 0.17	15	59.56
	6	23	56	20.9		57	22.31	22.48	73	7	39.12	36.80	- 2.32	16	0.24
	7	23	56	17.4	3	1	15.35	15.06	72	51	13.67	15.10	+ 1.43	15	59.23
	8	23	56	14.1		5	8.64	8.24						15	57.75
	9	23	56	10.5		9	1.58	2.01	72	19	23.54	23.20	- 0.34	16	0.44
	11	23	56	7.					71	48	41.77	41.60	- 0.17	15	57.24
	12	23	56	6.7		20	47.40	46.89	71	33	47.78	48.00	+ 0.22	16	1.66
	13	23	56	6.2		24	43.47	43.04	71	19	11.38	12.80	+ 1.42	16	0.80
	14	23	56	5.5		28	39.31	39.78	71	4	56.00	56.50	+ 0.50	15	58.50
	17	23	56	10.1		40	33.63	33.48						15	59.90
	18	23	56	12.6		44	32.65	32.51	70	11	5.94	4.50	- 1.44	15	59.64
	19	23	56	14.7		48	31.37	32.10	69	58	29.23	26.20	- 3.03	15	59.40
	20	23	56	19.3		52	32.47	32.22	69	46	9.50	8.60	- 0.90	16	1.15
	21	23	56	23.3		56	33.04	32.87	69	34	12.69	11.60	- 1.09	16	0.50
	24	23	56	38.6	4	8	38.06	37.87	69	0	26.15	27.60	+ 1.45		
	25	23	56	44.6		12	40.68	40.51	68	49	52.64	56.00	+ 3.36	16	1.40
	26	23	56	51.0		16	43.66	43.61	68	39	45.51	46.50	+ 0.99	16	0.84
	27	23	56	58.3		20	47.51	47.16	68	29	53.15	59.00	+ 5.85	15	58.67
	28	23	57	5.4		24	51.23	51.17	68	20	32.77	34.00	+ 1.23	16	1.88
	29	23	57	13.3		28	55.66	55.60						16	0.68
	30	23	57	21.1		33	0.07	0.46	68	2	51.26	51.70	+ 0.44	16	0.42
	31	23	57	30.1		37	5.63	5.73	67	54	32.45	34.70	+ 2.25	16	3.05
June	1	23	57	39.1	4	41	11.20	11.39	67	46	41.27	41.00	- 0.27	16	2.20
	2	23	57	38.6		45	17.32	17.43						16	1.90
	3	23	57	58.4		49	23.73	23.85	67	32	2.17	3.10	+ 0.93	16	2.05
	4	23	58	8.9		53	30.73	30.60	67	25	24.13	19.50	- 4.63	16	2.76
	5	23	58	18.9		57	37.40	37.72						16	0.48
	6	23	58	30.1	5	1	45.10	45.16	67	13	2.39	3.10	+ 0.71	16	2.70
	7	23	58	41.5		5	53.17	52.00	67	7	28.30	30.80	+ 2.50	16	1.46
	8	23	58	52.0		10	0.25	0.93	67	2	22.14	22.40	+ 0.26	16	3.47
	9	23	59	4.3		14	9.06	9.23	66	57	37.59	38.30	+ 0.71	15	58.76
	10	23	59	16.3		18	17.71	17.78	66	53	18.12	18.40	+ 0.28	16	3.12
	12	23	59	40.2		26	34.83	35.56						16	2.72
	13	23	59	53.2		30	44.33	44.72	66	42	44.04	45.00	+ 0.96	16	2.27
	15	0	0	5.9		34	53.62	54.03	66	40	2.67	3.00	+ 0.33	15	59.95
	17	0	0	32.					66	35	52.87	53.00	+ 0.13	16	2.96
	18	0	0	45.					66	34	27.64	25.20	- 2.44	16	2.12
	19	0	0	58.					66	33	22.00	22.20	+ 0.20	16	2.20
	21	0	1	24.					66	32	31.23	30.60	- 0.63	16	1.46

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)																
Mean Solar Time of Observation.				A. R. from Observation.			A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1852.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	"	'	"	
June	25	0	2	15.4	6	16	29.14	29.53	+	0.39	—	—	—	—	—	
	28	0	2	52.7			28 56.16	56.58	+	0.42	66	42	34.17	31.00	— 3.17	16 2.38
	29	0	3	4.7			33 4.72	5.22	+	0.50	66	45	37.97	35.50	— 2.47	16 1.64
July	2	0	3	40.	—	—	—	—	—	—	66	57	12.44	14.70	+ 2.26	16 0.40
	3	0	3	51.	—	—	—	—	—	—	67	1	58.30	56.20	— 2.10	15 59.00
	4	0	4	1.1	6	53	44.15	44.73	+	0.58	—	—	—	—	—	16 3.12
	5	0	4	11.6			57 51.21	51.77	+	0.56	67	12	35.11	31.10	— 4.01	16 1.92
	6	0	4	22.1	7	1	58.30	58.49	—	0.19	67	18	26.35	24.20	— 2.15	16 1.50
	7	0	4	32.2			6 4.94	4.86	—	0.08	67	24	40.84	41.00	+ 0.16	16 0.10
	9	0	4	50.9			14 16.83	16.54	—	0.29	67	38	24.08	24.60	+ 0.52	15 59.38
	10	0	4	58.9			18 21.43	21.80	+	0.37	67	45	48.46	51.30	+ 2.84	16 1.82
	11	0	5	8.0			22 27.04	26.87	—	0.37	—	—	—	—	—	16 1.24
	12	0	5	15.1			26 30.76	31.10	+	0.34	68	1	53.53	53.50	— 0.03	16 0.46
	13	0	5	22.5			30 34.72	35.09	+	0.37	68	10	27.25	28.60	+ 1.35	16 0.13
	14	0	5	29.3			34 38.11	38.61	+	0.50	68	19	24.69	26.20	+ 1.51	16 1.00
	15	0	5	35.8			38 41.19	41.65	+	0.46	68	28	44.73	45.90	+ 1.17	16 5.30
	16	0	5	41.7			42 43.70	44.21	+	0.51	68	38	28.41	27.70	— 0.71	15 59.36
	17	0	5	47.9			46 46.38	46.25	—	0.13	68	48	29.31	31.30	+ 1.99	16 1.88
	18	0	5	52.6			50 47.75	47.78	+	0.03	—	—	—	—	—	16 0.04
	19	0	5	56.4			54 48.05	48.74	+	0.69	69	9	43.64	43.10	— 0.54	16 5.14
	20	0	6	0.4			58 48.60	49.16	+	0.56	69	20	50.19	50.80	+ 0.61	16 1.94
	26	0	6	11.5	8	22	39.10	39.31	+	0.21	70	34	44.10	45.40	+ 1.30	15 59.84
	27	0	6	11.6			26 35.75	35.55	—	0.20	70	48	13.02	13.50	+ 0.48	15 57.96
	28	0	6	10.4			30 31.11	31.18	+	0.07	—	—	—	—	—	15 59.20
	29	0	6	9.2			34 26.51	26.19	—	0.32	71	16	2.75	6.50	+ 3.75	16 0.70
Aug.	3	0	5	52.	—	—	—	—	—	—	72	31	9.32	7.00	— 2.32	—
	4	0	5	47.	—	—	—	—	—	—	72	46	61.15	59.40	— 1.75	16 2.45
	5	0	5	41.	—	—	—	—	—	—	73	3	8.31	8.60	+ 0.29	16 2.45
	6	0	5	35.2	9	5	24.84	24.57	—	0.27	73	19	34.35	34.30	— 0.05	16 1.62
	7	0	5	28.3			9 14.49	14.24	—	0.25	—	—	—	—	—	—
	9	0	5	12.7			16 51.89	51.85	—	0.04	74	10	26.71	27.30	+ 0.59	16 1.28
	10	0	5	3.6			20 39.36	39.82	+	0.46	74	27	55.23	56.00	+ 0.77	16 2.83
	11	0	4	54.5			24 26.83	27.24	+	0.41	—	—	—	—	—	15 59.60
	12	0	4	45.0			28 13.85	14.08	+	0.23	75	3	40.30	38.30	— 2.00	16 2.67
	13	0	4	35.0			32 0.36	0.38	+	0.02	75	21	50.08	51.20	+ 1.12	16 2.72
	14	0	4	24.3			37 46.20	46.17	—	0.03	75	40	18.41	18.20	— 0.21	16 0.82
	19	0	3	22.5			54 26.97	27.17	+	0.20	—	—	—	—	—	15 57.30
	23	0	2	21.4	10	9	14.96	14.93	—	0.03	—	—	—	—	—	—
	24	0	2	8.7			12 55.75	55.70	—	0.05	78	56	28.74	29.00	+ 0.26	16 3.52
	25	0	1	52.9			16 36.41	36.05	—	0.36	—	—	—	—	—	—
	26	0	1	35.5			20 15.55	15.97	+	0.42	79	37	59.15	59.10	— 0.05	16 2.90
	27	0	1	18.9			23 55.45	55.49	+	0.04	79	58	58.01	58.90	+ 0.89	16 3.67
	28	0	1	1.5			27 34.58	34.62	+	0.04	80	20	3.80	8.30	+ 4.50	16 2.45
	29	0	0	43.6			31 13.18	13.39	+	0.21	—	—	—	—	—	16 1.15
	31	23	59	48.2			42 7.26	7.69	+	0.43	—	—	—	—	—	—
Sept.	1	23	59	29.1	10	45	44.65	45.19	+	0.54	82	8	6.99	6.80	— 0.19	15 58.34
	2	23	59	10.4			49 22.48	22.44	—	0.04	82	30	5.00	6.70	+ 1.70	15 57.17
	3	23	58	50.9			52 59.46	59.43	—	0.03	82	52	13.79	14.10	+ 0.31	16 1.04
	6	23	57	50.5	11	3	48.59	49.15	+	0.56	83	59	15.27	17.20	+ 1.93	15 58.87
	8	23	57	10.0			11 1.08	1.41	+	0.33	—	—	—	—	—	—
	10	23	56	29.	—	—	—	—	—	—	85	30	3.22	5.30	+ 2.08	15 59.77
	14	23	55	5.0			32 35.03	35.51	+	0.48	87	2	7.62	10.00	+ 2.38	15 59.52
	15	23	54	43.6			36 10.14	10.97	+	0.83	87	25	22.21	20.40	— 1.81	15 58.96
	16	23	54	22.8			39 45.84	46.40	+	0.56	87	48	31.84	33.90	+ 2.06	16 0.90
	17	23	54	2.0			43 21.58	21.83	+	0.25	88	11	49.67	50.00	+ 0.33	16 0.70

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)															
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.		
1852.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"	"	"	'	"
April	14	0	0	14.3	1	30	35.61	35.53	80	30	41.44	49.30	+ 7.86	15	58.40
	14	23	59	59.3		34	17.12	17.06	80	9	17.53	20.50	+ 2.97	16	2.85
	15	23	59	44.2		37	58.55	58.96	79	48	2.48	1.30	- 1.18	16	1.46
	16	23	59	30.4		41	41.23	41.24	79	26	50.72	52.20	+ 1.48	16	1.26
	18	23	59	3.1		49	6.98	6.99	78	45	6.07	5.30	- 0.77	16	1.98
	19	23	58	50.1		52	50.47	50.49	78	24	24.46	28.20	+ 3.74	16	2.43
	20	23	58	37.4		56	34.36	34.42	78	4	2.19	2.50	+ 0.31		
	21	23	58	25.3	2	0	18.79	18.77	77	43	44.67	48.60	+ 3.93	16	2.32
	22	23	58	13.4		4	3.38	3.57	77	23	46.22	46.80	+ 0.58	16	1.44
	23	23	58	2.3		7	48.76	48.81	77	3	57.34	57.50	+ 0.16	16	2.03
	26	23	57	31.3		19	7.33	7.33	76	5	49.10	47.60	- 1.50	16	2.40
	27	23	57	21.9		22	54.53	54.48	75	46	50.23	51.30	+ 1.07	15	59.12
	28	23	57	13.0		26	42.15	42.12	75	28	7.11	9.30	+ 2.19	16	1.37
	29	23	57	4.4		30	30.12	30.28	75	9	40.99	41.60	+ 0.61	16	2.36
	30	23	56	56.6		34	18.76	18.95	74	51	27.75	28.70	+ 0.95	16	0.97
May	2	23	56	43.0	2	41	58.29	57.89						16	1.90
	5	23	56	26.					73	24	15.03	15.20	+ 0.17	15	59.56
	6	23	56	20.9		57	22.31	22.48	73	7	39.12	36.80	- 2.32	16	0.24
	7	23	56	17.4	3	1	15.35	15.06	72	51	13.67	15.10	+ 1.43	15	59.23
	8	23	56	14.1		5	8.64	8.24						15	57.75
	9	23	56	10.5		9	1.58	2.01	72	19	23.54	23.20	- 0.34	10	0.44
	11	23	56	7.					71	48	41.77	41.60	- 0.17	15	57.24
	12	23	56	6.7		20	47.40	46.89	71	33	47.78	48.00	+ 0.22	16	1.66
	13	23	56	6.2		24	43.47	43.04	71	19	11.38	12.80	+ 1.42	16	0.80
	14	23	56	5.5		28	39.31	39.78	71	4	56.00	56.50	+ 0.50	15	58.50
	17	23	56	10.1		40	33.63	33.48						15	59.90
	18	23	56	12.6		44	32.65	32.51	70	11	5.94	4.50	- 1.44	15	59.64
	19	23	56	14.7		48	31.37	32.10	69	58	29.23	26.20	- 3.03	15	59.40
	20	23	56	19.3		52	32.47	32.22	69	46	9.50	8.60	- 0.90	16	1.15
	21	23	56	23.3		56	33.04	32.87	69	34	12.69	11.60	- 1.09	16	0.50
	24	23	56	38.6	4	8	38.06	37.87	69	0	26.15	27.60	+ 1.45		
	25	23	56	44.6		12	40.68	40.51	68	49	52.64	56.00	+ 3.36	16	1.40
	26	23	56	51.0		16	43.66	43.61	68	39	45.51	46.50	+ 0.99	16	0.84
	27	23	56	58.3		20	47.51	47.16	68	29	53.15	59.00	+ 5.85	15	58.67
	28	23	57	5.4		24	51.23	51.17	68	20	32.77	34.00	+ 1.23	16	1.88
	29	23	57	13.3		28	55.66	55.60						16	0.68
	30	23	57	21.1		33	0.07	0.46	68	2	51.26	51.70	+ 0.44	16	0.42
	31	23	57	30.1		37	5.63	5.73	67	54	32.45	34.70	+ 2.25	16	3.05
June	1	23	57	39.1	4	41	11.20	11.39	67	46	41.27	41.00	- 0.27	16	2.20
	2	23	57	38.6		45	17.32	17.43						16	1.90
	3	23	57	58.4		49	23.73	23.85	67	32	2.17	3.10	+ 0.93	16	2.05
	4	23	58	8.9		53	30.73	30.60	67	25	24.13	19.50	- 4.63	16	2.76
	5	23	58	18.9		57	37.40	37.72						16	0.48
	6	23	58	30.1	5	1	45.10	45.16	67	13	2.39	3.10	+ 0.71	16	2.70
	7	23	58	41.5		5	53.17	52.90	67	7	28.30	30.80	+ 2.50	16	1.46
	8	23	58	52.0		10	0.25	0.93	67	2	22.14	22.40	+ 0.26	16	3.47
	9	23	59	4.3		14	9.06	9.23	66	57	37.59	38.30	+ 0.71	15	58.76
	10	23	59	16.3		18	17.71	17.78	66	53	18.12	18.40	+ 0.28	16	3.12
	12	23	59	40.2		26	34.83	35.56						16	2.72
	13	23	59	53.2		30	44.33	44.72	66	42	44.04	45.00	+ 0.96	16	2.27
	15	0	0	5.9		34	53.62	54.03	66	40	2.67	3.00	+ 0.33	15	59.95
	17	0	0	32.					66	35	52.87	53.00	+ 0.13	16	2.96
	18	0	0	45.					66	34	27.64	25.20	- 2.44	16	2.12
	19	0	0	58.					66	33	22.00	22.20	+ 0.20	16	2.20
	21	0	1	24.					66	32	31.23	30.60	- 0.63	16	1.46

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued.)												
Mean Solar Time of Observation				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N P D. from Observation.	N. P D from N. A.	Error of N. A.	Mean Hor. Scand.	
1852.	d	h.	m.	s.	h.	m.	s.	o	'	"	'	"
June	25	0	2	15.4	6 16	29.14	29.53	—	—	—	—	—
	28	0	2	52.7	28	50.16	56.58	66	42	34.17	31.00	- 3.17
	29	0	3	4.7	33	4.72	5 22	66	45	37.97	35.50	- 2.47
July	2	0	3	40.	—	—	—	66	57	12.44	14.70	+ 2.26
	3	0	3	51.	—	—	—	67	1	58.30	56.20	- 2.10
	4	0	4	1.1	6 53	44.15	44.73	—	—	—	—	16 3.12
	5	0	4	11.6	57	51.21	51.77	67	12	35.11	31.10	- 4.01
	6	0	4	22.1	7 1	58.30	58.49	67	18	26.35	24.20	- 2.15
	7	0	4	32.2	6	4.94	4.86	67	24	40.84	41.00	+ 0.16
	9	0	4	50.9	14	16.83	16.54	67	38	24.08	24.60	+ 0.52
	10	0	4	58.9	18	21.43	21.80	67	45	48.46	51.30	+ 2.84
	11	0	5	8.0	22	27.04	26.67	—	—	—	—	16 1.24
	12	0	5	15.1	26	30.76	31.10	68	1	53.53	53.50	- 0.03
	13	0	5	22.5	30	34.72	35.09	68	10	27.25	28.60	+ 1.35
	14	0	5	29.3	34	38.11	38.61	68	19	24.69	26.20	+ 1.51
	15	0	5	35.8	38	41.19	41.65	68	28	44.73	45.90	+ 1.17
	16	0	5	41.7	42	43.70	44.21	68	38	28.41	27.70	- 0.71
	17	0	5	47.9	46	46.38	46.25	68	48	29.31	31.30	+ 1.99
	18	0	5	52.6	50	47.75	47.78	—	—	—	—	16 0.04
	19	0	5	56.4	54	48.05	48.74	69	9	43.64	43.10	- 0.54
	20	0	6	0.4	58	48.60	49.16	69	20	50.19	50.80	+ 0.61
	26	0	6	11.5	8 22	39.10	39.31	70	34	44.10	45.40	+ 1.30
	27	0	6	11.6	26	35.75	35.55	70	48	13.02	13.50	+ 0.48
	28	0	6	10.4	30	31.11	31.18	—	—	—	—	15 59.20
	29	0	6	9.2	34	26.51	26.19	71	16	2.75	6.50	+ 3.75
Aug.	3	0	5	52.	—	—	—	72	31	9.32	7.00	- 2.32
	4	0	5	47.	—	—	—	72	46	61.15	59.40	- 1.75
	5	0	5	41.	—	—	—	73	3	8.31	8.60	+ 0.29
	6	0	5	35.2	9 5	24.84	24.57	73	19	34.35	34.30	- 0.05
	7	0	5	28.3	9	14.49	14.24	—	—	—	—	—
	9	0	5	12.7	16	51.89	51.85	74	10	26.71	27.30	+ 0.59
	10	0	5	3.6	20	39.36	39.82	74	27	55.23	56.00	+ 0.77
	11	0	4	54.5	24	26.83	27.24	—	—	—	—	15 59.60
	12	0	4	45.0	28	13.85	14.08	75	3	40.30	38.30	- 2.00
	13	0	4	35.0	32	0.36	0.38	75	21	50.08	51.20	+ 1.12
	14	0	4	24.3	37	46.20	46.17	75	40	18.41	18.20	- 0.21
	19	0	3	22.5	54	26.97	27.17	—	—	—	—	15 57.30
	23	0	2	24.4	10 9	14.96	14.93	—	—	—	—	—
	24	0	2	8.7	12	55.75	55.70	78	56	28.74	29.00	+ 0.26
	25	0	1	52.9	16	36.41	36.05	—	—	—	—	—
	26	0	1	35.5	20	15.55	15.97	79	37	59.15	59.10	- 0.05
	27	0	1	18.9	23	55.45	55.49	79	58	58.01	58.90	+ 0.89
	28	0	1	1.5	27	34.58	34.62	80	20	3.80	8.30	+ 4.50
	29	0	0	43.6	31	13.18	13.39	—	—	—	—	16 1.15
	31	23	59	48.2	42	7.26	7.69	—	—	—	—	—
Sept.	1	23	59	29.1	10 45	44.65	45.19	82	8	6.99	6.80	- 0.19
	2	23	59	10.4	49	22.48	22.44	82	30	5.00	6.70	+ 1.70
	3	23	58	50.9	52	59.46	59.43	82	52	13.79	14.10	+ 0.31
	6	23	57	50.5	11 3	48.59	49.15	83	59	15.27	17.20	+ 1.93
	8	23	57	10.0	11	1.08	1.41	—	—	—	—	—
	10	23	56	29.	—	—	—	85	30	3.22	5.30	+ 2.08
	14	23	55	5.0	32	35.03	35.51	87	2	7.62	10.00	+ 2.38
	15	23	54	43.6	36	10.14	10.97	87	25	22.21	20.40	- 1.81
	16	23	54	22.8	39	45.84	46.40	87	48	31.84	33.90	+ 2.06
	17	23	54	2.0	43	21.58	21.83	88	11	49.67	50.00	+ 0.33



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE SUN'S CENTRE, (Continued)													
Mean Solar Time of Observation.				A. R. from Observation.		A. R. from N. A.	Error of N. A.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	Mean Hor. Semid.	
1852. d.	h.	m.	s.	h.	m.	s.	s.	o	'	"	"	'	"
Sept. 19	23	53	19.8	11	50	32.36	32.75	88	58	27.05	28.90	+ 1.85	15 58.83
20	23	52	59.4	54	8.39		8.26	89	21	53.67	50.90	- 2.77	15 59.68
21	23	52	37.7	57	43.22		43.86	89	45	14.62	14.10	- 0.52	16 0.22
22	23	52	17.3	12	1	19.32	19.55	90	8	38.66	38.10	- 0.56	16 2.50
23	23	51	56.6	4	55.11		55.36	90	32	1.08	2.80	+ 1.72	15 59.93
24	23	51	35.9	8	30.91		31.30	90	55	27.65	27.70	+ 0.05	15 59.95
25	23	51	16.0	12	7.53		7.40						16 0.50
26	23	50	55.1	15	43.10		43.69	91	42	17.83	16.80	- 1.03	15 59.47
27	23	50	35.5	19	19.96		20.17	92	5	38.31	40.30	+ 1.99	16 0.15
28	23	50	15.5	22	56.50		56.90						15 59.88
29	23	49	56.0	26	33.50		33.89	92	52	24.55	23.80	- 0.75	16 0.24
30	23	49	37.7	30	11.71		11.14						
Oct. 2	23	48	59.2	12	37	26.20	26.61						15 56.14
3	23	48	41.5	41	5.02		4.85	94	25	27.13	27.10	- 0.03	16 0.48
4	23	48	23.9	44	43.87		43.47	94	48	35.08	36.10	+ 1.02	16 1.94
5	23	48	6.4	48	22.92		22.47	95	11	41.86	41.60	- 0.26	16 5.10
10	23	46	45.4	13	6	44.47	44.09	97	6	1.54	4.80	+ 3.26	16 1.28
11	23	46	30.7	10	26.24		25.85	97	28	40.52	41.80	+ 1.28	16 2.80
13	23	46	2.6	17	51.19		50.92						
14	23	45	49.3	21	34.41		34.26	98	35	48.17	54.90	+ 6.73	15 58.60
15	23	45	36.3	25	17.91		18.17	98	58	8.17	5.20	- 2.97	16 2.96
17	23	45	12.9	32	47.63		47.70						
22	23	44	25.3	51	42.60		42.33	101	29	19.03	17.70	- 1.33	
25	23	44	4.8	14	3	11.70	11.14	102	31	36.82	35.90	- 0.92	
26	23	43	59.1	7	2.61		2.19	102	51	59.73	59.10	- 0.63	16 3.90
27	23	43	54.4	10	54.45		53.07	103	12	8.20	10.20	+ 2.00	16 2.56
28	23	43	50.2	14	46.78		46.54	103	32	6.92	8.90	+ 1.98	16 4.07
29	23	43	46.6	18	39.71		39.87	103	51	53.26	54.70	+ 1.44	16 4.16
Nov. 1	23	43	41.7	14	30	24.45	24.64	104	49	53.09	51.50	- 1.59	15 59.70
2	23	43	41.2	34	20.52		21.21	105	8	45.57	42.20	- 3.37	
5	23	43	47.					106	3	44.33	44.00	- 0.33	
8	23	43	59.9	58	18.55		18.48						15 57.20
10	23	44	13.0	15	6	24.82	24.44	107	30	2.54	1.30	- 1.24	16 0.00
11	23	44	20.4	10	28.78		28.69	107	46	23.73	24.10	+ 0.37	15 57.86
14	23	44	48.8	22	46.89		46.66	108	33	44.28	39.90	- 4.38	15 59.90
15	23	44	59.6	26	54.35		54.20	108	48	45.16	46.10	+ 0.94	16 3.30
19	23	45	52.0	43	33.08		32.91	109	45	47.03	45.70	- 1.33	16 0.50
21	23	46	22.5	51	56.81		57.06	110	12	4.30	6.70	+ 2.40	15 59.38
22	23	46	39.1	56	9.97		10.29	110	24	42.50	43.90	+ 1.40	15 59.56
23	23	46	56.8	16	0	24.29	24.29	110	36	59.36	58.30	- 1.06	15 58.63
24	23	47	15.0	4	39.13		39.06	110	48	46.28	49.70	+ 3.42	16 0.64
25	23	47	33.9	8	54.63		54.56	111	0	19.28	17.70	- 1.58	15 57.75
Dec. 2	23	50	6.0	16	39	3.00	2.82	112	9	10.73	14.40	+ 3.67	16 1.22
5	23	51	20.9	52	7.78		7.35	112	32	28.72	27.90	- 0.82	16 3.34
7	23	52	13.4	17	0	53.53	53.13	112	45	45.86	45.10	- 0.76	16 2.23
9	23	53	7.3	9	40.77		40.81						
10	23	53	35.8	14	5.91		5.28						
14	23	55	30.1	31	46.76		46.53						
15	23	56	0.0	36	13.22		12.51						
16	23	56	28.7	40	38.56		38.68	113	23	3.58	2.20	- 1.38	16 4.60
20	23	58	28.4	58	24.91		24.59	113	27	26.49	29.10	+ 2.61	16 2.72
26	0	0	57.7	18	20	37.35	37.24						15 59.86
28	0	1	56.8	29	29.71		29.59						15 58.07
30	0	2	55.5	38	21.71		21.17						15 59.03
31	0	3	24.5	42	47.34		46.62						

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON.

lxi

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE.																
Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1848. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"	
Jan.	13	5	58	0.1	I	1	27	36.32	37.13	+ 0.81	S	82	38	23.23	21.94	- 1.29
	14	6	50	59.6	I	2	24	41.72	42.49	+ 0.77	S	78	39	54.93	53.30	- 1.63
	17	9	37	7.5	I	5	23	8.03	8.78	+ 0.75	S	71	45	56.19	65.81	+ 9.62
	18	10	33	8.9	I	6	23	14.81	15.58	+ 0.77	S	71	42	0.76	0.20	- 0.56
	19	11	27	54.4	I	7	22	5.94	5.66	- 0.28	S	72	46	5.30	1.55	- 3.75
	20	12	21	40.9	I-II	8	18	51.04	51.44	+ 0.40	S	74	49	48.73	46.70	- 2.03
	21	13	12	51.9	II	9	13	3.29	4.26	+ 0.97	S	77	40	34.84	39.09	+ 4.25
	22	14	0	24.1	II	10	4	42.32	42.54	+ 0.22	S	81	4	48.60	44.67	- 3.93
	25	16	12	24.8	II	12	28	55.96	55.98	+ 0.02	S	92	35	14.79	6.85	- 7.94
	27	17	38	13.7	II	14	2	51.79	52.12	+ 0.33	S	99	46	19.57	4.25	- 15.32
Feb.	12	6	36	49.2	I	4	4	49.58	50.53	+ 0.95	-	-	-	-	-	-
	16	10	18	16.7	I	7	57	36.69	37.44	+ 0.75	N	74	0	6.19	6.15	- 0.04
	17	11	3	31.3	I	8	51	54.85	55.38	+ 0.53	N	76	29	7.53	4.49	- 3.04
	18	11	51	34.9	I	9	44	1.60	2.22	+ 0.62	S	79	36	62.05	55.52	- 6.53
	22	14	50	28.7	II	12	57	5.46	5.73	+ 0.27	S	94	42	16.45	6.13	- 10.32
	23	15	33	22.8	II	13	44	7.73	8.06	+ 0.33	S	98	16	36.88	26.28	- 10.60
	24	16	17	3.2	II	14	31	51.35	51.42	+ 0.07	S	101	29	27.56	17.68	- 9.88
Mar.	13	7	17	28.3	I	6	43	50.95	52.08	+ 1.13	N	72	9	17.24	21.14	+ 3.90
	14	8	9	55.4	I	7	40	21.87	22.94	+ 1.07	N	73	28	28.14	28.01	- 0.13
	15	9	0	10.0	I	8	34	40.29	41.20	+ 0.91	N	75	39	58.42	56.96	- 1.46
	16	9	48	12.8	I	9	26	46.06	46.62	+ 0.56	N	78	32	53.39	50.20	- 3.19
	17	10	34	16.5	I	10	16	53.06	53.77	+ 0.71	N	81	55	53.07	47.84	- 5.23
	18	11	18	47.1	I	11	5	26.69	27.23	+ 0.54	N	85	37	55.42	50.41	- 5.01
	19	12	2	14.0	I	11	52	56.55	56.99	+ 0.44	N	89	28	37.79	36.64	- 1.15
	20	12	47	10.2	II	12	39	58.51	58.86	+ 0.35	S	93	18	53.11	45.17	- 7.94
	21	13	30	5.8	II	13	26	57.08	57.11	+ 0.03	S	96	58	45.74	37.61	- 8.13
	22	14	13	29.8	II	14	14	24.57	25.04	+ 0.47	S	100	20	7.81	2.84	- 4.97
	23	14	57	50.4	II	15	2	48.01	48.48	+ 0.47	S	103	14	56.67	55.37	- 1.30
	24	15	43	26.6	II	15	52	27.47	27.69	+ 0.22	S	105	35	25.03	28.74	+ 3.71
	25	16	30	30.8	II	16	43	35.09	35.05	- 0.04	S	107	14	17.56	17.62	+ 0.06
April	11	6	57	21.2	I	8	17	58.46	59.30	+ 0.84	N	74	52	16.62	16.73	+ 0.11
	12	7	46	15.5	I	9	10	56.63	57.40	+ 0.77	N	77	34	12.44	13.87	+ 1.43
	13	8	32	46.8	I	10	1	30.27	31.41	+ 1.14	N	80	48	48.82	46.86	- 1.96
	14	9	17	25.8	I	10	50	11.94	11.62	- 0.32	N	84	24	60.29	58.50	- 1.79
	15	10	0	47.7	I	11	37	37.12	37.85	+ 0.73	N	88	12	50.48	49.60	- 0.88
	17	11	26	10.7	I	13	11	7.18	7.68	+ 0.50	-	-	-	-	-	
	18	12	11	21.4	II	13	58	23.12	23.14	+ 0.02	N	99	16	39.66	39.06	- 0.60
	19	12	55	23.7	II	14	46	28.53	28.78	+ 0.25	S	102	22	29.04	26.11	- 2.93
	20	13	40	38.5	II	15	35	46.59	46.56	- 0.03	S	104	56	30.38	29.40	- 0.98
May	10	6	29	56.8	I	9	44	48.05	48.62	+ 0.57	N	79	31	20.46	24.66	+ 4.20
	11	7	15	40.6	I	10	34	34.49	35.23	+ 0.74	N	83	4	29.57	29.21	- 0.36
	12	7	59	34.6	I	11	22	31.13	32.25	+ 1.12	N	86	51	30.13	31.75	+ 1.62
	13	8	42	23.9	I	12	9	23.91	24.86	+ 0.95	N	90	43	13.52	14.75	+ 1.23
	15	10	7	39.1	I	13	42	46.35	46.85	+ 0.50	N	98	7	34.00	31.97	- 2.03
	16	10	51	16.1	I	14	30	28.08	28.26	+ 0.18	N	101	23	49.59	49.14	- 0.45
	17	11	36	8.6	I	15	19	24.78	24.93	+ 0.15	N	104	11	41.58	40.57	- 1.01
	18	12	24	35.5	II	16	9	53.79	53.84	+ 0.05	N	106	22	46.54	45.54	- 1.00
	19	13	12	23.7	II	17	1	45.60	45.61	+ 0.01	-	-	-	-	-	
	20	14	1	24.6	II	17	54	50.31	50.46	+ 0.15	N	108	23	12.85	15.65	+ 2.80
June	19	14	29	14.3	II	20	21	0.77	1.23	+ 0.46	N	105	28	1.51	1.22	- 0.29
	20	15	19	45.1	II	21	15	36.37	37.04	+ 0.67	N	102	40	19.40	23.65	+ 4.25

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)																
Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h.	m.	s.	s.		o	'	"	"	"	
Aug.	10	8	29	34.5	I	17	47	30.18	30.42	+ 0.24	N	108	14	54.41	54.85	+ 0.44
	15	12	50	38.3	II	22	26	51.59	52.26	+ 0.67	N	98	9	35.08	38.50	- 1.58
Sept.	7	7	9	40.4	I	18	17	46.40	46.91	+ 0.51	N	108	13	56.01	61.78	+ 5.77
	8	8	0	4.0	I	19	12	15.60	15.15	- 0.45	S	107	36	51.44	53.29	+ 1.85
	9	8	51	25.9	I	20	7	42.81	42.91	+ 0.10	S	106	0	56.87	52.87	- 3.50
	13	12	24	2.3	II	23	54	30.51	31.07	+ 0.56	N	91	16	9.05	8.69	- 0.36
	14	13	17	39.3	II	0	52	22.21	22.41	+ 0.20	N	86	31	39.54	39.58	+ 0.04
	15	18	53	32.7	II	1	51	7.53	8.32	+ 0.79	N	81	58	59.42	58.53	- 0.89
Dec.	4	6	34	7.4	I	23	29	4.62	5.63	+ 1.01	S	93	44	16.17	9.82	- 6.35
	6	8	16	30.1	I	1	19	38.83	40.26	+ 1.43	S	84	33	62.25	55.48	- 6.77
	8	10	8	59.0	I	3	20	22.66	23.77	+ 1.11	S	76	15	36.29	31.97	- 4.32
	9	11	9	25.6	I	4	24	56.76	57.82	+ 1.06	S	73	20	20.11	14.33	- 5.78
1849.																
Jan.	3	7	0	55.8	I	1	54	15.53	16.29	+ 0.76	S	82	7	48.11	43.13	- 4.98
	4	7	54	54.8	I	2	52	21.74	22.90	+ 1.16	S	78	5	38.71	33.60	- 5.11
	8	11	53	20.8	I	7	7	15.65	16.96	+ 1.31	S	71	46	19.70	16.61	- 3.09
Feb.	1	6	43	47.5	I	3	31	25.63	26.29	+ 0.66	S	76	1	2.52	2.28	- 0.24
	2	7	40	8.8	I	4	31	54.75	55.40	+ 0.65	S	73	21	14.25	9.98	- 4.27
	3	8	38	23.8	I	5	34	15.78	16.64	+ 0.86	S	71	47	47.11	42.46	- 4.65
	5	10	36	11.3	I	7	40	15.34	16.80	+ 1.46	N	72	30	47.62	45.53	- 2.09
	6	11	33	8.2	I	8	41	17.25	18.39	+ 1.14	-	-	-	-	-	-
Mar.	2	6	32	26.9	I	5	14	24.93	25.62	+ 0.69	S	72	13	20.71	18.32	- 2.39
	3	7	29	58.8	I	6	16	2.17	3.13	+ 0.96	S	71	30	47.12	45.00	- 2.12
	5	9	23	11.6	I	8	17	26.28	27.56	+ 1.28	N	73	44	10.36	9.08	- 1.30
	6	10	17	10.3	I	9	15	29.68	30.77	+ 1.09	N	76	25	32.11	30.52	- 1.59
	7	11	8	51.0	I	10	11	12.85	13.93	+ 1.08	N	79	52	19.83	14.85	- 4.98
	8	11	58	14.8	I	11	4	40.20	41.12	+ 0.93	N	83	48	31.49	35.37	+ 3.88
	12	15	3	56.9	II	14	24	35.81	36.49	+ 0.68	S	99	47	48.68	48.38	- 0.30
	13	15	48	58.3	II	15	13	40.93	41.46	+ 0.53	S	102	56	4.12	5.60	+ 1.48
	14	16	34	31.1	II	16	3	17.23	17.68	+ 0.40	S	105	27	40.80	44.12	+ 3.32
	31	6	22	53.3	I	6	59	9.18	10.04	+ 0.86	N	71	41	23.72	24.60	+ 0.88
April	2	8	12	39.0	I	8	57	3.62	5.04	+ 1.42	N	75	24	40.64	38.75	- 1.89
	3	9	3	59.7	I	9	52	27.98	29.41	+ 1.43	N	78	35	4.88	2.18	- 2.70
	30	7	1	43.4	I	9	36	18.66	19.39	+ 0.73	N	77	24	9.44	7.10	- 2.34
May	1	7	51	16.8	I	10	29	55.61	56.36	+ 0.75	N	81	0	15.42	12.67	- 2.75
	2	8	38	31.0	I	11	21	12.96	13.55	+ 0.59	N	84	58	52.73	50.76	- 1.97
	3	9	24	5.6	I	12	10	50.66	51.45	+ 0.79	N	89	7	18.30	13.63	- 4.67
	4	10	8	42.4	I	12	59	31.17	31.70	+ 0.53	N	93	14	3.53	0.95	- 2.58
	5	10	52	59.8	I	13	47	52.00	52.52	+ 0.52	N	97	8	57.55	57.23	- 0.32
	7	12	24	36.9	II	15	25	36.47	36.80	+ 0.33	N	103	46	13.40	18.35	+ 4.95
	8	13	10	27.5	II	16	15	30.64	30.85	+ 0.21	N	106	11	41.87	48.42	+ 6.55
	9	13	57	5.2	II	17	6	12.19	12.54	+ 0.35	N	107	52	35.85	41.64	+ 5.79
June	5	11	53	7.5	I,II	16	49	22.57	22.70	+ 0.13	N	107	27	33.06	39.84	+ 6.78
	6	12	41	24.6	II	17	40	36.27	36.46	+ 0.19	N	108	38	35.15	42.09	+ 6.94
July	3	10	36	15.7	I	17	23	43.90	44.12	+ 0.22	N	108	18	56.96	60.51	+ 3.55
	6	13	2	9.1	II	19	59	46.62	47.00	+ 0.38	N	107	34	5.71	9.53	+ 3.82
	10	16	10	26.8	II	23	24	21.62	22.24	+ 0.62	N	95	22	58.30	61.85	+ 3.55
	12	17	45	39.7	II	1	7	42.19	43.13	+ 0.94	N	86	37	13.50	14.52	+ 1.02

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)																
Mean Solar Time of Observation.				I or II Lamb.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	N or S Lamb.	N. P. D. from Observation.			N P. D. from N. A.	Error of N. A.	
1849.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Aug.	8	14	43	43.3	II	0	51	53.43	53.73	+ 0.30	—	—	—	—	—	
	13	20	11	34.5	II	5	40	5.27	5.62	+ 0.35	N	71	30	33.01	25.66	— 7.35
	23	4	9	0.6	I	14	16	28.96	29.72	+ 0.76	—	—	—	—	—	
	24	4	54	34.4	I	15	6	6.15	6.61	+ 0.46	—	—	—	—	—	
	25	5	40	18.6	I	15	55	55.14	55.74	+ 0.60	—	—	—	—	—	
	31	10	26	2.8	I	21	6	6.32	6.56	+ 0.24	S	104	52	4.69	5.19	+ 0.50
Sept.	2	12	3	9.2	I-II	22	50	19.54	20.07	+ 0.53	N	98	10	20.06	25.64	+ 5.58
	12	20	59	1.3	II	8	25	57.91	58.49	+ 0.58	S	73	20	21.28	16.91	— 4.37
	26	7	29	32.1	I	19	51	37.12	36.89	— 0.23	S	107	50	4.76	4.19	— 0.57
	27	8	17	29.4	I	20	43	38.74	39.26	+ 0.52	S	105	58	44.63	46.45	+ 1.82
	29	9	53	24.2	I	22	27	42.59	42.98	+ 0.39	S	99	52	12.50	17.95	+ 5.45
Oct.	1	11	31	32.4	I-II	0	12	57.62	58.30	+ 0.68	S	91	24	3.69	3.69	0.00
	2	12	22	32.5	II	1	6	58.95	59.72	+ 0.77	S	86	46	13.60	12.69	— 0.91
	8	17	56	38.4	II	7	5	34.63	35.42	+ 0.79	S	71	10	60.36	58.52	— 1.84
	12	21	32	26.4	II	10	57	49.39	50.21	+ 0.82	S	82	20	52.99	51.38	— 1.61
	23	5	21	54.5	I	19	30	5.89	6.05	+ 0.16	—	—	—	—	—	
	24	6	9	17.1	I	20	21	32.78	33.03	+ 0.25	S	107	3	48.53	49.41	+ 0.88
	25	6	56	28.2	I	21	12	47.66	47.74	+ 0.08	S	104	45	10.53	14.20	+ 3.67
	26	7	43	32.9	I	22	3	57.24	57.77	+ 0.53	S	101	40	44.23	46.94	+ 2.71
	27	8	30	52.2	I	22	55	20.44	21.16	+ 0.72	S	97	56	19.75	26.32	+ 6.57
	29	10	8	4.3	I	0	40	43.52	43.98	+ 0.46	S	89	3	49.65	52.62	+ 2.97
	30	10	59	8.5	I	1	35	53.23	54.28	+ 1.05	S	84	21	34.57	34.63	+ 0.06
	31	11	53	44.2	I-II	2	33	29.79	30.51	+ 0.72	S	79	51	53.92	52.37	— 1.55
Nov.	4	15	50	0.1	II	6	45	1.34	2.07	+ 0.73	S	70	47	31.92	24.80	— 7.12
	5	16	49	0.7	II	7	48	9.17	10.02	+ 0.85	S	71	46	17.15	11.14	— 6.01
	8	19	30	5.7	II	10	41	34.90	36.07	+ 1.17	—	—	—	—	—	
	9	20	18	34.9	II	11	34	10.32	11.24	+ 0.92	S	85	7	32.95	25.94	— 7.01
	11	21	51	18.3	II	13	15	2.85	3.23	+ 0.38	—	—	—	—	—	
	19	3	16	18.7	I	19	10	36.47	37.44	+ 0.97	—	—	—	—	—	
	21	4	50	13.7	I	20	52	39.38	39.76	+ 0.38	—	—	—	—	—	
	22	5	36	26.2	I	21	42	55.09	56.13	+ 0.44	—	—	—	—	—	
	23	6	22	26.1	I	22	32	59.45	60.11	+ 0.66	S	99	54	18.38	18.39	+ 0.01
	24	7	8	41.6	I	23	23	19.68	20.63	+ 0.95	S	95	56	24.03	22.84	— 1.19
	26	8	44	45.7	I	1	7	34.95	35.89	+ 0.94	S	86	54	30.85	32.50	+ 1.65
	28	10	30	40.3	I	3	1	43.05	44.09	+ 1.04	S	77	56	43.36	44.44	+ 1.08
	29	11	28	37.4	I	4	3	47.88	48.85	+ 0.97	S	74	19	9.08	8.08	— 1.00
Dec.	2	14	36	52.8	II	7	22	4.81	5.54	+ 0.73	S	70	59	16.11	11.76	— 4.35
	10	21	20	32.5	II	14	38	32.98	33.10	+ 0.12	S	100	22	53.68	45.02	— 8.66
	11	22	6	2.6	II	15	28	6.33	6.74	+ 0.41	—	—	—	—	—	
	20	4	18	25.6	I	22	15	5.26	5.73	+ 0.47	—	—	—	—	—	
	21	5	3	31.6	I	23	4	14.97	15.41	+ 0.44	—	—	—	—	—	
	27	10	7	21.1	I	4	32	41.96	43.13	+ 1.17	—	—	—	—	—	
	29	12	13	55.3	I-II	6	46	20.83	21.73	+ 0.90	—	—	—	—	—	
1850.																
Jan.	25	9	49	55.2	I	6	9	34.44	35.25	+ 0.81	S	70	41	20.65	15.20	— 5.45
	26	10	52	36.4	I	7	16	23.29	24.73	+ 1.44	N	70	48	46.91	47.57	+ 0.66
Feb.	4	18	46	41.0	II	15	45	1.97	2.19	+ 0.22	S	104	25	33.55	36.52	+ 2.97
	5	19	33	9.8	II	16	35	34.41	34.55	+ 0.14	S	106	53	53.67	57.31	+ 3.64
	6	20	20	8.4	II	17	26	37.25	36.74	— 0.51	S	108	33	53.48	59.46	+ 5.98
	7	21	7	33.6	II	18	18	6.80	6.40	— 0.40	—	—	—	—	—	
	18	4	52	23.3	I	2	45	44.34	44.26	— 0.08	—	—	—	—	—	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)														
Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	N or S Lamb.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.
1850. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"
Feb. 19	5	43	53.7	I	3	41	21.88	22.17	+ 0.29	S				
21	7	35	52.6	I	5	41	35.55	35.90	+ 0.35	S	71	6	32.71	30.05
22	8	35	33.5	I	6	45	23.22	23.86	+ 0.64	N				
23	9	36	7.8	I	7	50	4.29	5.38	+ 1.09	N	71	27	43.32	41.17
25	11	34	7.1	I	9	56	13.49	14.58	+ 1.09	N	77	7	46.00	45.23
26	12	30	42.6	I-II	10	55	47.91	49.11	+ 1.20	N	81	22	30.41	27.37
27	13	24	38.5	II	11	52	44.84	45.83	+ 0.99	N				
28	14	15	13.0	II	12	47	24.81	25.74	+ 0.93	S	90	51	59.60	58.06
Mar. 3	16	39	29.0	II	15	23	55.36	55.85	+ 0.49	S	103	11	37.73	39.95
5	18	14	17.2	II	17	6	52.13	52.79	+ 0.66	N				
6	19	1	56.3	II	17	53	35.87	35.89	+ 0.02	N	109	12	0.91	2.81
7	19	49	39.5	II	18	50	23.18	23.05	- 0.13	N	109	26	0.78	2.78
22	7	26	18.5	I	7	26	19.35	20.61	+ 1.26	N	70	52	32.42	35.23
23	8	24	34.1	I	8	28	40.59	41.64	+ 1.05	N	72	34	46.74	45.64
25	10	16	24.8	I	10	28	41.05	42.05	+ 1.00	N	79	18	29.75	27.13
26	11	9	16.9	I	11	25	37.04	37.75	+ 0.71	N	83	46	37.48	32.51
27	12	0	19.0	I	12	20	43.22	43.47	+ 0.25	N	88	32	47.65	43.58
April 19	6	19	37.7	I	8	9	51.03	51.91	+ 0.88	N	71	43	24.60	21.74
20	7	16	2.7	I	9	10	20.34	21.44	+ 1.10	N	74	14	25.09	23.19
22	9	2	22.3	I	11	4	48.13	49.21	+ 1.08	N	81	56	47.38	43.58
23	9	52	37.0	I	11	59	6.71	7.42	+ 0.71	N	86	33	55.09	50.62
30	15	34	37.8	II	18	7	32.76	33.40	+ 0.64	N	109	41	22.61	27.87
May 5	19	29	12.0	II	22	22	30.73	30.97	+ 0.24	N				
15	3	14	8.3	I	6	46	22.15	23.24	+ 1.09	N				
20	7	50	0.6	I	11	42	36.91	38.01	+ 1.10	N	84	54	44.70	40.85
21	8	33	22.8	I	12	35	2.74	3.77	+ 1.03	N	89	36	22.53	20.08
22	9	25	47.0	I	13	26	31.16	31.53	+ 0.37	N	94	14	35.16	34.83
25	11	43	13.0	I	16	1	10.46	10.90	+ 0.44	N	105	40	21.70	22.46
June 3	18	52	41.2	II	23	40	13.81	13.88	+ 0.07	N	95	26	26.29	33.53
5	20	24	17.8	II	1	19	56.76	56.91	+ 0.15	N				
19	8	11	15.3	I	14	2	10.51	11.00	+ 0.49	N	97	9	10.96	9.57
22	10	32	42.1	I	16	35	50.46	51.16	+ 0.70	N	107	18	52.21	54.19
July 2	18	17	3.0	II	0	58	49.43	49.78	+ 0.35	N	88	33	35.34	37.94
3	19	3	23.8	II	1	49	13.12	14.28	+ 1.16	N	84	3	36.80	31.77
5	20	44	55.6	II	3	38	50.68	50.80	+ 0.12	N	75	45	53.86	58.71
18	7	43	7.3	I	15	28	17.83	18.24	+ 0.41	N	103	31	34.86	35.27
Aug. 21	11	13	30.4	I	21	13	17.14	17.29	+ 0.15	S	106	12	0.81	0.53
Oct. 12	5	28	24.7	I	18	52	18.15	18.48	+ 0.33	N				
14	7	4	5.9	I	20	36	6.92	7.31	+ 0.39	S	108	7	35.01	40.18
15	7	50	12.0	I	21	26	16.22	16.54	+ 0.32	S	105	43	18.89	18.25
17	9	19	38.7	I	23	3	50.10	50.60	+ 0.50	S	98	52	40.97	46.53
18	10	3	49.1	I	23	52	4.23	4.59	+ 0.36	S	94	42	8.11	10.65
28	18	49	22.6	II	9	16	21.72	22.26	+ 0.54	S	73	36	31.95	21.97
29	19	44	14.5	II	10	15	20.16	20.70	+ 0.54	S	77	16	53.92	44.44
Nov. 11	5	43	52.0	I	21	6	2.92	3.23	+ 0.31	N				
13	7	13	25.4	I	22	43	43.37	43.40	+ 0.03	S				
14	7	57	9.1	I	23	31	30.15	30.70	+ 0.55	S	100	44	8.37	12.63
15	8	41	1.3	I	0	19	26.43	27.31	+ 0.88	S	96	44	26.80	33.31
18	11	1	15.2	I	2	51	56.50	57.68	+ 1.18	S	92	22	16.60	17.78
19	11	54	21.9	I-II	3	48	4.38	5.68	+ 1.30	S	78	45	13.40	12.02
											74	50	56.23	52.88

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, ( <i>Continued.</i> )																
Mean Solar Time of Observation				I or II Lamb.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	N or S Lamb	N P. D. from Observation.		N P. D. from N. A.	Error of N. A.		
1850.	d.	h.	m.	s.		h.	m.	s.	s.		o	'	"	"		
Dec.	11	5	51	10.7	I	23	11	37.76	37.65	— 0.11	S	98	42	56.88	65.50	+ 8.62
	12	6	34	8.7	I	23	58	39.28	39.52	+ 0.24	S	94	32	33.32	35.21	+ 1.89
	13	7	17	30.9	I	0	46	5.62	6.04	+ 0.42	S	90	5	19.41	19.36	— 0.05
	14	8	2	10.9	I	1	34	50.41	51.10	+ 0.69	S	85	30	26.04	26.62	+ 0.58
	16	9	39	4.5	I	3	19	56.72	57.69	+ 0.97	S	76	46	59.51	57.49	— 2.02
	17	10	32	47.1	I	4	17	46.74	47.94	+ 1.20	S	73	11	52.18	49.75	— 2.43
	18	11	30	15.4	I	5	19	23.02	24.31	+ 1.29	S	70	35	19.83	16.77	— 3.06
1851.																
Jan.	8	4	29	50.6	I	23	40	27.67	27.44	— 0.23	S	96	21	24.83	24.44	— 0.39
	9	5	12	12.2	I	0	26	52.56	52.76	+ 0.20	—	—	—	—	—	—
	10	5	55	7.7	I	1	13	53.08	53.52	+ 0.44	S	87	36	40.97	41.07	+ 0.10
	11	6	39	35.9	I	2	2	25.60	26.12	+ 0.52	S	83	8	59.26	55.12	— 4.14
	13	8	16	53.7	I	3	47	56.62	57.76	+ 1.14	—	—	—	—	—	—
	14	9	11	16.7	I	4	46	27.44	28.57	+ 1.13	S	71	53	8.48	2.31	— 6.17
	15	10	9	41.3	I	5	49	0.10	1.49	+ 1.39	S	69	50	28.66	24.08	— 4.58
	16	11	11	12.4	I	6	54	38.83	40.26	+ 1.43	N	69	12	1.24	1.92	+ 0.68
	24	18	35	31.0	II	14	49	29.03	30.01	+ 0.98	—	—	—	—	—	—
	25	19	24	7.9	II	15	42	10.09	10.50	+ 0.41	—	—	—	—	—	—
	26	20	13	7.3	II	16	35	13.93	14.26	+ 0.33	—	—	—	—	—	—
	27	21	2	34.7	II	17	28	45.97	45.49	— 0.48	—	—	—	—	—	—
Feb.	8	5	19	53.3	I	2	32	54.23	54.68	+ 0.65	—	—	—	—	—	—
	10	6	57	46.9	I	4	19	0.80	1.37	+ 0.57	S	73	11	63.35	57.48	— 5.87
	11	7	52	14.6	I	5	17	36.49	37.40	+ 0.91	S	70	40	60.52	53.59	— 6.93
	12	8	50	25.4	I	6	19	55.12	56.25	+ 1.13	N	69	20	5.29	1.35	— 3.94
	19	15	38	12.1	II	13	34	10.05	10.73	+ 0.68	S	94	19	14.25	8.98	— 5.27
	20	16	28	56.8	II	14	29	0.03	0.12	+ 0.09	S	99	11	33.86	30.00	— 3.86
	21	17	19	5.8	II	15	23	14.19	14.69	+ 0.50	S	103	23	46.50	44.57	— 1.93
	24	19	49	2.8	II	18	5	25.78	25.55	— 0.23	S	110	30	52.27	59.92	+ 7.65
	25	20	38	31.5	II	18	58	59.40	59.05	— 0.35	—	—	—	—	—	—
	26	21	27	8.9	II	19	51	42.06	41.50	— 0.56	—	—	—	—	—	—
Mar.	12	7	35	43.2	I	6	55	23.90	24.95	+ 1.05	N	69	3	54.17	56.78	+ 2.61
	13	8	35	7.6	I	7	58	54.31	55.67	+ 1.36	N	69	58	26.57	24.61	— 1.96
	23	17	42	49.8	II	17	45	17.93	17.99	+ 0.06	S	110	19	20.61	19.52	— 1.09
	24	18	33	31.7	II	18	40	4.60	4.70	+ 0.10	N	111	1	16.28	21.86	+ 5.58
	25	19	23	5.1	II	19	33	43.83	43.61	— 0.22	N	110	38	47.48	49.72	+ 2.24
April	7	4	33	3.7	I	5	34	41.99	42.84	+ 0.85	—	—	—	—	—	—
	8	5	28	43.7	I	6	34	28.75	29.46	+ 0.71	—	—	—	—	—	—
	9	6	25	58.7	I	7	35	50.39	51.47	+ 1.08	N	69	14	48.00	43.59	— 4.41
	10	7	23	43.6	I	8	37	40.90	42.22	+ 1.32	N	71	1	61.74	58.61	— 3.13
	11	8	20	54.9	I	9	38	57.81	59.16	+ 1.35	N	74	8	16.29	13.81	— 2.48
	21	17	15	41.0	II	19	12	24.87	25.43	+ 0.56	N	111	10	44.38	47.68	+ 3.30
	22	18	5	18.8	II	20	6	8.03	8.36	+ 0.33	N	110	10	1.94	2.87	+ 0.93
	23	18	52	57.6	II	20	57	52.69	52.65	— 0.04	N	108	12	15.00	8.92	— 6.08
May	8	6	15	25.2	I	9	19	33.18	34.62	+ 1.44	—	—	—	—	—	—
	15	12	24	6.8	I:II	15	55	44.16	44.92	+ 0.76	N	105	59	26.40	28.25	+ 1.85
	16	13	18	42.3	II	16	53	18.38	18.95	+ 0.57	N	109	1	6.71	7.80	+ 1.09
	18	15	5	10.3	II	18	47	58.49	59.22	+ 0.73	N	111	30	7.08	7.60	+ 0.52
	19	15	56	35.1	II	19	43	29.03	29.16	+ 0.13	N	110	57	28.21	31.11	+ 2.90
	20	16	45	54.7	II	20	36	54.19	54.25	+ 0.06	N	109	21	44.36	49.21	+ 4.85
June	12	11	6	1.1	I	16	28	54.25	55.11	+ 0.86	N	107	52	25.77	31.62	+ 5.85
	15	13	46	54.7	II	19	19	54.07	54.42	+ 0.35	N	111	26	30.89	32.48	+ 1.59
	24	20	31	8.0	II	2	40	44.74	45.08	+ 0.34	N	79	41	9.65	11.57	+ 1.92

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)											
Mean Solar Time of Observation.				I or II Lumb.	A. R. from Observation.	A R from N. A.	Error of N. A.	Nor S Lumb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1851.	d.	h.	m.	s.	h. m. s.	s	s.		o ' "	"	"
July	8	8	9	44.9	15 14 39.08	39.65	+ 0.57	N	103 1 17.47	21.44	+ 3.97
	9	9	0	33.7	16 9 33.36	34.16	+ 0.80	N	106 44 50.29	58.08	+ 2.79
	10	9	52	21.5	17 5 26.67	26.99	+ 0.32	—	—	—	—
Aug.	8	9	32	24.9	18 39 46.50	46.74	+ 0.24	N	111 34 39.37	42.32	+ 2.95
	11	12	1	48.5	21 20 19.38	19.92	+ 0.54	N	107 30 4.05	9.55	+ 5.50
Sept.	3	6	37	3.2	17 26 27.22	28.33	+ 1.11	—	—	—	—
	5	8	20	19.5	19 17 52.51	52.44	— 0.07	—	—	—	—
	6	9	10	9.6	20 11 46.34	46.45	+ 0.11	S	110 28 22.96	16.81	— 6.15
	18	18	17	21.6	6 5 36.14	37.47	+ 1.33	—	—	—	—
	19	19	13	50.1	7 6 8.99	10.37	+ 1.38	—	—	—	—
	21	21	10	52.7	9 11 23.48	24.87	+ 1.39	N	71 54 9.12	12.47	+ 3.35
	30	4	29	23.1	17 4 54.30	55.76	+ 1.46	—	—	—	—
Oct.	1	5	23	2.0	18 2 38.30	39.27	+ 0.97	S	111 29 51.10	50.88	— 0.22
	2	6	15	39.3	18 59 19.65	20.26	+ 0.61	—	—	—	—
	3	7	6	37.0	19 54 20.59	21.02	+ 0.43	S	111 8 42.51	40.77	— 1.74
	4	7	55	28.3	20 47 15.69	16.02	+ 0.38	—	—	—	—
	30	4	52	13.7	19 33 5.62	6.18	+ 0.56	—	—	—	—
	31	5	50	1.0	20 27 55.99	56.79	+ 0.80	S	110 28 18.72	20.02	+ 1.30
Nov.	28	4	30	32.5	20 58 37.15	38.10	+ 0.95	S	—	—	—
Dec.	1	6	45	32.8	23 25 45.98	46.14	+ 0.16	S	98 36 54.24	55.92	+ 1.65
	2	7	27	5.0	0 11 20.93	21.72	+ 0.79	—	—	—	—
	3	8	8	17.6	0 56 36.96	37.69	+ 0.73	S	89 32 21.32	13.90	— 7.42
	4	8	50	4.6	1 42 27.61	28.52	+ 0.91	S	84 52 19.86	14.06	— 4.90
	6	10	18	50.2	3 19 23.71	24.68	+ 0.97	S	76 7 40.38	32.63	— 7.75
	16	19	14	27.9	12 53 47.71	49.19	+ 1.48	S	90 5 50.69	59.32	+ 8.63
	30	6	3	21.8	0 37 47.18	47.34	+ 0.16	—	—	—	—
1852.											
Jan.	2	8	10	22.1	2 57 0.34	0.96	+ 0.62	S	78 1 10.07	2.54	— 7.23
	6	11	37	20.2	6 40 25.94	27.75	+ 1.81	N	67 35 42.56	42.54	— 0.02
	8	13	36	44.9	8 45 45.53	46.56	+ 1.03	N	69 59 3.88	17.19	+ 13.31
	15	19	43	44.0	15 21 24.17	24.93	+ 0.76	—	—	—	—
	16	20	36	16.3	16 18 0.61	1.13	+ 0.52	—	—	—	—
	28	5	20	47.7	1 49 26.38	26.82	+ 0.44	—	—	—	—
	30	6	47	34.9	3 24 23.71	24.47	+ 0.76	—	—	—	—
	31	7	35	0.3	4 15 55.67	56.44	+ 0.77	—	—	—	—
Feb.	2	9	20	34.0	6 9 43.96	44.72	+ 0.76	N	67 54 14.51	10.50	— 4.01
	3	10	18	7.6	7 11 24.80	25.95	+ 1.15	N	67 36 48.59	47.23	— 1.36
	4	11	17	17.8	8 14 41.73	43.51	+ 1.78	—	—	—	—
	13	19	26	17.8	16 58 15.06	15.59	+ 0.53	—	—	—	—
	27	5	27	3.0	3 54 3.24	3.50	+ 0.26	S	73 26 57.45	51.87	— 5.58
Mar.	2	8	58	39.2	7 42 6.10	7.30	+ 1.20	N	67 54 13.52	13.99	+ 0.47
	3	9	57	4.3	8 44 37.61	38.74	+ 1.13	N	69 52 38.58	40.19	+ 1.61
	4	10	55	22.4	9 47 1.25	2.59	+ 1.34	N	73 18 41.19	43.01	+ 1.82
	28	5	51	24.3	6 16 48.91	49.72	+ 0.81	—	—	—	—
	30	7	41	58.8	8 15 35.81	37.12	+ 1.31	N	68 33 32.29	26.91	— 5.38
	31	8	38	34.1	9 16 16.62	17.75	+ 1.13	N	71 15 45.82	39.93	— 5.89
April	1	9	34	48.5	10 16 36.63	37.75	+ 1.12	N	75 17 28.31	25.85	— 2.46
	2	10	30	17.1	11 16 10.37	11.29	+ 0.92	N	80 24 36.00	37.22	+ 1.22

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE MOON'S CENTRE, (Continued.)											
Mean Solar Time of Observation.				I or II Limb.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	N or S Limb.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
April 26	5	34	19.0	I	7 54 1.27	2.46	+ 1.19	N	67 40 40.76	37.69	- 3.07
27	6	29	6.0	I	8 52 53.80	54.88	+ 1.08	—	—	—	—
28	7	23	31.8	I	9 51 24.81	25.73	+ 0.92	N	73 18 13.23	10.21	- 3.02
29	8	17	14.5	I	10 49 12.44	13.62	+ 1.18	—	—	—	—
30	9	10	21.5	I	11 46 24.22	25.65	+ 1.43	N	83 11 51.31	51.84	+ 0.53
May 25	5	18	44.2	I	9 32 43.38	44.22	+ 0.84	—	—	—	—
26	6	11	21.4	I	10 29 25.03	26.04	+ 1.01	—	—	—	—
27	7	2	54.8	I	11 25 2.90	3.93	+ 1.03	N	80 54 8.56	10.74	+ 2.18
29	8	45	15.6	I	13 15 33.90	34.25	+ 0.35	N	92 27 39.96	45.91	+ 5.95
31	10	32	16.9	I	15 10 47.42	47.65	+ 0.23	N	103 41 56.22	61.75	+ 5.53
June 11	19	54	4.8	II	1 15 23.35	23.99	+ 0.64	N	87 36 6.75	0.91	- 5.84
28	9	16	47.1	I	15 45 28.69	29.39	+ 0.70	N	106 22 27.26	25.64	- 1.62
July 26	8	5	28.8	I	16 24 21.27	23.01	+ 1.74	—	—	—	—
Aug. 24	7	53	16.7	I	18 6 29.51	30.55	+ 1.04	N	112 59 33.41	32.62	- 0.79
25	8	49	35.0	I	19 6 53.47	54.17	+ 0.70	S	113 20 38.02	51.70	+ 13.68
26	9	44	32.2	I	20 5 54.32	55.04	+ 0.72	S	112 17 20.63	32.04	+ 11.41
27	10	37	2.3	I	21 2 28.34	29.29	+ 0.95	S	109 59 1.19	11.64	+ 10.45
28	11	26	34.5	I	21 56 3.39	4.45	+ 1.06	S	106 40 9.61	5.65	- 3.96
Sept. 21	6	45	28.5	I	18 48 53.75	54.62	+ 0.87	—	—	—	—
22	7	40	51.9	I	19 48 20.83	20.30	- 0.53	S	112 56 31.22	31.46	+ 0.24
23	8	33	42.4	I	20 45 15.33	15.69	+ 0.36	S	110 58 39.41	40.27	+ 0.86
24	9	23	44.1	I	21 39 9.95	10.76	+ 0.81	S	107 56 40.63	40.45	- 0.18
25	10	10	26.9	I	22 30 5.13	5.65	+ 0.52	S	104 5 44.73	38.62	- 6.11
Oct. 22	8	9	6.6	I	22 14 52.90	53.28	+ 0.38	—	—	—	—
23	8	53	52.7	I	23 3 41.22	41.92	+ 0.70	S	101 14 49.32	48.24	- 1.08
25	10	17	35.8	I	0 35 29.40	30.34	+ 0.94	S	91 38 30.04	23.97	- 6.07
26	10	58	14.6	I	1 20 11.81	12.42	+ 0.61	S	86 41 49.15	43.35	- 5.80
Nov. 8	21	36	21.5	II	12 49 13.17	13.60	+ 0.43	—	—	—	—
19	6	51	53.7	I	22 47 50.11	50.79	+ 0.68	—	—	—	—
20	7	35	21.4	I	23 35 20.13	20.69	+ 0.56	S	98 17 15.36	12.83	- 2.53
22	8	57	27.9	I	1 5 31.52	32.05	+ 0.53	S	88 25 43.39	39.44	- 3.95
23	9	38	3.6	I	1 50 10.65	10.58	- 0.07	S	83 32 14.59	10.56	- 4.03
24	10	19	30.3	I	2 35 41.65	42.38	+ 0.73	S	78 53 13.87	9.85	- 4.02
Dec. 20	7	35	43.0	I	1 33 57.25	57.95	+ 0.70	S	85 21 19.61	12.54	- 7.07
21	8	16	42.6	I	2 19 0.95	1.69	+ 0.74	S	80 35 27.21	17.17	- 10.04
23	9	43	27.2	I	3 53 55.15	55.78	+ 0.63	S	72 17 59.99	53.63	- 6.36
24	10	30	27.7	I	4 45 1.34	1.99	+ 0.65	S	69 9 28.70	19.24	- 9.46



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY.												
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D from Observation.	N. P. D. from N. A.	Error of N. A.	
1848.	d.	h.	m.	s.		h. m. s.	s.	s.	° ' "	"	"	
Jan.	3	23	1	23.9	C	17 53 17.23	17.18	- 0.05	C	113 50 23.80	25.88	+ 2.08
	5	23	6	42.1	"	18 6 29.27	28.89	- 0.38	"	114 4 3.00	8.81	+ 5.81
	7	23	12	9.9	"	18 19 51.18	51.03	- 0.15	"	114 12 45.51	49.33	+ 3.82
	9	23	17	47.3	"	18 33 22.69	22.31	- 0.38	"	114 16 22.75	26.37	+ 3.62
	11	23	23	32.4	"	18 47 2.16	1.72	- 0.44	"	114 14 41.91	45.86	+ 3.95
	12	23	26	28.0	"	18 53 54.86	54.08	- 0.78	"	114 11 51.84	53.43	+ 1.59
	16	23	38	24.6	"	19 21 39.54	38.82	- 0.72	"	113 46 23.77	27.89	+ 4.12
	18	23	44	30.1	"	19 35 39.49	38.74	- 0.75	"	113 25 2.73	4.14	+ 1.41
Feb.	22	1	17	45.7	"	23 23 13.23	12.76	- 0.47	"	93 17 23.94	20.75	- 3.19
	23	1	18	21.8	"	23 27 45.88	45.51	- 0.37	"	92 32 50.03	44.95	- 5.08
	24	1	18	35.4	"	23 31 56.14	55.80	- 0.34	"	91 50 12.16	8.16	- 4.00
	25	1	18	24.3	1 L	23 35 41.81	41.81	- 0.50	"	91 9 57.16	53.44	- 3.72
	28	1	15	7.3	C	23 44 13.53	12.96	- 0.57	"	89 27 3.11	0.27	- 2.84
April	27	22	41	34.2	"	1 6 48.10	48.12	+ 0.02	"	85 38 9.07	11.06	+ 1.99
	28	22	43	40.5	"	1 12 51.29	51.26	- 0.03	"	84 56 49.67	51.13	+ 1.46
	30	22	48	14.5	"	1 25 18.94	19.30	+ 0.36	"	83 31 38.63	39.30	+ 0.67
May	5	23	1	54.9	"	1 58 44.41	44.42	+ 0.01	"	79 46 34.62	32.96	- 1.66
Sept.	14	0	34	12.9	"	12 7 46.39	46.42	+ 0.03	"	90 1 22.35	22.67	+ 0.32
Oct.	11	1	13	38.2	"	14 33 45.37	44.78	- 0.59	"	107 35 25.26	26.94	+ 1.68
	19	1	16	54.1	"	15 8 34.12	33.34	- 0.78	"	110 42 35.21	37.63	+ 2.42
	23	1	14	29.1	1 L	15 21 55.21	54.44	- 0.77	"	111 39 19.32	19.68	+ 0.36
1849.												
Jan.	19	0	41	47.6	C	20 36 5.19	4.44	- 0.75	C	110 44 50.00	52.21	+ 2.21
	22	0	51	4.4	"	20 57 12.86	12.21	- 0.65	"	109 15 27.21	28.64	+ 1.43
	24	0	57	1.4	"	21 11 4.20	3.93	- 0.27	"	108 8 20.08	23.26	+ 3.18
	25	0	59	54.6	"	21 17 54.49	54.18	- 0.31	"	107 32 41.40	43.40	+ 2.00
	29	1	10	32.8	"	21 44 20.54	20.09	- 0.45	"	104 57 42.95	42.56	- 0.39
	30	1	12	53.7	"	21 50 38.38	38.23	- 0.15	"	104 16 25.98	24.93	- 1.05
Feb.	1	1	17	4.3	"	22 2 42.73	43.17	+ 0.44	"	102 51 54.65	52.77	- 1.88
	3	1	20	24.3	"	22 13 55.85	55.95	+ 0.10	"	101 26 12.43	11.47	- 0.96
	7	1	23	23.1	"	22 32 42.06	41.66	- 0.40	"	98 40 38.08	34.67	- 3.41
	10	1	21	13.3	"	22 42 21.67	20.69	- 0.98	"	96 53 5.00	7.25	+ 2.25
	12	1	17	6.2	"	22 46 6.92	6.21	- 0.71	"	95 55 34.49	32.18	- 2.31
Mar.	12	22	35	8.9	"	21 58 2.25	1.47	- 0.78	"	101 49 53.25	58.65	+ 5.40
April	24	23	23	23.1	"	1 35 56.08	55.86	- 0.17	"	81 33 29.28	26.97	- 2.31
	25	23	26	48.4	"	1 43 18.96	18.56	- 0.40	"	80 42 22.02	19.95	- 2.07
May	16	0	54	27.6	"	4 30 3.46	3.88	+ 0.42	"	66 17 57.89	56.34	- 1.55
	19	1	6	51.6	"	4 54 19.54	19.83	+ 0.29	"	65 17 48.33	47.71	- 0.62
Sept.	29	1	22	9.1	"	13 54 1.01	0.80	- 0.21	"	—	—	—
Nov.	1	22	46	53.5	2 L	13 32 22.74	22.14	- 0.60	"	97 54 47.32	41.27	- 6.05
	14	22	36	28.4	C	14 13 11.40	11.23	- 0.17	"	101 10 42.02	41.02	- 1.00
	21	22	47	48.5	"	14 52 9.36	9.22	- 0.14	"	104 58 57.78	56.43	- 1.35
	26	23	2	49.7	"	15 34 48.85	48.39	- 0.46	"	—	—	—
	29	23	5	10.7	"	15 41 6.74	5.81	- 0.93	"	109 5 20.95	24.49	+ 3.54

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY, ( <i>Continued.</i> )																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N P D. from Observation.			N. P. D. from N. A.	Error of N. A.	
<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
1849.																
Dec.	4	23	17	29.3	C	16	13	10.17	9.96	— 0.21						
	10	23	33	32.0	"	16	52	55.24	54.85	— 0.39	C	113	16	64.84	52.38	— 12.46
1850.																
Jan.	3	0	44	9.8	C	19	34	25.17	24.90	— 0.27	"	113	50	57.45	61.65	+ 4.20
	5	0	50	25.2	"	19	48	34.72	34.64	— 0.08	"	113	16	10.76	21.08	+ 1.27
	19	1	24	45.9	1 L	21	18	12.98	13.10	+ 0.12	—					
	28	1	17	25.8	"	21	46	20.77	19.82	— 0.95	"	101	59	21.65	20.60	— 1.05
	29	1	13	40.2	"	21	46	30.93	30.17	— 0.76	"	101	39	58.68	57.98	— 0.70
	30	1	9	12.4	"	21	45	59.17	58.19	— 0.98	"	101	24	20.10	18.75	— 1.35
Feb.	15	23	4	31.9	2 L	20	47	58.77	57.33	— 1.44	—					
	17	22	54	22.5	"	20	45	40.90	40.08	— 0.82	"	105	21	54.28	57.50	+ 3.22
	18	22	50	3.8	"	20	45	17.77	16.44	— 1.33	"	105	36	27.94	30.84	+ 2.90
	19	22	46	12.3	"	20	45	22.53	21.33	— 1.20	"	105	49	24.45	29.87	+ 5.42
	22	22	37	15.7	"	20	48	13.87	12.71	— 1.16	"	106	18	27.07	32.15	+ 5.08
	25	22	31	39.7	"	20	54	26.43	25.67	— 0.76	"	106	32	41.97	44.46	+ 2.49
	27	22	29	26.5	"	21	0	6.61	5.83	— 0.78	"	106	33	59.16	65.58	+ 6.42
Mar.	5	22	28	15.9	"	21	22	34.92	34.28	— 0.64	"	106	0	39.15	44.54	+ 5.39
	6	22	28	40.9	"	21	26	56.79	56.26	— 0.53	"	105	49	48.69	53.44	+ 4.75
	19	22	43	57.4	C	22	33	30.56	30.39	— 0.17	"	101	22	20.14	26.48	+ 6.34
	20	22	45	41.0	"	22	39	11.11	10.48	— 0.63	"	100	52	30.92	36.52	+ 5.60
	21	22	47	26.6	"	22	44	54.04	54.18	+ 0.14	"	100	21	24.42	31.13	+ 6.71
	22	22	49	18.2	"	22	50	42.02	41.52	— 0.50	"	99	49	4.86	10.80	+ 5.94
	25	22	55	10.1	"	23	8	25.02	24.60	— 0.42	"	98	4	43.27	49.58	+ 6.31
April	3	23	16	5.2	"	0	4	51.91	51.56	— 0.35	"	91	48	57.05	59.63	+ 2.58
	4	23	18	44.5	"	0	11	28.51	28.27	— 0.24	"	91	1	45.53	49.16	+ 3.63
May	7	1	13	42.5	II L	4	12	55.26	55.72	+ 0.46	"	66	28	2.72	0.16	— 2.56
	8	1	16	18.4	"	4	19	28.42	28.59	+ 0.17	"	66	8	34.76	32.13	— 2.63
	9	1	18	40.6	"	4	25	47.47	47.72	+ 0.25	"	65	51	29.24	26.77	— 2.47
	10	1	20	48.6	"	4	31	52.17	52.37	+ 0.20	"	65	36	42.85	40.80	— 2.05
	11	1	22	41.2	"	4	37	41.97	42.04	+ 0.07	"	65	24	11.41	9.86	— 1.55
	13	1	25	39.6	"	4	48	34.15	33.99	— 0.16	"	65	5	37.28	36.15	— 1.13
	16	1	28	7.5	"	5	10	44.74	44.39	— 0.35	"	64	53	11.51	9.75	— 1.76
July	1	22	32	57.7	II L	5	12	30.65	30.43	— 0.22	"	70	21	37.49	39.76	+ 2.27
	7	22	35	7.7	"	5	38	20.45	20.62	+ 0.17	"	68	48	14.18	15.51	+ 1.33
	10	22	40	35.5	"	5	55	38.81	30.10	+ 0.29	"	68	3	16.49	16.19	— 0.30
	18	23	8	6.5	C	6	54	46.55	47.15	+ 0.60	"	66	56	31.26	28.03	— 3.23
Aug	9	0	43	10.6	"	9	52	54.66	54.81	+ 0.15	—					
	13	0	55	27.0	"	10	20	58.86	59.84	+ 0.98	"	78	13	58.88	62.30	+ 3.42
	23	1	17	6.9	"	11	22	7.80	7.88	+ 0.08	"	85	35	28.89	33.79	+ 4.90
	24	1	18	40.6	"	11	27	38.26	38.42	+ 0.16	"	86	19	10.01	15.04	+ 5.03
Oct.	21	22	39	44.7	2 L	12	40	53.10	52.96	— 0.14	"	92	26	14.59	11.53	— 3.06
	28	22	41	49.8	"	13	10	34.28	34.48	+ 0.20	"	95	11	42.20	42.34	+ 0.14
Nov.	3	22	51	28.2	"	13	43	53.56	53.14	— 0.42	"	98	48	14.07	14.73	+ 0.66
	13	23	12	37.4	"	14	44	31.69	31.28	— 0.41	"	105	3	17.25	17.94	+ 0.69
	19	23	26	42.8	"	15	22	18.80	19.15	+ 0.35	"	108	22	26.31	30.36	+ 4.05
Dec.	12	0	27	2.5	C	17	49	32.75	32.70	— 0.05	"	115	20	36.59	41.75	+ 5.16
	13	0	30	4.2	"	17	56	31.45	31.43	— 0.02	"	115	25	5.74	13.13	+ 7.39
	14	0	33	6.9	"	18	3	31.04	30.89	— 0.15	"	115	28	13.00	16.52	+ 3.52

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY, (Continued)											
Mean Solar Time of Observation.				Point observ- ed	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation	N. P. D. from N. A.	Error of N. A.
1850.	d.	h.	m.	s.	h. m. s.	s.	s.		° ' "	"	"
Dec.	16	0	39	12.5	18 17 31.06	30.90	- 0.16	C	115 29 56.90	61.33	+ 4.43
	17	0	42	15.5	18 24 30.97	30.94	- 0.03	"	115 28 33.70	38.56	+ 4.86
	18	0	45	18.2	18 31 30.80	30.65	- 0.15	"	115 25 40.51	44.66	+ 4.15
	19	0	48	19.7	18 38 29.49	29.63	+ 0.14	"	115 21 14.30	18.82	+ 4.52
	20	0	51	20.8	18 45 27.72	27.56	- 0.16	"	115 15 17.61	20.46	+ 2.85
	21	0	54	20.6	18 52 24.07	23.96	- 0.11	"	115 7 46.24	48.82	+ 2.58
	23	1	0	12.8	19 6 10.40	10.23	- 0.17	"	114 48 4.09	7.02	+ 2.93
	24	1	3	4.3	19 12 59.05	58.96	- 0.09	"	114 35 54.61	56.60	+ 1.99
1851.											
Jan.	2*	1	23	59.4	20 9 26.68	26.32	- 0.36	"	111 42 14.51	13.35	- 1.16
	3	1	25	22.8	20 14 46.88	46.33	- 0.55	"	111 17 6.87	7.52	+ 0.66
	4	1	26	27.5	20 19 48.33	48.63	+ 0.30	"	110 51 19.93	20.64	+ 0.71
	7	1	27	29.7	20 32 40.54	39.83	- 0.71	"	109 32 10.12	9.60	- 0.52
	8	1	26	55.6	20 36 3.29	2.45	- 0.84	"	109 6 4.34	3.00	- 1.34
	9	1	25	49.9	20 38 53.32	52.44	- 0.88	"	108 40 39.35	36.87	- 2.48
	10	1	24	7.2	20 41 7.69	6.55	- 1.14	"	108 16 15.35	13.17	- 2.18
	14	1	10	22.8	20 43 7.13	5.56	- 1.57	"	106 56 24.51	21.97	- 2.54
	16	0	58	56.0	20 39 31.41	29.91	- 1.50	"	—	—	—
	30	22	59	20.4	19 38 43.71	42.09	- 1.62	"	—	—	—
Feb.	7	22	32	24.4	19 43 16.30	15.38	- 0.92	"	—	—	—
	11	22	28	34.3	19 55 12.03	11.30	- 0.73	"	109 52 14.73	17.49	+ 2.76
	14	22	28	25.3	20 6 52.58	51.80	- 0.78	"	109 51 28.01	32.32	+ 4.31
	17	22	29	59.3	20 20 16.46	15.78	- 0.68	"	109 39 36.79	41.01	+ 4.22
	20	22	32	52.0	20 34 59.18	58.80	- 0.38	"	109 16 19.15	23.87	+ 4.72
	21	22	34	3.6	20 40 7.72	7.39	- 0.33	"	109 5 58.35	63.63	+ 5.28
	24	22	38	14.	—	—	—	"	108 27 9.84	15.06	+ 5.22
	25	22	39	48.1	21 1 39.28	38.93	- 0.35	"	108 11 37.44	42.52	+ 5.08
	26	22	41	26.0	21 7 14.25	13.90	- 0.35	"	107 54 45.26	51.59	+ 6.33
	27	22	43	8.2	21 12 53.29	53.01	- 0.28	"	107 36 38.82	42.52	+ 3.70
Mar.	4	22	52	32.7	21 42 1.43	1.39	- 0.04	"	105 46 20.87	24.99	+ 4.12
	9	23	3	8.6	22 12 22.04	21.95	- 0.09	"	—	—	—
	10	23	5	23.1	22 18 33.54	33.58	+ 0.04	"	—	—	—
	11	23	7	41.3	22 24 48.38	47.61	- 0.77	"	—	—	—
	12	23	9	59.9	22 31 4.36	4.04	- 0.32	"	—	—	—
	13	23	12	22.3	22 37 23.49	22.94	- 0.55	"	—	—	—
	14	23	14	46.0	22 43 44.43	44.30	- 0.13	"	100 29 13.31	17.47	+ 4.16
	16	23	19	42.7	22 56 34.80	34.61	- 0.19	"	99 10 42.12	44.68	+ 2.56
	17	23	22	14.8	23 3 3.95	3.67	- 0.28	"	—	—	—
	19	23	27	27.5	23 16 10.63	10.18	- 0.45	"	97 3 43.33	45.77	+ 2.44
	20	23	30	7.6	23 22 47.74	48.09	+ 0.35	"	—	—	—
	21	23	32	51.9	23 29 28.86	28.52	- 0.34	"	—	—	—
June	15	22	25	15.0	4 0 44.35	44.80	+ 0.45	"	—	—	—
Aug.	11	1	33	36.4	10 50 24.11	24.23	+ 0.12	"	—	—	—
	15	1	37	55.1	11 10 29.81	29.69	- 0.12	"	85 8 28.65	36.63	+ 7.98
Sept.	1	1	32	21.0	12 11 56.20	55.86	- 0.34	"	94 40 14.55	15.13	+ 0.58
	10	1	5	16.2	12 20 16.07	15.45	- 0.62	"	96 37 20.64	24.20	+ 3.56
Oct.	2	22	49	29.7	11 34 47.45	47.22	- 0.23	"	—	—	—
Nov.	21	0	16	39.6	16 15 22.72	23.14	+ 0.42	"	112 38 27.28	32.07	+ 4.79
	22	0	19	16.8	16 21 56.83	56.93	+ 0.10	"	112 59 40.56	44.69	+ 4.13
	24	0	24	34.7	16 35 8.66	8.69	+ 0.03	"	113 38 34.21	39.79	+ 5.58

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MERCURY, (Continued.)																
Mean Solar Time of Observation				Point observed	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1851.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Nov.	25	0	27	15.5	C	16	41	46.61	46.48	- 0.13	C	113	56	16.17	19.63	+ 3.46
	27	0	32	40.4	"	16	55	5.62	5.46	- 0.16	"	114	27	53.98	56.16	+ 2.18
	28	0	35	24.3	"	17	1	46.47	46.41	- 0.06	"	114	41	45.49	49.89	+ 4.40
	29	0	38	9.1	"	17	8	28.38	28.13	- 0.25	"	114	54	22.98	25.32	+ 2.34
Dec.	1	0	43	39.5	"	17	21	53.47	53.02	- 0.45	"	115	15	31.32	35.88	+ 4.56
	2	0	46	25.1	"	17	28	35.96	35.69	- 0.27	"	115	24	1.63	8.05	+ 6.42
	3	0	49	10.5	"	17	35	18.44	18.17	- 0.27	"					
	5	0	54	39.5	1 L	17	48	41.46	41.06	- 0.40	"	115	41	13.07	17.22	+ 4.15
	8	1	2	41.1	"	18	8	34.33	33.56	- 0.77	"	115	45	18.63	22.23	+ 3.60
	9	1	5	16.3	"	18	15	6.04	5.65	- 0.39	"	115	48	43.44	47.83	+ 4.39
	10	1	7	47.3	"	18	21	34.34	33.91	- 0.43	"	115	40	39.96	43.22	+ 3.26
	11	1	10	14.0	"	18	27	57.98	57.51	- 0.47	"	115	36	6.80	9.45	+ 2.65
	17	1	22	13.1	"	19	3	38.59	37.98	- 0.61	"	114	38	42.73	42.09	- 0.64
1852.																
Jan.	19	22	34	59.5	11 L	18	29	59.59	58.42	- 1.17	-					
Feb.	29	23	30	29.4	"	22	7	17.70	17.30	- 0.40	"	103	52	57.73	62.79	+ 5.06
Mar.	1	23	33	10.2	"	22	13	55.04	55.17	+ 0.13	"	103	16	36.35	38.77	+ 2.42
	2	23	35	53.3	"	22	20	35.11	34.65	- 0.46	"	102	38	54.17	56.94	+ 2.77
	3	23	38	37.3	"	22	27	16.19	15.66	- 0.53	"					
	29	0	54	42.3	1 L	1	22	7.58	7.67	+ 0.09	"	80	26	50.82	47.55	- 3.27
	30	0	57	23.6	"	1	28	45.94	45.83	- 0.11	"	79	34	55.12	53.50	- 1.62
	31	0	59	55.1	"	1	35	14.16	14.33	+ 0.17	"	78	44	43.02	41.43	- 1.59
April	1	1	2	15.3	"	1	41	31.57	31.80	+ 0.23	"	77	56	29.23	24.20	- 5.03
	2	1	4	23.8	"	1	47	37.02	36.86	- 0.16	"	77	10	17.54	13.74	- 3.80
	3	1	6	18.2	"	1	53	28.05	28.24	+ 0.19	"	76	26	25.40	20.79	- 4.61
	7	1	11	15.9	"	2	14	12.87	12.96	+ 0.09	"	73	56	38.47	32.56	- 5.91
	8	1	11	44.7	"	2	18	38.22	38.25	+ 0.03	"	73	26	8.64	5.43	- 3.21
	13	1	8	56.3	"	2	35	31.90	31.57	- 0.33	"	71	38	44.83	43.10	- 1.73
	14	1	7	15.9	"	2	37	48.58	47.42	- 1.16	"	71	26	30.45	28.09	- 2.36
	15	1	5	12.6	"	2	39	41.55	40.46	- 1.09	"					
	16	1	2	46.6	"	2	41	11.19	10.33	- 0.86	"	71	11	26.35	22.48	- 3.87
	17	0	59	56.6	"	2	42	17.64	17.20	- 0.44	"					
July	10	0	59	41.9	C	8	13	13.02	13.87	+ 0.85	"	68	10	52.88	54.24	+ 1.36
	12	1	7	38.1	"	8	29	3.67	4.40	+ 0.73	"	69	6	33.45	36.94	- 2.51
	15	1	18	8.4	"	8	51	25.25	26.01	+ 0.76	"	70	39	34.07	36.67	+ 2.60
Sept.	19	22	48	37.3	11 L	10	45	38.96	38.77	- 0.19	"	81	15	50.79	45.04	- 5.75
	21	22	49	19.8	"	10	54	14.84	14.85	+ 0.01	"	81	43	32.96	31.65	- 1.31
	26	22	56	35.2	"	11	21	14.21	14.70	+ 0.49	"	83	54	20.53	19.58	- 0.95
	27	22	58	40.5	"	11	27	15.66	15.76	+ 0.10	"	84	28	48.90	47.03	- 1.87
Oct.	3	23	12	51.8	"	12	5	8.79	9.09	+ 0.30	"	88	31	8.00	8.65	+ 0.65
Nov.	2	0	18	59.4	C	15	5	47.69	47.98	+ 0.29	"	108	22	16.75	21.96	+ 5.21
	22	1	4	57.1	"	17	10	44.09	44.01	- 0.08	"	115	23	32.96	36.23	+ 3.27
	25	1	11	9.6	"	17	28	47.60	47.84	+ 0.24	"	115	43	32.92	37.74	+ 4.82

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS.																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1848.	d.	h.	m.	s.		h	m.	s.	s.		°	'	"	"		
Jan.	3	20	51	26.4	2 L	15	42	57.74	57.15	- 0.59	C	106	44	36.97	36.97	0.00
	4	20	52	3.6	"	15	47	31.47	30.70	- 0.77	"	107	0	33.09	32.13	- 0.96
	5	20	52	42.2	"	15	52	6.62	5.78	- 0.84	"	107	16	10.63	9.88	- 0.75
	10	20	56	15.9	"	16	15	24.22	23.41	- 0.81	"	108	29	24.74	25.39	+ 0.65
	12	20	57	51.4	"	16	24	53.35	52.45	- 0.90	"	108	56	12.09	10.82	- 1.27
	21	21	6	6.2	"	17	8	38.59	37.40	- 1.19	"	110	35	13.09	5.56	- 7.53
	23	21	8	9.1	"	17	18	34.74	33.61	- 1.13	"	110	51	55.01	58.16	+ 3.15
	26	21	11	20.7	"	17	38	36.24	35.43	- 0.81	"	111	12	59.56	64.02	+ 4.46
	27	21	12	26.1	"	17	38	38.77	37.85	- 0.92	"	111	18	55.96	60.42	+ 4.46
	28	21	13	32.5	"	17	43	41.81	41.08	- 0.73	"	111	24	17.87	23.27	+ 5.40
	31	21	16	56.5	"	17	58	56.09	55.18	- 0.91	"	111	37	0.53	5.17	+ 4.64
Feb.	1	21	18	5.6	"	18	4	1.80	1.18	- 0.62	"	111	40	4.11	9.10	+ 4.99
	2	21	19	15.5	"	18	9	8.78	7.73	- 1.05	"	111	42	32.71	37.53	+ 4.82
	4	21	21	36.9	"	18	19	23.45	22.22	- 1.23	"	111	45	42.06	46.51	+ 4.45
	7	21	25	10.9	"	18	34	47.80	46.73	- 1.07	"	111	45	51.72	56.88	+ 5.16
	21	21	41	53.4	"	19	46	44.52	43.78	- 0.74	"	110	33	20.54	28.49	+ 7.95
	22	21	43	2.5	"	19	51	50.80	50.15	- 0.65	"	110	23	39.84	43.55	+ 3.71
	23	21	44	12.0	"	19	56	56.90	55.99	- 0.91	"	110	13	16.19	23.15	+ 6.96
	27	21	48	42.7	"	20	17	14.28	13.64	- 0.64	"	109	26	6.86	12.91	+ 6.06
	28	21	49	48.6	"	20	22	17.19	16.42	- 0.77	"	109	12	53.47	49.19	- 4.28
Mar.	1	21	51	58.3	"	20	32	20.37	19.81	- 0.56	"	108	44	46.31	55.42	+ 9.11
	7	21	58	8.7	"	21	2	10.96	10.49	- 0.47	"	107	7	54.87	60.38	+ 5.51
	20	22	9	40.1	"	22	4	59.48	59.11	- 0.37	"	102	40	49.28	52.51	+ 3.23
	28	22	15	33.3	"	22	42	25.92	25.66	- 0.26	"	99	25	18.94	23.13	+ 4.19
	29	22	16	14.2	"	22	47	3.46	3.10	- 0.36	"	98	59	35.57	38.78	+ 3.21
April	19	22	28	37.4	C	0	22	16.67	16.43	- 0.24	"	89	18	42.46	42.40	- 0.06
	28	22	30	49.2	"	0	40	15.11	15.19	+ 0.08	"	87	24	11.18	11.93	+ 0.75
	27	22	33	4.5	"	0	58	16.93	16.84	- 0.09	"	85	30	13.90	12.07	- 1.83
	28	22	33	38.9	"	1	2	48.04	47.97	- 0.07	"	85	1	54.57	52.15	- 2.42
	30	22	34	48.9	"	1	11	51.17	51.37	+ 0.20	"	84	5	30.28	28.93	- 1.35
May	10	22	41	10.7	"	1	57	39.62	39.77	+ 0.15	"	79	32	15.85	12.93	- 2.92
	12	22	42	35.5	"	2	6	57.40	57.59	+ 0.19	"	78	39	59.23	57.27	- 1.96
	16	22	45	33.7	"	2	25	42.92	43.42	+ 0.50	"	76	58	39.78	34.80	- 4.98
June	21	23	24	51.5	"	5	27	2.51	2.77	+ 0.26	"	66	52	49.94	46.63	- 3.31
	25	23	30	23.2	"	5	48	21.83	22.91	+ 1.08	"	66	31	46.78	45.33	- 1.45
Aug.	23	0	37	15.3	"	10	44	5.17	5.02	- 0.15	"	80	25	39.06	40.73	+ 1.67
	24	0	37	57.2	"	10	48	43.62	43.56	- 0.06	"	80	53	54.46	54.17	- 0.29
	31	0	42	31.6	"	11	20	54.49	54.30	- 0.19	"	84	17	38.40	41.12	+ 2.72
Sept.	14	0	50	40.5	"	12	24	16.61	16.18	- 0.43	"	91	24	37.17	40.11	+ 2.94
Oct.	2	1	1	50.9	"	13	46	27.01	25.96	- 1.05	"	100	26	7.82	10.12	+ 2.30
	11	1	8	50.3	"	14	28	56.72	55.79	- 0.93	"	104	32	58.82	61.18	+ 2.36
	20	1	17	17.0	"	15	12	53.68	53.08	- 0.60	"	108	11	15.44	16.64	+ 1.20
	23	1	20	28.2	"	15	27	55.08	54.12	- 0.96	"	109	16	2.48	2.16	- 0.32
Dec.	18	2	36	18.8	1 L	20	24	45.93	45.43	- 0.50	"	111	20	29.94	28.12	- 1.82
	20	2	38	31.8	"	20	34	52.46	51.95	- 0.51	S L	110	44	41.30	38.59	- 2.71
	21	2	39	36.1	"	20	39	53.29	52.99	- 0.30	"	110	25	55.32	51.90	- 3.42
	22	2	40	38.7	"	20	44	52.68	52.58	- 0.10	"	110	6	33.32	30.62	- 2.70
	23	2	41	40.2	"	20	49	50.97	50.61	- 0.36	"	109	46	40.57	37.93	- 2.64

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)																
Mean Solar Time of Observation.				Point observed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"		
1849. Jan.	2	2	50	28.7	1 L	21	38	6.44	6.24	- 0.20	S L	106	0	24.57	22.42	- 2.15
	22	3	0	41.4	"	23	7	12.17	12.03	- 0.14	"	96	39	29.39	25.24	- 4.15
	23	3	0	59.	"						"	96	9	3.24	0.67	- 2.57
	24	3	1	14.7	"	23	15	38.41	38.55	+ 0.14	"	95	38	29.16	27.33	- 1.83
	25	3	1	29.6	"	23	19	50.09	50.15	+ 0.06	"	95	7	49.21	46.93	- 2.28
	26	3	1	43.5	"	23	24	0.57	0.71	+ 0.14	"	94	36	63.29	59.83	- 3.46
	29	3	2	19.3	"	23	36	26.01	26.17	+ 0.16	"	93	4	12.19	7.81	- 4.38
	30	3	2	29.3	"	23	40	32.47	32.69	+ 0.22	"	92	33	5.51	2.54	- 2.97
Feb.	1	3	2	46.4	"	23	48	42.72	42.81	+ 0.09	"	91	30	48.20	44.81	- 3.39
	2	3	2	52.9	"	23	52	46.15	46.47	+ 0.32	"	90	59	33.49	33.77	+ 0.28
	7	3	3	16.	"						"	88	23	45.42	43.47	- 1.95
	12	3	3	16.8	"	0	32	35.59	35.87	+ 0.28	"	85	49	10.32	6.96	- 3.36
	14	3	3	12.4	"	0	40	24.25	24.29	+ 0.04	"	84	47	59.86	55.74	- 4.12
	16	3	3	4.5	"	0	48	8.96	9.78	+ 0.82	C	83	47	16.80	15.10	- 1.70
	19	3	2	47.8	"	0	59	41.99	42.61	+ 0.62	S L	82	17	24.19	22.12	- 2.07
	21	3	2	33.0	"	1	7	20.57	20.86	+ 0.29	"	81	18	25.37	19.88	- 5.49
Mar.	13	2	56	39.4	"	2	20	17.02	17.90	+ 0.88	"	72	26	15.90	16.75	+ 0.85
April	14	2	12	21.9	"	3	42	1.88	4.01	+ 2.13	"	64	19	26.50	25.56	- 0.94
	16	2	6	22.0	"	3	43	55.11	56.41	+ 1.30	"	64	10	26.81	20.98	- 5.83
	17	2	3	8.7	"	3	44	37.47	39.65	+ 2.18	"	64	7	10.53	6.36	- 4.17
	25	1	31	47.7	"	3	44	44.14	46.73	+ 2.59	"	64	13	65.55	59.58	- 5.97
	26	1	27	9.3	"	3	44	1.63	3.46	+ 1.83	"	64	19	30.16	26.22	- 3.94
	28	1	17	21.6	"	3	42	4.46	7.59	+ 3.13	"	64	33	48.09	41.11	- 6.98
	30	1	6	56.7	"	3	39	31.45	33.89	+ 2.44	"	64	52	38.66	32.40	- 6.26
May	1	1	1	30.4	"	3	38	1.19	3.65	+ 2.46	"	65	3	48.07	43.78	- 4.29
	2	0	55	56.0	"	3	36	22.46	25.08	+ 2.62	"	65	16	9.16	5.93	- 3.23
	3	0	50	14.0	"	3	34	36.03	38.62	+ 2.59	"	65	20	43.81	38.38	- 4.93
	5	0	38	28.7	"	3	30	41.79	44.66	+ 2.87	"	66	0	15.50	9.83	- 5.67
	7	0	26	20.9	"	3	26	25.27	27.70	+ 2.43	"	60	35	7.40	2.56	- 4.84
	8	0	20	10.2	"	3	24	10.32	12.65	+ 2.33	"	66	53	68.80	59.13	- 9.67
	21	22	55	21.6	2 L	2	54	15.10	17.33	+ 2.23	N L	72	6	29.87	19.36	- 10.51
	24	22	39	32.0	"	2	50	12.98	15.27	+ 2.29	"	73	7	18.51	9.57	- 8.94
June	6	21	46	15.3	"	2	48	3.03	4.38	+ 1.35	C	75	48	53.93	48.48	- 5.45
	11	21	31	57.8	"	2	53	26.21	27.11	+ 0.90	"	76	4	43.90	38.29	- 5.61
	12	21	29	27.6	"	2	54	52.08	53.02	+ 0.94	"	76	5	12.50	6.47	- 6.03
	24	21	6	59.7	"	3	19	39.13	39.75	+ 0.62	"	75	16	61.35	59.10	- 2.25
	25	21	5	39.4	"	3	22	15.45	16.07	+ 0.62	"	75	9	35.30	32.98	- 2.37
	26	21	4	23.6	"	3	24	56.00	56.63	+ 0.63	"	75	1	47.13	44.20	- 2.93
July	9	20	53	37.7	"	4	5	23.72	24.16	+ 0.44	"	72	53	39.20	36.14	- 3.06
	12	20	52	26.3	"	4	16	1.71	2.11	+ 0.40	"	72	27	58.33	54.85	- 3.98
	16	20	51	29.3	"	4	30	50.66	50.96	+ 0.30	"	71	47	48.19	44.75	- 3.44
	19	20	51	12.9	"	4	42	23.74	24.03	+ 0.29	"	71	18	57.31	53.52	- 3.79
Aug.	8	20	57	6.7	"	6	7	10.31	10.72	+ 0.41	"	69	8	16.74	13.99	- 2.75
	9	20	57	41.9	"	6	11	42.11	42.31	+ 0.20	"	69	5	42.05	38.93	- 3.12
	12	20	59	34.4	"	6	25	24.12	24.48	+ 0.36	"	69	0	44.78	40.83	- 3.95
	13	21	0	13.6	"	6	30	0.48	0.81	+ 0.33	"	68	59	61.99	58.55	- 3.44
	17	21	3	2.0	"	6	48	35.54	35.97	+ 0.43	"	69	2	10.17	6.79	- 3.38
	20	21	5	17.0	"	7	2	40.53	40.99	+ 0.46	"	69	9	7.84	5.06	- 2.78
	21	21	6	3.8	"	7	7	23.85	23.99	+ 0.14	"	69	12	30.26	27.30	- 2.96
	26	21	10	3.0	"	7	31	6.77	6.85	+ 0.08	"	69	37	20.37	18.48	- 1.89

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)											
Mean Solar Time of Observation.				Point observ- ed.	A R. from Observation	A R. from N. A.	Error of N. A.	Point observ- ed.	N P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1849. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"
Sept. 4	21	17	31.6	2 L	8 14 58.6	5.88	+ 0.02	C	70 56 3.27	1.95	- 1.32
12	21	24	9.5	"	8 52 17.03	17.12	+ 0.09	"	72 42 3.07	4.14	+ 1.07
19	21	29	42.0	"	9 25 26.32	26.76	+ 0.44	"	74 40 54.66	54.46	- 0.20
20	21	30	27.6	"	9 30 8.93	9.31	+ 0.38	"	74 59 43.70	43.87	+ 0.17
25	21	34	10.4	"	9 53 34.79	34.97	+ 0.18	"	76 40 15.79	15.92	+ 0.13
26	21	34	53.8	"	9 58 14.52	14.67	+ 0.15	"	77 1 33.90	35.72	+ 1.82
27	21	35	36.3	"	10 2 53.74	53.89	+ 0.15	"	77 23 18.16	18.72	+ 0.56
Oct. 12	21	45	23.1	"	11 11 51.15	51.09	- 0.06	"	83 28 47.93	53.81	+ 5.88
14	21	46	36.4	"	11 20 57.28	56.99	- 0.29	"	84 22 14.14	13.14	- 1.00
16	21	47	48.2	"	11 30 2.50	2.01	- 0.49	S L	85 16 19.55	20.18	+ 0.63
17	21	48	23.5	"	11 34 34.45	34.29	- 0.16	"	85 43 39.52	39.91	+ 0.39
18	21	48	58.7	"	11 39 6.70	6.34	- 0.36	"	86 11 8.85	9.46	+ 0.61
19	21	49	34.2	"	11 43 38.73	38.35	- 0.38	"	86 38 47.41	48.20	+ 0.79
21	21	50	44.9	"	11 52 42.42	42.08	- 0.34	"	87 34 29.33	30.21	+ 0.88
31	21	56	40.7	"	12 38 4.90	4.41	- 0.49	"	92 18 8.41	7.38	- 1.03
Nov. 1	21	57	17.5	"	12 42 38.41	37.84	- 0.57	"	92 46 40.47	40.26	- 0.21
11	22	3	51.3	"	13 28 38.60	37.85	- 0.75	"	97 29 18.00	18.56	+ 0.56
14	22	6	1.2	"	13 42 38.86	38.01	- 0.85	"	98 51 54.91	53.31	- 1.60
23	22	13	17.6	"	14 25 25.18	24.29	- 0.89	"	102 48 31.69	31.16	- 0.53
Dec. 11	22	32	11.2	"	15 55 20.10	19.34	- 0.76	C	109 18 48.30	48.78	+ 0.48
13	22	34	40.4	"	16 5 42.81	42.48	- 0.33	"	109 52 50.63	49.69	- 0.94
14	22	35	57.3	"	16 10 56.47	55.98	- 0.49	"	110 8 58.98	60.24	+ 1.26
16	22	38	33.7	C	16 21 26.58	25.61	- 0.97	-	-	-	-
17	22	39	53.7	"	16 26 43.35	42.15	- 1.20	"	110 53 61.30	56.87	- 4.43
1860. Jan. 1	23	1	31.5	"	17 47 33.15	32.41	- 0.74	"	113 13 10.96	7.55	- 3.41
4	23	6	6.0	"	18 3 58.51	57.69	- 0.82	"	113 22 19.62	18.24	- 1.38
6	23	9	12.	-	-	-	-	-	113 24 48.15	49.16	+ 1.01
7	23	10	43.7	"	18 20 26.02	24.66	- 1.36	"	113 25 1.45	0.81	- 0.64
8	23	12	15.8	"	18 25 55.02	53.71	- 1.31	"	113 24 27.38	26.21	- 1.17
9	23	13	47.2	"	18 31 23.82	22.68	- 1.14	"	113 23 10.33	9.41	- 0.92
17	23	25	53.9	"	19 15 4.75	4.20	- 0.55	"	112 46 59.68	58.98	- 0.70
18	23	27	22.8	"	19 20 30.44	29.68	- 0.76	"	112 39 14.34	15.95	+ 1.61
25	23	37	22.2	"	19 58 7.02	6.51	- 0.51	"	111 26 8.39	8.69	+ 0.30
27	23	40	4.9	"	20 8 43.49	43.08	- 0.41	"	110 59 18.07	20.05	+ 1.98
28	23	41	24.8	"	20 13 60.24	59.81	- 0.43	"	110 44 57.59	59.09	+ 1.50
29	23	42	44.0	"	20 19 16.06	15.49	- 0.57	"	110 29 58.39	61.08	+ 2.69
Feb. 1	23	46	33.6	"	20 34 56.14	55.65	- 0.49	"	109 41 29.82	31.48	+ 1.66
5	23	51	25.1	"	20 55 34.04	33.46	- 0.58	"	108 28 49.21	49.07	- 0.14
6	23	52	34.4	"	21 0 40.40	39.89	- 0.51	"	108 9 18.23	18.07	- 0.16
14	0	0	7.7	"	21 35 50.80	50.65	- 0.15	"	105 38 45.70	44.94	- 0.76
15	0	1	7.7	"	21 40 47.72	47.33	- 0.39	"	105 15 25.00	24.62	- 0.38
16	0	2	6.6	"	21 45 43.29	42.80	- 0.49	"	104 51 39.40	39.13	- 0.27
18	0	4	0.1	"	21 55 30.36	30.24	- 0.12	-	-	-	-
20	0	5	50.0	"	22 5 13.56	13.12	- 0.44	"	103 12 40.21	40.30	+ 0.09
21	0	6	43.0	"	22 10 3.13	2.84	- 0.29	"	102 46 61.22	58.06	- 3.16
22	0	7	34.8	"	22 14 51.88	51.52	- 0.36	"	102 20 60.94	59.61	- 1.33
23	0	8	26.2	"	22 19 39.62	39.14	- 0.48	"	101 54 41.11	39.18	- 1.98
Mar. 21	0	26	10.5	"	0 19 57.65	57.11	- 0.54	"	89 14 51.16	50.32	- 0.84
22	0	26	46.2	"	0 24 29.44	29.51	+ 0.07	"	88 44 16.93	18.07	+ 1.14
23	0	27	22.2	"	0 29 2.24	1.91	- 0.33	"	88 13 47.78	46.92	- 0.86

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, ( <i>Continued.</i> )																
Mean Solar Time of Observation.				Point observed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1850.	d	h.	m.	s.		h.	m	s	s.	s.	°	'	"	"	"	
Mar.	26	0	29	9.4	C	0	42	39.67	39.49	- 0.18	C	86	42	26.73	27.03	+ 0.30
	27	0	29	45.6	"	0	47	12.52	12.29	- 0.23	"	86	12	7.94	7.38	- 0.56
April	4	0	34	45.9	"	1	23	45.86	45.97	+ 0.11	"	82	13	21.07	19.13	- 1.94
	5	0	35	25.2	1 L	1	28	22.13	22.21	+ 0.08	"	81	44	8.58	7.64	- 0.94
	10	0	38	52.8	"	1	51	32.79	32.95	+ 0.16	"	79	21	14.46	12.94	- 1.52
	13	0	41	5.8	"	2	5	36.03	36.26	+ 0.23	"	77	58	22.58	21.35	- 1.23
	16	0	43	26.8	"	2	19	47.00	47.15	+ 0.15	"	76	38	6.87	4.95	- 1.92
	17	0	44	15.2	"	2	24	32.08	32.60	+ 0.52	"	76	11	58.63	57.62	- 1.01
	19	0	45	55.8	"	2	34	6.38	6.37	- 0.01	"	75	20	45.46	44.34	- 1.12
	23	0	49	28.4	C	2	53	25.45	25.97	+ 0.52	"	73	42	46.21	45.15	- 1.06
	25	0	51	20.8	1 L	3	3	11.54	12.08	+ 0.54	"	72	56	10.52	11.29	+ 0.77
	26	0	52	18.9	"	3	8	5.71	6.76	+ 1.05	"	72	33	33.86	33.37	- 0.49
	30	0	56	22.1	"	3	27	55.81	56.62	+ 0.81	"	71	7	39.31	38.70	- 0.61
May	1	0	57	25.6	C	3	32	56.52	56.89	+ 0.37	"	70	47	22.98	22.85	- 0.13
	2	0	58	30.4	"	3	37	57.99	58.28	+ 0.29	"	70	27	37.32	37.50	+ 0.18
	3	0	59	35.9	1 L	3	43	0.59	0.94	+ 0.35	-	-	-	-	-	-
	7	1	4	10.1	"	4	3	21.36	21.85	+ 0.49	"	68	56	53.18	52.86	- 0.32
	8	1	5	21.1	"	4	8	20.45	20.81	+ 0.36	"	68	40	25.40	25.02	- 0.38
	9	1	6	33.4	"	4	13	38.47	38.81	+ 0.34	"	68	24	30.34	32.27	+ 1.93
	10	1	7	46.8	"	4	18	48.33	48.82	+ 0.49	"	68	9	14.92	15.31	+ 0.39
	11	1	9	1.0	"	4	23	59.56	59.83	+ 0.27	"	67	54	33.70	34.64	+ 0.94
	13	1	11	32.1	"	4	34	24.38	24.64	+ 0.26	"	67	27	4.08	4.89	+ 0.81
	14	1	12	49.2	"	4	39	38.03	38.40	+ 0.37	"	67	14	16.17	16.88	+ 0.71
	17	1	16	45.3	"	4	55	24.51	24.59	+ 0.08	"	66	39	44.18	46.40	+ 2.22
	18	1	18	5.3	"	5	0	40.97	41.46	+ 0.49	"	66	29	34.34	35.74	+ 1.40
	20	1	20	47.3	"	5	11	16.57	17.17	+ 0.60	"	66	11	16.30	16.23	+ 0.07
	21	1	22	9.2	"	5	16	35.26	35.88	+ 0.62	"	66	3	6.37	8.16	+ 1.79
	27	1	30	30.1	C	5	48	36.10	37.09	+ 0.99	"	65	29	0.36	2.99	+ 2.63
	28	1	31	54.6	"	5	53	57.87	58.23	+ 0.36	"	65	25	49.86	51.64	+ 1.78
	29	1	33	19.0	"	5	59	19.12	19.51	+ 0.39	"	65	23	20.46	23.45	+ 2.99
June	3	1	40	21.1	"	6	26	5.06	5.49	+ 0.43	"	65	21	48.83	53.19	+ 4.36
	5	1	43	8.6	"	6	36	45.98	46.55	+ 0.57	"	65	26	10.38	18.95	+ 2.57
	12	1	52	39.5	1 L	7	13	54.84	55.18	+ 0.34	"	66	4	17.83	19.12	+ 1.29
	13	1	53	58.4	"	7	19	10.43	10.83	+ 0.40	"	66	12	30.80	32.65	+ 1.85
	19	2	1	31.7	"	7	50	24.57	24.93	+ 0.36	"	67	15	57.84	60.28	+ 2.44
Aug.	13	2	36	36.8	"	12	2	25.86	25.68	- 0.18	-	-	-	-	-	-
	21	2	38	3.6	"	12	35	24.92	24.33	- 0.59	N L	93	55	40.60	38.90	- 1.70
	23	2	38	21.7	"	12	43	37.18	36.52	- 0.66	S L	94	56	52.59	49.94	- 2.65
	24	2	38	31.4	"	12	47	42.73	42.40	- 0.33	N L	95	27	20.13	18.09	- 2.04
	27	2	38	59.1	"	12	59	60.44	59.63	- 0.81	"	96	58	5.78	4.79	- 0.99
Sept.	10	2	41	16.7	"	13	57	30.15	29.81	- 0.34	"	103	42	5.96	2.93	- 3.03
	27	2	44	53.3	"	15	8	9.25	8.47	- 0.78	"	110	38	7.42	5.55	- 1.87
Oct.	1	2	45	47.5	"	15	24	49.38	48.82	- 0.56	"	111	59	19.76	16.17	- 3.59
	2	2	46	0.6	"	15	28	59.44	58.51	- 0.93	"	112	18	30.61	24.77	- 5.84
	3	2	46	13.2	"	15	33	8.78	7.93	- 0.85	"	112	37	7.94	4.90	- 3.04
	5	2	46	37.8	"	15	41	26.35	25.75	- 0.60	"	113	12	62.97	58.08	- 4.89
	7	2	47	0.6	"	15	49	42.38	41.67	- 0.71	"	113	46	54.93	52.22	- 2.71
	9	2	47	20.9	"	15	57	55.74	55.05	- 0.69	"	114	18	52.51	44.81	- 8.20
	11	2	47	38.1	"	16	6	6.08	5.13	- 0.95	"	114	48	35.23	31.61	- 3.62
	12	2	47	44.8	"	16	10	9.85	8.65	- 0.70	"	115	2	40.93	37.76	- 3.17
	14	2	47	55.3	"	16	18	13.09	12.15	- 0.94	"	115	29	16.98	13.69	- 3.29
	17	2	48	0.0	"	16	30	7.69	6.69	- 1.00	"	116	5	4.29	3.39	- 0.90



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)																
Mean Solar Time of Observation.				Point observed	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1850.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"		
Oct.	19	2	47	54.8	1 L	16	37	55.41	54.38	- 1.03	N L	116	26	13.99	11.59	- 2.40
	21	2	47	40.8	"	16	45	34.72	33.79	- 0.93	"	116	45	10.21	7.14	- 3.07
	22	2	47	30.3	"	16	49	20.70	20.05	- 0.65	"	116	53	48.21	45.10	- 3.11
	23	2	47	17.6	"	16	53	4.72	3.79	- 0.93	"	117	1	53.61	49.87	- 3.74
	29	2	44	59.5	"	17	14	25.21	24.08	- 1.13	"	117	38	49.90	46.94	- 2.96
	30	2	44	24.4	"	17	17	46.65	45.42	- 1.23	"	117	43	4.66	2.61	- 2.05
	31	2	43	44.9	"	17	21	3.72	2.80	- 0.92	"	117	46	49.62	46.30	- 3.32
Nov.	2	2	42	14.3	"	17	27	26.01	24.76	- 1.25	"	117	52	41.60	39.00	- 2.60
	4	2	40	25.0	"	17	33	29.75	28.18	- 1.57	"	117	56	27.49	27.28	- 0.21
	5	2	39	22.8	"	17	36	23.90	22.30	- 1.60	"	117	57	36.79	35.52	- 3.27
	13	2	27	28.4	"	17	55	59.88	58.50	- 1.38	"	117	48	60.86	59.73	- 1.13
	14	2	25	28.1	"	17	57	55.99	54.08	- 1.91	"	117	45	47.99	46.59	- 1.40
	15	2	23	19.5	"	17	59	43.62	41.68	- 1.94	"	117	42	9.08	5.88	- 3.20
	20	2	10	27.1	"	18	6	32.05	29.89	- 2.16	S L	117	16	62.69	50.13	- 12.56
	21	2	7	24.8	"	18	7	25.72	23.62	- 2.10	"	117	10	34.80	23.82	- 10.98
	23	2	0	50.2	"	18	8	43.26	41.19	- 2.07	N L	116	56	13.84	11.18	- 2.66
	28	1	41	22.0	"	18	8	54.80	52.25	- 2.55	"	116	12	25.81	25.49	- 0.32
Dec.	4	1	12	8.3	"	18	3	15.60	12.53	- 3.07	"	115	3	50.24	49.47	- 0.77
	5	1	6	40.0	"	18	1	43.13	40.12	- 3.01	"	114	50	38.06	39.30	+ 1.24
	6	1	1	2.3	"	17	59	61.57	58.37	- 3.20	"	114	36	60.23	59.99	- 0.24
	8	0	49	22.2	"	17	56	12.17	8.98	- 3.19	"					
	9	0	43	20.0	"	17	54	6.09	2.61	- 3.48	"	113	53	19.49	16.62	- 2.87
	10	0	37	11.2	"	17	51	52.37	49.44	- 2.93	"	113	37	51.10	51.55	+ 0.45
	12	0	24	36.8	"	17	47	8.87	6.46	- 2.41	"	113	5	57.55	58.56	+ 1.01
	13	0	18	13.1	"	17	44	40.68	37.73	- 2.95	"	112	49	34.43	35.72	+ 1.29
	14	0	11	46.4	"	17	42	9.32	6.58	- 2.74	"	112	32	61.64	59.88	- 1.76
	17	23	45	52.7	2 L	17	31	54.27	51.65	- 2.62	"					
	20	23	26	46.7	"	17	24	34.04	31.10	- 2.94	S L	110	36	31.61	26.03	- 5.58
	22	23	14	26.8	"	17	20	5.24	2.06	- 3.18	"	110	5	22.35	17.82	- 4.53
	23	23	8	27.0	"	17	17	60.68	57.50	- 3.18	"	109	50	33.11	27.33	- 5.78
	25	22	56	49.4	"	17	14	14.70	11.71	- 2.99	"					
1851.																
Jan.	2	22	16	32.5	2 L	17	5	23.54	21.04	- 2.50	"	108	0	50.10	45.27	- 4.83
	3	22	12	15.0	"	17	4	62.02	59.71	- 2.31	"	107	54	9.72	10.26	+ 0.54
	6	22	0	22.3	"	17	4	57.51	55.52	- 1.99	"					
	7	21	56	45.0	"	17	5	15.86	13.59	- 2.27	"	107	35	44.18	40.79	- 3.39
	8	21	53	16.0	"	17	5	43.15	41.11	- 2.04	"	107	32	57.66	55.43	- 2.23
	9	21	49	57.2	"	17	6	19.98	17.89	- 2.09	"	107	30	53.03	50.73	- 2.30
	10	21	46	46.3	"	17	7	5.73	3.73	- 2.00	"	107	29	27.44	25.44	- 2.00
	13	21	38	7.6	"	17	10	15.07	13.37	- 1.70	"	107	28	46.32	45.88	- 0.44
	14	21	35	31.2	"	17	11	34.92	33.23	- 1.69	"	107	29	37.22	37.69	+ 0.47
	16	21	30	42.2	"	17	14	38.16	36.54	- 1.62	"	107	32	46.12	46.07	- 0.05
	19	21	24	23.8	"	17	20	8.49	6.94	- 1.55	"	107	40	28.61	27.05	- 1.56
	20	21	22	31.2	"	17	22	12.51	10.97	- 1.54	"	107	43	38.95	39.54	+ 0.59
	22	21	19	6.2	"	17	26	39.75	38.43	- 1.32	"					
	23	21	17	32.5	"	17	29	2.69	1.42	- 1.27	"	107	54	44.87	43.84	- 1.03
	24	21	16	5.3	"	17	31	31.64	30.30	- 1.34	"	107	58	48.17	47.35	- 0.82
	26	21	13	27.3	"	17	36	46.17	44.92	- 1.25	"	108	7	16.56	15.67	- 0.89
	27	21	12	16.2	"	17	39	31.56	30.22	- 1.34	"	108	11	34.71	36.69	+ 1.98
	28	21	11	10.3	"	17	42	21.90	20.52	- 1.38	"	108	15	58.73	59.75	+ 1.02
	29	21	10	8.6	"	17	45	16.85	15.87	- 0.98	"	108	20	22.33	23.21	+ 0.88
	31	21	8	20.1	"	17	51	21.22	20.34	- 0.88	"					
Feb.	2	21	6	49.3	"	17	57	43.18	42.26	- 0.87	"	108	37	27.48	28.48	+ 1.00
	3	21	6	9.3	"	18	0	59.92	59.34	- 0.58	"	108	41	29.97	29.93	- 0.04

## OBSERVED AT THE MADRAS OBSERVATORY, COMPARED WITH THE TABLES.

Lxxvii

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, ( <i>Continued.</i> )																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation			A. R. from N. A.	Error of N. A.	Point observ- ed	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1851.	<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
Feb.	4	21	5	34.3	2 L	18	4	21.46	20.29	- 1.17	S L	108	45	24.03	22.59	- 1.44
	6	21	4	34.2	"	18	11	14.31	13.31	- 1.00	"	108	52	34.73	36.03	+ 1.30
	7	21	4	9.4	"	18	14	45.98	45.08	- 0.90	"	108	55	53.08	54.26	+ 1.18
	9	21	3	30.2	"	18	21	59.61	58.49	- 1.12	"	109	1	49.76	47.88	- 1.88
	10	21	3	14.8	"	18	25	40.77	39.90	- 0.87	"	109	4	19.64	21.08	+ 1.44
	11	21	3	2.2	"	18	29	25.14	24.29	- 0.85	"	109	6	36.47	37.05	+ 0.58
	13	21	2	46.6	"	18	37	2.37	1.56	- 0.81	"	109	10	11.09	12.46	+ 1.37
	14	21	2	42.5	"	18	40	54.94	54.24	- 0.70	"	109	11	31.43	32.11	+ 0.68
	17	21	2	45.7	"	18	52	47.86	47.06	- 0.80	"	109	13	15.94	19.05	+ 3.11
	18	21	2	51.0	"	18	56	49.93	49.25	- 0.68	"	109	13	7.27	9.16	+ 1.89
	19	21	2	59.1	"	19	0	54.33	53.55	- 0.78	"	109	12	33.22	35.30	+ 2.08
	20	21	3	9.2	"	19	4	61.00	59.90	- 1.10	"	109	11	36.34	36.78	+ 0.44
	21	21	3	20.7	"	19	9	9.27	8.13	- 1.14	"	109	10	8.43	12.95	+ 4.52
	24	21	4	6.0	"	19	21	44.45	43.39	- 1.06	"	109	3	23.64	24.23	+ 0.59
	25	21	4	24.3	"	19	25	59.22	58.33	- 0.89	"	109	0	10.98	14.04	+ 3.06
	26	21	4	43.9	"	19	30	15.47	14.79	- 0.68	"	108	56	35.63	36.24	+ 0.61
	27	21	5	4.9	"	19	34	33.08	32.38	- 0.70	—	—	—	—	—	—
	28	21	5	27.2	"	19	38	52.07	51.34	- 0.73	—	—	—	—	—	—
Mar.	3	21	6	40.8	"	19	51	55.61	54.80	- 0.81	"	108	31	17.95	20.92	+ 2.97
	4	21	7	8.1	"	19	56	18.85	17.88	- 0.97	"	108	24	47.77	51.03	+ 3.26
	6	21	8	2.9	"	20	5	7.24	6.53	- 0.71	"	108	10	20.23	23.12	+ 2.89
	12	21	11	3.7	"	20	31	47.91	47.16	- 0.75	"	107	15	7.42	11.24	+ 3.82
	13	21	11	35.6	"	20	36	16.29	15.48	- 0.81	"	107	4	14.70	16.13	+ 1.43
	14	21	12	7.3	"	20	40	44.89	44.09	- 0.80	"	106	52	51.66	52.33	+ 0.67
	16	21	13	12.2	"	20	49	42.80	42.05	- 0.75	—	—	—	—	—	—
	17	21	13	44.5	"	20	54	11.78	11.34	- 0.44	"	106	15	42.68	47.01	+ 4.33
	18	21	14	17.5	"	20	58	41.37	40.66	- 0.71	"	106	2	27.02	28.10	+ 1.08
	20	21	15	22.9	"	21	7	40.26	39.62	- 0.64	"	105	34	20.57	26.21	+ 5.64
	21	21	15	56.2	"	21	12	9.97	9.14	- 0.83	"	105	19	39.18	43.63	+ 4.45
	23	21	17	1.3	"	21	21	8.81	8.02	- 0.79	"	104	48	51.49	57.62	+ 6.13
	28	21	19	43.3	"	21	43	33.47	32.94	- 0.53	"	103	24	18.44	25.75	+ 7.31
	31	21	21	17.4	"	21	56	57.77	57.22	- 0.55	"	102	28	41.19	47.58	+ 6.39
April	1	21	21	49.0	"	22	1	25.44	24.73	- 0.71	"	102	9	25.39	27.92	+ 2.53
	2	21	22	18.6	"	22	5	52.48	51.96	- 0.52	"	101	49	42.93	46.33	+ 3.40
	3	21	22	48.7	"	22	10	18.99	18.84	- 0.15	—	—	—	—	—	—
	4	21	23	19.2	"	22	14	46.33	45.40	- 0.93	"	101	9	17.59	18.24	+ 0.65
	6	21	24	18.1	"	22	23	37.97	37.52	- 0.45	"	100	27	26.88	27.09	+ 0.21
	7	21	24	46.3	"	22	28	3.39	3.07	- 0.32	"	100	6	1.85	1.81	- 0.04
	8	21	25	15.0	"	22	32	28.70	28.27	- 0.43	"	99	44	14.72	17.55	+ 2.83
	9	21	25	43.5	"	22	36	53.85	53.13	- 0.72	"	99	22	11.90	14.66	+ 2.76
	10	21	26	11.5	"	22	41	18.14	17.70	- 0.44	"	98	59	50.26	53.80	+ 3.54
	11	21	26	39.1	"	22	45	42.60	41.92	- 0.68	"	98	37	15.25	15.65	+ 0.40
	14	21	27	59.8	"	22	58	53.45	52.88	- 0.57	"	97	27	42.48	42.09	- 0.39
	16	21	28	52.6	"	23	7	39.24	38.83	- 0.41	"	96	40	2.32	3.14	+ 0.82
	21	21	31	0.3	"	23	29	30.21	29.85	- 0.36	"	94	37	1.69	2.46	+ 0.77
	25	21	32	40.0	"	23	46	56.41	55.91	- 0.50	"	92	55	18.81	18.63	- 0.18
	27	21	33	29.5	"	23	55	38.84	38.38	- 0.46	"	92	3	33.85	34.27	+ 0.42
May	8	21	38	4.2	"	0	43	35.85	35.53	- 0.32	—	—	—	—	—	—
	9	21	38	29.7	"	0	47	58.16	58.11	- 0.05	"	86	46	19.78	22.15	+ 2.37
	13	21	40	17.2	"	1	5	32.07	31.90	- 0.17	"	85	0	5.87	8.46	+ 2.59
	14	21	40	44.4	"	1	9	56.40	56.39	- 0.01	"	84	33	40.89	41.79	+ 0.90
	21	21	44	14.5	"	1	41	2.68	2.84	+ 0.16	"	81	31	6.53	5.04	- 1.49
	22	21	44	47.5	"	1	45	32.14	32.00	- 0.14	—	—	—	—	—	—
	25	21	46	28.7	"	1	59	3.79	3.39	- 0.40	"	79	49	40.28	40.28	0.00
	27	21	47	41.0	"	2	8	8.97	9.42	+ 0.45	"	79	0	3.19	3.17	- 0.02

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D from Observation.		N. P. D from N. A.	Error of N. A.		
1851. d.	h.	m.	s.		h.	m.	s.	s.	s.		o	'	"	"		
June	6	21	54	33.5	C	2	54	29.18	29.49	+ 0.31	N	75	6	45.61	51.00	+ 5.39
	13	22	0	24.0	"	3	27	56.43	56.59	+ 0.16	"	72	42	41.02	40.45	- 0.57
	15	22	2	14.0	"	3	37	39.77	40.12	+ 0.35	—	—	—	—	—	—
	16	22	3	11.6	"	3	42	33.06	33.61	+ 0.55	"	71	46	53.20	48.45	- 4.75
	17	22	4	9.3	"	3	47	27.82	28.45	+ 0.63	"	71	29	8.85	6.30	- 2.55
	20	22	7	9.6	"	4	2	18.57	18.82	+ 0.25	"	70	38	41.52	41.06	- 0.46
	23	22	10	19.6	"	4	17	18.96	19.47	+ 0.51	"	69	52	40.91	40.14	- 0.77
	24	22	11	26.0	"	4	22	21.40	21.76	+ 0.36	"	69	38	22.33	21.56	- 0.77
	25	22	12	36.	—	—	—	—	—	—	"	69	24	37.07	34.83	- 2.24
July	1	22	19	30.	—	—	—	—	—	—	C	68	13	34.31	35.93	+ 1.62
	10	22	30	58.5	2 L	5	45	2.57	3.05	+ 0.48	"	67	7	44.02	42.35	- 1.67
	25	22	51	9.3	C	7	4	25.03	25.09	+ 0.06	"	67	15	46.13	43.87	- 2.26
Aug.	10	23	11	26.4	"	8	27	50.74	50.88	+ 0.14	"	70	7	25.38	26.09	+ 0.71
	13	23	14	52.2	"	8	43	6.90	7.20	+ 0.30	"	70	56	53.67	52.73	- 0.94
	15	23	17	4.6	"	8	53	12.68	13.31	+ 0.63	"	71	32	32.31	35.20	+ 2.89
	31	23	32	24.3	"	10	11	39.51	39.72	+ 0.21	"	77	26	55.67	55.43	- 0.24
Sept.	1	23	33	13.6	"	10	16	25.62	25.59	- 0.03	"	77	52	30.54	30.64	+ 0.10
	2	23	34	2.2	"	10	21	10.89	10.77	- 0.12	"	78	18	25.40	26.87	+ 1.47
	3	23	34	49.6	"	10	25	55.14	55.01	- 0.13	"	78	44	41.11	42.00	+ 0.89
	5	23	36	22.1	"	10	35	20.99	21.03	+ 0.04	"	79	38	8.54	7.83	- 0.71
	7	23	37	52.5	"	10	44	43.99	43.96	- 0.03	"	80	32	41.71	42.35	+ 0.64
	9	23	39	18.2	"	10	54	4.10	4.04	- 0.06	"	81	28	23.90	19.93	- 3.97
	11	23	40	42.1	"	11	3	21.10	21.53	+ 0.43	"	82	24	53.67	56.09	+ 2.42
	12	23	41	24.7	"	11	7	59.66	59.42	- 0.24	"	82	53	32.78	32.19	- 0.59
Oct.	16	0	2	54.3	"	13	39	40.03	39.13	- 0.90	"	99	18	34.97	33.21	- 1.76
	17	0	3	39.0	1 L	13	44	21.68	20.82	- 0.86	"	99	47	8.42	14.30	+ 5.88
	20	0	5	59.4	C	13	58	31.90	30.96	- 0.94	"	101	11	34.43	34.42	- 0.01
	23	0	8	27.9	"	14	12	50.44	49.42	- 1.02	"	102	33	37.67	38.57	+ 0.90
	25	0	10	11.6	"	14	22	27.58	26.73	- 0.85	"	103	26	52.80	52.05	- 0.75
	30	0	14	50.5	"	14	46	50.00	49.06	- 0.94	"	105	33	56.93	56.43	- 0.50
	31	0	15	49.7	"	14	51	45.51	44.96	- 0.55	"	105	58	14.11	13.11	- 1.00
Nov.	8	0	24	27.1	"	15	31	56.40	55.70	- 0.70	"	108	56	31.98	32.47	+ 0.49
	17	0	35	42.5	"	16	18	42.57	41.89	- 0.68	—	—	—	—	—	—
	20	0	39	48.5	"	16	34	38.90	38.25	- 0.65	"	112	20	18.90	18.15	- 0.75
	21	0	41	11.6	1 L	16	39	59.12	59.13	+ 0.01	"	112	33	16.70	17.51	+ 0.81
	22	0	42	37.2	"	16	45	21.34	20.98	- 0.36	"	112	45	38.01	37.00	- 1.01
	23	0	44	2.4	"	16	50	43.94	43.79	- 0.15	—	—	—	—	—	—
	24	0	45	30.3	"	16	56	8.01	7.50	- 0.51	"	113	8	15.41	14.31	- 1.10
	25	0	46	58.2	"	17	1	32.92	32.07	- 0.85	"	113	18	32.31	31.01	- 1.30
	26	0	48	26.7	"	17	6	58.22	57.42	- 0.80	"	113	28	3.66	10.24	+ 6.58
	27	0	49	55.9	"	17	12	24.31	23.59	- 0.72	"	113	36	58.27	58.29	+ 0.02
	28	0	51	25.5	"	17	17	50.61	50.32	- 0.29	"	113	45	6.29	7.75	+ 1.46
	29	0	52	56.1	"	17	23	18.18	17.75	- 0.43	"	113	52	36.33	34.10	- 2.23
Dec.	1	0	55	58.7	"	17	34	15.04	14.24	- 0.80	"	114	5	13.72	15.82	+ 2.10
	2	0	57	30.6	"	17	39	43.65	43.18	- 0.47	"	114	10	28.95	30.31	+ 1.36
	3	0	59	3.3	"	17	45	13.25	12.52	- 0.73	"	114	14	58.27	60.40	+ 2.13
	4	1	0	36.6	"	17	50	42.94	42.21	- 0.73	"	114	18	44.77	45.78	+ 1.01
	5	1	2	9.3	"	17	56	12.73	12.14	- 0.59	"	114	21	44.93	46.26	+ 1.33
	8	1	6	49.4	"	18	12	43.55	42.83	- 0.72	"	114	26	16.15	16.61	+ 0.46
	9	1	8	23.5	C	18	18	13.64	13.12	- 0.52	"	114	26	15.53	13.09	- 2.44
	10	1	9	56.5	1 L	18	23	44.07	43.38	- 0.69	"	114	25	28.45	30.14	+ 1.69

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N P D. from N. A.	Error of N. A.	
1851.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Dec.	11	1	11	30.0	C	18	29	14.00	13.49	- 0.51	C	114	23	58.89	58.89	0.00
	17	1	20	43.0	1 L	19	2	8.41	7.74	- 0.67	"	113	59	5.49	4.25	- 1.24
	20	1	25	12.9	C	19	18	28.28	27.87	- 0.41	"	113	36	37.28	36.91	- 0.37
	24	1	31	1.4	1 L	19	40	4.37	3.80	- 0.57	S L	112	56	37.57	36.31	- 1.26
	26	1	33	50.5	"	19	50	46.63	46.18	- 0.50	-	-	-	-	-	-
1852.																
Jan.	6	1	47	54.5	1 L	20	48	15.17	14.75	- 0.42	S L	109	33	16.86	15.08	- 1.78
	8	1	50	11.1	"	20	58	24.89	24.75	- 0.14	"	108	52	59.94	59.82	- 0.12
	10	1	52	22.2	"	21	8	29.65	29.26	- 0.39	"	108	10	38.32	36.83	- 1.49
	15	1	57	25.9	"	21	33	16.74	16.58	- 0.16	"	106	16	1.85	1.18	- 0.67
	16	1	58	32.5	"	21	38	9.91	10.01	+ 0.10	"	105	51	45.82	43.08	- 2.74
	17	1	59	18.0	"	21	43	2.30	2.10	- 0.20	"	105	26	60.54	59.79	- 0.75
	21	2	2	46.3	"	22	2	17.52	17.48	- 0.04	"	103	44	4.09	3.98	- 0.11
	22	2	3	35.1	"	22	7	3.12	3.16	+ 0.04	C	103	17	25.38	23.69	- 1.69
	23	2	4	23.2	"	22	11	47.84	47.63	- 0.21	S L	102	50	25.53	22.49	- 3.04
	24	2	5	9.6	"	22	16	31.00	30.91	- 0.09	C	102	23	2.39	1.18	- 1.21
	26	2	6	39.5	"	22	25	54.16	53.93	- 0.23	"	101	27	22.46	21.45	- 1.01
	27	2	7	22.4	"	22	30	33.59	33.73	+ 0.14	S L	100	59	7.20	4.52	- 2.68
	28	2	8	5.0	"	22	35	12.83	12.45	- 0.38	C	100	30	32.51	30.47	- 2.04
	29	2	8	45.7	"	22	39	50.08	50.09	+ 0.01	S L	100	1	44.82	40.70	- 4.12
	30	2	9	25.5	"	22	44	26.82	26.71	- 0.11	"	99	32	38.40	35.42	- 2.98
Feb.	2	2	11	19.0	"	22	58	10.90	10.62	- 0.28	"	98	3	57.86	55.45	- 2.41
	3	2	11	54.8	"	23	2	43.43	43.39	- 0.04	"	97	33	59.06	56.58	- 2.48
	4	2	12	30.1	"	23	7	15.46	15.30	- 0.16	"	97	3	48.14	46.74	- 1.40
	5	2	13	4.5	"	23	11	46.44	46.39	- 0.05	-	-	-	-	-	-
	6	2	13	38.1	"	23	16	16.85	16.64	- 0.21	"	96	2	55.79	55.28	- 0.51
	9	2	15	14.8	"	23	29	43.27	43.02	- 0.25	"	94	30	35.04	32.75	- 2.29
	11	2	16	15.9	"	23	38	37.79	37.50	- 0.29	"	93	28	23.35	20.96	- 2.39
	13	2	17	14.7	"	23	47	29.87	30.01	+ 0.14	"	92	25	47.84	45.96	- 1.88
	14	2	17	43.6	"	23	51	55.29	55.45	+ 0.16	"	91	54	24.44	22.67	- 1.77
	16	2	18	40.1	"	0	0	45.04	45.11	+ 0.07	"	90	51	29.56	27.23	- 2.33
	17	2	19	7.8	"	0	5	9.33	9.42	+ 0.09	"	90	19	58.26	56.34	- 1.92
	20	2	20	29.0	"	0	18	19.86	20.62	+ 0.76	"	88	45	24.45	20.21	- 4.24
	21	2	20	55.7	"	0	22	43.41	43.97	+ 0.56	"	88	13	51.84	49.37	- 2.48
	23	2	21	48.6	"	0	31	29.65	30.17	+ 0.52	"	87	10	56.62	54.03	- 2.59
	24	2	22	15.0	"	0	35	52.55	53.11	+ 0.56	"	86	39	33.14	31.04	- 2.10
	26	2	23	7.8	"	0	44	38.71	38.89	+ 0.18	"	85	36	61.18	58.10	- 3.08
	27	2	23	36.	-	-	-	-	-	-	"	85	5	51.04	50.21	- 0.83
	28	2	24	0.0	"	0	53	24.12	24.79	+ 0.67	"	84	34	48.73	47.17	- 1.56
Mar.	1	2	24	53.6	"	1	2	10.71	11.02	+ 0.31	"	83	33	6.18	4.12	- 2.06
	2	2	25	20.2	"	1	6	33.85	34.39	+ 0.54	"	83	2	29.60	25.01	- 4.59
	3	2	25	47.1	"	1	10	57.70	57.91	+ 0.21	"	82	31	58.37	54.94	- 3.43
	4	2	26	14.2	"	1	15	21.12	21.66	+ 0.54	"	82	1	36.91	34.88	- 2.03
	5	2	26	41.7	"	1	19	45.09	45.68	+ 0.59	"	81	31	28.31	25.21	- 3.10
	6	2	27	9.5	"	1	24	9.82	9.97	+ 0.15	"	81	1	30.15	27.08	- 3.07
	9	2	28	34.4	"	1	37	24.65	25.00	+ 0.35	"	79	32	50.57	46.55	- 4.02
	10	2	29	3.8	"	1	41	50.36	50.80	+ 0.44	"	79	3	42.83	40.23	- 2.60
	11	2	29	32.9	"	1	46	16.58	17.06	+ 0.48	"	78	34	50.61	48.62	- 1.99
	12	2	30	3.3	"	1	50	43.58	43.84	+ 0.26	"	78	6	14.84	12.44	- 2.40
	13	2	30	33.9	"	1	55	10.85	11.01	+ 0.16	"	77	37	54.14	52.49	- 1.65
	17	2	32	42.3	"	2	13	5.85	5.35	+ 0.50	"	75	47	29.00	26.94	- 2.06
	19	2	33	49.2	"	2	22	5.95	6.22	+ 0.27	"	74	54	11.53	8.59	- 2.94
	20	2	34	24.1	"	2	26	36.92	37.53	+ 0.61	"	74	28	2.84	0.49	- 2.36
	22	2	35	35.5	"	2	35	41.72	42.10	+ 0.38	"	73	36	48.73	49.36	+ 0.63

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, (Continued.)																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1852. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"	
Mar.	23	2	36	11.7	1 L	2	40	14.90	15.37	+ 0.47	S L	73	11	50.21	47.96	- 2.25
	25	2	37	27.5	"	2	49	23.67	23.88	+ 0.21	"	72	22	55.60	56.49	+ 0.89
	26	2	38	5.7	"	2	53	58.64	59.10	+ 0.46	"	71	59	10.68	8.02	- 2.66
	27	2	38	44.8	"	2	58	34.53	34.98	+ 0.45	"	71	35	47.83	45.02	- 2.81
	29	2	40	5.3	"	3	7	48.28	48.62	+ 0.34	"	70	50	20.89	18.65	- 2.24
	30	2	40	46.5	"	3	12	26.26	26.38	+ 0.12	"	70	28	16.42	16.53	+ 0.11
	31	2	41	28.2	"	3	17	4.31	4.80	+ 0.49	"	70	6	43.70	42.51	- 1.19
April	1	2	42	10.1	"	3	21	43.13	43.65	+ 0.52	"	69	45	40.36	37.37	- 2.99
	2	2	42	53.1	"	3	26	22.82	23.18	+ 0.36	"	69	25	4.43	1.54	- 2.89
	3	2	43	36.5	"	3	31	2.71	3.24	+ 0.53	"	69	4	59.24	55.59	- 3.65
	5	2	45	5.0	"	3	40	25.27	24.96	- 0.31	"	68	26	12.66	15.69	+ 3.03
	6	2	45	50.0	"	3	45	6.00	6.56	+ 0.56	-	-	-	-	-	-
	8	2	47	20.9	"	3	54	30.48	31.09	+ 0.61	C	67	32	24.39	13.39	-11.00
	13	2	51	15.1	"	4	18	7.90	8.72	+ 0.82	-	-	-	-	-	-
	14	2	52	0.	-	-	-	-	-	-	S L	65	59	8.80	10.10	+ 1.30
	15	2	52	49.9	"	4	27	36.81	37.42	+ 0.61	C	65	45	40.55	41.10	+ 0.55
	16	2	53	38.0	"	4	32	21.21	21.93	+ 0.72	"	65	32	47.17	47.61	+ 0.44
	19	2	56	0.9	"	4	46	34.51	35.29	+ 0.78	S L	64	57	43.94	44.07	+ 0.13
	20	2	56	48.4	"	4	51	18.68	19.49	+ 0.81	"	64	47	13.82	15.94	+ 2.12
	21	2	57	35.6	"	4	56	2.55	3.44	+ 0.89	"	64	37	24.81	24.72	- 0.09
	22	2	58	22.6	"	5	0	46.28	47.08	+ 0.80	"	64	28	8.40	11.68	+ 3.28
	24	2	59	55.2	"	5	10	12.21	13.00	+ 0.79	"	64	11	34.38	35.97	+ 1.59
	27	3	2	9.4	"	5	24	16.55	17.40	+ 0.85	"	63	51	20.46	19.80	- 0.66
	28	3	2	52.7	"	5	28	56.58	57.30	+ 0.72	"	63	45	50.04	51.09	+ 1.05
	29	3	3	35.1	"	5	33	35.63	36.29	+ 0.66	"	63	40	55.70	57.54	+ 1.84
	30	3	4	16.2	"	5	38	13.19	14.25	+ 1.06	"	63	36	42.07	42.28	+ 0.21
May	7	3	8	29.4	"	6	10	3.10	3.70	+ 0.60	C	63	24	2.72	6.17	+ 3.45
	10	3	9	53.3	"	6	23	16.64	17.24	+ 0.60	"	63	27	32.95	38.12	+ 5.17
	25	3	11	20.5	"	7	23	53.22	53.59	+ 0.37	N L	64	56	29.82	39.02	+ 9.20
	26	3	11	1.2	"	7	27	30.36	30.66	+ 0.30	"	65	6	7.10	14.99	+ 7.89
	31	3	8	23.6	"	7	44	34.57	35.50	+ 0.93	"	65	59	32.11	40.48	+ 8.37
June	1	3	7	38.9	"	7	47	46.66	47.44	+ 0.78	"	66	11	12.89	20.02	+ 7.13
	2	3	6	49.8	"	7	50	53.85	54.74	+ 0.89	"	66	23	10.40	16.72	+ 6.32
	3	3	5	55.8	"	7	53	56.40	57.25	+ 0.85	"	66	35	21.88	29.61	+ 7.73
	4	3	4	57.0	"	7	56	53.98	54.82	+ 0.84	"	66	47	52.40	57.61	+ 5.21
	5	3	3	52.8	"	7	59	46.47	47.34	+ 0.87	"	67	0	33.64	39.63	+ 5.99
	7	3	1	29.4	"	8	5	15.60	16.57	+ 0.97	"	67	26	35.01	41.71	+ 6.70
	8	3	0	9.3	"	8	7	52.16	52.98	+ 0.82	"	67	39	53.19	59.39	+ 6.20
July	7	1	27	50.0	"	8	29	38.31	39.56	+ 1.25	"	73	51	59.20	59.83	+ 0.63
	10	1	11	7.5	"	8	24	42.39	43.80	+ 1.41	"	74	18	2.14	3.31	+ 1.17
	12	0	59	18.5	"	8	20	44.57	45.83	+ 1.26	"	74	33	10.30	10.40	+ 0.10
	14	0	47	1.4	"	8	16	18.44	19.89	+ 1.45	"	74	46	24.85	24.79	- 0.06
	16	0	34	21.8	"	8	11	29.89	31.33	+ 1.44	"	74	57	44.08	44.49	+ 0.41
Aug.	24	21	22	52.7	2 L	7	37	8.89	9.22	+ 0.33	S L	74	8	38.77	34.15	- 4.62
	25	21	20	50.5	"	7	39	3.24	3.65	+ 0.41	"	74	6	29.96	23.87	- 6.09
	26	21	18	56.4	"	7	41	4.60	4.62	+ 0.02	"	74	4	31.76	26.55	- 5.21
	27	21	17	6.6	"	7	43	11.48	11.81	+ 0.33	"	74	2	51.92	46.34	- 5.58
Sept.	6	21	3	54.2	"	8	9	22.66	22.58	- 0.08	"	74	4	11.92	4.83	- 7.09
	19	20	56	29.1	"	8	53	11.64	11.98	+ 0.34	"	75	7	28.89	24.60	- 4.29
	20	20	56	13.9	"	8	56	52.63	52.96	+ 0.33	"	75	15	34.49	31.08	- 3.41
	21	20	56	0.1	"	9	0	35.87	36.04	+ 0.17	"	75	24	7.81	6.03	- 1.78

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VENUS, ( <i>Continued.</i> )															
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.	
1852.	<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
Sept.	22	20	55	49.5	2 L	9 4	20.96	21.10	+ 0.14	S L	75 33	11.04	9.58	— 1.46	
	23	20	55	39.5	"	9 8	7.98	8.03	+ 0.05	"	75 42	45.02	41.72	— 3.30	
	24	20	55	31.5	"	9 11	56.53	56.74	+ 0.21	"	75 52	46.91	43.44	— 3.47	
	29	20	55	16.7	"	9 31	24.27	24.21	— 0.06	"	76 49	57.78	53.54	— 4.24	
Oct.	4	20	55	33.7	"	9 51	24.67	24.56	— 0.11	"	77 58	46.35	44.22	— 2.13	
	10	20	56	26.3	"	10 15	56.63	56.74	+ 0.11	"	79 35	60.94	59.80	— 1.14	
	11	20	56	37.7	"	10 20	5.02	4.69	— 0.33	"	79 53	42.05	40.49	— 1.56	
	12	20	56	49.9	"	10 24	13.81	13.25	— 0.56	"	80 11	48.35	45.07	— 3.28	
	14	20	57	12.	—	—	—	—	—	"	80 49	0.38	4.29	+ 3.91	
	15	20	57	29.3	"	10 36	42.79	42.33	— 0.46	"	81 8	19.33	18.98	— 0.35	
	26	21	0	27.2	"	11 23	3.70	3.20	— 0.50	"	85 2	3.00	1.67	— 1.33	
	29	21	1	24.5	"	11 35	50.55	49.77	— 0.78	"	86 11	51.44	52.04	+ 0.60	
Nov.	7	21	4	36.3	"	12 14	31.69	30.90	— 0.79	"	89 52	53.86	49.19	— 4.67	
	8	21	4	54.	—	—	—	—	—	"	90 18	10.32	10.92	+ 0.60	
	15	21	7	57.1	"	12 49	25.78	25.38	— 0.40	"	93 18	22.67	19.94	— 2.73	
	21	21	10	53.0	"	13 16	1.27	0.47	— 0.80	"	95 54	11.36	8.11	— 3.25	
	24	21	12	30.1	"	13 29	28.24	27.61	— 0.63	"	97 11	39.31	37.28	— 2.03	
Dec.	5	21	19	34.6	"	14 19	56.11	55.61	— 0.50	"	101 46	54.70	53.60	— 1.10	
	6	21	20	18.7	"	14 24	37.23	36.89	— 0.34	"	102 10	49.89	49.88	— 0.01	
	7	21	21	5.0	"	14 29	19.84	19.22	— 0.62	"	102 34	30.59	31.65	+ 1.06	
	8	21	21	51.7	"	14 34	8.67	2.32	— 1.35	N L	102 57	57.33	56.67	— 0.66	
	16	21	28	45.7	"	15 12	31.54	30.58	— 0.96	"	105 54	42.51	42.26	— 0.25	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS.															
1848.	<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
Jan.	3	7	25	21.2	C	2 14	40.82	39.70	— 1.12	C	75 1	24.90	17.24	— 7.75	
	4	7	22	41.0	"	2 15	56.62	55.48	— 1.14	"	74 53	67.11	59.72	— 7.39	
	6	7	17	24.9	"	2 18	33.32	32.31	— 1.01	"	74 39	14.81	7.01	— 7.80	
	7	7	14	50.3	"	2 19	54.35	53.30	— 1.05	"	74 31	41.19	33.94	— 7.25	
	8	7	12	16.9	"	2 21	17.05	15.93	— 1.12	"	74 23	64.48	56.53	— 7.95	
	10	7	7	14.3	"	2 24	7.00	6.05	— 0.95	"	74 8	36.39	29.46	— 6.93	
	17	6	50	23.6	"	2 34	49.70	48.67	— 1.03	"	73 12	51.40	44.49	— 6.91	
	18	6	48	4.7	"	2 36	27.10	26.02	— 1.08	"	73 4	44.00	37.44	— 6.56	
	19	6	45	46.9	"	2 38	5.52	4.63	— 0.89	"	72 56	35.09	28.75	— 6.34	
	20	6	43	31.4	2 L	2 39	45.59	44.59	— 1.00	"	72 48	25.50	18.76	— 6.74	
	21	6	41	15.8	C	2 41	26.70	25.76	— 0.94	"	72 40	14.25	7.65	— 6.60	
	22	6	39	2.1	"	2 43	9.16	8.16	— 1.00	"	72 31	60.15	55.69	— 4.46	
	24	6	34	37.8	"	2 46	37.24	36.49	— 0.75	—	—	—	—	—	
	25	6	32	28.0	"	2 48	23.48	22.37	— 1.11	"	72 7	23.49	16.68	— 6.81	
	26	6	30	18.9	1 L	2 50	10.56	9.43	— 1.13	"	71 59	10.66	3.43	— 7.23	
	27	6	28	10.5	C	2 51	58.46	57.68	— 0.83	"	71 50	55.73	50.27	— 5.46	
	28	6	26	3.7	"	2 53	47.85	46.90	— 0.95	"	71 42	42.51	37.51	— 5.00	
	29	6	23	57.8	"	2 55	38.21	37.26	— 0.95	"	71 34	30.41	25.36	— 5.05	
	31	6	19	49.2	"	2 59	22.00	21.19	— 0.81	"	71 18	10.20	3.37	— 6.83	
Feb.	1	6	17	46.3	1 L	3 1	15.53	14.73	— 0.80	"	71 9	60.40	53.99	— 6.41	
	2	6	15	44.3	"	3 3	9.96	9.30	— 0.66	"	71 1	52.76	45.86	— 6.90	
	3	6	13	43.9	"	3 5	5.72	4.88	— 0.84	"	70 53	47.22	39.29	— 7.93	
	4	6	11	44.4	"	3 7	2.31	1.46	— 0.85	"	70 45	40.35	34.34	— 6.01	
	5	6	9	45.6	"	3 8	59.81	59.03	— 0.78	"	70 37	37.21	31.28	— 5.93	
	7	6	5	51.0	"	3 12	57.77	57.03	— 0.74	"	70 21	36.65	31.23	— 5.42	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N A	Error of N. A	Point observ- ed.	N. P. D from Observation.			N. P. D from N. A.	Error of N A.	
1848.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Feb.	8	6	3	55.4	1 L	3	14	58.30	57.44	— 0.86	C	70	13	39.93	34.73	— 5.20
	10	6	0	6.8	"	3	19	1.85	0.96	— 0.89	"	69	57	55.33	49.64	— 5.69
	11	5	58	13.6	"	3	21	5.25	4.05	— 1.20	"	69	50	7.54	1.44	— 6.10
	12	5	56	21.5	"	3	23	9.00	7.99	— 1.01	"	69	42	22.21	16.23	— 5.98
1849.																
July	12	19	11	42.4	C	2	35	2.16	1.64	— 0.52	"	76	20	41.08	42.68	+ 1.60
	15	19	7	59.2	2 L	2	43	7.17	6.82	— 0.35	"	75	41	29.39	30.08	+ 0.69
	16	19	6	44.0	"	2	45	48.85	48.33	— 0.52	"	75	28	41.46	43.35	+ 1.89
Aug.	12	18	31	46.3	"	3	57	12.13	11.43	— 0.70	"	70	42	55.25	54.34	— 0.91
	16	18	26	15.3	"	4	7	27.05	26.15	— 0.90	"	70	10	36.45	36.16	— 0.29
	19	18	22	2.0	"	4	15	2.61	1.89	— 0.72	"	69	48	4.62	4.87	+ 0.25
	20	18	20	36.5	"	4	17	33.35	32.70	— 0.65	"	69	40	55.70	53.78	— 1.92
	21	18	19	10.8	"	4	20	3.85	2.91	— 0.94	"	69	33	54.51	52.33	— 2.18
Sept.	18	17	33	39.4	"	5	24	49.07	47.96	— 1.11	"	67	16	9.20	1.61	— 7.59
	19	17	31	27.0	"	5	26	52.34	51.44	— 0.90	"	67	12	61.73	54.68	— 7.05
	24	17	22	2.0	"	5	36	48.76	47.89	— 0.87	"	66	58	53.88	45.18	— 8.70
	26	17	17	8.2	"	5	40	36.89	36.11	— 0.78	"	66	53	48.89	41.17	— 7.72
	27	17	15	54.2	"	5	42	29.05	27.88	— 1.17	"	66	51	24.15	15.94	— 8.21
Oct.	8	16	51	10.2	"	6	1	3.59	2.40	— 1.19	"	66	28	37.62	25.66	— 11.96
	12	16	41	11.3	"	6	6	49.37	48.22	— 1.15	"	66	21	24.91	11.99	— 12.92
	16	16	30	36.2	"	6	11	53.37	57.08	— 1.29	"	66	14	19.76	7.78	— 11.98
	22	16	13	26.4	"	6	18	25.34	23.97	— 1.37	"	66	3	28.60	14.34	— 14.26
	23	16	10	25.2	"	6	19	20.22	18.91	— 1.31	"	66	1	29.82	20.36	— 9.46
	26	16	1	4.0	"	6	21	47.55	46.36	— 1.19	"	65	55	40.74	25.39	— 15.35
	28	15	54	36.4	"	6	23	11.23	9.71	— 1.52	"	65	51	28.70	15.68	— 13.02
	31	15	44	29.7	"	6	24	52.78	51.23	— 1.55	"	65	44	53.89	38.00	— 15.89
Nov.	1	15	41	1.1	"	6	25	20.18	18.59	— 1.59	"	65	42	33.93	18.58	— 15.35
	6	15	22	46.7	"	6	26	45.31	44.14	— 1.17	"	65	29	62.25	45.47	— 16.78
	19	14	23	9.6	"	6	23	14.88	13.38	— 1.50	"	64	49	77.92	57.68	— 20.24
	20	14	23	31.0	"	6	22	31.95	30.31	— 1.64	"	64	46	54.69	34.72	— 19.97
	21	14	13	48.3	"	6	21	44.98	43.48	— 1.50	"	64	43	29.37	10.39	— 18.98
	22	14	14	2.3	"	6	20	54.66	52.92	— 1.74	"	64	39	64.88	45.08	— 19.80
	23	14	9	12.	—	—	—	—	—	—	"	64	36	39.24	19.36	— 19.88
	25	13	59	29.1	1 & 2	6	18	0.98	59.36	— 1.62	"	64	29	48.55	28.05	— 20.50
	28	13	44	8.5	"	6	14	35.83	34.44	— 1.39	"	64	19	39.47	19.06	— 20.41
	29	13	38	58.0	"	6	13	21.03	19.55	— 1.48	"	64	16	19.07	0.07	— 19.00
Dec.	2	13	23	8.6	"	6	9	18.44	16.64	— 1.80	"	64	6	45.02	22.95	— 22.07
	10	12	39	6.2	"	5	56	41.95	40.18	— 1.77	"	63	44	63.24	43.53	— 19.71
	11	12	33	28.4	"	5	54	59.37	57.60	— 1.77	"	63	42	52.88	33.91	— 18.97
	12	12	27	49.2	"	5	53	15.73	13.99	— 1.74	"	63	40	53.65	33.26	— 20.39
	13	12	22	9.2	"	5	51	31.37	29.56	— 1.81	"	63	38	61.42	42.72	— 18.70
	17	11	59	25.1	"	5	44	29.71	28.33	— 1.38	"	63	32	66.01	48.19	— 17.82
	18	11	53	45.2	"	5	42	45.28	43.04	— 2.24	"	63	31	61.72	43.32	— 18.40
	19	11	43	4.1	"	5	40	60.19	58.54	— 1.65	"	63	30	65.58	47.98	— 17.60
	20	11	42	24.8	"	5	39	16.38	14.84	— 1.54	"	63	30	18.59	1.82	— 16.76
	21	11	36	47.1	"	5	37	34.02	32.18	— 1.84	"	63	29	42.01	24.64	— 17.37
	27	11	3	30.	—	—	—	—	—	—	"	63	28	52.51	36.69	— 15.82
	29	10	52	42.	—	—	—	—	—	—	"	63	29	34.13	18.85	— 15.28
1850.																
Jan.	2	10	31	35.3	C	5	19	30.50	28.85	— 1.65	"	63	31	65.41	49.56	— 15.85
	3	10	26	26.2	1 & 2	5	18	17.16	15.61	— 1.55	"	63	32	54.05	38.43	— 15.62

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)																
Mean Solar Time of Observation.				Point observed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1860.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Jan.	5	10	16	17.9	1 & 2	5	15	60.37	58.71	- 1.66	C	63	34	41.80	26.23	-15.57
	9	9	56	41.0	"	5	12	6.68	5.35	- 1.33	"	63	38	44.26	29.20	-15.06
	10	9	51	56.3	C	5	11	17.13	15.79	- 1.34	"	63	39	47.12	33.11	-14.01
	11	9	47	14.5	"	5	10	31.13	29.81	- 1.32	"	63	40	52.85	37.44	-15.41
	14	9	33	31.0	"	5	8	34.97	33.76	- 1.21	"	63	43	62.24	49.08	-13.16
	15	9	29	2.8	1 & 2	5	8	3.31	2.38	- 0.93	"	63	44	64.32	51.39	-12.93
	16	9	24	39.5	C	5	7	35.83	34.66	- 1.17	"	63	45	66.04	52.45	-13.59
	17	9	20	19.9	"	5	7	11.80	10.59	- 1.21	"	63	46	65.74	51.89	-13.85
	18	9	16	3.6	"	5	6	51.38	50.16	- 1.22	"	63	47	62.70	49.38	-13.32
	21	9	3	36.4	"	5	6	11.89	10.36	- 1.53	"	63	50	42.02	29.14	-12.88
	22	8	59	36.	—	—	—	—	—	—	"	63	51	29.89	17.62	-12.27
	23	8	55	36.	—	—	—	—	—	—	"	63	52	15.48	3.49	-11.99
	24	8	51	42.	—	—	—	—	—	—	"	63	52	58.88	46.65	-12.23
	25	8	47	48.5	1 & 2	5	6	7.21	5.99	- 1.22	"	63	53	37.06	27.07	- 9.99
	26	8	43	59.4	"	5	6	14.48	13.28	- 1.20	"	63	54	16.66	4.76	-11.90
	28	8	36	32.0	"	5	6	38.77	37.55	- 1.22	"	63	55	22.92	12.13	-10.79
	29	8	32	52.9	"	5	6	55.50	54.42	- 1.08	"	63	55	53.85	41.69	-12.16
	30	8	29	16.6	"	5	7	15.40	14.35	- 1.05	"	63	56	19.60	8.70	-10.90
	31	8	25	43.9	"	5	7	38.29	37.43	- 0.86	"	63	56	44.02	33.21	-10.81
Feb.	1	8	22	13.8	C	5	8	4.42	3.27	- 1.15	"	63	56	66.12	55.14	-10.98
	2	8	18	47.0	"	5	8	33.43	32.15	- 1.28	"	63	57	27.55	14.68	-12.87
	4	8	12	1.2	"	5	9	39.71	38.48	- 1.23	"	63	57	57.70	46.87	-10.83
	5	8	8	42.8	"	5	10	16.96	15.82	- 1.14	"	63	57	70.45	59.69	-10.76
	6	8	5	26.6	"	5	10	57.01	55.90	- 1.11	"	63	58	22.00	10.55	-11.45
	7	8	2	13.2	"	5	11	39.74	38.64	- 1.10	"	63	58	30.01	19.51	-10.50
	8	7	59	2.3	"	5	12	25.12	24.01	- 1.11	"	63	58	37.09	26.72	-10.37
	12	7	46	45.2	"	5	15	51.88	50.80	- 1.08	"	63	58	50.78	41.71	- 9.07
	13	7	43	46.7	"	5	16	49.46	48.57	- 0.89	"	63	58	50.58	41.32	- 9.26
	14	7	40	50.5	"	5	17	49.46	48.66	- 0.80	"	63	58	50.11	41.03	- 9.08
	15	7	37	56.8	"	5	18	51.83	51.01	- 0.82	"	63	58	51.11	39.97	-11.14
	16	7	35	5.5	"	5	19	56.48	55.60	- 0.88	"	63	58	47.95	38.32	- 9.63
	18	7	29	29.0	"	5	22	12.05	11.23	- 0.82	"	63	58	43.79	34.10	- 9.69
	19	7	26	43.6	"	5	23	23.08	22.16	- 0.92	"	63	58	39.96	31.92	- 8.04
	21	7	21	19.1	"	5	25	50.92	50.01	- 0.91	"	63	58	37.91	28.28	- 9.63
	22	7	18	40.3	"	5	27	7.83	6.82	- 1.01	"	63	58	37.08	27.24	- 9.84
	23	7	16	2.4	"	5	28	26.38	25.53	- 0.85	"	63	58	36.39	27.02	- 9.37
	25	7	10	53.5	"	5	31	9.24	8.27	- 0.97	"	63	58	38.82	29.79	- 9.03
	26	7	8	20.7	"	5	32	33.08	32.25	- 0.83	"	63	58	41.86	33.09	- 8.77
	27	7	5	50.1	"	5	33	58.83	57.91	- 0.92	"	63	58	44.44	37.91	- 6.53
	28	7	3	21.6	"	5	35	26.01	25.20	- 0.81	"	63	58	51.72	44.53	- 7.19
Mar.	1	7	0	53.7	1 L	5	36	54.70	54.09	- 0.61	"	63	58	59.13	53.06	- 6.07
	2	6	58	27.9	"	5	38	25.22	24.53	- 0.69	"	63	59	10.36	3.70	- 6.66
	4	6	53	41.3	"	5	41	30.60	29.98	- 0.62	"	63	59	37.26	31.97	- 5.29
	5	6	51	19.8	"	5	43	5.42	4.90	- 0.52	"	63	59	58.19	49.91	- 8.28
	6	6	49	0.1	C	5	44	41.81	41.25	- 0.56	"	64	0	17.67	10.65	- 7.02
	7	6	46	41.6	1 L	5	46	19.50	19.00	- 0.50	"	64	0	41.75	34.40	- 7.35
	8	6	44	24.6	"	5	47	58.69	58.10	- 0.59	"	64	1	8.27	1.24	- 7.03
	9	6	42	8.5	"	5	49	38.99	38.56	- 0.43	"	64	1	38.59	31.29	- 7.30
	11	6	37	41.3	"	5	53	3.83	3.34	- 0.49	"	64	2	48.09	41.87	- 6.22
	12	6	35	29.5	"	5	54	48.15	47.60	- 0.55	"	64	3	29.44	22.70	- 6.74
	13	6	33	18.7	C	5	56	33.47	33.09	- 0.38	"	64	4	12.89	7.36	- 5.53
	14	6	31	9.5	"	5	58	20.38	19.78	- 0.60	"	64	4	62.51	56.07	- 6.44
	15	6	29	1.2	"	6	0	8.17	7.62	- 0.55	"	64	5	54.40	48.89	- 5.51
	18	6	22	42.4	"	6	5	38.13	37.74	- 0.39	"	64	8	59.62	53.63	- 5.99
	19	6	20	38.5	1 L	6	7	30.34	29.89	- 0.45	"	64	10	12.33	4.43	- 7.90



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)														
Mean Solar Time of Observation				Point observed	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.
d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"
1850.	Mar.	20	6 18	35.3	1 L	6 9	23.52	23.04	- 0.48	C	64 11	27.16	20.02	- 7.14
		21	6 16	33.2	"	6 11	18.17	17.15	- 1.02	"	64 12	46.38	40.50	- 5.88
		25	6 8	33.6	"	6 19	3.47	2.75	- 0.72	"	64 18	60.46	54.02	- 5.54
		26	6 6	36.2	"	6 21	2.10	1.29	- 0.81	"	64 20	47.47	42.27	- 5.20
		27	6 4	39.2	"	6 23	1.36	0.62	- 0.74	"	64 22	40.61	35.19	- 5.42
		28	6 2	43.3	C	6 25	0.96	0.74	- 0.22	-				
	May	16	4 37	47.2	"	8 13	2.63	2.04	- 0.59	-				
		27	4 19	54.3	"	8 38	28.14	27.81	- 0.33	-				
	1851.													
	Feb.	18	22 55	29.5	"	20 30	4.78	4.32	- 0.46	-				
		24	22 47	5.6	"	21 5	1.99	1.36	- 0.63	"	107 49	14.82	21.14	+ 6.32
		25	22 46	17.8	"	21 8	10.25	9.70	- 0.55	"	107 36	1.23	6.55	+ 5.32
		26	22 45	29.4	"	21 11	18.31	17.65	- 0.66	"	107 22	35.68	40.98	+ 5.30
	June	24	20 41	16.0	"	2 51	56.66	56.30	- 0.36	-				
	July	7	20 27	18.1	"	3 29	12.41	12.06	- 0.35	"	71 44	18.77	18.51	- 0.26
		21	20 12	25.8	"	4 9	29.52	28.98	- 0.54	"	69 28	35.12	33.00	- 2.12
	Aug.	10	19 50	49.2	"	5 6	40.57	40.60	+ 0.03	"	66 19	35.41	31.03	- 4.38
		17	19 42	57.2	"	5 26	23.19	22.82	- 0.37	"	66 52	35.78	29.74	- 6.04
		18	19 41	48.6	"	5 29	11.05	10.54	- 0.51	"	66 49	31.61	24.10	- 7.51
		31	19 26	19.7	"	6 4	54.47	54.18	- 0.29	"	66 25	23.29	15.83	- 7.46
	Sep.	2	19 23	49.5	"	6 10	17.17	16.80	- 0.37	"	66 24	13.77	7.51	- 6.26
		4	19 21	16.7	"	6 15	37.31	37.21	- 0.10	"	66 23	45.94	37.95	- 7.99
		11	19 12	5.5	"	6 34	0.40	0.18	- 0.22	-				
		12	19 10	44.8	"	6 36	35.33	35.23	- 0.10	"	66 27	55.51	47.32	- 8.19
		16	19 5	13.2	2 L	6 46	49.52	48.78	- 0.74	"	66 33	25.19	16.90	- 8.20
		18	19 2	22.8	"	6 51	51.79	51.28	- 0.51	"	66 36	57.62	49.00	- 8.62
		19	19 0	56.7	"	6 54	21.81	21.31	- 0.50	"				
		21	18 58	2.1	"	6 59	19.83	19.33	- 0.50	"				
		22	18 56	33.1	"	7 1	47.64	47.10	- 0.54	"				
		28	18 47	24.4	"	7 16	16.24	15.92	- 0.32	"				
	1852.													
	Jan.	2	14 14	30.	-					"	68 56	21.60	1.25	-20.35
		6	13 54	30.	-					"	68 29	41.43	22.40	-19.03
		8	13 44	17.8	C	8 54	28.48	27.67	- 0.81	"	68 15	43.11	23.64	-19.47
		10	13 33	49.6	"	8 51	51.89	50.74	- 1.15	S L	68 1	30.79	7.76	-23.03
		15	13 6	57.7	"	8 44	38.12	37.00	- 1.12	N L	67 25	17.70	0.01	-17.69
		16	13 1	24.	-					S L	67 17	70.17	49.41	-20.76
		17	12 55	58.8	"	8 41	30.64	29.68	- 0.96	N L	67 10	58.71	42.00	-16.71
		19	12 44	53.5	1 L	8 38	17.48	16.43	- 1.05	"	66 56	56.76	41.03	-15.73
		20	12 39	20.3	C	8 36	39.10	38.43	- 0.67	S L	66 49	72.76	51.00	-21.76
		21	12 33	45.4	"	8 34	59.88	58.73	- 1.15	"	66 43	24.87	4.64	-20.23
		22	12 28	9.7	"	8 33	19.89	18.74	- 1.15	"	66 36	50.06	27.97	-22.09
		23	12 22	33.6	"	8 31	39.41	38.26	- 1.15	N L	66 30	14.71	0.07	-14.64
		24	12 16	56.9	"	8 29	58.38	57.47	- 0.91	S L	66 23	61.50	41.69	-19.81
		26	12 5	44.3	"	8 26	36.99	35.91	- 1.08	"	66 11	56.55	36.62	-19.93
		27	12 0	8.5	"	8 24	56.68	55.54	- 1.14	N L	66 5	65.77	51.53	-14.24
		28	11 54	33.1	"	8 23	16.89	15.69	- 1.20	S L	66 0	41.10	18.49	-22.61
		29	11 48	53.4	"	8 21	37.70	36.57	- 1.13	N L	65 54	68.58	58.18	-10.40
		30	11 43	24.2	"	8 19	59.43	58.40	- 1.03	S L	65 49	71.20	51.03	-20.17
		31	11 37	51.5	"	8 18	22.47	21.35	- 1.12	N L	65 44	71.28	57.44	-13.84

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF MARS, (Continued.)																	
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.		
1852.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"		
Feb.	2	11	26	50.0	C	8	15	12.74	11.34	— 1.40	S	L	65	35	69.37	52.49	— 16.88
	3	11	21	21.6	"	8	13	40.03	38.71	— 1.32	N	L	65	31	52.93	41.52	— 11.41
	4	11	15	54.8	"	8	12	8.99	7.88	— 1.11	S	L	65	27	61.61	46.05	— 15.56
	5	11	10	30.2	"	8	10	39.97	39.02	— 0.95	N	L	65	24	13.65	3.18	— 10.47
	6	11	5	7.6	"	8	9	13.24	12.28	— 0.96	S	L	65	20	52.69	36.23	— 16.46
	7	10	59	47.9	"	8	7	49.02	47.71	— 1.31	N	L	65	17	36.91	23.90	— 13.01
	9	10	49	14.5	"	8	5	6.95	5.88	— 1.07	S	L	65	11	54.36	43.20	— 11.16
	10	10	44	2.5	"	8	3	50.22	48.82	— 1.40	N	L	65	9	31.02	14.75	— 16.27
	11	10	38	51.5	"	8	2	35.52	34.47	— 1.05	N	L	65	7	13.22	0.74	— 12.48
	12	10	33	44.0	"	8	1	23.76	22.96	— 0.80	S	L	65	5	15.64	1.01	— 14.63
	13	10	28	42.	"						N	L	65	3	25.68	15.30	— 10.88
	14	10	23	38.6	"	7	59	9.69	8.86	— 0.83	S	L	65	1	59.23	43.36	— 15.87
	16	10	13	45.3	"	7	57	7.87	6.88	— 0.99	S	L	64	59	34.18	20.12	— 14.06
	17	10	8	53.4	"	7	56	11.62	10.74	— 0.88	N	L	64	58	36.85	28.24	— 8.61
	19	9	59	19.8	"	7	54	29.15	28.32	— 0.83	N	L	64	57	32.63	22.60	— 10.03
	20	9	54	38.0	"	7	53	43.08	42.18	— 0.90	C		64	57	18.85	8.18	— 10.67
	21	9	49	59.8	"	7	53	0.16	59.29	— 0.87	N	L	64	57	13.37	5.61	— 7.76
	23	9	40	52.4	"	7	51	44.93	43.98	— 0.95	N	L	64	57	42.07	34.90	— 8.07
	24	9	36	24.1	"	7	51	12.42	11.44	— 0.98	S	L	64	58	17.02	6.14	— 10.88
	25	9	31	58.5	"	7	50	43.03	42.54	— 0.49	N	L	64	58	53.94	47.98	— 5.96
	26	9	27	37.0	"	7	50	17.53	16.68	— 0.85	S	L	64	59	51.30	40.19	— 11.11
	27	9	23	19.2	"	7	49	55.52	54.40	— 1.12	"		65	0	53.05	42.88	— 10.67
	28	9	19	4.1	"	7	49	36.02	35.50	— 0.52	"		65	1	06.31	54.29	— 12.02
Mar.	1	9	10	45.0	"	7	49	8.34	7.74	— 0.60	C		65	4	54.87	46.29	— 8.58
	2	9	6	40.4	"	7	48	59.56	58.80	— 0.76	"		65	6	34.43	25.72	— 8.71
	3	9	2	38.8	"	7	48	53.95	53.09	— 0.86	"		65	8	20.86	13.85	— 7.01
	4	8	58	40.4	"	7	48	51.32	50.59	— 0.73	"		65	10	18.36	10.40	— 7.96
	6	8	50	53.9	"	7	48	55.80	55.00	— 0.80	"		65	14	34.24	24.01	— 10.23
	8	8	43	18.0	"	7	49	12.35	11.76	— 0.59	"		65	19	22.28	16.34	— 5.94
	9	8	39	34.6	"	7	49	25.31	24.67	— 0.64	"		65	21	58.47	52.79	— 5.68
	10	8	35	54.6	"	7	49	41.00	40.18	— 0.82	"		65	24	42.73	35.97	— 6.76
	11	8	32	16.7	"	7	49	59.50	58.78	— 0.72	"		65	27	33.43	26.29	— 7.14
	12	8	28	42.2	"	7	50	21.01	20.19	— 0.82	"		65	30	29.60	23.69	— 5.91
	13	8	25	10.4	"	7	50	45.09	44.39	— 0.70	"		65	33	33.83	28.13	— 5.70
	15	8	18	15.3	"	7	51	41.89	40.90	— 0.99	"		65	39	01.80	57.40	— 4.40
	16	8	14	51.6	"	7	52	14.13	13.12	— 1.01	"		65	43	27.27	22.03	— 5.24
	17	8	11	30.3	"	7	52	49.05	47.95	— 1.10	"		65	46	59.69	53.32	— 6.37
	20	8	1	41.9	"	7	54	48.02	47.40	— 0.62	"		65	58	10.17	5.90	— 4.27
	22	7	55	21.6	"	7	56	19.84	19.05	— 0.79							
	23	7	52	14.3	"	7	57	8.94	8.34	— 0.60	"		66	10	24.04	15.55	— 8.49
	26	7	43	6.	"						"		66	23	25.53	21.40	— 4.13
	27	7	40	9.1	"	8	0	47.74	47.17	— 0.57							
	29	7	34	18.6	"	8	2	49.33	48.88	— 0.45							
	30	7	31	26.0	"	8	3	52.88	52.60	— 0.28	"		66	42	19.27	15.31	— 3.96
	31	7	28	36.0	"	8	4	58.77	58.20	— 0.57							
April	1	7	25	46.9	"	8	6	5.98	5.59	— 0.39							
	2	7	22	59.7	"	8	7	14.96	14.71	— 0.25							
	3	7	20	14.7	"	8	8	25.81	25.56	— 0.25							
	14	6	51	36.8	"	8	23	5.75	5.34	— 0.41							
Oct.	27	1	17	17.4	"	15	40	36.63	35.82	— 0.81							
	28	1	16	18.9	"	15	43	34.59	33.94	— 0.65							
	29	1	15	21.5	"	15	46	33.83	32.71	— 0.62	"		110	26	31.35	35.98	+ 4.63

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VESTA.																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1848.	d.	h.	m.	s.		h.	m.	s.	s.		o	'	"	"	"	
Sept.	20	12	7	21.4	C	0	6	28.47	29.88	+ 1.41	C	102	5	54.25	46.73	— 7.52
Oct.	17	9	59	36.8	"	23	44	49.40	50.59	+ 1.19	"	103	46	43.61	38.69	— 4.92
Nov.	20	7	42	4.0	"	23	40	56.87	58.03	+ 1.16	"	102	5	40.25	39.89	— 0.36
	22	7	34	54.7	"	23	41	39.41	40.32	+ 0.91	"	101	53	29.31	29.68	+ 0.37
1849.																
Nov.	25	15	38	50.1	"	7	57	46.42	47.73	+ 1.31	"	70	1	34.98	52.02	+ 17.04
Dec.	2	15	10	18.6	"	7	56	46.06	47.80	+ 1.74	"	69	42	41.66	60.32	+ 18.66
	10	14	35	50.9	"	7	53	45.77	47.43	+ 1.66	"	69	14	12.63	32.77	+ 20.14
	12	14	26	55.7	"	7	52	41.63	43.25	+ 1.62	"	69	6	1.95	20.81	+ 18.86
	13	14	22	25.2	"	7	52	7.05	8.64	+ 1.59	"	69	1	46.82	65.81	+ 18.99
1850.																
Jan.	10	12	6	45.5	"	7	26	28.50	30.85	+ 2.35	"	66	39	32.49	52.16	+ 19.67
	11	12	1	43.2	"	7	25	21.95	24.16	+ 2.21	"	66	34	21.69	41.67	+ 19.98
	14	11	46	36.0	"	7	22	1.83	4.20	+ 2.37	"	66	19	8.45	27.75	+ 19.30
	16	11	38	31.7	"	7	19	49.67	51.91	+ 2.24	"	66	9	16.67	35.83	+ 19.16
	17	11	31	30.6	"	7	18	44.12	46.33	+ 2.21	"	66	4	25.81	45.78	+ 19.97
	18	11	26	29.8	"	7	17	39.02	41.25	+ 2.23	"	65	59	39.94	60.01	+ 20.07
	21	11	11	30.9	"	7	14	27.38	29.87	+ 2.49	"	65	45	52.65	70.07	+ 17.42
	22	11	6	34.	—	—	—	—	—	—	—	65	41	25.07	42.95	+ 17.88
	25	10	51	45.4	"	7	10	24.49	26.59	+ 2.10	"	65	28	33.66	52.26	+ 18.60
	26	10	46	50.9	"	7	9	26.15	28.40	+ 2.25	"	65	24	27.90	45.94	+ 18.04
	28	10	37	6.8	"	7	7	33.42	35.60	+ 2.18	"	65	16	32.33	49.58	+ 17.25
	29	10	32	16.7	"	7	6	38.96	41.14	+ 2.18	"	65	12	41.05	59.74	+ 18.69
	31	10	22	40.5	"	7	4	54.15	56.37	+ 2.22	"	65	5	20.28	36.72	+ 16.44
Feb.	1	10	17	54.4	"	7	4	4.04	6.19	+ 2.15	"	65	1	48.00	63.67	+ 15.67
	2	10	13	10.0	"	7	3	15.23	17.51	+ 2.28	"	64	58	19.95	36.30	+ 16.35
	4	10	3	45.8	"	7	1	42.72	44.98	+ 2.26	"	64	51	43.81	58.47	+ 14.66
	5	9	59	6.6	"	7	0	58.90	61.22	+ 2.32	"	64	48	32.67	48.02	+ 15.35
	6	9	54	28.6	"	7	0	16.95	19.16	+ 2.21	"	64	45	28.79	43.18	+ 14.39
	18	9	1	20.7	"	6	54	18.87	20.81	+ 1.94	"	64	15	35.25	46.78	+ 11.53
	19	8	57	7.5	"	6	54	1.78	3.80	+ 2.02	"	64	13	37.51	50.22	+ 12.71
	21	8	48	47.7	"	6	53	33.85	35.85	+ 2.00	"	64	10	0.23	11.30	+ 11.07
	22	8	44	41.3	"	6	53	23.01	24.90	+ 1.89	"	64	8	17.55	28.80	+ 11.25
	25	8	32	33.1	"	6	53	2.27	4.13	+ 1.86	"	64	3	35.75	48.30	+ 11.55
	26	8	28	33.7	"	6	52	59.27	61.19	+ 1.92	"	64	2	13.44	23.71	+ 10.27
	27	8	24	36.7	"	6	52	58.31	60.25	+ 1.94	"	64	0	52.80	63.38	+ 10.58
	28	8	20	42.8	"	6	52	59.45	61.28	+ 1.83	"	63	59	35.27	47.32	+ 12.05
Mar.	1	8	16	49.2	"	6	53	2.41	4.25	+ 1.84	"	63	58	24.77	35.57	+ 10.80
	2	8	12	57.9	"	6	53	7.24	9.17	+ 1.93	"	63	57	17.12	27.97	+ 10.85
	4	8	5	22.2	"	6	53	22.95	24.81	+ 1.86	"	63	55	15.24	25.03	+ 9.79
	5	8	1	36.9	"	6	53	33.75	35.48	+ 1.73	"	63	54	18.95	29.72	+ 10.77
	6	7	57	53.1	"	6	53	46.17	48.05	+ 1.88	"	63	53	27.47	38.42	+ 10.95
	23	6	59	7.8	"	7	1	52.21	53.68	+ 1.47	"	63	48	50.10	64.57	+ 14.47
	25	6	52	43.3	"	7	3	20.15	21.74	+ 1.59	"	63	49	29.04	37.08	+ 8.04
	27	6	46	25.4	"	7	4	54.13	55.63	+ 1.50	"	—	—	—	—	—
	28	6	43	18.6	"	7	5	42.86	44.66	+ 1.80	"	63	50	56.83	64.41	+ 7.58
1851.																
Mar.	18	17	28	17.7	"	17	12	5.12	8.24	+ 3.12	"	106	3	9.81	9.55	— 0.26
	28	16	59	11.	—	—	—	—	—	—	"	106	5	35.28	35.09	— 0.19
	31	16	49	59.0	"	17	24	55.38	58.91	+ 3.53	"	—	—	—	—	—

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF VESTA, (Continued.)																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1851.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
April	1	16	46	52.5	C	17	25	44.39	48.05	+ 3.66	C	106	5	39.28	37.61	— 1.67
	3	16	40	33.0	"	17	27	17.53	21.60	+ 4.07	"	106	5	32.10	31.08	— 1.02
	4	16	37	21.6	"	17	28	2.36	5.95	+ 3.59	"	106	5	27.54	26.37	— 1.17
	6	16	30	53.5	"	17	29	25.72	29.72	+ 4.00	"	106	5	18.70	14.83	— 3.87
	7	16	27	36.4	"	17	30	5.20	9.12	+ 3.92	"	106	5	11.11	8.23	— 2.88
	8	16	24	17.6	"	17	30	42.42	46.81	+ 4.39	"	106	5	3.21	1.36	— 1.85
	9	16	20	57.9	"	17	31	18.75	22.77	+ 4.02	"	106	4	56.89	54.29	— 2.60
	10	16	17	36.3	"	17	31	52.78	57.00	+ 4.22	"	106	4	49.18	47.72	— 1.46
	11	16	14	12.9	"	17	32	25.60	29.48	+ 3.88	"	106	4	43.87	40.13	— 3.74
	14	16	3	51.2	"	17	33	52.17	56.19	+ 4.02	"	106	4	25.29	21.12	— 4.17
	15	16	0	20.3	"	17	34	17.14	21.45	+ 4.31	"	106	4	21.21	15.95	— 5.26
	16	15	56	48.0	"	17	34	40.69	44.83	+ 4.14	"	106	4	15.38	11.56	— 3.82
	21	15	38	36.	—	—	—	—	—	—	"	106	4	10.77	6.79	— 3.98
	22	15	34	52.1	"	17	36	20.12	25.00	+ 4.88	"	106	4	14.94	10.21	— 4.73
	24	15	27	17.9	"	17	36	37.93	42.59	+ 4.66	"	106	4	27.95	22.28	— 5.67
	25	15	23	27.4	"	17	36	43.66	48.35	+ 4.69	"	106	4	35.82	31.30	— 4.52
May	7	14	34	45.5	"	17	35	11.75	17.09	+ 5.34	"	106	9	47.49	40.80	— 6.69
	8	14	30	29.4	"	17	34	51.23	56.22	+ 4.99	"	106	10	32.21	26.89	— 5.32
	9	14	26	10.6	"	17	34	28.48	33.38	+ 4.90	"	106	11	22.86	16.58	— 6.28
	11	14	17	26.2	"	17	33	36.18	41.76	+ 5.58	"	106	13	12.39	6.96	— 5.43
	13	14	8	36.3	"	17	32	37.35	42.61	+ 5.26	"	106	15	16.93	12.42	— 4.51
	15	13	59	37.2	"	17	31	30.23	35.96	+ 5.73	"	106	17	40.20	33.87	— 6.33
	18	13	45	56.3	"	17	29	36.99	42.52	+ 5.53	"	106	21	41.37	34.40	— 6.90
	22	13	27	19.0	"	17	26	42.33	47.83	+ 5.50	"	106	27	58.08	52.85	— 5.23
	27	13	3	28.5	"	17	22	30.78	36.37	+ 5.59	"	106	37	23.70	15.35	— 8.35
	28	12	58	38.5	"	17	21	36.62	42.32	+ 5.70	"	106	39	27.32	20.02	— 7.30
	29	12	53	47.5	"	17	20	41.77	47.17	+ 5.40	"	—	—	—	—	—
	30	12	48	55.5	"	17	19	45.11	51.01	+ 5.90	"	106	43	45.01	41.19	— 3.82
June	1	12	37	8.8	"	17	17	50.07	56.03	+ 5.96	"	106	48	25.54	18.28	— 7.26
	12	11	44	49.6	"	17	6	43.60	49.78	+ 6.18	"	107	18	17.83	10.53	— 6.80
	18	11	15	15.5	"	17	0	44.59	50.31	+ 5.72	"	107	37	28.63	23.39	— 5.24
1852.																
Nov.	24	10	14	15.7	"	2	29	26.27	28.11	+ 1.84	"	85	7	55.82	63.19	+ 7.37
Dec.	9	9	6	9.3	"	2	20	17.02	18.82	+ 1.80	"	84	52	22.73	31.47	+ 8.74
	10	9	1	49.4	"	2	19	52.94	54.66	+ 1.72	"	84	50	3.78	11.26	+ 7.48
	11	8	57	30.5	"	2	19	30.60	32.16	+ 1.56	"	84	47	33.61	42.16	+ 8.55

## RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUNO.

1848.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Dec.	20	11	26	58.5	C	5	24	45.49	60.65	+15.16	C	91	13	13.11	17.03	+ 3.92
	22	11	17	30.2	"	5	23	8.54	23.61	+15.07	"	91	8	59.96	65.07	+ 5.11
1849.																
Jan.	11	9	47	16.0	"	5	11	30.32	41.76	+11.44	"	89	2	18.34	28.53	+10.19
1850.																
April	8	12	14	6.1	"	13	20	47.47	50.51	+ 3.04	"	88	53	8.86	29.91	+21.05
	11	11	59	57.4	"	13	18	25.75	28.87	+ 3.12	"	—	—	—	—	—
	17	11	31	43.6	"	13	13	46.50	49.70	+ 3.20	"	—	—	—	—	—
	20	11	17	42.	"	—	—	—	—	—	"	87	27	57.82	74.46	+16.64

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUNO, (Continued)																
Mean Solar Time of Observation.				Point observ- ed.	A R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1850. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"	
May	2	10	22	27.2	C	13	3	27.44	29.93	+ 2.49	C	86	22	15.41	28.45	+13.04
1852.																
Oct.	5	11	6	41.2	"	0	4	53.06	72.64	+19.58	"	96	3	87.22	23.70	-63.52
	6	11	2	7.1	"	0	4	15.78	35.35	+19.57	"	96	15	103.60	42.89	-60.71
	11	10	39	34.3	"	0	1	21.01	40.18	+19.17	"	97	14	78.54	17.87	-60.67
	13	10	30	39.6	"	0	0	17.51	36.64	+19.13	"	97	36	64.98	6.91	-58.07
	14	10	26	13.5	"	23	59	47.54	66.58	+19.04	"	97	46	93.81	38.31	-55.50
	15	10	21	48.8	"	23	59	18.52	37.70	+19.18	"	97	56	108.26	53.49	-54.77
	23	9	47	20.9	"	23	56	17.52	36.19	+18.67	"	99	8	73.30	23.83	-49.47
	25	9	38	59.7	"	23	55	47.78	65.82	+18.04	"	99	23	56.83	10.63	-46.20
	27	9	30	43.8	"	23	55	24.10	42.22	+18.12	"	99	36	84.11	40.23	-43.88
	29	9	22	36.0	"	23	55	7.83	25.39	+17.56	"	99	48	94.44	51.77	-42.67

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF PALLAS.

1848. d.	h.	m.	s.		h.	m.	s.	s.	s.		°	'	"	"	"	
Mar.	1	12	5	34.9	C	10	44	21.09	19.61	- 1.48	C	94	53	22.67	64.87	+42.20
	2	12	0	57.7	"	10	43	39.78	38.13	- 1.65	"	94	27	46.74	89.83	+43.09
	3	11	56	21.0	"	10	42	58.67	56.90	- 1.77	"	94	2	4.47	46.44	+41.97
	4	11	51	44.1	"	10	42	17.65	15.92	- 1.73	"	93	36	12.85	56.16	+43.31
	6	11	42	31.6	"	10	40	56.65	55.20	- 1.45	"	92	44	18.31	61.00	+42.69
	7	11	37	56.2	"	10	40	17.02	15.57	- 1.45	"	92	18	16.61	59.06	+42.45
	8	11	33	21.5	"	10	39	38.01	36.52	- 1.49	"	91	52	14.29	56.17	+41.88
	9	11	28	47.5	"	10	38	59.79	58.16	- 1.63	"	91	26	10.85	53.83	+42.98
	10	11	24	13.9	"	10	38	22.01	20.55	- 1.46	"	91	0	13.63	53.56	+39.93
	11	11	19	41.2	"	10	37	45.30	43.70	- 1.60	"	90	34	13.12	57.17	+44.05
	14	11	6	8.8	"	10	35	60.08	58.64	- 1.44	"	89	17	1.72	41.85	+40.13
	15	11	1	39.9	"	10	35	27.06	25.59	- 1.47	"	88	51	30.74	72.87	+42.13
	16	10	57	12.2	"	10	34	55.09	53.65	- 1.44	"	88	26	11.24	53.96	+42.72
	18	10	48	19.9	"	10	33	54.75	53.21	- 1.54	"	87	36	8.43	51.40	+42.97
	20	10	39	32.5	"	10	32	58.97	57.64	- 1.33	"	86	47	2.01	43.11	+41.10
	21	10	35	11.1	"	10	32	33.08	31.79	- 1.29	"	86	22	51.00	92.03	+41.03
	22	10	30	50.5	"	10	32	8.45	7.25	- 1.20	"	85	58	56.72	97.60	+40.88
	23	10	26	30.4	"	10	31	45.30	44.09	- 1.21	"	85	35	16.61	60.74	+44.13
	24	10	22	14.0	"	10	31	23.60	22.34	- 1.26	"	85	12	1.94	42.32	+40.38
	27	10	9	29.7	"	10	30	26.91	25.71	- 1.20	"	84	4	6.42	44.86	+38.44
	30	9	56	59.0	"	10	29	43.82	42.70	- 1.12	"	82	59	21.30	58.80	+37.50
	31	9	52	52.1	"	10	29	32.70	31.47	- 1.23	"	82	38	31.88	68.51	+36.63
1849.																
July	11	10	11	26.9	"	17	29	21.51	21.43	- 0.08	"	66	56	43.07	50.48	+ 7.41
	12	10	6	53.5	"	17	28	43.82	44.00	+ 0.18	"	67	3	56.45	61.95	+ 5.50
	14	9	57	49.9	"	17	27	31.53	31.62	+ 0.09	"	67	18	56.37	64.36	+ 7.99
	16	9	48	49.8	"	17	26	23.19	23.32	+ 0.13	"	67	34	51.05	56.73	+ 5.68
	20	9	31	3.2	"	17	24	19.51	19.59	+ 0.08	"	68	8	54.76	60.70	+ 5.94
Aug.	17	7	35	28.8	"	17	18	50.37	50.55	+ 0.18	"	73	4	27.55	20.59	- 6.96
	20	7	24	3.2	"	17	19	12.51	12.16	- 0.35	"	73	38	56.97	59.96	+ 2.99
1850.																
Aug.	9	12	36	15.9	"	21	47	57.16	56.60	- 0.56	"	79	19	28.45	6.29	-22.16
	12	12	22	12.8	"	21	45	40.99	42.01	+ 1.02	"	79	44	58.51	35.56	-22.95
	23	11	30	37.4	"	21	37	19.10	19.16	+ 0.06	"	81	33	26.65	2.89	-23.76
Oct.	3	8	28	17.3	"	21	16	8.23	5.51	- 2.72	"	89	45	40.43	16.84	-23.59
	7	8	12	3.3	"	21	15	37.57	36.98	- 0.59	"	90	29	67.07	43.58	-23.49
	21	7	17	58.4	"	21	16	35.59	34.62	- 0.97	"					

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF CERES.																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1848.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Mar.	10	12	45	17.2	C	11	59	38.62	44.64	+ 6.02	C	71	10	48.79	92.94	+44.15
	11	12	40	30.5	"	11	58	47.77	54.13	+ 6.36	"	71	5	9.48	51.11	+41.63
	18	12	6	59.6	"	11	52	47.28	53.56	+ 6.28	"	70	30	32.69	72.91	+40.22
	21	11	52	37.9	"	11	50	12.65	18.94	+ 6.29	"	70	18	51.06	89.95	+38.89
	22	11	47	50.9	"	11	49	21.60	27.86	+ 6.26	"	70	15	24.34	62.81	+38.47
	23	11	43	4.5	"	11	48	30.99	37.13	+ 6.14	"	70	12	9.08	49.58	+40.50
	24	11	38	18.5	"	11	47	40.60	46.16	+ 5.56	"	70	9	11.23	49.56	+38.33
	25	11	33	33.4	"	11	46	51.36	56.92	+ 5.56	"	70	6	27.20	65.77	+38.57
	27	11	24	2.9	"	11	45	12.39	18.80	+ 6.41	"	70	1	43.61	80.08	+36.47
	28	11	19	19.4	"	11	44	24.55	30.69	+ 6.14	"	69	59	46.76	79.37	+32.61
	29	11	14	36.1	"	11	43	37.05	43.29	+ 6.24	"	69	57	55.37	93.62	+38.25
	30	11	9	53.6	"	11	42	50.36	56.60	+ 6.24	"	69	56	27.10	62.65	+35.55
	31	11	5	12.1	"	11	42	4.63	10.79	+ 6.16	"	69	55	10.80	46.90	+36.10
1849.																
June	30	11	52	17.7	"	18	27	6.83	18.14	+11.31	"	117	55	8.76	8.39	— 0.37
July	12	10	53	52.6	"	18	15	50.58	62.02	+11.44	"	118	33	39.65	44.82	+ 5.17
	13	10	49	4.4	"	18	14	58.22	69.69	+11.47	"	118	36	21.51	26.93	+ 5.42
	14	10	44	17.5	"	18	14	6.80	18.22	+11.42	"	118	38	57.28	64.19	+ 6.91
	16	10	34	45.8	"	18	12	26.75	38.11	+11.36	"	118	43	58.76	64.34	+ 5.58
	17	10	30	1.1	"	18	11	38.01	49.59	+11.58	"	118	46	20.12	27.34	+ 7.22
	20	10	15	55.7	"	18	9	19.34	30.65	+11.31	"	118	53	1.90	8.80	+ 6.90
Aug.	11	8	38	53.5	"	17	58	46.10	56.14	+10.04	"	119	24	25.83	38.21	+12.38
	16	8	18	36.0	"	17	58	8.23	18.00	+ 9.77	—	—	—	—	—	—
	18	8	10	40.5	"	17	58	4.48	14.17	+ 9.69	"	119	29	40.99	52.20	+11.21
	20	8	2	51.6	"	17	58	7.25	16.85	+ 9.60	"	119	30	53.20	64.20	+11.00
	21	7	58	59.7	"	17	58	11.12	20.60	+ 9.48	"	119	31	24.99	37.57	+12.58
1850.																
Oct.	1	11	46	27.8	"	0	26	57.63	70.53	+12.90	"	104	5	120.95	32.17	—88.78
	2	11	41	40.9	"	0	26	6.83	19.89	+13.06	"	104	9	102.09	14.27	—87.82
	4	11	33	7.9	"	0	24	25.64	39.05	+13.41	"	104	16	98.29	7.75	—90.54
	5	11	27	22.9	"	0	23	36.13	48.96	+12.83	"	104	19	108.09	18.67	—89.42
	9	11	8	22.9	"	0	20	19.14	32.10	+12.96	"	104	30	99.09	12.03	—87.06
	29	9	36	21.4	"	0	6	53.38	65.33	+11.95	"	104	37	83.94	8.21	—75.73
Nov.	22	7	56	26.8	"	0	1	19.71	30.44	+10.73	"	103	6	111.80	48.67	—63.13
	25	7	44	52.5	"	0	1	33.51	43.75	+10.24	"	102	49	83.81	20.97	—62.84
	26	7	41	3.8	"	0	1	40.70	50.83	+10.13	"	102	43	78.17	16.43	—61.74
	28	7	33	30.0	"	0	1	58.64	68.92	+10.28	"	102	30	104.12	45.38	—58.74
Dec.	6	7	4	6.2	"	0	4	2.85	12.08	+ 9.23	"	101	36	67.27	8.04	—59.23
	7	7	0	30.9	"	0	4	23.34	33.01	+ 9.67	"	101	28	108.24	49.97	—58.27
	11	6	46	22.2	"	0	5	58.36	68.44	+10.08	"	100	58	98.45	40.55	—57.90
	12	6	42	54.1	"	0	6	26.04	35.16	+ 9.12	"	100	50	113.56	54.60	—58.96
	14	6	35	59.3	"	0	7	22.98	31.92	+ 8.94	"	100	35	64.75	7.43	—57.32
1852.																
Jan.	8	11	22	45.2	"	6	32	32.77	49.18	+16.41	"	60	49	25.60	23.58	— 2.02
Feb.	2	9	24	48.6	"	6	12	51.38	66.65	+15.27	"	59	36	66.65	54.26	—12.39
	3	9	20	26.9	"	6	12	25.48	40.04	+14.56	"	59	35	30.01	15.19	—14.82

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER.																
Mean Solar Time of Observation.				Point observed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1948.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Jan.	6	12	5	29.1	C	7	7	24.78	24.71	- 0.07	C	67	15	35.49	31.59	- 3.90
	10	11	47	27.3	"	7	5	6.01	5.94	- 0.07	"	67	11	23.92	19.35	- 4.57
	13	11	33	56.5	"	7	3	22.89	22.90	+ 0.01	"	67	8	21.60	17.51	- 4.09
	14	11	29	26.4	"	7	2	48.56	48.89	+ 0.33	"	67	7	23.41	18.42	- 4.99
	15	11	24	55.7	1 L	7	2	15.07	15.11	+ 0.04	"	67	6	24.61	20.23	- 4.38
	17	11	15	58.5	C	7	1	8.25	8.27	+ 0.02	"	67	4	31.45	26.43	- 5.02
	18	11	11	29.6	"	7	0	35.31	35.27	- 0.04	"	67	3	35.48	31.33	- 4.15
	19	11	7	1.1	"	7	0	2.65	2.60	- 0.05	"	67	2	39.61	36.34	- 3.27
	20	11	2	32.9	"	6	59	30.02	30.24	+ 0.22	"	67	1	48.37	42.72	- 5.65
	21	10	58	5.1	"	6	58	58.13	58.24	+ 0.11	"	67	0	54.62	50.02	- 4.60
	22	10	53	37.8	"	6	58	26.68	26.61	- 0.07	"	66	59	03.39	58.44	- 4.95
	25	10	40	18.0	"	6	56	54.22	54.22	0.00	"	66	57	34.17	29.09	- 4.48
	27	10	31	26.9	"	6	55	54.80	54.91	+ 0.11	"	66	55	59.12	55.85	- 3.27
	29	10	22	37.9	"	6	54	57.58	57.62	+ 0.04	"	66	54	31.07	26.31	- 3.76
	31	10	13	51.2	"	6	54	2.42	2.51	+ 0.09	"	66	53	7.89	1.33	- 6.06
Feb.	1	10	9	28.9	1 & 2	6	53	35.88	35.84	- 0.04	"	66	52	22.17	20.40	- 1.68
	2	10	5	6.9	"	6	53	9.93	9.78	- 0.15	"	66	51	42.33	40.84	- 1.49
	3	10	0	45.5	"	6	52	44.33	44.32	- 0.01	"	66	51	2.98	2.29	- 0.69
	4	9	56	24.9	"	6	52	19.50	19.52	+ 0.02	"	66	50	27.14	24.91	- 2.23
	7	9	43	26.9	"	6	51	9.09	9.09	0.00	"	66	48	40.90	39.68	- 1.22
	10	9	30	36.1	"	6	50	5.30	4.98	- 0.32	"	66	47	7.14	4.56	- 2.58
	11	9	26	19.7	"	6	49	45.26	45.16	- 0.10	"	66	46	38.26	35.24	- 3.02
	12	9	22	5.0	"	6	49	26.06	25.96	- 0.10	"	66	46	8.04	6.82	- 1.22
	14	9	13	37.4	"	6	48	50.25	49.96	- 0.29	"	66	45	15.80	13.44	- 2.36
	16	9	5	12.5	"	6	48	17.08	17.07	- 0.01	"	66	44	30.11	24.44	- 5.67
	18	8	56	50.7	"	6	47	47.43	47.37	- 0.06	"	66	43	44.43	39.01	- 4.52
	19	8	52	40.5	C	6	47	33.06	33.74	+ 0.68	"	66	43	25.14	19.23	- 5.91
	21	8	44	23.4	1 L	6	47	8.82	8.89	+ 0.07	"	66	42	45.79	41.03	- 4.76
	22	8	40	17.3	C	6	46	57.54	57.68	+ 0.14	"	66	42	28.39	23.53	- 4.86
	23	8	36	11.2	"	6	46	47.16	47.32	+ 0.16	"	66	42	10.43	7.03	- 3.40
	24	8	32	5.9	"	6	46	37.81	37.78	- 0.03	"	66	41	55.76	51.61	- 4.15
	25	8	28	1.0	"	6	46	29.03	29.08	+ 0.05	"	66	41	41.63	37.17	- 4.46
	26	8	23	57.4	"	6	46	21.10	21.23	+ 0.13	"	66	41	28.11	23.75	- 4.36
	28	8	15	52.7	"	6	46	8.09	8.04	- 0.05	"	66	41	5.24	0.08	- 5.16
	29	8	11	51.4	"	6	46	2.80	2.70	- 0.10	"	66	40	54.32	49.83	- 4.49
Mar.	1	8	7	51.3	1 & 2	6	45	58.43	58.27	- 0.16	"	66	40	43.16	40.48	- 2.68
	2	8	3	51.6	"	6	45	54.74	54.64	- 0.10	"	66	40	35.46	32.20	- 3.26
	4	7	55	55.0	C	6	45	49.84	49.96	+ 0.12	"	66	40	20.43	18.57	- 1.86
	6	7	48	2.3	1 & 2	6	45	48.83	48.72	- 0.11	"	66	40	11.58	8.80	- 2.78
	7	7	44	7.0	"	6	45	49.35	49.38	+ 0.03	"	66	40	7.82	5.39	- 2.43
	9	7	36	19.2	C	6	45	53.24	53.24	0.00	"	66	40	4.75	1.50	- 3.25
	14	7	17	3.9	"	6	46	17.56	17.66	+ 0.10	"	66	40	12.79	8.81	- 3.98
	15	7	13	15.4	"	6	46	24.99	25.04	+ 0.05	"	66	40	16.35	13.37	- 2.98
	16	7	9	27.9	"	6	46	33.36	33.23	- 0.13	"	66	40	22.37	18.74	- 3.63
	18	7	1	54.6	"	6	46	52.21	52.05	- 0.16	"	66	40	35.22	32.34	- 2.88
	20	6	54	24.5	"	6	47	14.01	14.08	+ 0.07	"	66	40	52.39	49.92	- 2.47
	21	6	50	41.2	"	6	47	26.33	26.29	- 0.04	"	66	41	2.11	0.16	- 1.95
	22	6	46	58.4	1 & 2	6	47	39.60	39.27	- 0.33	"	66	41	12.26	11.40	- 0.86
	23	6	43	15.4	"	6	47	52.60	53.03	+ 0.43	"	66	41	25.03	23.62	- 1.41
	24	6	39	34.5	C	6	48	7.52	7.57	+ 0.05	"	66	41	38.24	36.84	- 1.40
	25	6	35	54.0	1 & 2	6	48	23.01	22.86	- 0.15	"	66	41	49.15	51.08	+ 1.93
	27	6	28	34.8	C	6	48	55.69	55.74	+ 0.05	"	66	42	24.78	22.58	- 2.20
	29	6	21	18.1	1 & 2	6	49	31.82	31.64	- 0.18	"	66	42	60.91	58.19	- 2.72
	30	6	17	41.9	C	6	49	50.63	50.86	+ 0.23	"	66	43	20.48	17.59	- 2.89
	31	6	14	5.8	"	6	50	10.42	10.49	+ 0.07	"	66	43	41.26	37.98	- 3.28

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued.)												
Mean Solar Time of Observation				Point observed.	A R from Observation.	A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.	
1848. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"	
April	1	6	10	30.6	C	6 50 31.08	30.99	— 0.09	C	66 43 61.94	59.45	— 2.49
Oct.	19	20	1	19.1	"	9 26 3.50	3.47	— 0.03	"	74 14 5.78	3.39	— 2.39
	22	19	21	11.8	"	9 27 39.69	39.61	— 0.08	"	74 21 5.51	4.17	— 1.34
1849.												
Feb.	9	12	0	32.7	"	9 19 29.11	28.70	— 0.41	"	73 18 52.38	49.85	— 2.53
	10	11	56	5.1	"	9 18 57.83	57.41	— 0.42	"	73 16 21.54	20.77	— 0.77
	14	11	38	17.8	"	9 16 53.59	53.30	— 0.29	"	73 6 39.15	35.67	— 3.48
	15	11	33	51.8	"	9 16 22.96	22.65	— 0.31	"	73 4 15.43	12.57	— 2.86
	16	11	29	25.4	"	9 15 52.43	52.18	— 0.25	"	73 1 54.51	51.02	— 3.49
	19	11	16	6.7	1 L	9 14 22.74	22.18	— 0.56	"	72 54 58.17	56.22	— 1.95
	21	11	7	17.4	C	9 13 23.93	23.57	— 0.36	"	72 50 33.09	28.88	— 4.21
	22	11	2	51.7	1 L	9 12 55.10	54.74	— 0.36	"	72 48 20.97	18.19	— 2.78
Mar.	2	10	27	49.7	C	9 9 18.69	18.38	— 0.31	"	72 32 16.99	15.17	— 1.82
	3	10	23	29.1	"	9 8 53.89	53.41	— 0.48	"	72 30 28.03	26.03	— 2.00
	5	10	14	49.0	"	9 8 5.51	5.01	— 0.50	"	72 26 58.85	55.82	— 3.03
	7	10	6	10.9	"	9 7 19.11	18.79	— 0.32	"	72 23 36.39	36.74	+ 0.35
	8	10	1	53.1	"	9 6 56.94	56.54	— 0.40	"	72 22 5.19	1.51	— 3.68
	9	9	57	34.0	1 L	9 6 35.23	34.88	— 0.35	"	72 20 31.58	29.25	— 2.33
	12	9	44	47.1	C	9 5 33.90	33.48	— 0.42	"	72 16 13.00	10.25	— 2.75
	14	9	36	17.4	1 & 2	9 4 56.06	55.68	— 0.38	"	72 13 36.21	32.81	— 3.40
	16	9	27	50.1	"	9 4 20.62	20.48	— 0.14	"	72 11 10.98	7.94	— 3.04
	17	9	23	38.5	"	9 4 4.40	3.90	— 0.50	"	72 10 2.06	0.19	— 1.87
	19	9	15	15.1	"	9 3 33.15	32.79	— 0.36	"	72 7 57.29	54.21	— 3.08
	20	9	11	4.8	"	9 3 18.65	18.27	— 0.38	"	72 6 57.86	56.00	— 1.86
	21	9	6	53.9	1 L	9 3 4.93	4.47	— 0.46	"	72 6 4.39	1.09	— 3.30
	22	9	2	46.4	C	9 2 51.63	51.37	— 0.26	"	72 5 11.55	9.44	— 2.11
	24	8	54	30.0	"	9 2 27.60	27.37	— 0.23	"	72 3 38.83	35.81	— 3.02
	27	8	42	12.5	"	9 1 57.20	56.91	— 0.29	"	72 1 43.57	40.26	— 3.31
	28	8	38	8.1	"	9 1 48.77	48.26	— 0.51	"	72 1 11.71	8.31	— 3.40
	29	8	34	4.2	"	9 1 40.69	40.35	— 0.34	"	72 0 42.09	39.66	— 2.43
	30	8	30	1.1	"	9 1 33.46	33.20	— 0.26	"	72 0 16.25	14.36	— 1.89
	31	8	25	57.3	1 L	9 1 26.93	26.80	— 0.13	"	71 59 55.50	52.25	— 3.25
April	2	8	17	56.7	1 & 2	9 1 16.61	16.28	— 0.33	"	71 59 23.06	18.08	— 4.98
	3	8	13	56.9	"	9 1 12.58	12.16	— 0.42	"	71 59 10.13	5.92	— 4.21
	9	7	50	12.5	"	9 1 3.65	3.29	— 0.36	"	71 59 3.93	1.30	— 2.63
	11	7	42	23.7	"	9 1 6.63	6.35	— 0.28	"	71 59 27.22	25.58	— 1.64
	12	7	38	30.3	"	9 1 9.26	8.99	— 0.27	"	71 59 44.39	42.46	— 1.93
	13	7	34	37.5	"	9 1 12.68	12.38	— 0.30	"	72 0 4.34	2.59	— 1.75
	16	7	23	3.7	"	9 1 27.19	27.00	— 0.19	"	72 1 24.68	21.93	— 2.75
	17	7	19	14.5	"	9 1 33.57	33.35	— 0.22	"	72 1 57.19	54.60	— 2.59
	18	7	15	25.9	"	9 1 40.57	40.42	— 0.15	"	72 2 32.40	30.47	— 1.93
	23	6	56	33.0	"	9 2 27.19	26.64	— 0.55	"	72 6 19.91	16.00	— 3.91
	25	6	49	3.8	"	9 2 50.44	50.12	— 0.32	"	72 8 11.20	7.50	— 3.70
	27	6	41	37.4	"	9 3 16.90	16.37	— 0.53	"	72 10 12.33	11.13	— 1.20
May	1	6	26	55.2	C	9 4 17.48	17.03	— 0.45	"	72 14 54.85	53.49	— 1.36
	2	6	23	16.0	"	9 4 34.20	33.85	— 0.35	"	72 16 12.01	11.33	— 0.68
	3	6	19	37.7	"	9 4 51.87	51.40	— 0.47	"	72 17 32.95	32.05	— 0.90
Oct.	12	21	33	7.4	1 L	10 59 34.90	34.37	— 0.53	"	82 29 36.37	34.29	— 2.08
	14	21	26	44.5	2 L	11 1 1.50	0.84	— 0.66	"	82 38 14.57	11.65	— 2.92
	16	21	20	17.7	"	11 2 26.75	26.29	— 0.46	"	82 46 46.28	43.38	— 2.90
	17	21	17	3.9	"	11 3 8.97	8.61	— 0.36	"	82 50 59.00	56.66	— 2.34
	18	21	13	49.9	"	11 3 51.41	50.67	— 0.74	"	82 55 11.49	9.07	— 2.42



RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued)																
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation		N. P. D. from N. A.	Error of N. A.		
1849. d.	h.	m.	s.		h	m.	s.	s.	s.		o	'	"	"		
Oct.	19	21	10	35.5	2 L	11	4	32.92	32.45	— 0.47	C	82	59	21.45	19.66	— 1.79
	21	21	4	6.5	"	11	5	55.65	55.16	— 0.49	"	83	7	37.87	35.80	— 2.07
	22	21	0	51.2	"	11	6	36.71	36.06	— 0.65	"	83	11	45.56	41.22	— 4.34
	23	20	57	35.7	"	11	7	17.30	16.69	— 0.61	"	83	15	49.78	45.10	— 4.68
	26	20	47	47.1	"	11	9	17.03	16.72	— 0.31	"	83	27	48.21	45.54	— 2.67
	30	20	34	38.7	"	11	11	53.03	52.26	— 0.77	"	83	43	20.85	19.17	— 1.68
	31	20	31	21.5	"	11	12	31.01	30.30	— 0.71	"	83	47	9.57	7.33	— 2.24
Nov.	2	20	24	44.4	"	11	13	45.97	45.38	— 0.59	"	83	54	39.27	37.75	— 1.52
	5	20	14	46.5	"	11	15	35.81	35.27	— 0.54	"	84	5	39.47	36.01	— 3.46
	8	20	4	45.0	"	11	17	22.32	21.81	— 0.51	"	84	16	15.58	13.37	— 2.21
	9	20	1	23.3	"	11	17	57.07	56.55	— 0.52	"	84	19	42.06	40.86	— 1.20
	11	19	54	40.2	"	11	19	5.56	4.80	— 0.76	"	84	26	30.57	28.25	— 2.32
	12	19	51	17.1	"	11	19	38.82	38.28	— 0.54	"	84	29	49.63	47.95	— 1.68
	13	19	47	54.2	"	11	20	11.82	11.37	— 0.45	"	84	33	7.68	4.97	— 2.71
	14	19	44	30.8	"	11	20	44.47	44.01	— 0.46	"	84	36	22.07	19.22	— 2.85
	19	19	27	27.4	"	11	23	21.16	20.56	— 0.60	"	84	51	45.74	47.64	+ 1.90
	20	19	24	1.3	"	11	23	50.97	50.48	— 0.49	"	84	54	47.46	43.34	— 4.12
	22	19	17	8.0	"	11	24	49.52	48.90	— 0.62	"	85	0	30.87	28.56	— 2.31
	23	19	13	40.6	"	11	25	17.87	17.39	— 0.48	"	85	3	19.54	15.94	— 3.60
	29	18	52	42.7	1 L	11	27	58.50	57.78	— 0.77	"	85	18	52.89	51.34	— 1.55
	30	18	49	13.6	2 L	11	28	23.04	22.65	— 0.39	"	85	21	18.43	15.44	— 2.99
Dec.	2	18	42	10.5	"	11	29	11.59	10.87	— 0.72	"	85	25	54.97	52.99	— 1.98
	3	18	38	36.3	1 & 2	11	29	34.88	34.16	— 0.72	"	85	28	9.48	6.48	— 3.00
	4	18	35	4.4	2 L	11	29	57.65	56.90	— 0.75	"	85	30	19.93	15.27	— 4.66
	19	17	40	33.6	1 & 2	11	34	27.54	26.88	— 0.66	"	85	54	59.08	57.91	— 1.17
	20	17	36	51.0	"	11	34	40.75	39.86	— 0.89	"	85	56	5.09	3.31	— 1.78
	21	17	33	7.5	"	11	34	53.03	52.20	— 0.83	"	85	57	8.08	5.47	— 2.61
1850.																
Jan.	16	15	52	13.2	"	11	36	13.22	12.41	— 0.81	"	85	57	50.83	48.35	— 2.48
	17	15	48	11.3	"	11	36	6.90	6.00	— 0.90	"	85	56	50.40	49.08	— 1.32
	18	15	44	8.0	"	11	35	59.54	58.89	— 0.65	"	85	55	47.04	45.45	— 1.59
	27	15	7	11.0	"	11	34	25.32	24.31	— 1.01	"	85	43	3.80	1.01	— 2.79
Feb.	28	12	49	41.1	"	11	22	42.49	41.88	— 0.61	"	84	21	26.02	26.01	— 0.01
Mar.	11	12	1	15.5	2 L	11	17	29.00	27.97	— 1.03	"	83	47	22.39	19.03	— 3.36
	12	11	56	47.7	1 L	11	16	60.37	59.22	— 1.15	"	83	44	18.05	14.94	— 3.11
	14	11	47	58.8	"	11	16	3.28	1.95	— 1.33	"	83	38	11.48	9.62	— 1.86
	15	11	43	34.6	"	11	15	34.67	33.50	— 1.17	"	83	35	11.59	8.68	— 2.91
	18	11	30	22.2	"	11	14	9.93	8.82	— 1.11	"	83	26	17.19	14.22	— 2.97
	19	11	25	58.9	"	11	13	42.20	40.95	— 1.25	"	83	23	21.32	19.38	— 1.94
	20	11	21	35.2	"	11	13	14.50	13.29	— 1.21	"	83	20	27.96	26.07	— 0.89
	21	11	17	11.4	"	11	12	46.97	45.85	— 1.12	"	83	17	37.13	34.81	— 2.32
	22	11	12	48.8	"	11	12	19.70	18.65	— 1.05	"	83	14	47.46	45.59	— 1.87
	23	11	8	25.9	"	11	11	52.76	51.71	— 1.05	"	83	11	63.14	58.46	— 4.68
	25	10	59	43.7	2 L	11	10	59.67	58.69	— 0.98	"	83	6	34.04	31.09	— 2.95
	26	10	55	22.0	"	11	10	33.66	32.64	— 1.02	"	83	3	52.78	51.02	— 1.76
	27	10	51	0.7	"	11	10	8.15	6.91	— 1.24	"	83	1	15.39	13.41	— 1.98
	28	10	46	39.8	"	11	9	42.59	41.53	— 1.06	"	82	58	41.73	38.52	— 3.21
April	4	10	16	19.7	1 & 2	11	6	55.16	54.85	— 0.31	"	82	41	60.07	55.19	— 4.88
	5	10	12	0.7	1 L	11	6	33.56	32.78	— 0.78	"	82	39	48.10	44.98	— 3.12
	6	10	7	44.0	"	11	6	12.88	11.20	— 1.68	"	82	37	39.24	37.12	— 2.12
	8	9	59	10.3	"	11	5	30.96	29.51	— 1.45	"	82	33	35.03	31.26	— 3.77

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued.)																
Mean Solar Time of Observation.				Point observed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1850.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"		
April	9	9	54	53.3	1 L	11	5	9.78	9.44	— 0.34	C	82	31	37.67	36.08	— 1.59
	10	9	50	39.1	"	11	4	50.85	49.91	— 0.94	"	82	29	45.45	42.93	— 2.52
	11	9	46	24.0	"	11	4	31.81	30.91	— 0.90	"	82	27	56.26	53.67	— 2.59
	13	9	37	56.0	"	11	3	55.49	54.61	— 0.88	"	82	24	28.72	26.18	— 2.54
	15	9	29	33.1	2 L	11	3	21.74	20.62	— 1.12	"	82	21	18.04	14.42	— 3.62
	16	9	25	18.6	1 L	11	3	5.65	4.51	— 1.14	"	82	19	46.09	44.48	— 1.61
	18	9	16	56.4	"	11	2	35.30	34.13	— 1.17	"	82	16	57.85	56.62	— 1.23
	19	9	12	45.8	"	11	2	20.79	19.86	— 0.93	"	82	15	42.53	38.82	— 3.71
	20	9	8	36.6	"	11	2	7.16	6.22	— 0.94	"	82	14	27.85	25.10	— 2.75
	22	9	0	19.3	"	11	1	41.72	40.82	— 0.90	"	82	12	12.05	10.19	— 1.86
	23	8	56	11.8	"	11	1	30.17	29.10	— 1.07	"	82	11	11.44	8.99	— 2.45
	24	8	52	7.9	"	11	1	18.78	18.01	— 0.77	"	82	10	16.07	11.98	— 4.09
	25	8	48	1.1	2 L	11	1	8.39	7.57	— 0.82	"	82	9	22.03	19.25	— 2.78
	26	8	43	54.9	"	11	0	58.43	57.79	— 0.64	"	82	8	33.70	30.58	— 3.12
	27	8	39	51.0	"	11	0	49.66	48.63	— 1.03	"	82	7	48.93	46.09	— 2.84
	29	8	31	42.9	"	11	0	33.23	32.38	— 0.85	"	82	6	33.19	30.28	— 2.91
	30	8	27	40.2	"	11	0	26.30	25.24	— 1.06	"	82	5	61.38	58.63	— 2.75
May	1	8	23	33.9	1 L	11	0	19.49	18.75	— 0.74	"	82	5	33.91	31.26	— 2.65
	2	8	19	36.	—	—	—	—	—	—	"	82	5	11.11	4.08	— 7.03
	3	8	15	32.7	C	11	0	8.59	7.81	— 0.78	"	82	4	52.49	49.34	— 3.15
	4	8	11	32.3	"	11	0	3.90	3.34	— 0.56	"	82	4	36.73	34.50	— 1.93
	7	7	59	36.	—	—	—	—	—	—	"	82	4	18.67	18.79	+ 0.12
	9	7	51	40.8	"	10	59	52.06	51.19	— 0.87	"	82	4	27.35	26.11	— 1.24
	10	7	47	44.6	"	10	59	51.55	50.79	— 0.76	"	82	4	39.49	37.12	— 2.37
	11	7	43	49.0	"	10	59	52.06	51.08	— 0.98	"	82	4	57.12	52.41	— 4.71
	13	7	35	59.8	"	10	59	54.87	53.69	— 1.18	"	82	5	38.05	35.71	— 2.34
	14	7	32	6.3	"	10	59	57.01	56.01	— 1.00	"	82	6	7.31	3.62	— 3.69
	15	7	28	13.7	"	10	59	59.89	59.00	— 0.89	"	82	6	39.77	35.72	— 4.05
	17	7	20	27.9	1 L	11	0	7.80	6.99	— 0.81	"	82	7	52.93	52.52	— 0.41
	18	7	16	37.5	"	11	0	12.99	12.00	— 0.99	"	82	8	39.98	37.15	— 2.83
	21	7	5	9.6	C	11	0	31.62	30.95	— 0.67	"	82	11	17.68	15.46	— 2.22
	22	7	1	21.4	"	11	0	39.57	38.56	— 1.01	"	82	12	18.15	16.37	— 1.78
Nov.	13	21	19	58.3	"	12	51	34.24	32.97	— 1.27	"	94	16	41.45	36.38	— 5.07
	14	21	16	44.7	"	12	52	16.74	15.45	— 1.29	"	94	20	63.03	56.23	— 6.85
	18	21	3	48.0	1 & 2	12	55	4.14	2.95	— 1.19	"	94	37	59.73	56.77	— 2.96
	19	21	0	33.2	"	12	55	45.30	44.22	— 1.08	"	94	42	9.58	7.00	— 2.58
	20	20	57	18.1	"	12	56	26.39	25.20	— 1.19	"	94	46	19.59	15.16	— 4.43
	21	20	54	2.9	"	12	57	7.05	5.93	— 1.12	"	94	50	22.94	21.33	— 1.61
	22	20	50	47.7	"	12	57	47.73	46.38	— 1.35	"	94	54	29.03	25.35	— 3.68
	24	20	44	15.3	"	12	59	7.65	6.43	— 1.22	"	95	2	33.50	26.90	— 6.60
	25	20	40	58.7	"	12	59	47.26	46.03	— 1.23	"	95	6	29.21	24.39	— 4.82
	27	20	34	25.1	"	13	1	5.51	4.25	— 1.26	"	95	14	12.82	12.21	— 0.61
Dec.	5	20	7	57.5	"	13	6	5.91	4.34	— 1.57	"	95	43	52.83	49.57	— 3.26
	8	19	57	55.3	"	13	7	51.76	51.13	— 0.63	"	95	54	15.84	13.48	— 2.36
	10	19	51	12.8	"	13	9	1.24	0.28	— 0.96	"	96	0	60.77	55.64	— 5.13
	11	19	47	50.8	"	13	9	35.26	34.27	— 0.99	"	96	4	14.56	12.54	— 2.02
	12	19	44	28.5	"	13	10	8.84	7.85	— 0.99	"	96	7	29.39	26.61	— 2.78
	13	19	41	6.2	"	13	10	42.48	41.01	— 1.47	"	96	10	43.72	37.83	— 5.89
	15	19	34	18.5	"	13	11	46.99	46.06	— 0.93	"	96	16	56.60	51.18	— 5.42
	16	19	30	54.7	C	13	12	19.12	17.95	— 1.17	"	96	19	55.18	53.74	— 1.44
	17	19	27	30.0	1 & 2	13	12	50.36	49.39	— 0.97	"	96	22	57.25	53.10	— 4.15
	22	19	10	20.3	C	13	15	20.75	19.83	— 0.92	"	96	37	5.83	3.81	— 2.02
	23	19	6	53.2	"	13	15	49.28	48.50	— 0.78	"	96	39	47.63	44.50	— 3.13

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, (Continued)												
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N A	Point observ- ed.	N P D. from Observation.	N P. D. from N. A.	Error of N. A.	
1851. d.	h.	m.	s.		h m. s.	s.	s.		° / "	"	"	
Jan.	24	17	11	24.6	1 & 2	13 26 12.07	11.05	— 1.02	C	97 34 4.93	3.29	— 1.64
	27	17	0	2.3	"	13 26 37.45	36.35	— 1.10	—	—	—	—
Feb.	2	16	36	58.7	"	13 27 9.40	8.16	— 1.24	"	97 37 18.75	17.84	— 0.91
	3	16	33	5.3	"	13 27 12.19	10.99	— 1.20	"	97 37 18.90	18.62	— 0.28
	4	16	29	11.5	"	13 27 14.35	13.11	— 1.24	"	97 37 19.54	15.22	— 4.32
	5	16	25	17.4	"	13 27 16.12	14.51	— 1.61	"	97 37 9.81	7.71	— 2.10
	6	16	21	21.6	"	13 27 16.23	15.21	— 1.02	"	97 36 56.54	55.95	— 0.59
	7	16	17	25.7	"	13 27 16.27	15.19	— 1.08	"	97 36 41.65	40.01	— 1.64
	9	16	9	32.1	"	13 27 14.23	13.04	— 1.19	"	97 35 57.32	55.77	— 1.55
	10	16	5	33.8	"	13 27 11.93	10.89	— 1.04	"	97 35 28.59	27.57	— 1.02
	11	16	1	35.0	"	13 27 9.45	8.05	— 1.40	"	97 34 54.44	55.02	+ 0.58
	12	15	57	35.4	"	13 27 5.76	4.50	— 1.26	"	97 34 19.37	18.50	— 0.87
	14	15	49	34.4	"	13 26 56.33	55.29	— 1.04	"	97 32 55.17	53.34	— 1.83
	16	15	41	30.7	"	13 26 44.00	43.28	— 0.72	"	97 31 13.79	11.94	— 1.85
	17	15	37	28.0	"	13 26 37.67	36.24	— 1.43	"	97 30 15.87	15.29	— 0.58
	19	15	29	20.0	"	13 26 21.36	20.09	— 1.27	"	97 28 12.55	9.92	— 2.63
	20	15	25	15.4	"	13 26 12.53	10.98	— 1.55	"	97 27 2.37	1.38	— 0.99
	21	15	21	9.0	"	13 26 2.21	1.19	— 1.02	"	97 25 49.30	48.92	— 0.38
	23	15	12	56.1	"	13 25 40.61	39.58	— 1.03	"	97 23 13.90	12.36	— 1.54
	24	15	8	48.3	"	13 25 29.24	27.78	— 1.46	"	97 21 51.19	48.40	— 2.79
	25	15	4	40.0	"	13 25 16.64	15.31	— 1.33	"	97 20 24.01	20.69	— 3.32
April	17	11	23	49.7	1 L	13 4 55.66	54.24	— 1.42	N L	95 12 20.08	16.86	— 3.22
May	10	9	44	8.4	1 & 2	12 55 36.23	34.80	— 1.43	C	94 17 48.00	45.16	— 2.84
June	16	7	13	36.0	C	12 50 31.37	29.70	— 1.67	—	—	—	—
	17	7	9	43.5	"	12 50 35.09	33.78	— 1.31	—	—	—	—
	18	7	5	51.0	"	12 50 39.12	38.50	— 0.62	—	—	—	—
	24	6	42	58.4	"	12 51 21.30	20.27	— 1.03	—	—	—	—
	30	6	20	26.7	"	12 52 25.86	24.80	— 1.06	—	—	—	—
July	1	6	16	44.0	"	12 52 39.00	37.72	— 1.28	—	—	—	—
	2	6	13	1.1	"	12 52 52.45	51.25	— 1.20	—	—	—	—
	22	5	0	51.8	"	12 59 21.78	21.09	— 0.69	—	—	—	—
Dec.	19	20	57	24.2	1 & 2	14 49 55.72	54.79	— 0.93	"	105 15 46.46	44.88	— 1.56
	21	20	51	1.0	"	14 51 24.26	22.98	— 1.28	"	105 22 9.18	7.34	— 1.84
	22	20	47	48.2	"	14 52 7.81	7.02	— 0.79	"	105 25 15.12	15.87	+ 0.75
	23	20	44	36.0	"	14 52 51.48	50.51	— 0.97	"	105 28 22.82	22.30	— 0.52
1852.												
Jan.	1	20	15	29.5	C	14 59 8.79	7.47	— 1.32	"	105 54 45.37	43.63	— 1.74
	15	19	29	10.9	"	15 7 54.12	52.93	— 1.19	"	106 29 40.12	38.89	— 1.23
	18	19	19	3.8	"	15 9 35.49	34.39	— 1.10	SL	106 36 7.02	8.60	+ 1.58
	19	19	15	39.6	1 L	15 10 8.50	7.20	— 1.30	C	106 38 9.42	11.60	+ 2.18
	20	19	12	17.5	C	15 10 40.93	39.50	— 1.43	N L	106 40 12.96	13.57	+ 0.61
	21	19	8	53.3	"	15 11 12.59	10.72	— 1.87	C	106 42 13.45	13.05	— 0.40
	22	19	5	28.3	"	15 11 43.78	42.57	— 1.21	SL	106 44 9.29	9.99	+ 0.70
	23	19	2	3.2	"	15 12 14.60	13.32	— 1.28	—	—	—	—
	25	18	55	10.8	"	15 13 14.26	13.19	— 1.07	—	—	—	—
	27	18	48	16.6	"	15 14 11.80	10.86	— 0.94	—	—	—	—
	29	18	41	20.4	"	15 15 7.41	6.27	— 1.14	—	—	—	—
Feb.	2	18	27	19.5	1 & 2	15 16 51.39	50.14	— 1.25	—	—	—	—
May	29	10	25	13.8	C	14 54 42.88	41.50	— 1.38	N L	105 25 34.98	38.51	+ 3.53

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF JUPITER, ( <i>Continued.</i> )											
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. d.	h.	m.	s.		h m. s.	s.	s.		o / "	"	"
June	1	10	12	12.8	14 53 26.19	24 84	— 1.35	N L	105 20 37.08	38.79	+ 1.71
	3	10	3	28.9	14 52 37.03	35.97	— 1.06	S L	105 17 30.06	28.88	— 1.18
	4	9	59	9.4	14 52 13.28	12.23	— 1.05	N L	105 15 55.32	57.00	+ 1.68
	5	9	54	50.3	14 51 50.33	49.01	— 1.32	S L	105 14 27.10	27.35	+ 0.25
	7	9	46	13.8	14 51 5.34	4.07	— 1.27	N L	105 11 32.78	35.06	+ 2.28
	8	9	41	55.9	14 50 43.58	42.37	— 1.21	S L	105 10 12.43	12.34	— 0.09
	9	9	37	39.9	14 50 22.08	21.22	— 0.86	N L	105 8 52.45	52.03	— 0.42
	10	9	38	22.8	14 50 1.81	0.62	— 1.19	S L	105 7 32.81	34.22	+ 1.41
	14	9	16	23.0	14 48 45.19	43.99	— 1.20	N L	105 2 48.54	48.95	+ 0.81
July	10	7	30	7.9	14 44 43.16	41.98	— 1.18	"	104 51 24.52	26.76	+ 2.24
	12	7	22	16.9	14 44 44.03	42.88	— 1.15	S L	104 52 4.84	8.83	— 1.01
	13	7	18	22.5	14 44 45.50	44.41	— 1.09	N L	104 52 23.99	27.24	+ 3.25
	14	7	14	28.9	14 44 47.63	46.66	— 0.97	—	—	—	—
	15	7	10	35.9	14 44 50.68	49.62	— 1.06	—	—	—	—
	16	7	6	43.7	14 44 54.31	53.31	— 1.00	S L	104 53 57.43	56.85	— 0.58
	17	7	2	51.7	14 44 58.87	57.69	— 1.18	—	—	—	—
	19	6	55	11.3	14 45 9.51	8.58	— 0.93	—	—	—	—
	20	6	51	21.8	14 45 16.08	15.07	— 1.01	—	—	—	—
	27	6	24	54.3	14 46 20.89	20.04	— 0.85	—	—	—	—
Sept.	22	3	7	40.0	15 13 16.95	16.11	— 0.84	C	107 10 1.08	3.80	+ 2.22
	27	2	51	35.3	15 16 52.41	51.93	— 0.48	"	107 24 51.75	54.59	+ 2.84
	28	2	48	23.2	15 17 36.66	36.19	— 0.47	"	107 27 54.48	54.65	+ 0.17
	29	2	45	12.0	15 18 21.28	20.79	— 0.49	"	107 30 52.39	55.19	+ 2.80
RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN.											
1848. d.	h.	m.	s.		h m. s.	s.	s.		o / "	"	"
Sept.	14	11	58	31.9	23 33 57.78	55.70	— 2.08	C	95 25 49.14	55.68	+ 6.54
	15	11	54	19.3	23 33 40.83	38.73	— 2.10	"	95 27 40.46	47.74	+ 7.28
Oct.	17	9	40	16.3	23 25 25.66	23.75	— 1.91	"	96 19 12.97	17.83	+ 4.86
	18	9	36	8.0	23 25 13.02	11.37	— 1.65	"	96 20 25.83	29.49	+ 3.66
	19	9	31	59.5	23 24 60.93	59.25	— 1.68	"	96 21 33.82	39.12	+ 5.30
Nov.	11	7	58	23.7	23 21 50.17	48.47	— 1.70	"	96 37 57.84	63.05	+ 5.21
	18	7	30	31.9	23 21 30.09	28.15	— 1.94	"	96 38 41.61	46.68	+ 5.07
	20	7	22	37.6	23 21 27.34	25.83	— 1.51	"	96 38 31.12	36.25	+ 5.13
	21	7	18	41.3	23 21 27.13	25.25	— 1.88	"	96 38 22.80	27.17	+ 4.37
Dec.	4	6	28	2.7	23 21 55.44	53.80	— 1.64	"	96 32 32.66	37.89	+ 5.23
	5	6	24	11.8	23 21 60.70	58.76	— 1.94	"	96 31 52.64	53.40	+ 0.76
1849.											
Aug.	9	15	18	55.5	0 31 60.67	59.02	— 1.65	"	89 17 51.80	53.76	+ 1.96
	13	15	2	40.2	0 31 28.94	27.47	— 1.47	"	89 22 17.82	20.14	+ 2.32
	16	14	50	25.4	0 31 1.99	0.32	— 1.67	"	89 25 58.25	60.66	+ 2.41
	17	14	46	19.9	0 30 52.23	50.63	— 1.60	"	89 27 16.59	17.91	+ 1.32
	21	14	29	54.4	0 30 10.01	8.76	— 1.25	"	89 32 42.05	44.70	+ 2.65
	22	14	25	47.9	0 29 59.46	57.54	— 1.92	"	89 34 8.60	10.59	+ 1.99
	23	14	21	39.5	0 29 47.28	46.05	— 1.23	"	89 35 36.24	38.16	+ 1.92
	24	14	17	32.9	0 29 35.93	34.26	— 1.67	"	89 37 5.20	7.26	+ 2.06
Sept.	27	11	55	13.0	0 20 55.59	54.00	— 1.59	"	90 37 31.21	34.89	+ 3.68

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN, (Continued.)																
Mean Solar Time of Observation.				Point observ- ed.	A R from Observation.			A R. from N A.	Error of N A.	Point observ- ed.	N. P. D. from Observation.		N. P. D. from N. A.	Error of N. A.		
1849. d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"		
Oct.	1	11	38	20.7	C	0	19	47.03	45.43	- 1.60	C	90	45	0.07	3.34	+ 3.27
	2	11	34	7.3	"	0	19	29.71	28.35	- 1.36	"	90	46	50.10	55.08	+ 4.93
	10	11	0	25.9	"	0	17	15.34	13.66	- 1.68	"	91	1	8.47	14.90	+ 6.43
	12	10	52	1.3	"	0	16	42.47	40.87	- 1.60	"	91	4	36.76	40.68	+ 3.92
	13	10	47	50.0	"	0	16	26.35	24.68	- 1.67	"	91	6	18.65	21.82	+ 3.17
	15	10	39	25.5	"	0	15	53.75	52.68	- 1.07	"	91	9	38.68	40.35	+ 1.67
	18	10	26	51.4	"	0	15	7.81	5.87	- 1.94	"	91	14	25.95	27.79	+ 1.84
	19	10	22	40.0	"	0	14	52.13	50.63	- 1.50	"	91	15	58.22	60.68	+ 2.46
	20	10	18	29.7	"	0	14	37.40	35.57	- 1.83	"	91	17	29.15	32.00	+ 2.85
	22	10	10	8.2	"	0	14	7.89	6.07	- 1.82	"	91	20	29.18	29.91	+ 0.73
	23	10	5	57.8	"	0	13	53.37	51.63	- 1.74	"	91	21	53.92	56.30	+ 2.38
	24	10	1	47.6	"	0	13	39.13	37.41	- 1.72	"	91	23	17.90	20.90	+ 3.00
	25	9	57	37.7	"	0	13	24.69	23.42	- 1.27	"	91	24	41.50	43.71	+ 2.21
	26	9	53	28.2	"	0	13	11.78	9.67	- 2.11	"	91	26	2.74	4.72	+ 1.98
	29	9	41	0.	"						"	91	29	51.09	56.17	+ 5.08
	31	9	32	44.1	"	0	12	6.54	4.69	- 1.85	"	91	32	17.61	20.63	+ 3.02
Nov.	1	9	28	36.0	"	0	11	54.34	52.50	- 1.84	"	91	33	27.14	29.78	+ 2.64
	2	9	24	27.9	"	0	11	42.18	40.58	- 1.60	"	91	34	35.73	36.82	+ 1.09
	3	9	20	20.5	"	0	11	30.66	28.96	- 1.70	"	91	35	40.23	41.75	+ 1.52
	6	9	8	0.	"						"	91	38	41.36	43.38	+ 2.02
	8	8	59	47.3	"	0	10	36.96	35.33	- 1.63	"	91	40	31.19	33.25	+ 2.06
	9	8	55	41.5	"	0	10	27.07	25.55	- 1.52	"	91	41	22.33	24.76	+ 2.43
	10	8	51	36.3	"	0	10	17.88	16.09	- 1.79	"	91	42	11.39	13.97	+ 2.58
	12	8	43	26.6	"	0	9	59.80	58.19	- 1.61	"	91	43	42.17	45.11	+ 2.94
	13	8	39	22.6	"	0	9	51.48	49.76	- 1.72	"	91	44	23.84	27.05	+ 3.21
	15	8	31	14.8	"	0	9	35.61	33.91	- 1.70	"	91	45	42.98	43.56	+ 0.58
	19	8	15	3.7	"	0	9	8.17	6.54	- 1.63	"	91	47	44.30	46.43	+ 2.13
	20	8	11	0.	"						"	91	48	9.81	10.75	+ 0.94
	21	8	7	0.6	"	0	8	56.74	55.08	- 1.66	"	91	48	30.61	32.59	+ 1.98
	22	8	2	59.6	"	0	8	51.55	49.90	- 1.65	"	91	48	50.77	51.84	+ 1.07
	24	7	54	58.3	"	0	8	42.03	40.71	- 1.32	"	91	49	20.25	22.47	+ 2.22
	26	7	39	1.0	"	0	8	28.33	26.92	- 1.41	"	91	49	49.25	52.43	+ 3.18
	29	7	35	2.6	"	0	8	25.91	24.43	- 1.48	"					
	30	7	31	4.5	"	0	8	23.83	22.34	- 1.49	"	91	49	49.74	51.74	+ 2.00
Dec.	1	7	27	7.2	"	0	8	22.23	20.64	- 1.59	"	91	49	46.10	47.41	+ 1.31
	4	7	15	16.7	"	0	8	19.47	17.89	- 1.58	"	91	49	17.42	18.84	+ 1.42
	10	6	51	45.8	"	0	8	24.50	23.06	- 1.44	"	91	47	8.54	10.76	+ 2.22
	11	6	47	52.7	"	0	8	26.87	25.32	- 1.55	"	91	46	39.15	40.28	+ 1.13
	12	6	43	59.4	"	0	8	29.33	27.98	- 1.35	"	91	46	4.92	7.21	+ 2.29
	13	6	40	6.3	"	0	8	32.24	31.03	- 1.21	"	91	45	29.66	31.56	+ 1.90
	14	6	36	14.2	"	0	8	36.07	34.48	- 1.59	"	91	44	50.66	53.32	+ 2.66
	18	6	20	48.1	"	0	8	53.52	52.44	- 1.08	"	91	41	51.38	54.63	+ 3.25
	19	6	16	57.4	"	0	8	59.06	57.66	- 1.40	"	91	40	59.75	63.57	+ 3.82
	20	6	13	7.6	"	0	9	5.06	3.48	- 1.58	"	91	40	7.91	10.12	+ 2.21
	21	6	9	18.1	"	0	9	11.23	9.68	- 1.55	"	91	39	12.77	14.08	+ 1.31
	22	6	5	28.4	"	0	9	17.61	16.28	- 1.33	"	91	38	11.67	15.55	+ 3.88
1850.																
Oct.	9	11	57	17.1	"	1	9	21.38	20.17	- 1.21						
	11	11	48	49.9	"	1	8	45.94	44.98	- 0.96		85	38	18.04	14.18	- 3.86
	12	11	44	37.1	"	1	8	28.92	27.38	- 1.54						
	14	11	36	10.2	"	1	7	53.75	52.22	- 1.53		85	43	42.07	39.86	- 2.21
	16	11	27	48.0	"	1	7	18.32	17.17	- 1.15		85	47	17.70	15.99	- 1.71
	18	11	19	16.6	"	1	6	43.61	42.32	- 1.29		85	50	50.28	48.06	- 2.22
	21	11	6	37.2	"	1	5	51.97	50.54	- 1.43		85	54	19.86	18.01	- 1.85
												85	59	31.28	28.69	- 2.59

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN, (Continued.)																
Mean Solar Time of Observation.				Point observed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1850.	d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"	
Oct.	22	11	2	24.4	C	1	5	34.99	33.46	— 1.53	C	86	1	12.21	10.27	— 1.94
	26	10	45	33.7	"	1	4	27.68	26.25	— 1.43	"	86	7	49.05	46.03	— 3.02
	29	10	32	57.7	"	1	3	39.03	37.24	— 1.79	"	86	12	32.91	31.03	— 1.88
	30	10	28	45.5	"	1	3	22.76	21.22	— 1.54	—	—	—	—	—	—
	31	10	24	33.7	"	1	3	6.99	5.38	— 1.61	"	86	15	37.66	34.30	— 3.63
Nov.	2	10	16	10.8	"	1	2	35.71	34.26	— 1.45	"	86	18	37.38	31.44	— 5.94
	11	9	38	36.	—	—	—	—	—	—	"	86	30	29.59	26.59	— 3.00
	12	9	34	29.8	"	1	0	13.43	12.01	— 1.42	"	86	31	42.50	36.67	— 5.83
	13	9	30	21.4	"	0	59	60.72	59.21	— 1.51	S L	86	32	50.38	44.90	— 5.48
	14	9	26	12.8	"	0	59	48.12	46.70	— 1.42	N L	86	33	51.58	51.04	— 0.54
	18	9	9	42.3	"	0	58	61.11	59.57	— 1.54	C	86	37	58.20	54.44	— 3.76
	19	9	5	35.4	"	0	58	50.13	48.55	— 1.58	"	86	38	52.54	49.83	— 2.71
	20	9	1	28.7	"	0	58	39.40	37.87	— 1.53	"	86	39	45.13	43.02	— 2.11
	21	8	57	22.4	"	0	58	28.80	27.51	— 1.29	"	86	40	37.05	33.93	— 3.12
	22	8	53	16.6	"	0	58	18.78	17.47	— 1.31	"	86	41	25.31	22.64	— 2.67
	23	8	49	11.0	"	0	58	9.33	7.78	— 1.55	"	86	42	11.04	8.96	— 2.08
	25	8	41	0.6	"	0	57	50.88	49.40	— 1.48	"	86	43	37.00	34.46	— 2.54
	26	8	36	56.0	"	0	57	42.06	40.73	— 1.33	"	86	44	16.02	13.82	— 2.20
	27	8	32	51.7	"	0	57	33.58	32.51	— 1.07	—	—	—	—	—	—
	28	8	28	48.2	"	0	57	25.92	24.46	— 1.46	"	86	45	25.24	25.05	— 0.19
Dec.	4	8	4	32.9	"	0	56	45.82	44.50	— 1.32	"	86	47	61.91	59.39	— 2.52
	5	8	0	31.7	"	0	56	40.61	39.17	— 1.44	"	86	48	19.72	16.25	— 3.47
	7	7	52	29.9	"	0	56	30.89	29.68	— 1.21	N L	86	48	43.44	42.33	— 1.11
	8	7	48	30.5	"	0	56	27.14	25.52	— 1.62	—	—	—	—	—	—
	9	7	44	30.1	"	0	56	23.09	21.76	— 1.33	S L	86	48	62.15	58.04	— 4.11
	10	7	40	31.1	"	0	56	19.58	18.41	— 1.17	C	86	49	4.44	2.07	— 2.37
	11	7	36	32.5	"	0	56	16.81	15.45	— 1.36	S L	86	49	7.97	3.42	— 4.55
	12	7	32	34.1	"	0	56	14.26	12.88	— 1.38	C	86	49	5.12	2.18	— 2.94
	13	7	28	36.2	"	0	56	12.15	10.72	— 1.43	"	86	48	61.80	58.36	— 3.44
	14	7	24	38.7	"	0	56	10.42	8.96	— 1.46	"	86	48	54.16	51.94	— 2.22
	16	7	16	44.0	"	0	56	7.76	6.66	— 1.10	N L	86	48	31.71	31.26	— 0.45
	17	7	12	47.8	"	0	56	7.46	6.11	— 1.35	C	86	48	20.39	17.00	— 3.39
	18	7	8	51.4	"	0	56	7.10	5.96	— 1.14	S L	86	48	3.98	0.24	— 3.74
	19	7	4	55.8	"	0	56	7.49	6.22	— 1.27	N L	86	47	43.08	40.81	— 2.27
	20	7	1	0.7	"	0	56	8.29	6.88	— 1.41	"	86	47	19.28	18.89	— 0.39
	21	6	57	6.3	"	0	56	9.40	8.04	— 1.36	S L	86	46	59.92	54.38	— 5.54
	26	6	37	37.7	"	0	56	20.75	19.33	— 1.42	—	—	—	—	—	—
1851.																
Jan.	3	6	6	49.7	"	0	56	59.95	58.52	— 1.43	C	86	37	46.33	45.33	— 1.00
	4	6	3	0.4	"	0	57	6.66	5.21	— 1.45	"	86	36	49.73	45.72	— 4.01
	13	5	28	54.1	"	0	58	23.87	22.94	— 0.93	N L	86	26	9.87	3.55	— 6.32
	15	5	21	24.3	"	0	58	46.08	44.36	— 1.72	—	—	—	—	—	—
	16	5	17	39.1	"	0	58	56.74	55.62	— 1.12	C	86	21	52.97	48.81	— 4.16
	17	5	13	55.3	"	0	59	8.45	7.24	— 1.21	"	86	20	22.18	19.65	— 2.53
	18	5	10	10.7	"	0	59	20.40	19.22	— 1.18	—	—	—	—	—	—
	20	5	2	43.6	"	0	59	44.97	44.24	— 0.73	"	86	15	42.16	39.53	— 2.63
	24	4	47	54.1	"	1	0	39.50	38.45	— 1.05	—	—	—	—	—	—
	25	4	44	13.5	"	1	0	54.53	52.86	— 1.67	—	—	—	—	—	—
	28	4	33	9.9	"	1	1	38.81	38.08	— 0.73	—	—	—	—	—	—
Nov.	8	10	45	0.4	"	1	54	18.72	17.80	— 0.92	S L	81	12	24.66	13.50	— 11.16
	17	10	7	16.5	"	1	51	50.39	49.52	— 0.87	N L	81	24	45.52	38.90	— 6.62
	20	9	54	43.3	"	1	51	4.84	3.78	— 1.06	S L	81	28	34.60	21.62	— 12.98
	21	9	50	32.6	"	1	50	50.00	49.02	— 0.98	N L	81	29	39.46	32.58	— 6.88

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF SATURN, (Continued.)														
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D from Observation.		N P D. from N A.	Error of N. A.
1851. d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"
Nov. 22	9	46	22.3	C	1 50	35.41	34.52	— 0.89	SL	81 30	53.92	42.76	— 11.16	
24	9	38	2.5	"	1 50	7.38	6.32	— 1.06	NL	81 32	63.71	54.93	— 8.78	
25	9	33	52.7	"	1 49	53.61	52.63	— 0.98	SL	81 33	69.24	58.81	— 10.43	
27	9	25	34.5	"	1 49	27.25	26.15	— 1.10	NL	81 36	8.46	0.91	— 7.55	
28	9	21	25.8	"	1 49	14.35	13.36	— 0.99	C	81 36	67.10	59.11	— 7.99	
Dec. 2	9	4	53.7	"	1 48	26.42	25.38	— 1.04	"	81 40	41.31	31.99	— 9.32	
3	9	0	46.6	"	1 48	15.27	14.20	— 1.07	"	81 41	30.37	20.04	— 10.33	
4	8	56	40.2	"	1 48	4.32	3.36	— 0.96	"	81 42	16.48	5.99	— 10.49	
5	8	52	33.5	"	1 47	53.77	52.86	— 0.91	"	81 42	56.37	49.83	— 6.54	
6	8	48	27.7	"	1 47	43.75	42.52	— 1.23	"	81 43	38.25	31.49	— 6.76	
9	8	36	11.6	"	1 47	15.30	14.41	— 0.89	"	81 45	31.63	23.23	— 8.40	
10	8	32	6.5	"	1 47	6.30	5.70	— 0.60	"	81 45	64.39	56.05	— 8.34	
15	8	11	49.9	"	1 46	28.90	27.81	— 1.09	"	81 48	13.93	5.82	— 8.11	
16	8	7	47.5	"	1 46	22.37	21.38	— 0.99	—	—	—	—	—	
17	8	3	45.4	"	1 46	16.62	15.36	— 1.26	—	—	—	—	—	
18	7	59	42.	—	—	—	—	—	C	81 48	66.06	55.65	— 10.41	
19	7	55	42.2	"	1 46	5.30	4.49	— 0.81	—	—	—	—	—	
20	7	51	41.8	"	1 45	60.61	59.66	— 0.95	"	81 49	24.15	16.87	— 7.28	
22	7	43	42.3	"	1 45	52.19	51.23	— 0.96	"	81 49	36.69	29.35	— 8.34	
24	7	35	42.5	"	1 45	45.04	44.45	— 0.59	"	81 49	36.83	30.16	— 6.67	
26	7	27	46.3	"	1 45	40.18	39.33	— 0.85	—	—	—	—	—	
1852. Jan. 26	5	28	6.6	"	1 47	53.94	52.83	— 1.11	—	—	—	—	—	
27	5	24	21.4	"	1 48	4.51	3.62	— 0.89	—	—	—	—	—	
30	5	13	7.8	"	1 48	38.95	38.26	— 0.69	"	81 21	50.03	45.17	— 4.86	
Feb. 2	5	1	56.7	"	1 49	16.24	16.24	0.00	—	—	—	—	—	
3	4	58	15.1	"	1 49	30.68	29.63	— 1.05	"	81 15	54.81	47.58	— 7.23	
4	4	54	32.7	"	1 49	44.19	43.38	— 0.81	—	—	—	—	—	
Nov. 22	10	38	42.	—	—	—	—	—	"	76 38	28.36	21.02	— 7.34	
23	10	34	30.8	"	2 45	47.78	46.99	— 0.79	"	76 39	40.83	33.07	— 7.76	
24	10	30	16.7	"	2 45	29.89	29.42	— 0.47	"	76 40	52.15	44.44	— 7.71	
25	10	26	3.4	"	2 45	12.55	12.04	— 0.51	"	76 41	61.92	54.37	— 7.55	
Dec. 7	9	35	42.3	"	2 42	1.74	1.29	— 0.45	"	76 54	24.39	16.68	— 7.71	
8	9	31	32.2	"	2 41	47.95	47.12	— 0.83	"	76 55	16.59	9.15	— 7.44	
9	9	27	22.7	"	2 41	33.87	33.25	— 0.62	"	76 56	7.20	0.00	— 7.20	
10	9	23	12.9	"	2 41	19.95	19.65	— 0.30	"	76 56	56.10	19.18	— 6.92	
11	9	19	3.4	"	2 41	7.00	6.47	— 0.53	"	76 57	43.76	36.66	— 7.10	
15	9	2	30.7	"	2 40	17.42	16.91	— 0.51	—	—	—	—	—	
16	8	58	22.9	"	2 40	5.92	5.39	— 0.53	"	77 1	13.93	7.51	— 6.42	
20	8	41	57.9	"	2 39	23.77	22.98	— 0.79	"	77 3	29.56	22.81	— 6.75	
27	8	13	26.7	"	2 38	23.79	23.58	— 0.21	—	—	—	—	—	
28	8	9	24.1	"	2 38	17.17	16.69	— 0.48	—	—	—	—	—	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS.

1848. d.	h.	m.	s.		h.	m.	s.	s.		°	'	"	"	"
Oct. 17	11	29	41.5	C	1 15	8.88	18.63	+ 9.75	C	82 43	106.58	52.96	— 53.62	
18	11	25	36.4	"	1 14	59.42	69.56	+ 10.14	"	82 44	100.54	47.28	— 53.26	
20	11	17	26.6	"	1 14	41.86	51.46	+ 9.60	"	82 46	87.51	35.46	— 52.05	
Nov. 18	9	19	31.3	"	1 10	47.38	57.01	+ 9.63	"	83 9	96.45	45.30	— 51.15	

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS, ( <i>Continued.</i> )													
Mean Solar Time of Observation				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.		
1848.	d.	h.	m.	s.	h.	m.	s.	s.	°	'	"		
Dec.	15	7	31	17.5	1 8	42.98	52.52	+ 9.54	C	83 21	80.81	30.37	—50.44
	18	7	19	23.9	1 8	36.98	46.43	+ 9.45	"	83 22	52.08	0.68	—51.40
	20	7	11	28.8	1 8	33.85	43.29	+ 9.44	"	83 22	65.06	15.27	—49.79
	21	7	7	31.9	1 8	32.65	42.00	+ 9.35	"	83 22	70.56	20.36	—50.20
1849.													
Aug.	12	16	13	6.1	1 38	9.48	19.50	+10.02	"	80 24	111.54	58.19	—53.35
	16	15	57	12.2	1 37	59.70	69.72	+10.02	"	80 26	53.04	0.00	—53.04
	19	15	45	15.2	1 37	50.31	60.53	+10.22	"	80 26	107.56	56.92	—50.64
	21	15	37	16.0	1 37	42.69	53.56	+10.87	"	80 27	89.51	39.79	—49.72
	22	15	33	16.	—	—	—	—	"	80 28	54.32	2.63	—51.69
	24	15	25	17.6	1 37	31.75	41.81	+10.06	"	80 28	103.22	51.16	—52.06
Oct.	10	12	14	52.6	1 31	54.26	64.39	+10.13	"	81 1	109.65	55.90	—53.75
	12	12	6	42.3	1 31	35.70	46.12	+10.42	"	81 3	95.72	42.25	—53.47
	13	12	2	37.9	1 31	26.71	36.94	+10.23	"	81 4	90.94	35.53	—55.41
	18	11	42	11.9	1 30	40.64	50.82	+10.18	"	81 9	55.83	2.89	—52.94
	19	11	38	6.8	1 30	31.28	41.67	+10.39	"	81 9	111.37	56.35	—55.02
	20	11	35	2.1	1 30	22.15	32.46	+10.31	"	81 10	104.97	49.74	—55.23
	22	11	25	51.6	1 30	3.69	14.09	+10.40	"	81 12	89.94	29.40	—60.54
	23	11	21	46.5	1 29	54.58	64.94	+10.36	"	81 13	82.74	29.22	—53.52
	24	11	17	41.4	1 29	45.46	55.79	+10.33	"	81 14	72.40	21.99	—50.41
	25	11	13	36.6	1 29	36.09	46.69	+10.60	"	81 15	70.60	14.83	—55.77
	26	11	9	31.7	1 29	27.71	37.61	+ 9.90	"	81 16	61.05	7.33	—53.72
	29	10	57	16.4	1 29	0.08	10.63	+10.55	"	81 18	96.50	43.28	—53.22
	30	10	53	12.4	1 28	51.39	61.72	+10.33	"	81 19	88.60	34.75	—53.85
	31	10	49	7.8	1 28	42.78	52.87	+10.09	"	81 20	79.97	25.86	—54.11
Nov.	1	10	45	3.0	1 28	33.86	44.08	+10.22	"	81 21	71.51	16.64	—54.87
	2	10	40	58.2	1 28	25.06	35.32	+10.26	"	81 22	60.90	7.11	—53.79
	9	10	12	27.6	1 27	25.77	36.05	+10.28	"	81 27	102.03	48.06	—53.97
	12	10	0	15.8	1 27	1.65	11.89	+10.24	"	81 30	59.99	6.64	—53.35
	13	9	56	12.4	1 26	53.91	64.02	+10.11	"	81 30	104.97	51.70	—53.27
	19	9	31	51.9	1 26	9.02	19.11	+10.09	"	81 35	60.66	8.11	—52.55
	20	9	27	49.0	1 26	1.93	12.03	+10.10	"	81 35	102.65	48.39	—54.26
	21	9	23	46.1	1 25	54.88	5.08	+10.20	"	81 36	79.96	27.92	—52.04
	22	9	19	43.5	1 25	48.09	58.24	+10.15	"	81 37	58.77	6.60	—52.17
	23	9	15	41.1	1 25	41.30	51.55	+10.25	"	81 37	97.63	44.55	—53.08
	24	9	11	38.4	1 25	34.79	44.99	+10.20	"	81 38	73.94	21.60	—52.34
	28	8	55	30.0	1 25	9.92	20.15	+10.23	"	81 40	95.66	41.58	—54.08
	29	8	51	28.4	1 25	4.24	14.30	+10.06	—	—	—	—	—
	30	8	47	26.4	1 24	58.22	68.61	+10.39	"	81 41	99.05	46.27	—52.78
Dec.	4	8	31	21.9	1 24	37.18	47.33	+10.15	"	81 43	97.97	44.67	—53.30
	8	8	15	19.7	1 24	18.60	28.63	+10.03	"	81 45	81.57	27.59	—53.98
	10	8	7	19.0	1 24	10.04	20.28	+10.24	"	81 46	65.21	12.91	—52.30
	11	8	3	19.8	1 24	6.37	16.37	+10.00	"	81 46	86.56	34.04	—52.52
	12	7	59	20.3	1 24	2.58	12.64	+10.06	"	81 46	107.18	54.05	—53.13
	13	7	55	20.6	1 23	58.93	69.08	+10.15	"	81 47	66.03	13.18	—52.85
	18	7	35	26.1	1 23	43.75	53.99	+10.24	"	81 48	83.97	31.83	—52.14
	20	7	27	29.6	1 23	39.33	49.24	+ 9.91	"	81 48	107.64	55.55	—52.09
	21	7	23	31.8	1 23	37.13	47.15	+10.02	"	81 49	58.77	5.84	—52.93
	22	7	19	33.8	1 23	35.13	45.25	+10.12	"	81 49	67.70	14.91	—52.79
1850.													
Jan.	2	6	36	10.5	1 23	27.07	36.97	+ 9.90	"	81 49	90.99	38.67	—52.32
	3	6	32	15.0	1 23	27.54	37.36	+ 9.82	"	81 49	86.48	33.83	—52.65
	5	6	24	24.5	1 23	28.79	38.76	+ 9.97	"	81 49	73.01	20.86	—52.15
	10	6	4	52.5	1 23	36.10	45.66	+ 9.56	"	81 48	81.39	28.16	—53.23



c

## RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS, (Continued.)															
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.
1850. d.	h.	m.	s.		h. m. s.	s.	s.			° ' "	"	"		"	
Oct. 26	11	26	18.2	C	1 45 18.84	29.56	+10.72	C		79 42 77.21	20.35	—56.86			
Nov. 20	9	44	25.0	"	1 41 42.70	53.52	+10.82	—		—	—	—			
22	9	36	18.5	"	1 41 27.78	38.54	+10.76	"		80 3 95.40	39.81	—55.59			
25	9	24	8.9	"	1 41 6.24	16.96	+10.72	"		80 5 92.74	38.01	—54.73			
28	9	12	1.0	"	1 40 45.86	56.54	+10.68	"		80 7 82.43	29.51	—52.92			
Dec. 5	8	43	47.2	"	1 40 3.23	13.81	+10.58	"		80 11 75.45	21.15	—54.30			
7	8	35	44.1	"	1 39 52.19	62.98	+10.79	"		80 12 74.99	19.43	—55.56			
10	8	23	41.7	"	1 39 37.33	47.94	+10.61	"		80 13 92.87	39.73	—53.14			
11	8	19	41.2	"	1 39 32.62	43.25	+10.63	"		80 14 56.21	4.57	—51.64			
12	8	15	41.0	"	1 39 28.24	38.75	+10.51	"		80 14 83.41	28.35	—55.06			
13	8	11	40.8	"	1 39 23.86	34.42	+10.56	"		80 14 107.50	51.16	—56.34			
1851. Jan. 2	6	52	14.2	"	1 38 35.33	45.90	+10.57	"		80 18 100.22	46.55	—53.67			
3	6	48	17.8	"	1 38 34.94	45.48	+10.54	"		80 18 99.73	46.76	—52.97			
4	6	44	22.0	"	1 38 34.98	45.26	+10.28	"		80 18 99.84	45.81	—54.03			
6	6	36	29.8	"	1 38 34.85	45.41	+10.56	"		80 18 94.68	40.50	—54.18			
7	6	32	34.8	"	1 38 35.54	45.77	+10.23	"		80 18 90.17	36.15	—54.02			
8	6	28	39.2	"	1 38 36.20	46.35	+10.15	"		80 18 83.87	30.61	—53.26			
9	6	24	44.2	"	1 38 36.64	47.12	+10.48	"		80 18 77.72	23.98	—53.74			
11	6	16	54.7	"	1 38 39.04	49.25	+10.21	"		80 18 61.44	7.23	—54.21			
14	6	5	11.4	"	1 38 43.82	53.91	+10.09	"		80 17 86.90	33.70	—53.20			
15	6	1	17.1	"	1 38 45.47	55.86	+10.39	"		80 17 74.11	20.31	—53.80			
16	5	57	23.7	"	1 38 47.79	58.00	+10.21	"		80 17 62.14	5.82	—56.32			
17	5	53	30.4	"	1 38 50.00	60.34	+10.84	"		80 16 105.86	50.23	—55.63			
Nov. 8	10	50	3.6	"	1 59 22.68	34.19	+11.51	"		78 21 104.42	47.35	—57.07			
17	10	13	23.7	"	1 58 3.61	15.08	+11.47	"		78 28 102.93	46.14	—56.79			
20	10	1	16.1	"	1 57 38.76	50.15	+11.39	"		78 30 116.17	57.61	—58.56			
21	9	57	12.0	"	1 57 30.57	42.03	+11.46	"		78 31 98.84	40.39	—58.45			
22	9	53	8.1	"	1 57 22.41	34.03	+11.62	"		78 32 80.46	22.56	—57.90			
25	9	41	57.0	"	1 56 59.25	70.64	+11.39	"		78 34 82.59	25.57	—57.02			
28	9	28	47.2	"	1 56 37.00	48.34	+11.34	"		78 36 80.09	22.78	—57.31			
Dec. 4	9	4	30.7	"	1 55 56.12	67.24	+11.12	"		78 39 113.63	57.63	—56.00			
5	9	0	27.9	"	1 55 49.48	60.88	+11.40	"		78 40 87.00	30.71	—56.29			
6	8	56	25.9	"	1 55 43.26	54.66	+11.40	"		78 41 59.27	3.01	—56.26			
8	8	48	21.8	"	1 55 31.41	42.68	+11.27	"		78 42 60.95	5.06	—55.89			
9	8	44	20.5	"	1 55 25.47	36.92	+11.45	"		78 42 91.78	34.85	—56.93			
10	8	40	18.9	"	1 55 20.04	31.32	+11.28	"		78 43 59.94	3.65	—56.29			
15	8	20	14.6	"	1 54 54.90	65.74	+10.84	"		78 45 70.95	14.60	—56.35			
16	8	16	14.0	"	1 54 50.17	61.13	+10.96	—		—	—	—			
17	8	12	12.6	"	1 54 45.20	56.70	+11.50	—		—	—	—			
18	8	8	12.7	"	1 54 41.21	52.42	+11.21	"		78 46 78.19	21.95	—56.24			
19	8	4	12.6	"	1 54 37.06	48.32	+11.26	"		78 46 98.17	42.38	—55.79			
22	7	52	13.9	"	1 54 26.09	37.13	+11.04	"		78 47 93.91	38.00	—55.91			
24	7	43	15.7	"	1 54 19.46	30.58	+11.12	"		78 48 65.97	9.90	—56.07			
26	7	36	18.2	"	1 54 13.44	24.78	+11.34	—		—	—	—			
1852. Jan. 15	6	18	25.1	"	1 54 53.39	70.01	+11.62	—		—	—	—			
Nov. 15	10	34	42.1	"	2 14 27.29	39.10	+11.81	"		76 59 79.23	21.17	—58.06			
20	10	14	18.4	"	2 13 42.91	55.13	+12.22	"		77 3 59.26	1.70	—57.56			
23	10	2	18.	—	—	—	—	"		77 5 66.34	8.40	—57.94			

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF URANUS, ( <i>Continued.</i> )																
Mean Solar Time of Observation.				Point observed	A. R. from Observation.			A. R. from N. A.	Error of N. A.	Point observed	N. P. D. from Observation.			N. P. D. from N. A.	Error of N. A.	
1852.	<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
Nov.	24	9	58	1.5	C	2	13	9.40	21.58	+12.18	C	77	5	109.46	49.72	-59.74
	25	9	53	57.4	"	2	13	1.26	13.45	+12.19	"	77	6	89.08	30.34	-58.74
Dec.	7	9	5	18.7	"	2	11	33.12	45.02	+11.90	"	77	13	108.83	50.69	-58.14
	8	9	1	16.0	"	2	11	26.79	38.52	+11.73	"	77	14	79.11	22.79	-56.32
	9	8	57	13.8	"	2	11	20.19	32.17	+11.98	"	77	14	112.13	54.18	-57.95
	11	8	49	9.6	"	2	11	8.23	19.94	+11.71	"	77	15	110.88	54.48	-56.40
	16	8	29	2.5	"	2	10	40.77	52.15	+11.38	"	77	18	66.97	10.60	-56.37
RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF NEPTUNE.																
1849.	<i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
Aug.	20	12	27	5.3	C	22	23	4.42	4.29	-0.13	C	100	52	49.01	49.20	+0.19
	21	12	23	3.3	"	22	22	58.12	58.11	-0.01	"	100	53	25.26	25.50	+0.24
	22	12	19	1.6	"	22	22	52.29	51.92	-0.37	"	100	54	1.96	1.90	-0.06
Sept.	11	10	58	20.4	"	22	20	49.04	48.96	-0.08	"	101	5	54.47	55.65	+1.18
	12	10	54	18.8	"	22	20	43.35	43.06	-0.29	"	101	6	28.99	29.67	+0.68
	13	10	50	17.2	"	22	20	37.44	37.19	-0.25	"	101	7	1.84	3.42	+1.58
	18	10	30	8.3	"	22	20	8.73	8.41	-0.32	"	101	8	45.94	47.84	+1.90
	24	10	6	0.4	"	22	19	35.83	35.63	-0.20	"	101	12	51.83	53.92	+2.09
	27	9	53	57.5	"	22	19	20.14	20.14	0.00	"	101	14	20.11	21.77	+1.66
Oct.	1	9	37	54.1	"	22	19	0.58	0.45	-0.13	"	101	16	13.09	12.68	-0.41
	2	9	33	53.1	"	22	18	55.76	55.71	-0.05	"	101	16	37.42	39.29	+1.87
	10	9	1	51.2	"	22	18	21.08	20.92	-0.16	"	101	19	52.11	52.68	+0.57
	12	8	53	51.7	"	22	18	13.48	13.13	-0.35	"	101	20	34.00	35.64	+1.64
	13	8	49	52.5	"	22	18	9.66	9.40	-0.26	"	101	20	54.27	56.23	+1.96
	15	8	41	53.6	"	22	18	2.52	2.24	-0.28	"	101	21	31.60	35.64	+4.04
	16	8	37	53.8	"	22	17	58.71	58.81	+0.10	"	101	21	51.61	54.46	+2.85
	17	8	33	54.5	"	22	17	55.34	55.49	+0.15	"	101	22	10.65	12.65	+2.00
	18	8	29	55.6	"	22	17	52.76	52.28	-0.48	"	101	22	28.48	30.23	+1.75
	19	8	25	56.4	"	22	17	49.30	49.17	-0.13	"	101	22	45.76	47.16	+1.40
	20	8	21	58.0	"	22	17	46.52	46.18	-0.34	"	101	23	1.61	3.45	+1.84
	22	8	14	0.2	"	22	17	40.77	40.52	-0.25	"	101	23	32.84	34.09	+1.25
	23	8	10	1.6	"	22	17	38.13	37.87	-0.26	"	101	23	47.20	48.40	+1.20
	24	8	6	3.0	"	22	17	35.60	35.32	-0.28	"	101	24	1.32	2.06	+0.74
	25	8	2	5.0	"	22	17	33.01	32.87	-0.14	"	101	24	14.32	15.06	+0.74
	26	7	58	6.0	"	22	17	30.63	30.55	-0.08	"	101	24	26.17	27.37	+1.20
	30	7	42	15.1	"	22	17	22.72	22.49	-0.23	"	101	25	7.41	9.78	+2.37
	31	7	38	17.4	"	22	17	21.05	20.77	-0.28	"	101	25	17.78	18.66	+0.88
Nov.	1	7	34	19.7	"	22	17	19.25	19.17	-0.08	"	101	25	25.75	26.85	+1.10
	2	7	30	22.5	"	22	17	17.97	17.69	-0.28	"	101	25	33.12	34.34	+1.22
	3	7	26	25.1	"	22	17	16.54	16.33	-0.21	"	101	25	40.70	41.12	+0.42
	5	7	18	31.3	"	22	17	14.29	13.98	-0.31	"	101	25	51.53	52.52	+0.99
	9	7	2	44.2	"	22	17	11.29	10.86	-0.43	"	101	26	5.14	6.63	+1.49
	10	6	58	47.9	"	22	17	10.97	10.40	-0.57	"	101	26	6.69	8.33	+1.64
	12	6	50	55.8	"	22	17	10.49	9.87	-0.62	"	101	26	7.90	9.52	+1.62
	13	6	46	59.7	"	22	17	10.15	9.81	-0.34	"	101	26	7.57	9.00	+1.43
	15	6	39	8.2	"	22	17	10.60	10.07	-0.53	"	101	26	5.44	5.74	+0.30
	19	6	23	26.2	"	22	17	12.39	12.15	-0.24	"	101	25	49.77	50.31	+0.54
	20	6	19	31.3	"	22	17	13.24	12.98	-0.26	"	101	25	43.26	44.60	+1.34
	22	6	11	41.7	"	22	17	15.34	15.06	-0.28	"	101	25	30.72	30.96	+0.24
	24	6	3	52.3	"	22	17	17.79	17.65	-0.14	"	101	25	12.00	14.35	+2.35

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE PLANETS,

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF NEPTUNE, (Continued.)												
Mean Solar Time of Observation.				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D from Observation.	N. P. D. from N. A.	Error of N. A.	
1850. d.	h.	m.	s.		h. m. s.	s.	s.		° ' "	"	"	
Aug.	12	13	9	2.7	C	22 32 38.53	37.97	- 0.56	C	100 1 18.71	18.73	+ 0.02
	23	12	24	41.4	"	22 31 32.04	31.72	- 0.32	"	100 7 57.46	58.47	+ 1.01
	26	12	12	35.2	"	22 31 13.64	13.24	- 0.40	"	100 9 49.96	49.13	- 0.83
Sept.	4	11	36	16.8	"	22 30 17.77	17.56	- 0.21	"	100 15 19.21	20.15	+ 0.94
Oct.	2	9	43	33.5	"	22 27 39.99	39.10	- 0.89	"			
	4	9	35	30.9	"	22 27 29.32	29.55	+ 0.23	"	100 31 38.59	38.46	- 0.13
	5	9	31	29.9	"	22 27 24.04	24.83	+ 0.79	"	100 32 5.38	5.12	- 0.26
	7	9	23	29.9	"	22 27 15.90	15.74	- 0.16	"	100 32 58.26	57.04	- 1.22
	9	9	15	29.	"				"	100 33 46.78	46.76	- 0.02
	10	9	11	29.5	"	22 27 2.96	2.77	- 0.19	"	100 34 11.10	10.79	- 0.31
	12	9	3	29.6	"	22 26 54.96	54.54	- 0.42	"	100 34 56.17	57.22	+ 1.05
	14	8	55	29.3	"	22 26 46.42	46.69	+ 0.27	"	100 35 41.31	41.44	+ 0.13
	15	8	51	30.3	"	22 26 43.19	42.94	- 0.25	"	100 36 2.01	2.56	+ 0.55
	21	8	27	34.3	"	22 26 22.90	22.45	- 0.45	"	100 37 56.45	56.48	+ 0.03
	22	8	23	35.1	"	22 26 19.58	19.46	- 0.12	"	100 38 12.93	13.30	+ 0.37
	26	8	7	40.4	"	22 26 8.48	8.36	- 0.12	"	100 39 13.14	13.86	+ 0.72
	28	7	59	44.2	"	22 26 8.89	3.47	- 0.42	"	100 39 38.36	40.16	+ 1.80
	29	7	55	46.0	"	22 26 1.47	1.25	- 0.22	"	100 39 51.18	52.27	+ 1.09
	30	7	51	47.8	"	22 25 59.25	59.24	- 0.01	"	100 40 3.14	4.72	+ 1.58
	31	7	47	50.1	"	22 25 57.65	57.11	- 0.54	"	100 40 13.83	14.41	+ 0.58
Nov.	1	7	43	52.4	"	22 25 55.54	55.22	- 0.32	"	100 40 24.42	24.43	+ 0.01
	2	7	39	54.3	"	22 25 53.59	53.45	- 0.14	"	100 40 34.00	33.72	- 0.28
	13	6	56	28.2	"	22 25 42.29	42.11	- 0.18	"	100 41 26.40	27.68	+ 1.28
	18	6	36	48.7	"	22 25 42.34	42.08	- 0.26	"	100 41 23.24	22.49	- 0.75
	19	6	32	53.0	"	22 25 42.56	42.46	- 0.10	"	100 41 18.27	19.18	+ 0.91
	20	6	28	57.4	"	22 25 43.00	42.97	- 0.03	"	100 41 13.99	15.13	+ 1.14
	21	6	25	2.1	"	22 25 43.53	43.61	+ 0.08	"	100 41 12.18	10.34	- 1.84
	22	6	21	7.0	"	22 25 44.21	44.39	+ 0.18	"	100 41 3.44	4.76	+ 1.32
	25	6	9	22.1	"	22 25 47.44	47.48	+ 0.04	"	100 40 43.96	43.58	- 0.38
	26	6	5	27.8	"	22 25 48.97	48.76	- 0.21	"	100 40 35.96	35.02	- 0.94
	27	6	1	33.5	"	22 25 50.48	50.19	- 0.29	"	100 40 23.97	25.70	+ 1.73
	28	5	57	38.8	"	22 25 51.73	51.73	0.00	"	100 40 11.52	15.64	+ 4.12
1851.												
Aug.	28	12	14	10.0	"	22 39 44.60	45.03	+ 0.43	"	99 23 27.50	30.84	+ 3.34
Sept.	19	10	45	27.8	"	22 37 31.73	31.71	- 0.02	"	99 36 53.38	54.13	+ 0.75
	20	10	41	26.1	"	22 37 25.89	25.93	+ 0.04	"	99 37 27.83	28.41	+ 0.58
Oct.	1	9	57	10.7	"	22 36 25.71	26.04	+ 0.33	"	99 43 23.88	21.45	- 2.43
	2	9	53	10.7	"	22 36 21.18	20.98	- 0.20	"	99 43 50.93	51.10	+ 0.17
	13	9	9	5.2	"	22 35 30.77	30.25	- 0.52	"	99 48 42.22	44.44	+ 2.22
	16	8	57	5.2	"	22 35 18.68	18.18	- 0.50	"	99 49 54.21	53.34	- 0.87
	17	8	53	5.5	"	22 35 14.83	14.39	- 0.44	"	99 50 12.28	14.97	+ 2.69
	24	8	25	10.7	"	22 34 51.32	50.78	- 0.54	"	99 52 29.80	28.38	+ 1.42
	25	8	21	11.4	"	22 34 47.96	47.80	- 0.16	"	99 52 47.50	45.00	- 2.50
	27	8	13	14.0	"	22 34 41.96	42.09	+ 0.13	"	99 53 18.64	17.19	- 1.45
	28	8	9	16.1	"	22 34 40.03	39.48	- 0.55	"	99 53 31.53	31.98	+ 0.45
	29	8	5	17.2	"	22 34 37.21	36.94	- 0.27	"	99 53 43.99	46.59	+ 2.60
1852.												
Oct.	1	10	2	46.7	"	22 45 1.94	2.64	+ 0.70	"	98 55 60.05	54.23	- 5.82
	2	9	58	46.1	"	22 44 56.76	57.49	+ 0.73	"	98 56 31.20	24.89	- 6.31
	4	9	50	43.8	"	22 44 46.36	47.35	+ 0.99	"	98 57 29.72	24.83	- 4.89

RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF NEPTUNE, ( <i>Continued.</i> )											
Mean Solar Time of Observation				Point observ- ed.	A. R. from Observation.	A. R. from N. A.	Error of N. A.	Point observ- ed.	N. P. D. from Observation.	N. P. D. from N. A.	Error of N. A.
1852. <i>d</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>		<i>° ' "</i>	<i>"</i>	<i>"</i>
Oct. 5	9	46	48.0	C	22 44 41.65	42.38	+ 0.73	C	98 57 61.75	54.25	- 7.50
11	9	22	39.9	"	22 44 13.94	14.26	+ 0.32	"	99 0 45.92	39.89	- 6.03
12	9	18	39.3	"	22 44 9.25	9.85	+ 0.60	"	99 1 11.80	5.65	- 6.15
14	9	10	39.3	"	22 44 0.91	1.27	+ 0.36	"	99 1 58.79	55.62	- 3.17
15	9	6	39.1	"	22 43 56.47	57.12	+ 0.65	"	99 2 26.17	19.81	- 6.86
25	8	26	44.3	"	22 43 20.58	21.02	+ 0.44	"	99 5 51.37	47.85	- 4.02
26	8	22	45.3	"	22 43 17.99	18.00	+ 0.01	"	99 6 8.38	4.58	- 3.80
27	8	18	46.1	"	22 43 14.57	15.08	+ 0.51	"	99 6 25.11	21.11	- 4.00
29	8	10	49.0	"	22 43 9.05	9.54	+ 0.49	"	99 6 55.26	52.12	- 3.14
RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF IRIS.											
1851. <i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h. m. s.</i>				<i>° ' "</i>		
Oct. 16	9	59	42.4	C	23 38 6.10	—	—	C	81 8 20.02	—	—
17	9	55	20.3	"	23 37 39.86	—	—	"	81 15 48.62	—	—
24	9	25	39.3	"	23 35 29.81	—	—	"	82 5 42.69	—	—
25	9	21	33.1	"	23 35 19.65	—	—	"	82 12 21.09	—	—
27	9	13	27.8	"	23 35 5.62	—	—	"	82 25 11.77	—	—
28	9	9	28.1	"	23 35 2.04	—	—	"	82 31 19.36	—	—
29	9	5	31.2	"	23 35 1.06	—	—	"	82 37 18.45	—	—
30	9	1	35.3	"	23 35 1.33	—	—	"	82 43 6.65	—	—
Nov. 17	7	57	20.8	"	23 41 33.69	—	—	"	83 46 32.61	—	—
RIGHT ASCENSION AND NORTH POLAR DISTANCE OF THE CENTRE OF HEBE.											
1851. <i>d.</i>	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h. m. s.</i>	<i>s.</i>	<i>s.</i>		<i>° ' "</i>	<i>"</i>	<i>"</i>
July. 2	12	47	2.2	C	19 27 58.35	57.13	- 1.22	C	98 1 22.00	19.70	- 2.30
22	11	9	32.	"	—	—	—	"	100 43 26.53	25.10	- 1.43

A  
SUBSIDIARY CATALOGUE  
OF  
**1440 STARS**  
SELECTED FROM THE  
BRITISH ASSOCIATION CATALOGUE,  
REDUCED TO JANUARY 1<sup>ST</sup>, 1850.  
FROM  
OBSERVATIONS MADE AT MADRAS,  
IN THE YEARS, 1849—53.

N. B.—The Stars are arranged as usual in the order of their Right Ascension ; it therefore happens that a few of the numbers, as given in the B. A. C., are transposed, every such transposed number is placed between ( ) in order to catch the eye.

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				o	'	"				
													1800+	
13	7.8	0	2	16.13	+3.084	-0.011	4	44	26	36.21	-20.05	-0.06	4	49.96
15	6.6		2	21.95	3.042	-0.063	4	159	7	56.28	20.05	—	5	49.76
22	7.4		3	42.54	3.052	—	4	131	12	26.91	20.05	—	4	49.76
31	6.9		6	47.72	3.012	—	4	145	54	10.00	20.05	—	4	49.79
34	6.8		7	11.43	3.026	-0.070	2	136	52	6.81	20.05	+0.08	2	52.85
35	6.1		7	15.12	3.063	—	3	100	24	12.00	20.05	—	4	49.70
38	7.3		7	42.65	3.032	—	4	130	55	46.99	20.04	—	4	50.23
41	7.3		7	58.23	3.030	—	3	131	17	7.98	20.04	—	3	49.75
51	6.3		9	14.85	3.129	—	4	42	53	10.30	20.04	—	4	49.77
54	6.9		9	47.05	3.140	—	5	39	24	2.06	20.04	—	5	50.78
65	7.3		12	35.58	3.203	—	4	28	57	12.96	20.03	—	4	49.70
76	7.6		15	22.47	2.903	—	4	151	52	2.57	20.01	—	5	49.83
78	6.9		16	7.22	3.160	—	4	46	34	1.34	20.01	—	4	49.77
79	6.2		16	11.78	3.183	—	4	38	48	41.06	20.01	—	4	49.94
83	6.1		17	0.71	3.199	—	4	37	47	4.54	20.00	—	4	49.86
98	6.8		19	43.22	3.102	—	4	74	48	20.97	19.98	—	4	49.71
113	6.6		22	26.07	3.080	—	5	85	58	11.88	19.96	—	5	49.70
120	6.6		23	28.08	3.159	—	4	57	14	50.40	19.95	—	4	49.73
123	7.1		23	57.42	3.256	-0.012	4	37	0	49.71	19.95	+0.02	4	49.73
125	6.7		24	25.99	3.465	0.000	4	19	50	48.59	19.94	-0.02	4	49.83
148	5.9		27	57.66	3.347	—	3	30	30	2.38	19.91	—	4	49.81
149	6.8		28	8.79	3.107	—	2	77	36	43.99	19.90	—	3	49.79
157	7.0		29	8.27	2.770	+0.018	4	150	32	35.59	19.89	-0.41	4	49.79
165	7.0		30	53.33	3.274	—	4	41	28	15.08	19.87	—	4	49.84
175	6.1		33	9.72	3.490	—	4	24	40	34.33	19.85	—	4	49.85
177	7.0		33	26.85	3.100	—	4	81	27	55.01	19.84	—	3	49.79
181	7.0		33	52.55	3.235	—	4	50	7	58.33	19.84	—	4	49.84
188	6.8		34	55.59	2.754	+0.020	4	147	19	38.23	19.82	+0.03	4	49.76
193	6.6		35	56.60	2.694	—	4	151	5	1.08	19.81	—	4	49.89
195	6.4		36	2.71	2.595	—	5	156	17	34.30	19.81	—	3	49.92
197	6.9		36	7.38	3.296	—	4	42	57	31.55	19.81	—	4	49.71
224	7.5		41	7.09	3.197	—	4	62	5	58.16	19.73	—	4	49.70
226	6.8		41	13.96	3.327	—	4	43	3	14.29	19.73	—	4	49.70
245	7.9		46	34.83	3.369	—	4	42	8	9.44	19.64	—	4	49.71
255	6.3		47	46.65	3.541	—	3	30	27	1.67	19.62	—	4	49.79
261	6.1		49	4.37	3.695	—	4	24	27	36.36	19.60	—	4	49.86
263	8.0		49	10.67	3.211	—	4	63	48	48.75	19.60	—	4	49.70
276	6.9		52	7.51	2.515	+0.043	6	151	30	29.63	19.54	-0.11	6	49.82
277	7.3		52	18.79	2.855	—	4	125	26	52.20	19.54	—	6	49.80
280	6.9		54	9.09	4.132	—	4	16	26	6.10	19.50	—	4	49.89
282	6.6		54	24.87	3.621	—	3	29	43	57.95	19.49	—	4	49.82
294	6.0		56	3.36	2.721	+0.044	4	137	12	18.98	19.46	+0.13	4	49.72
297	6.7		56	10.88	3.335	—	5	50	48	51.53	19.46	—	4	49.77
299	6.2		56	16.11	3.250	—	5	61	8	34.04	19.45	—	6	49.79
302	6.5		56	57.70	3.688	+0.014	4	28	2	32.95	19.44	0.00	4	49.94
306	6.8		57	28.04	2.844	—	4	124	20	15.68	19.43	—	4	49.80
309	6.7		57	41.61	2.691	—	4	138	44	47.97	19.42	—	4	49.86
326	7.8	1	0	35.98	2.838	—	4	123	36	55.41	19.36	—	4	49.75
335	6.2		1	46.57	3.782	—	4	26	35	47.38	19.33	—	4	49.77
355	8.9		4	5.65	2.831	—	3	123	2	50.83	19.28	—	3	49.91

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
													1800+	
371	7.0	1	6	23.59	+ 3.014	—	4	98	25	4.34	—19.22	—	4	49.87
375	7.6		7	30.16	2.955	—	4	106	36	46.40	19.19	—	4	49.87
377	7.0		7	52.47	3.424	—	3	47	51	12.32	19.18	—	3	50.66
379	7.7		8	6.17	3.994	—	2	22	58	34.07	19.18	—	2	51.01
383	8.0		8	51.87	2.475	—	4	146	25	36.83	19.16	—	4	49.81
407	7.4		14	57.89	2.627	—	3	135	55	37.63	18.99	—	5	49.78
417	7.7		16	24.94	2.316	—0.038	3	149	54	39.01	18.95	+0.03	4	49.86
445	8.4		21	45.49	2.794	—	4	120	40	14.24	18.79	—	4	49.76
450	6.9		22	33.88	3.988	—	3	27	10	52.42	18.77	—	4	49.85
455	7.0		23	58.56	3.210	—	3	73	49	9.43	18.72	—	3	49.74
472	6.8		27	5.15	3.072	—	4	89	48	50.92	18.62	—	4	49.76
482	5.4		28	21.37	3.851	—	4	32	47	21.63	18.58	—	4	49.84
501	5.7		31	41.11	3.548	—	4	47	27	48.28	18.47	—	4	49.75
514	6.5		33	10.98	3.367	—	4	60	42	48.84	18.42	—	4	49.75
516	5.9		33	23.98	3.435	—	4	55	30	48.72	18.41	—	4	49.83
524	7.1		34	22.42	3.214	—	4	74	58	49.77	18.38	—	4	49.93
530	7.7		36	31.79	2.241	—	4	146	37	27.16	18.30	—	4	49.87
531	6.1		36	39.59	2.060	+0.035	4	151	32	43.72	18.30	—0.15	4	49.96
543	7.6		39	30.35	2.023	—0.015	4	151	46	19.64	18.19	0.00	4	49.81
547	6.5		39	58.23	3.681	—	4	42	51	8.56	18.17	—	4	49.82
562	7.2		43	16.69	3.733	—	4	39	16	8.35	18.05	—	4	49.79
575	6.4		45	53.17	3.570	—	3	50	2	7.53	17.95	—	4	49.80
583	5.9		48	37.45	4.316	—	4	26	6	40.70	17.84	—	1	49.82
596	4.8		50	7.31	2.269	+0.084	4	142	21	24.62	17.78	—0.27	4	49.93
599	6.5		50	29.09	1.951	—	4	151	2	47.19	17.77	—	4	49.81
602	6.1		50	59.06	1.920	—	5	151	35	55.54	17.75	—	4	49.87
620	6.6		53	26.86	4.395	—	4	25	37	13.67	17.65	—	4	49.81
631	7.3		55	13.47	3.100	—	4	87	22	19.12	17.57	—	4	49.78
636	5.9		55	45.43	2.885	—	4	106	1	50.22	17.55	—	5	49.86
651	6.4		59	39.52	5.296	+0.016	4	16	40	54.54	17.38	+0.03	4	49.92
661	7.0	2	1	47.72	3.606	—	2	51	40	17.64	17.29	—	3	49.85
662	7.5		1	48.50	3.606	—	2	51	40	2.73	17.29	—	1	49.85
706	5.6		9	37.57	3.831	—	3	43	18	55.35	16.93	—	4	49.84
714	6.3		11	0.26	3.836	—0.008	4	43	22	53.25	16.87	0.00	6	49.84
728	7.5		15	12.03	3.203	—	4	79	50	57.95	16.71	—	4	49.86
738	7.3		16	9.04	3.197	—	4	80	24	37.10	16.62	—	4	49.81
761	7.1		20	39.32	3.682	—	5	51	32	6.92	16.40	—	5	49.85
764	6.1		21	35.10	3.192	—	5	81	6	23.50	16.35	—	5	49.90
776	{ 8.6 5.8 }		23	{ 36.21 45.02 }	3.093	—	{ 3 4 }	88	23	{ 51.59 59.80 }	16.24	—	{ 3 4 }	49.87
779	7.1		24	35.21	1.382	+0.074	5	154	58	13.10	16.20	—0.15	4	49.87
795	6.9		28	4.59	5.405	—0.004	5	19	1	30.75	16.01	—0.03	5	49.85
802	7.2		29	33.61	5.023	—0.121	4	22	35	3.77	15.93	+0.03	4	49.90
814	5.9		31	59.33	5.027	0.000	4	22	49	3.26	15.80	+0.03	4	49.95
834	6.8		35	9.63	3.461	—	4	65	0	10.15	15.63	—	4	49.92
841	7.5		36	18.80	1.269	+0.018	4	154	55	39.42	15.57	0.00	3	50.02
857	6.7		38	12.85	4.352	—	5	33	35	48.98	15.46	—	4	50.01
858	6.3		38	28.82	4.356	—	5	33	32	44.11	15.45	—	4	50.01
868	7.7		40	13.49	1.341	0.000	4	153	33	9.30	15.35	+0.41	4	49.91
875	6.2		42	15.18	4.199	—	4	37	37	23.99	15.24	—	4	49.90
876	6.3		42	15.83	1.260	+0.025	4	154	20	6.02	15.24	—0.06	4	49.97

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. of R. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				o.	'	"				
885	5.9	2	45	42.82	+1.302	—	4	153	25	46.21	-15.04	—	4	49.81
897	6.5		46	26.64	4.008	—	4	43	26	51.98	14.99	—	5	49.87
906	6.7		48	31.44	1.219	+0.051	4	154	9	19.40	14.88	-0.08	4	49.97
911	7.4		49	6.33	1.265	+0.007	4	153	31	26.60	14.84	-0.15	3	50.25
914	6.0		49	40.36	4.025	—	4	43	23	2.11	14.81	—	4	49.93
916	6.1		49	59.17	3.840	—	4	49	34	6.50	14.79	—	4	50.00
925	7.0		51	15.13	1.075	—	4	155	30	44.20	14.71	—	4	50.48
926	6.8		52	20.08	3.637	—	3	58	11	6.04	14.65	—	3	49.98
956	5.6		55	58.88	1.109	0.000	4	154	40	5.66	14.43	-0.08	4	49.87
961	6.0		57	48.54	2.047	+0.044	4	137	33	52.49	14.32	0.00	4	49.86
982	6.3	3	2	16.14	3.924	—	4	48	11	42.06	14.04	—	4	49.62
986	6.8		3	9.70	5.205	—	4	24	11	1.25	13.99	—	4	49.94
995	6.7		5	29.96	4.240	-0.013	4	39	37	24.26	13.84	-0.03	4	49.79
998	6.8		5	46.48	5.618	+0.012	4	20	49	27.88	13.82	-0.02	3	49.95
1006	6.6		8	3.27	3.855	—	4	51	16	19.83	13.67	—	4	49.81
1018	7.2		9	50.67	6.227	+0.023	4	17	19	57.69	13.56	+0.01	4	49.90
1026	7.1		12	48.97	0.933	+0.010	4	154	59	41.07	13.37	-0.01	3	49.90
1048	6.1		14	31.52	1.089	+0.194	4	153	9	1.30	13.26	-0.78	4	49.95
1050	6.8		14	52.26	6.045	+0.010	3	18	39	56.34	13.23	-0.08	4	49.85
1056	7.1		15	51.76	3.468	—	5	68	29	41.38	13.17	—	5	49.88
1067	6.8		18	53.01	6.372	+0.010	4	17	10	9.48	12.97	-0.02	4	49.92
1072	5.6		20	2.53	4.192	-0.006	3	42	25	1.39	12.89	-0.01	3	49.97
1080	6.9		21	28.90	6.977	—	5	14	46	4.50	12.79	—	5	50.03
1101	7.1		26	18.41	3.704	—	4	58	49	31.51	12.46	—	4	49.79
1105	6.5		27	52.42	4.022	—	4	47	54	57.47	12.36	—	3	49.85
1131	7.8		32	44.66	0.637	+0.037	3	156	15	45.00	12.02	-0.15	4	49.71
1142	6.6		35	30.61	4.158	—	4	44	47	38.78	11.82	—	4	49.90
1172	6.1		39	38.57	4.146	—	4	45	29	42.92	11.53	—	4	49.92
1182	7.0		40	25.76	3.557	—	3	66	4	54.14	11.47	—	1	49.94
1205	7.4		44	31.87	3.040	—	4	91	36	6.95	11.18	—	4	49.72
1248	7.0		54	8.43	0.742	—	4	153	53	55.06	10.47	—	4	49.86
1261	6.9		56	47.19	5.020	—	4	30	29	58.03	10.27	—	4	49.92
1282	6.9	4	2	36.72	4.397	—	4	41	17	50.14	9.83	—	4	49.91
1292	6.6		4	44.85	4.908	—	4	32	31	13.35	9.67	—	5	49.85
1297	8.2		5	45.04	0.592	+0.037	4	154	37	58.03	9.59	+0.10	4	49.73
1305	6.3		7	45.69	4.124	—	5	48	14	0.29	9.43	—	5	49.97
1307	5.6		7	58.55	4.461	—	4	40	19	23.86	9.42	—	4	49.89
1314	6.7		8	50.49	4.508	—	4	39	26	59.53	9.35	—	4	50.04
1318	6.4		9	40.83	4.837	—	4	33	51	39.14	9.29	—	5	49.96
1334	7.1		12	13.23	2.557	—	4	113	20	24.23	9.09	—	4	49.72
1351	6.9		14	52.32	3.421	—	4	73	43	33.78	8.88	—	2	49.85
1361	6.7		16	12.79	3.477	—	4	71	18	26.93	8.77	—	5	49.91
1412	7.3		26	2.36	0.679	+0.021	4	152	51	2.98	8.00	—	4	49.72
1415	7.3		26	35.75	4.913	—	4	33	40	18.68	7.95	—	4	49.96
1427	6.6		28	33.19	2.986	—	4	93	55	23.63	7.79	—	4	49.93
1457	6.8		35	43.06	6.142	+0.013	4	22	6	18.59	7.21	+0.03	4	49.92
1463	7.3		36	39.29	3.610	0.000	4	66	39	9.14	7.13	—	4	49.81
1466	8.1		37	10.10	0.651	+0.036	4	152	40	18.76	7.09	-0.08	4	49.74
1499	5.9		42	6.17	0.887	+0.046	4	150	0	31.19	6.69	-0.16	4	49.72
1515	7.5		47	7.42	3.645	—	4	65	39	7.48	6.27	—	4	49.72



MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
1522	6.8	4	47	40.20	+6.008	—	4	23	23	47.51	-6.23	—	4	1800+
1566	9.6		58	2.22	4.725	—	4	37	54	13.27	5.36	—	4	49.89
1567	7.7		58	2.83	4.812	—	4	36	29	31.90	5.36	—	4	49.92
1585	6.4		59	45.72	7.316	—	4	16	54	55.44	5.21	—	4	49.97
1589	5.8	5	1	5.31	1.541	+0.068	5	139	46	58.68	5.10	-0.07	4	49.73
1592	6.8		1	9.35	2.869	—	4	98	51	49.11	5.09	—	4	49.85
1612	9.5		5	37.43	0.626	-0.022	4	151	59	56.90	4.72	+0.16	5	50.06
1621	6.7		6	24.84	0.452	-0.031	4	153	35	20.46	4.64	+0.15	4	49.79
1656	6.9		13	33.65	3.261	—	4	81	43	28.36	4.04	—	3	49.75
1678	6.7		16	13.78	3.047	—	4	91	0	41.62	3.81	—	3	49.87
1696	7.1		18	40.36	3.135	—	3	87	11	57.53	3.60	—	3	49.95
1704	6.7		19	36.91	1.098	+0.020	5	146	16	35.19	3.52	-0.23	5	49.82
1706	6.1		19	42.04	7.961	+0.026	4	15	4	1.85	3.50	—	4	50.08
1712	7.0		21	22.63	1.356	-0.018	4	142	26	57.35	3.36	—	4	49.85
1728	{ 7.1 7.0 }		23	{ 32.45 32.85 }	3.473	{ — 0.000 }	{ 4 2 }	73	3	{ 28.01 34.73 }	3.18	—	{ 4 4 }	49.89
1729	5.5		24	8.24	0.869	-0.012	4	149	2	23.24	3.12	-0.07	4	49.99
1736	7.0		24	56.53	4.518	0.000	4	42	23	25.68	3.06	—	4	50.10
1751	6.6		27	25.20	5.989	—	4	24	23	32.93	2.84	—	4	50.09
1752	{ 6.3 6.2 }		27	{ 41.44 43.04 }	2.929	—	{ 4 4 }	96	6	47.41	2.82	—	{ 3 3 }	49.98
1756	5.9		27	48.62	2.013	—	4	128	37	14.77	2.81	—	4	50.04
1761	7.3		28	5.65	2.308	0.000	5	119	57	17.06	2.78	—	5	49.89
1770	6.9		29	22.30	0.350	+0.042	4	154	2	22.66	2.67	-0.13	4	49.87
1772	6.5		29	46.06	3.809	0.000	4	60	52	38.09	2.64	—	4	49.92
1790	6.4		32	11.12	0.310	+0.104	4	154	19	36.18	2.43	+0.06	4	49.91
1808	7.9		35	56.71	3.427	—	4	75	0	27.23	2.10	—	4	49.77
1813	6.6		36	47.79	6.433	—	4	21	34	56.12	2.03	—	4	49.98
1822	7.4		38	11.64	2.520	—	5	112	28	29.71	1.91	—	5	49.88
1826	6.8		38	38.08	3.293	—	4	80	32	15.21	1.87	—	4	49.88
1832	6.6		39	1.02	4.742	—	4	38	32	18.17	1.83	—	4	50.02
1847	7.8		41	28.09	2.092	+0.010	4	126	17	17.59	1.62	-0.25	4	49.80
1866	7.4		44	18.81	4.764	—	4	38	13	52.85	1.37	—	4	49.85
1877	7.0		45	35.64	5.040	0.000	3	34	7	13.74	1.26	—	3	50.05
1888	7.0		47	25.42	4.944	—	4	35	28	29.18	1.10	—	4	49.89
1893	7.1		48	13.51	3.294	—	5	80	31	5.05	1.03	—	5	49.75
1899	6.6		49	20.67	4.387	—	4	45	25	30.54	0.93	—	4	49.98
1907	6.8		50	26.81	3.374	—	4	77	12	39.09	0.83	—	4	50.02
1909	7.6		50	34.60	0.324	-0.037	4	154	3	59.06	0.82	—	4	49.95
1921	6.6		52	2.78	4.333	+0.006	5	46	37	46.44	0.70	+0.03	5	49.98
1926	6.2		52	57.63	0.432	+0.027	4	153	8	9.35	0.62	-0.74	4	49.92
1927	7.4		53	31.42	0.268	-0.050	4	154	30	25.49	0.56	-0.18	4	49.90
1932	7.6		54	18.62	4.137	—	4	51	25	36.68	0.50	—	4	49.89
1942	6.1		56	14.38	4.134	-0.004	4	51	30	37.65	0.33	+0.09	4	49.86
1950	6.4		57	39.12	5.431	—	4	29	31	46.64	0.21	—	4	50.02
1954	8.1		58	17.12	0.922	+0.018	4	148	6	17.09	0.15	-0.25	3	49.73
1994	6.0	6	4	33.99	2.918	—	4	96	31	13.07	+0.40	—	3	49.91
1999	7.9		5	32.51	4.048	—	4	53	48	46.94	0.49	—	4	49.90
2000	5.9		5	41.63	0.543	—	4	152	7	41.27	0.50	—	4	49.90
2013	7.0		7	22.74	1.167	—	4	144	56	10.81	0.65	—	4	50.03
2014	7.2		7	30.75	4.013	—	5	54	48	25.14	0.66	—	6	49.88
2021	6.8		8	51.19	4.015	—	4	54	44	24.75	0.77	—	3	49.93

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>°</i>	<i>'</i>	<i>"</i>				
2031	5.8	6	10	55.63	+0.133	-0.048	4	55	33	12.14	+0.96	-0.30	4	1800 + 49.95
2046	5.9	13	45.39	5.076	+0.017	—	4	33	38	32.75	1.20	—	4	50.06
2048	7.8	14	9.43	0.836	—	—	4	149	9	19.77	1.24	—	3	53.05
2049	6.7	14	14.08	0.837	—	—	4	149	8	41.91	1.25	—	4	52.25
2070	7.6	17	16.04	3.337	—	—	5	78	43	24.59	1.51	—	5	50.13
2072	7.3	17	34.85	2.274	+0.014	—	4	120	52	15.79	1.54	+0.20	3	50.06
2076	8.3	18	30.52	3.989	—	—	4	55	25	19.36	1.62	—	4	49.96
2078	7.2	18	43.09	0.868	+0.044	—	5	153	45	18.62	1.64	-0.27	5	50.04
2083	8.9	18	57.01	7.657	—	—	4	16	11	59.36	1.66	—	4	50.16
2093	6.1	20	15.51	1.074	+0.010	—	4	146	17	24.72	1.77	0.00	4	49.94
2101	7.4	21	18.16	3.626	—	—	4	67	21	38.18	1.86	—	4	50.12
2102	6.7	21	30.09	1.317	—	—	4	142	43	20.31	1.87	—	4	50.14
2106	5.9	21	45.68	1.588	-0.053	—	4	138	5	20.37	1.90	-0.17	4	50.09
2113	7.1	23	11.54	5.218	+0.013	—	4	31	46	36.66	2.03	+0.05	4	50.14
2118	7.1	23	57.10	3.188	—	—	3	84	57	19.21	2.09	—	4	50.05
2121	6.9	23	59.93	0.376	-0.119?	—	4	153	44	20.65	2.10	-0.12	4	50.02
2137	6.4	26	8.28	1.480	+0.035	—	4	140	8	5.35	2.28	-0.13	4	49.80
2139	5.5	26	13.74	4.129	—	—	4	51	26	23.38	2.29	—	4	50.07
2142	6.2	26	23.76	0.567	-0.070	—	4	152	3	7.54	2.31	+0.08	4	50.05
2184	7.5	32	42.62	3.463	—	—	6	73	28	3.03	2.85	—	6	49.83
2190	8.1	33	33.13	2.043	+0.022	—	4	127	51	48.81	2.93	+2.64	4	49.79
2238	6.4	42	53.37	3.649	—	—	4	66	13	33.90	3.73	—	5	49.81
2247	6.2	44	15.90	6.881	—	—	4	19	0	2.99	3.85	—	4	49.85
2284	6.8	51	43.43	2.469	+0.080	—	4	114	46	29.30	4.48	—	3	49.80
2288	7.0	51	56.09	2.148	0.000	—	5	125	18	36.99	4.51	-0.27	3	49.84
2292	7.4	52	40.88	3.320	—	—	4	79	10	7.94	4.57	—	5	49.85
2315	7.3	56	24.76	2.151	0.000	—	5	125	20	4.20	4.89	-0.04	5	49.84
2320	8.0	57	5.53	80.198	-0.260	—	4	0	57	45.06	4.94	—	3	50.13
2321	6.0	57	13.10	1.460	-0.015	—	4	141	11	22.90	4.96	-0.23	4	49.82
2334	6.8	7	0	27.92	4.610	—	4	39	58	16.83	5.23	—	4	49.85
2341	6.1	1	40.48	4.701	0.000	—	4	38	19	45.94	5.33	—	4	49.93
2360	8.1	4	31.02	1.782	+0.042	—	4	135	5	28.62	5.57	-0.06	4	49.81
2361	6.0	4	40.87	4.472	0.000	—	4	42	29	59.82	5.59	—	3	49.85
2363	7.2	5	16.89	3.668	—	—	4	65	2	15.76	5.63	—	4	49.97
2367	6.3	5	46.01	4.735	0.000	—	4	37	36	40.71	5.68	—	4	50.07
2375	6.1	6	45.84	1.613	0.000	—	4	138	41	34.64	5.76	—	4	49.93
2379	5.7	7	7.12	4.581	—	—	4	40	16	27.80	5.79	—	4	50.02
2386	7.0	8	7.87	2.330	-0.009	—	4	120	5	5.57	5.87	+0.06	4	49.98
2399	6.2	9	33.09	2.321	-0.027	—	4	120	25	36.59	5.99	-0.07	4	49.89
2404	6.1	10	30.16	1.655	0.000	—	4	138	0	41.42	6.07	—	4	49.97
2408	6.4	10	36.87	0.578	-0.011	—	4	152	56	1.51	6.08	—	4	50.07
2419	6.6	12	32.14	6.010	0.000	—	4	23	22	54.70	6.24	—	4	50.07
2463	7.4	19	20.40	3.735	—	—	5	62	8	55.89	6.81	—	5	49.82
2468	6.8	25	37.15	4.382	—	—	5	43	29	42.35	7.32	—	5	49.82
2511	{ 6.4 7.8 7.7 }	29	{ 10.33 42.38 45.21 }	2.759	—	{ 3 4 2 }	104	9	{ 50.51 10.54 14.14 }	{ 7.61 7.65 7.65 }	{ — — — }	{ 3 2 2 }	{ 49.84 49.92 50.08 }	
2512	7.0	29	45.84	4.842	—	—	5	34	53	42.36	7.66	—	5	50.05
2518	8.6	30	30.19	3.188	—	—	4	84	35	25.51	7.72	—	4	50.16
2528	7.1	32	27.13	2.121	-0.025	—	5	127	40	31.90	7.88	-0.09	5	49.87
2538	5.8	33	31.92	2.744	—	—	3	104	55	11.63	7.96	—	5	49.89
2565	6.9	38	16.16	2.521	+0.014	—	4	114	18	58.99	8.34	—	4	49.83

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>s.</i>	<i>°</i>	<i>'</i>				
2586	7.6	7	40	38.83	+3.730	—	4	61	25	50.08	+8.53	—	4	49.87
2587	7.1		40	46.04	2.578	—	5	112	9	13.51	8.54	—	4	49.82
2610	7.1		43	46.23	0.407	-0.116?	4	155	42	20.60	8.78	-0.28	3	49.91
2615	8.9		44	9.65	1.106	—	5	148	32	6.53	8.81	—	4	49.90
2638	6.9		47	43.27	4.237	0.000	4	45	37	39.29	9.08	—	4	49.95
2650	6.9		50	20.69	4.944	0.000	4	32	19	2.80	9.29	—	4	49.95
2656	6.5		51	46.98	1.258	+0.015	4	146	54	24.69	9.40	-0.23	4	49.88
2666	5.8		53	9.07	2.688	+0.010	5	107	59	27.09	9.50	—	5	49.91
2674	6.8		54	42.42	6.319	+0.033	4	19	51	16.12	9.62	-0.07	4	50.09
2683	7.0		56	4.66	3.479	0.000	4	70	44	15.73	9.73	—	4	50.04
2687	6.7		56	20.27	1.013	+0.012	4	150	24	50.78	9.75	-0.28	4	49.88
2688	6.7		56	24.78	3.691	—	4	62	2	55.06	9.76	—	5	50.13
2704	6.8		57	42.81	4.985	-0.008	4	31	19	7.90	9.85	+0.09	4	50.18
2706	6.9		57	46.34	2.709	0.000	5	107	14	39.07	9.86	—	4	50.08
2709	7.1		58	1.78	1.407	-0.049	4	145	2	16.54	9.88	+0.11	4	49.90
2713	5.4		58	25.94	0.774	-0.019	4	153	9	9.11	9.91	—	4	50.10
2715	6.0		59	3.98	4.148	0.000	4	47	8	8.33	9.96	+0.12	4	50.17
2723	6.2	8	0	41.15	2.647	0.000	4	110	7	25.35	10.08	—	4	50.04
2737	7.0		2	32.86	3.380	0.000	4	74	55	51.04	10.22	—	4	49.93
2738	7.4		2	34.81	0.870	+0.039	4	152	24	23.11	10.22	-0.17	4	49.83
2739	6.6		2	36.88	2.745	0.000	4	105	48	43.14	10.23	—	4	50.10
2748	7.2		3	58.28	3.366	0.000	4	75	33	8.06	10.33	—	4	50.08
2749	6.4		4	2.27	6.787	+0.011	5	17	8	9.03	10.33	+0.05	6	50.36
2751	6.9		4	31.44	5.025	0.000	4	30	21	33.12	10.37	—	5	50.17
2761	6.8		6	0.27	3.344	—	4	76	30	5.39	10.48	—	4	50.08
2768	6.8		6	26.74	0.802	-0.018	4	153	21	33.21	10.51	-0.06	4	49.89
2796	5.9		12	59.56	0.927	0.000	5	152	27	9.51	11.00	-0.11	6	49.84
2798	6.8		14	32.06	4.090	0.000	4	47	31	1.54	11.11	—	4	50.06
2801	7.3		15	18.52	3.635	—	5	63	3	17.94	11.17	—	4	50.13
2820	6.6		17	44.47	2.215	-0.037	4	127	48	17.51	11.34	-0.14	4	50.10
2823	5.6		17	55.23	1.846	0.000	4	138	0	36.78	11.35	-0.19	4	49.84
2843	6.6		21	15.06	2.410	+0.039	4	121	10	49.49	11.59	-0.19	4	49.97
2852	6.6		22	53.93	6.893	+0.008	4	15	51	13.66	11.71	+0.09	4	50.12
2855	6.6		23	8.66	3.934	-0.018	4	51	28	25.58	11.73	+0.19	4	50.09
2857	6.1		23	30.11	1.655	+0.009	4	142	35	34.86	11.76	-0.15	4	49.84
2882	6.6		26	54.84	4.961	0.000	4	29	32	30.77	11.99	—	5	50.15
2887	6.1		27	7.96	4.540	-0.016	4	36	4	53.87	12.01	+0.05	3	50.13
2894	6.7		28	15.13	3.658	0.000	4	61	11	12.37	12.09	—	4	49.93
2898	6.7		29	7.63	2.544	+0.033	5	116	19	43.24	12.15	-0.04	5	49.89
2939	6.0		34	38.89	1.080	+0.035	4	152	19	35.27	12.53	*0.05	4	49.98
2949	7.1		35	46.19	1.089	-0.016	4	152	18	51.14	12.61	—	4	49.98
2988	7.0		41	51.42	4.551	—	5	34	29	28.27	13.02	—	6	50.15
3004	7.6		43	44.73	5.349	0.000	4	28	54	33.18	13.14	—	4	50.17
(3008)	7.5		43	57.50	1.121	-0.096	5	152	38	18.13	13.16	+0.24	6	50.07
3007	6.4		44	1.73	2.533	+0.040	4	118	3	37.88	13.16	+0.18	5	50.07
3013	7.1		44	28.76	3.175	0.000	4	84	5	55.31	13.19	—	4	50.17
3021	7.6		45	32.53	5.386	—	4	23	25	37.95	13.26	—	4	50.21
3027	6.1		46	45.10	3.932	-0.010	4	49	13	40.39	13.34	+0.07	4	50.21
3028	7.1		46	49.86	1.143	+0.016	4	152	37	20.58	13.34	-0.09	4	50.12
3053	6.7		49	36.35	3.244	0.000	4	80	2	15.68	13.52	—	3	50.08

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
3060	6.6	8	50	57.52	+3.843	0.000	4	51	48	58.34	+13.61	—	4	1800+ 50.12
3067	9.6		51	59.93	} 1.763	-0.049	{ 2 4	143	18	{ 22.30 29.07	} 13.68	+0.60	{ 2 4	50.17
3072	6.5		52	1.02										
3082	6.9		54	41.33	4.455	—	4	35	7	45.57	13.74	—	4	50.30
3083	6.9		54	43.44	2.597	0.000	4	116	4	33.37	13.85	0.00	4	50.07
					4.283	-0.010	4	38	34	57.93	13.85	—	5	50.17
(3086)	6.8		55	0.99	4.740	—	4	30	3	41.42	13.87	—	4	50.22
3085	6.4		55	1.24	4.186	—	4	40	52	39.22	13.87	—	4	50.20
3091	7.5		55	53.81	4.226	—	4	39	47	41.98	13.93	—	4	50.25
3093	7.4		56	4.92	3.523	0.000	4	64	48	6.09	13.94	—	4	50.15
3100	6.9		57	15.04	3.842	+0.019	4	51	7	31.14	14.01	+0.07	4	50.11
3103	7.4		57	50.50	3.375	—	4	72	17	22.76	14.05	—	4	50.13
3116	6.5	9	0	40.61	6.265	-0.013	4	16	26	23.91	14.22	—	4	50.18
3118	{ 6.9 7.4		0	{ 46.25 47.91	} 4.864	—	{ 8 4	27	43	1.82	14.23	—	4	*53.14
3128	7.5		3	14.14										
3133	6.4		4	22.55	3.143	0.000	4	85	31	15.39	14.45	—	4	50.08
3139	7.2		5	11.74	1.903	-0.003	4	141	39	6.38	14.50	+1.36	2	50.13
3154	7.9		8	29.61	1.924	+0.071	3	141	33	49.69	14.70	-0.32	5	50.15
3172	6.3		10	39.93	4.475	0.000	4	32	40	9.98	14.83	—	5	50.14
3180	8.6		12	7.67	2.675	—	4	113	49	39.31	14.91	—	4	50.18
3189	7.6		13	39.43	1.317	+0.400?	4	153	8	50.50	14.99	±0.28	3	50.10
3220	6.8		19	1.87	4.370	-0.015	4	33	36	10.74	15.31	—	4	50.18
3226	6.2		20	20.96	2.989	—	7	95	25	7.91	15.38	—	7	50.12
3274	7.5		28	1.96	1.612	-0.030	4	150	34	19.78	15.80	—	4	50.06
3276	5.9		28	21.91	2.147	+0.009	4	138	20	24.74	15.82	-0.18	4	50.13
3287	6.2		29	18.60	5.305	-0.015	4	20	5	5.16	15.87	—	4	50.18
3301	9.9		31	29.98	1.392	—	4	154	19	51.30	15.99	—	5	50.19
3308	6.5		32	42.05	4.217	—	4	34	57	19.55	16.05	—	4	50.18
3316	7.4		34	42.98	1.466	+0.010	4	153	43	30.95	16.16	-0.04	4	50.02
3323	6.8		35	50.06	1.574	+0.015	4	152	15	49.57	16.22	-0.12	5	50.21
3325	7.1		36	3.01	4.677	—	4	26	3	30.69	16.23	—	4	50.19
3336	6.1		38	14.92	3.171	—	4	82	36	5.92	16.34	—	3	50.14
3351	6.6		40	52.78	1.919	+0.031	4	146	29	41.56	16.47	0.00	4	50.12
3357	9.4		41	53.23	1.359	—	4	156	6	59.40	16.52	—	4	50.13
3373	9.9		44	27.52	1.383	—	4	156	9	53.28	16.65	—	4	50.20
3375	6.7		44	39.42	3.605	—	4	54	18	46.25	16.66	—	4	50.16
3380	6.1		45	50.02	3.157	—	4	83	20	15.00	16.72	—	4	50.10
3397	6.8		48	27.39	3.826	—	4	43	52	25.54	16.84	—	4	50.16
3402	5.8		49	29.52	4.203	—	4	32	28	24.27	16.89	—	4	50.18
3418	8.1		53	3.76	3.191	—	4	80	19	45.67	17.06	—	4	50.06
3420	7.1		53	21.09	3.513	—	5	57	44	52.09	17.07	—	6	50.17
3421	7.1		53	29.81	3.931	—	4	39	10	11.70	17.08	—	4	50.20
3426	6.8		54	45.99	1.729	+0.010	5	152	37	30.84	17.14	-0.02	4	50.22
3427	7.7		55	13.13	3.527	—	4	56	37	50.72	17.15	—	4	50.21
3430	7.8		55	21.07	3.180	—	4	81	2	53.38	17.16	—	4	50.26
3431	7.6		55	30.60	3.522	—	5	56	49	23.58	17.17	—	4	50.29
3438	7.7		56	57.46	3.139	—	4	84	16	14.54	17.23	—	4	50.28
3439	7.7		56	57.68	3.563	—	4	54	16	13.85	17.23	—	4	50.32
3460	7.0	10	0	53.80	3.303	—	4	70	44	3.02	17.41	—	4	50.19
3467	8.2		2	15.51	1.910	—	4	150	28	55.62	17.47	—	4	50.31
3468	6.1		2	18.37	3.586	—	4	51	51	40.23	17.47	—	4	50.26

\* This is the mean epoch for the P. D., that for the A. R. is 1851.65.

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C	Magnitude	Right Ascension, January 1, 1850			Annual Precession.	Proper Motion.	No of Observ- ations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion	No. of Observ- ations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>s.</i>	<i>o</i>	<i>'</i>				
3471	6.3	10	2	47.59	+2.931	—	4	102	4	34.96	+17.49	—	4	50.31
3479	9.5	4		27.25	1.700	—	4	154	46	31.89	17.56	—	4	50.19
3481	6.3	4		32.40	1.681	-0.017	5	155	4	53.53	17.56	-0.18	5	50.21
3484	7.8	5		32.66	3.473	—	4	57	49	57.42	17.61	—	4	50.17
3488	7.1	6		27.32	2.050	+0.046	4	148	5	22.13	17.64	-0.11	4	50.08
3513	6.5	9		16.53	1.700	-0.009	4	155	37	44.67	17.76	-0.18	4	50.18
3519	6.2	10		46.60	3.945	-0.008	4	35	2	0.02	17.82	+0.09	4	50.18
3529	7.7	12		41.01	3.147	—	4	82	48	58.21	17.90	—	4	50.13
3541	6.5	14		26.56	1.856	+0.028	5	153	55	27.31	17.97	-0.20	5	50.09
3543	7.0	15		5.71	1.838	—	4	154	23	1.12	17.99	—	4	50.18
3547	8.2	15		27.05	2.343	-0.012	4	140	59	11.79	18.00	+0.35	4	50.25
3553	6.9	15		57.05	3.041	—	4	92	53	9.29	18.02	—	3	50.20
3556	7.6	16		39.62	1.852	—	4	154	26	23.14	18.05	—	4	50.21
3564	5.9	18		31.71	1.776	+0.017	4	156	8	35.58	18.12	-0.10	4	50.07
3567	6.7	18		46.75	3.742	+0.013	4	40	24	59.78	18.13	+0.89	4	50.18
3592	7.1	22		0.46	3.093	0.000	4	87	44	14.10	18.25	—	4	50.21
3595	6.6	22		25.75	2.238	—	4	146	25	59.01	18.26	—	4	50.21
3599	6.6	22		42.33	1.893	+0.007	4	154	56	24.67	18.27	-0.13	4	50.18
3605	7.6	24		10.48	1.937	+0.030	4	154	24	38.10	18.33	-0.15	4	50.06
3607	5.9	24		27.51	3.544	—	4	48	48	14.89	18.34	—	4	50.19
3627	6.4	27		49.89	2.855	—	4	112	24	13.76	18.45	—	4	50.12
(3639)	5.6	29		45.05	3.785	— ?	4	35	33	1.79	18.54	+0.07	4	50.21
3635	5.1	29		50.42	2.288	-0.011	4	146	46	54.42	18.52	-0.08	3	50.06
3637	6.1	30		9.23	2.956	—	4	102	36	20.17	18.53	—	4	50.18
3645	6.0	31		3.38	4.404	—	4	20	46	30.45	18.56	—	4	50.19
3656	7.3	33		9.88	2.045	-0.019	4	154	15	45.82	18.63	-0.04	4	50.20
3659	7.4	33		38.76	2.074	— ?	4	153	43	2.50	18.65	—	4	50.12
3662	7.8	33		46.63	3.171	—	4	78	28	41.21	18.65	—	4	50.25
3668	6.2	35		0.53	2.063	+0.009	4	154	19	6.50	18.69	0.00	4	50.12
3674	6.9	35		41.32	2.869	—	4	112	45	52.88	18.71	—	4	50.19
3694	5.4	38		42.58	2.153	— ?	4	153	10	28.24	18.81	—	4	50.22
3706	6.4	41		2.77	2.166	+0.011	3	153	28	24.47	18.88	-0.07	7	50.17
3716	7.4	42		12.99	2.168	-0.055	4	153	45	20.13	18.91	-0.07	4	50.19
3717	7.1	42		24.31	2.181	-0.010	5	153	28	20.54	18.92	-0.21	4	50.21
3726	7.3	44		31.30	3.084	0.000	4	88	10	46.25	18.98	—	4	50.07
3732	6.0	46		5.63	3.061	—	4	91	19	58.20	19.02	—	4	50.14
3739	7.0	47		18.71	2.401	+0.011	4	148	5	45.12	19.06	-0.09	3	50.18
3758	5.9	51		36.20	3.482	—	4	43	40	16.32	19.17	—	4	50.07
3760	6.7	51		48.74	3.445	-0.018	4	46	16	49.34	19.17	+0.19	4	50.10
3780	7.5	55		53.32	3.125	0.000	4	81	36	37.04	19.28	—	4	50.19
3781	7.7	55		55.21	3.377	-0.011	4	50	19	29.17	19.28	-0.02	4	50.08
3800	6.7	59		26.00	2.648	+0.010	4	140	24	1.75	19.36	+0.10	4	50.06
3806	7.7	11	0	27.12	2.366	-0.046	4	154	1	45.62	19.38	-0.29	4	50.13
3821	6.8	2		31.96	3.939	—	4	20	54	55.14	19.43	—	4	50.22
3825	7.1	3		58.62	3.545	0.000	4	34	17	29.87	19.46	—	4	50.32
3836	6.9	6		11.15	3.087	0.000	4	86	54	48.86	19.51	—	4	50.17
3839	6.3	6		34.04	2.455	+0.015	4	153	21	15.57	19.51	-0.07	5	50.26
3860	7.1	13		1.35	2.519	-0.078	4	153	45	48.99	19.64	-0.07	4	50.24
3869	7.6	14		37.55	3.157	-0.010	4	71	44	25.77	19.66	—	4	49.99
3880	6.1	16		54.06	2.555	+0.008	4	154	7	55.27	19.70	-0.06	4	50.16

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
3895	5.8	11	19	15.13	+2.604	-0.046	4	153	8	41.79	+19.74	-0.05	4	50.05
3918	6.4		23	48.37	3.465	-0.046	4	28	5	15.41	19.81	-0.05	4	50.21
(3924)	5.7		24	51.30	2.736	+0.003	3	148	36	51.71	19.82	-0.05	1	50.02
3923	5.5		24	54.18	2.735	-0.011	3	148	41	15.72	19.82	-0.11	5	50.02
3931	5.9		26	47.07	3.353	0.000	4	34	23	10.86	19.85	—	4	50.25
3942	7.1		28	57.93	3.425	+0.006	4	26	58	28.31	19.87	-0.02	5	50.22
3944	8.0		29	7.31	2.750	-0.073	2	150	44	57.22	19.87	+0.14	2	50.29
3949	6.7		29	44.30	3.292	-0.009	4	38	33	2.07	19.88	+0.03	4	50.23
3959	6.4		32	12.72	3.338	—	4	31	11	57.16	19.91	—	4	50.25
3960	6.1		32	34.65	2.735	+0.029	4	154	33	58.16	19.91	+0.05	3	50.16
3985	6.3		38	51.79	3.256	0.000	4	33	32	15.21	19.97	—	4	50.27
3996	7.4		41	25.74	3.082	0.000	4	83	58	35.57	19.99	—	4	50.09
3997	6.9		41	29.68	3.104	0.000	4	72	55	16.61	19.99	—	4	50.31
4000	5.8		42	25.06	2.870	—	4	152	57	15.85	20.00	-0.09	4	50.27
4005	7.0		43	13.18	3.093	—	4	76	53	15.85	20.00	—	4	50.33
4010	6.8		44	18.73	3.144	+0.338	4	51	12	20.14	20.01	+5.78	4	50.29
4011	6.2		44	33.19	2.883	-0.038	4	154	22	16.89	20.01	+0.02	5	50.19
4018	7.4		46	1.96	3.143	—	4	48	15	1.09	20.02	—	4	50.04
4036	6.9		49	1.08	3.193	-0.009	4	27	36	50.79	20.03	+0.01	5	50.26
4041	6.4		51	15.79	2.968	— ?	5	153	30	14.78	20.04	—	5	50.04
4067	5.7		56	37.84	3.033	0.000	6	152	19	47.33	20.05	0.00	6	50.10
4073	7.2		57	41.40	3.045	+0.018	5	152	8	23.69	20.05	-0.05	3	50.16
4074	6.5		58	2.74	3.094	-0.012	4	26	13	41.90	20.05	+0.06	4	50.17
4075	7.2		58	9.01	3.048	-0.005	4	154	42	40.81	20.06	+0.09	4	50.17
4105	7.0	12	4	5.57	3.118	+0.034?	4	153	40	29.94	20.05	+0.06	4	50.11
4109	8.0		4	16.29	3.119	—	5	152	37	5.50	20.05	—	5	50.20
4122	6.4		7	56.73	2.936	0.000	4	18	57	51.85	20.04	—	4	50.26
4133	5.3		10	20.81	3.190	-0.022	4	153	10	6.28	20.04	-0.05	4	50.05
4146	7.2		12	16.81	3.224	+0.008	4	155	0	30.70	20.03	+0.05	4	50.15
4153	6.2		12	46.66	3.032	0.000	4	62	32	33.81	20.02	—	4	50.27
4199	6.9		20	7.62	3.012	—	4	63	15	25.17	19.98	—	4	50.12
4205	7.1		21	8.30	3.008	0.000	4	62	56	32.82	19.97	—	4	50.24
4219	6.8		23	1.14	2.842	0.000	4	30	24	6.00	19.95	—	4	50.29
4231	7.9		26	3.32	2.999	0.000	4	64	43	21.75	19.93	—	4	50.07
4244	6.1		27	50.64	2.947	—	4	52	44	50.23	19.91	—	4	50.03
4277	6.5		35	56.11	3.073	—	4	90	45	3.03	19.81	—	4	50.13
4282	7.1		37	21.36	2.854	-0.004	4	45	4	29.05	19.79	-0.04	3	50.26
4287	6.3		38	3.86	2.840	-0.003	4	43	44	19.52	19.78	-0.03	4	50.28
4300	6.6		40	53.15	2.593	0.000	4	26	23	57.70	19.74	+0.03	4	50.31
4305	6.6		42	6.22	2.628	0.000	4	28	51	41.04	19.72	—	4	50.31
4311	6.8		43	2.29	2.873	—	4	51	39	57.54	19.70	—	4	50.06
4324	6.0		45	47.28	3.501	+0.012	4	148	19	50.10	19.66	+0.02	4	50.19
4341	6.5		48	4.48	2.761	+0.005	4	41	59	21.42	19.62	+0.04	4	50.19
4345	6.4		48	58.73	2.840	—	4	50	52	28.31	19.60	—	3	50.25
4350	6.4		50	15.93	2.759	-0.006	4	43	0	32.35	19.58	+0.07	4	50.26
4356	6.6		52	27.76	3.593	-0.048?	4	149	51	39.60	19.53	-0.02	4	50.25
4364	7.5		54	14.36	2.944	+0.017	4	67	55	16.73	19.50	—	4	50.19
4370	7.9		55	34.95	3.718	+0.032	4	153	38	1.54	19.47	-0.01	4	50.27
4372	8.0		56	1.05	3.623	0.000	4	149	37	59.25	19.46	+0.02	4	50.27
4381	6.7		58	29.77	3.778	+0.007	4	154	30	7.73	19.41	+0.02	4	50.23

No from B. A. C.	Magnitude	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>o.</i>	<i>'</i>	<i>"</i>				
4389	6.5	12	59	6.49	+2.717	-0.002	5	43	55	41.31	+19.39	-0.03	4	1800+
4394	6.0	13	0	43.79	3.121	0.000	4	98	10	45.63	19.36	—	4	50.19
4402	7.0	2	19	4.47	3.761	—	4	152	30	9.59	19.32	—	4	50.16
4404	7.0	2	28	2.22	3.606	—	2	146	6	32.58	19.31	+0.12	3	50.39
4407	6.5	2	43	2.22	2.786	0.000	4	51	46	35.17	19.31	—	3	50.39
4410	7.0	2	54	1.13	3.611	—	2	146	9	26.13	19.31	—	2	50.33
4445	8.1	9	53	9.4	3.127	—	4	97	56	18.91	19.13	—	4	50.43
4457	6.5	12	9	7.0	2.771	—	5	54	4	57.33	19.07	—	5	50.06
4462	7.0	12	59	3.9	3.029	—	4	84	23	1.37	19.05	—	4	50.27
4468	7.3	13	58	5.8	2.958	+0.014	4	75	3	43.42	19.02	+0.09	4	50.30
4469	5.8	13	59	4.9	3.931	0.000	3	153	44	53.40	19.02	—	3	50.35
4470	5.7	14	4	1.6	3.049	-0.011	4	87	7	21.45	19.02	—	4	50.37
4475	6.1	15	15	1.4	3.943	-0.038	4	153	41	55.05	18.98	-0.14	4	50.54
4479	6.0	17	5	2.6	2.728	-0.003	4	52	10	53.31	18.93	-0.01	5	50.37
4491	7.0	18	41	2.1	3.812	—	4	148	44	59.77	18.88	—	4	50.37
4503	7.7	21	38	1.7	3.033	—	4	85	21	1.32	18.80	—	4	50.18
4512	7.1	23	12	0.9	4.082	-0.119?	4	154	51	26.46	18.75	-0.05	4	50.25
4513	{ 8.0 } { 7.5 }	23	{ 40.39 } { 45.14 }	2.848	—	{ 4 } { 4 }	4	64	59	{ 26.78 } { 15.26 }	18.73	—	{ 4 } { 3 }	50.28
4519	6.7	24	44	6.8	2.622	-0.016	4	47	7	14.56	18.70	-0.50	4	50.28
4524	7.7	25	16	2.4	4.084	-0.002	4	154	22	48.46	18.68	+0.07	4	50.30
4545	6.9	28	50	3.4	2.566	-0.005	4	45	2	5.28	18.57	-0.05	4	50.34
4552	5.4	30	47	2.0	2.681	—	4	52	56	25.83	18.50	—	4	50.31
4557	6.7	32	7	1.1	3.908	0.000	4	148	1	29.79	18.46	+0.06	4	50.38
4558	{ 6.2 } { 7.3 }	32	{ 10.72 } { 10.79 }	3.788	-0.010	{ 3 } { 3 }	4	143	47	{ 48.12 } { 53.85 }	18.46	{ +0.06 } { — }	3	50.32
4559	6.5	32	10	7.3	2.964	0.000	4	78	29	22.77	18.45	—	4	50.39
4573	7.2	36	10	6.2	4.102	—?	5	152	9	16.15	18.31	+0.04	4	50.35
4575	7.0	36	39	8.3	2.833	0.000	4	66	32	28.67	18.30	—	4	50.69
4587	8.6	38	48	7.7	2.582	—	4	48	49	24.02	18.22	—	4	50.72
4588	7.6	38	59	3.7	4.040	—	4	150	0	4.64	18.21	—	4	50.83
4591	6.6	39	18	3.3	3.159	—	4	98	57	20.44	18.20	—	4	50.77
4595	6.7	39	48	6.5	2.610	—	5	50	44	38.57	18.18	—	4	50.72
4596	6.6	39	50	5.6	2.565	-0.031	3	48	9	25.73	18.18	+0.04	2	51.14
4600	6.8	40	31	1.0	2.606	—	4	50	42	19.68	18.16	—	5	50.64
4606	7.6	41	34	0.3	2.710	-0.013	4	57	50	58.77	18.12	—	5	50.53
4609	6.7	41	44	4.4	2.539	0.000	4	47	12	4.16	18.11	+0.03	4	50.28
4610	6.2	41	52	1.3	2.712	—	4	58	3	45.01	18.11	—	4	50.97
4611	6.8	41	54	9.6	4.181	—?	4	152	36	35.75	18.11	—	4	51.11
4612	8.4	41	55	9.6	4.183	—	4	152	38	58.75	18.10	—	4	51.11
4621	7.0	42	56	5.4	2.866	—	4	70	37	23.36	18.07	—	4	50.35
4626	7.5	44	16	5.1	4.113	—	6	150	35	30.37	18.02	—	6	50.65
4627	6.8	44	26	8.3	2.651	—	6	54	28	57.29	18.01	—	4	50.60
4628	6.7	44	31	5.7	2.652	—	3	54	35	21.03	18.01	—	4	50.64
4632	6.2	45	10	0.9	2.653	—	4	54	48	39.85	17.98	—	4	50.53
4639	6.6	46	12	9.0	3.247	—	4	106	26	21.32	17.94	—	4	50.28
4644	7.5	46	51	3.1	4.248	-0.014	4	152	56	51.50	17.91	+0.07	4	50.82
4652	6.8	49	30	8.6	2.676	—	4	57	13	59.57	17.83	—	4	50.33
4676	7.1	54	42	8.2	2.665	—	5	57	42	29.29	17.59	—	4	50.16
4678	6.9	55	53	8.2	2.660	—	5	57	36	54.26	17.54	—	4	50.21
4682	7.1	57	4	2.3	3.253	—	4	105	36	51.96	17.50	—	4	50.35
4694	7.7	59	46	8.3	2.661	—	4	58	25	48.98	17.38	—	4	50.28

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				o	'	"				
4703	7.0	14	3	5.92	+4.538	-0.011	4	154	59	36.21	+17.23	-0.35	4	50.12
4723	7.2		7	14.18	2.667	-0.031	4	60	11	27.75	17.04	0.00	4	50.39
4728	6.4		8	20.07	2.426	-0.006	4	47	46	29.82	16.99	+0.11	4	50.40
4732	6.4		9	16.79	1.091	-0.014	4	19	51	46.94	16.95	+0.12	4	51.13
4736	7.0		10	0.47	2.109	-0.015	4	36	45	55.37	16.91	-	4	51.11
(4738)	6.5		10	17.63	2.457	-0.013	4	49	33	27.66	16.90	-	4	50.44
4737	6.4		10	17.90	2.865	-	4	74	2	23.92	16.90	-	4	50.41
4739	6.4		10	21.18	3.305	+0.031	4	108	1	6.34	16.90	+0.04	4	50.48
4740	5.6		10	31.20	3.409	-0.022	4	115	8	4.86	16.89	-0.25	5	50.77
4756	7.3		13	15.46	2.106	-	4	37	16	26.09	16.76	-	4	50.33
4758	7.1		13	37.78	2.464	-0.006	4	50	30	53.57	16.74	0.00	4	50.15
4776	7.0		17	9.26	3.441	-	4	116	10	6.36	16.57	-	4	50.28
4778	7.4		17	15.83	2.484	-	4	52	6	44.00	16.56	-	4	50.29
4783	7.1		19	21.50	2.450	-	4	50	55	38.85	16.46	-	4	50.15
4797	6.8		22	3.37	2.488	-	4	53	7	48.39	16.32	-	4	50.23
4805	6.9		23	41.58	2.352	+0.003	4	47	31	30.76	16.24	+0.21	4	50.19
4809	6.7		25	41.71	2.660	+0.012	4	62	39	24.19	16.14	-	4	50.30
(4817)	6.7		27	12.14	1.439	-0.030	4	26	8	58.93	16.06	-0.01	4	50.46
4816	6.6		27	12.15	2.453	-	4	52	22	33.34	16.06	-	4	50.23
4820	6.8		27	48.62	2.545	-	4	56	48	19.45	16.03	-	4	50.36
4827	6.8		28	36.64	2.191	-0.013	4	42	33	15.48	15.98	0.00	4	50.33
4830	6.1		29	24.55	2.103	-	4	39	58	33.07	15.94	-	4	50.34
4834	6.7		30	26.33	1.234	+0.002	4	23	56	54.67	15.89	-0.03	4	50.50
4840	7.4		32	15.01	3.428	0.000	4	113	24	33.70	15.79	-	4	50.34
4841	6.4		32	33.85	2.265	-0.015	4	45	42	32.34	15.77	-	4	50.27
4844	6.4		33	27.78	4.647	-0.023	4	152	13	49.89	15.73	0.00	4	50.30
(4857)	6.9		35	40.57	3.436	0.000	4	113	29	22.93	15.60	-	4	50.47
4856	7.8		35	40.71	4.344	-	4	146	35	52.06	15.60	-	4	50.44
(4863)	8.0		36	35.22	2.425	-	4	52	36	8.20	15.55	-	4	50.58
4860	6.4		36	45.80	4.135	+0.017	5	141	34	10.96	15.54	-	4	50.36
4870	6.5		37	54.87	2.329	0.000	4	48	54	14.39	15.48	-0.03	4	50.69
4874	7.1		38	18.29	1.475	-	4	28	5	53.67	15.46	-	4	51.13
4884	7.5		39	47.62	3.468	-	4	114	51	48.49	15.37	-	4	50.92
4887	6.9		40	14.12	4.202	-0.033	4	142	44	23.38	15.35	-0.22	4	50.43
4888	6.3		40	39.35	3.448	0.000	4	113	37	52.45	15.33	-	1	50.65
4897	6.6		43	12.93	2.377	-0.022	4	51	34	6.72	15.18	-	4	50.27
4899	7.6		43	16.72	4.664	-0.030	4	151	15	14.27	15.18	-0.05	4	50.40
4906	6.1		44	34.09	2.386	-	4	52	6	36.58	15.10	-	4	50.41
4908	6.2		44	42.21	4.738	-0.048?	4	152	9	57.62	15.10	-0.06	4	50.72
4910	7.3		45	13.87	3.452	-	4	113	21	28.16	15.06	-	4	50.46
4912	6.4		45	29.12	3.638	0.000	4	122	41	3.60	15.05	-?	4	50.60
4917	6.9		46	45.52	2.114	-	4	42	54	15.79	14.98	-	4	50.35
4920	7.3		48	10.15	3.501	-0.011	4	115	40	25.97	14.89	-	4	50.34
4921	7.1		48	33.75	4.907	-0.025	4	153	58	7.65	14.87	-	4	50.13
4934	7.3		50	20.14	2.263	-	4	48	15	24.86	14.77	-	4	50.35
4938	6.1		52	19.44	4.897	-0.015	4	153	26	12.84	14.65	-0.04	4	50.33
4942	7.3		53	40.66	2.293	-	5	49	45	26.18	14.57	-	5	50.32
4952	7.2		55	31.17	2.046	-	4	42	7	40.44	14.46	-	4	50.31
4956	8.9		55	50.24	4.978	-	4	154	3	12.64	14.44	-	4	50.46
(4968)	7.1		56	53.39	4.907	-	4	153	3	33.58	14.37	-	4	50.42



MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C	Magnitude.	Right Ascension, January 1, 1850.		Annual Precession.	Proper Motion.	No of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	Mean Date of Observa- tion.
		<i>h. m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
4959	6.8	14 56	58.91	+3.510	0.000	4	115	12	5.10	+14.37	—	4	1800+
4965	6.8	57	48.28	2.127	-0.023	4	44	46	0.85	14.32	—	4	50.38
4967	6.9	57	55.86	1.394	-0.005	4	29	12	19.08	14.31	0.00	4	50.42
4972	7.1	58	31.98	3.481	—	4	113	36	38.36	14.27	—	4	51.16
4975	9.0	59	36.61	5.003	—	4	153	57	53.48	14.21	—	4	50.42
4979	6.5	15 0	5.38	3.531	—	4	115	55	4.31	14.18	—	5	50.42
4980	6.2	0	27.27	1.991	-0.015	4	41	16	3.13	14.15	0.00	4	50.60
4985	6.2	1	27.06	3.530	-0.012	4	115	45	23.26	14.09	—	4	50.84
4989	6.7	1	41.10	0.880	-0.006	4	23	29	50.80	14.08	+0.06	4	50.60
4992	5.9	1	59.17	1.702	—	4	34	51	52.32	14.06	—	4	51.19
4997	6.4	3	41.65	3.393	—	4	108	32	7.68	13.95	—	4	51.42
5000	6.9	4	34.00	2.429	—	4	56	21	0.86	13.90	—	4	50.30
5001	7.3	4	35.19	2.518	—	4	60	11	57.69	13.90	—	4	50.38
5007	5.3	5	2.21	4.971	-0.025	4	153	2	56.85	13.87	-0.08	4	50.39
5018	6.9	6	16.81	3.572	0.000	4	117	17	38.72	13.79	—	4	50.41
5019	7.9	6	34.49	1.942	-0.008	4	40	44	26.19	13.77	+0.09	4	50.45
5020	6.2	6	42.13	3.567	0.000	4	117	2	7.63	13.76	—	4	50.78
5025	7.0	7	44.57	4.130	—	2	137	20	38.94	13.69	—	2	50.77
5026	6.8	7	52.33	2.284	-0.012	4	51	10	15.59	13.69	0.00	4	50.82
5027	7.3	8	1.82	3.495	0.000	4	113	27	6.77	13.68	—	4	50.74
5033	6.6	8	44.59	2.165	-0.005	4	47	16	4.99	13.68	+0.06	4	50.58
5038	7.3	9	47.40	3.518	—	4	114	26	45.20	13.56	—	4	50.94
5039	7.0	10	22.36	3.504	0.000	3	113	43	7.66	13.53	—	1	50.76
5040	7.6	10	44.49	4.691	+0.009	4	148	37	3.85	13.50	-0.03	4	50.41
5041	6.8	10	52.96	3.505	0.000	5	113	43	8.56	13.49	—	4	50.41
5042	6.4	11	4.00	4.793	-0.017	4	150	6	39.40	13.48	-0.05	4	50.99
5045	6.9	11	30.27	3.592	0.000	5	117	44	14.50	13.45	—	4	50.96
5049	5.6	11	42.97	4.149	—	3	137	22	35.24	13.44	—	2	50.40
5051	7.1	11	47.97	3.543	—	4	115	26	10.29	13.43	—	4	50.40
5053	7.3	12	13.98	4.151	-0.042	2	137	21	56.21	13.40	+0.18	2	50.65
5058	6.2	12	55.50	0.612	—	4	22	5	1.56	13.40	—	4	50.44
5062	6.8	14	0.11	3.562	—	4	116	8	50.09	13.36	—	4	51.13
5071	6.0	15	40.19	1.759	—	4	37	20	56.83	13.29	—	4	50.26
5076	6.2	17	4.16	2.217	-0.007	4	49	52	50.47	13.18	—	4	50.51
5077	7.3	17	6.32	+1.732	-0.014	4	37	7	3.32	13.09	+0.03	4	50.31
5078	7.7	17	8.61	-0.004	-0.011	4	37	7	3.32	13.08	+0.08	4	50.99
5080	6.3	17	32.41	+4.327	+0.007	4	18	14	39.44	13.08	+0.02	4	51.14
5081	6.8	17	42.86	4.685	-0.031	4	141	4	7.57	13.06	-0.15	4	50.30
5083	8.2	17	58.71	4.829	—	4	147	49	20.04	13.05	+0.04	4	50.33
5091	6.3	20	7.95	0.980	—	4	149	57	52.23	13.05	—	4	50.42
5092	7.7	20	15.76	1.948	—	4	26	7	19.33	12.88	—	4	51.16
5101	7.4	22	40.19	+4.637	-0.012	4	42	24	30.23	12.87	—	4	50.38
5102	8.2	22	43.12	-0.537	-0.033	4	146	33	32.32	12.71	-0.19	4	50.26
5105	6.8	23	25.07	+3.519	—	4	15	59	50.30	12.71	-0.01	4	50.19
5106	7.7	23	40.06	4.663	+0.026	4	113	21	55.35	12.66	—	4	50.36
5110	7.2	24	11.52	3.562	—	4	146	54	25.94	12.64	+0.12	4	50.44
5111	6.7	24	17.19	3.533	—	4	115	17	11.32	12.61	—	4	50.41
5113	6.7	24	18.08	3.533	—	4	113	58	31.83	12.60	—	3	50.63
5114	7.8	24	36.44	1.905	-0.006	4	113	58	37.20	12.60	—	4	50.63
5115	7.7	24	43.13	4.645	—	4	41	46	11.52	12.58	+0.04	4	50.39
5115	5.3	24	53.11	1.176	0.000	4	146	30	23.34	12.57	—	4	51.06
							28	48	39.89	12.56	-0.02	4	51.31

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magntude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		h.	m.	s.				o	'	"				
5127	7.2	15	26	12.30	+3.640	—	5	118	32	32.90	+12.47	—	4	50.96
5128	7.0		26	19.38	3.564	—	4	115	13	34.77	12.46	—	4	50.95
5129	5.6		26	21.07	3.230	—	4	98	40	28.12	12.46	—	4	50.97
5133	7.0		27	4.47	3.641	—	5	118	29	39.27	12.41	—	5	50.63
5137	6.4		27	42.97	4.851	-0.014	4	149	24	5.99	12.37	+0.16	4	50.93
5141	8.2		27	59.68	5.112	—	4	152	41	51.81	12.35	—	4	50.99
5142	7.3		28	7.06	3.535	—	5	115	59	26.84	12.34	—	5	50.73
5157	6.5		30	1.13	2.058	—	5	46	20	1.73	12.21	—	5	50.97
5164	7.4		30	44.58	1.794	—	4	39	48	6.44	12.16	—	4	50.33
5170	6.9		32	32.64	4.398	-0.006	4	141	8	37.56	12.03	-0.01	4	50.26
5174	6.9		33	14.89	4.336	-0.014	4	139	43	52.62	11.98	-0.11	4	50.55
5175	7.2		33	17.40	2.032	—	4	45	54	16.63	11.98	—	4	50.36
5179	6.3		34	0.25	4.366	-0.045?	4	140	18	14.22	11.93	+0.10	4	50.50
5181	6.4		34	10.86	1.747	-0.015	4	39	5	10.31	11.92	+0.09	4	50.19
5182	6.3		34	16.16	5.374	-0.050?	4	154	57	54.87	11.91	-0.06	4	50.84
5183	7.1		34	19.02	4.748	-0.020	4	147	20	1.45	11.91	+0.10	3	50.98
5186	7.1		34	48.37	4.771	-0.045?	4	147	38	47.50	11.87	+0.16	4	51.01
5193	7.1		36	27.54	4.999	+0.006	4	149	53	55.90	11.76	-0.05	4	50.92
5195	6.8		36	31.92	3.685	—	4	119	33	52.09	11.75	—	4	50.45
5197	7.3		36	54.77	3.559	—	4	114	14	21.17	11.73	—	4	50.77
5198	6.8		37	5.68	3.638	—	4	117	35	9.55	11.71	—	4	50.96
5200	7.8		37	17.39	4.561	-0.082	4	143	55	32.04	11.70	0.00	3	50.80
5201	7.9		37	24.52	4.563	—	4	143	56	18.84	11.69	—	4	50.80
5202	6.6		37	45.89	3.903	0.000	5	127	26	9.72	11.66	+0.28	5	51.06
5203	7.1		38	38.57	3.139	—	4	93	35	17.01	11.60	—	4	50.99
(5210)	6.3		38	45.78	1.631	-0.015	4	37	9	50.56	11.59	-0.03	4	50.82
5209	6.2		38	45.97	4.505	0.000	4	142	44	31.81	11.59	-0.04	4	51.38
5211	7.0		38	55.00	3.592	—	3	115	31	1.50	11.58	—	4	50.98
5212	7.1		39	5.32	3.574	—	4	114	44	44.72	11.57	—	4	50.78
5213	6.4		39	8.00	4.303	+0.015?	4	138	26	46.35	11.57	-0.16	4	50.65
5217	6.9		39	17.67	5.381	—	4	154	41	29.45	11.55	—	4	51.07
5218	6.4		39	29.27	4.609	-0.005	4	144	35	30.69	11.54	-0.02	4	51.09
5220	6.7		39	33.66	3.543	—	4	113	21	57.84	11.53	—	4	51.36
5221	7.3		39	38.10	3.677	—	4	119	0	58.54	11.53	—	4	51.07
5225	6.8		40	53.73	4.232	-0.046	3	136	35	55.35	11.44	-0.11	3	50.79
5228	6.6		41	33.27	3.604	-0.023?	4	115	49	37.99	11.39	—	4	50.41
5229	6.6		41	44.56	4.165	+0.015?	4	134	49	35.09	11.38	+0.05	4	50.91
5231	6.8		41	47.74	4.391	-0.005	4	140	9	28.67	11.37	-0.19	4	50.80
5235	6.8		42	14.02	5.003	-0.022	4	150	17	21.62	11.34	—	3	50.82
5239	7.3		42	46.85	4.543	—	4	113	7	43.25	11.30	—	4	50.97
5243	6.9		43	1.07	3.611	—	4	116	3	58.17	11.29	—	3	50.41
5247	6.7		43	30.12	4.990	—	3	150	1	46.18	11.25	—	9	50.51
5248	6.1		44	0.53	1.437	—	4	34	9	44.81	11.21	—	4	51.30
5256	6.6		45	15.81	5.413	-0.028	4	154	35	42.00	11.12	+0.04	4	50.39
5258	6.6		45	22.88	3.635	—	4	116	53	17.73	11.11	—	4	50.36
5261	6.6		46	8.02	3.731	+0.031?	4	120	38	17.39	11.06	+0.05	4	50.50
5263	6.4		46	16.35	4.298	0.000	4	137	42	52.45	11.05	+0.03	4	50.46
5266	7.3		46	36.61	3.623	—	4	116	17	54.19	11.02	—	4	50.40
5275	7.4		48	4.96	3.647	0.000	4	117	11	58.68	10.92	—	4	50.40
5276	7.0		48	8.89	3.104	—	3	91	43	8.09	10.91	—	4	50.91

No from B. A. C.	Magntude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		h.	m.	s.				o	'	"				
		15	48	46.86	+1.387	s.	4	33	43	45.20	+10.86	—	4	1800+
5279	6.9					—	4	33	43	45.20	+10.86	—0.02	4	50.23
5281	6.2		48	55.04	3.492	—	4	110	32	34.73	10.83	—	4	50.95
5286	6.4		49	35.78	3.582	0.000	4	114	23	38.15	10.81	—	4	50.89
5288	7.0		49	44.41	5.198	+0.046?	4	152	6	38.09	10.80	—	4	50.57
5291	7.0		50	5.70	3.331	—	4	103	0	18.93	10.77	—	4	50.76
5294	6.8		50	19.85	3.635	0.000	4	116	34	53.53	10.75	—	4	50.78
5296	7.4		50	20.78	3.713	0.000	4	119	38	56.37	10.75	—	4	50.99
5297	7.3		50	21.64	3.701	0.000	4	119	11	50.05	10.75	—	4	50.87
5300	7.6		51	1.51	5.035	0.000	4	150	4	19.66	10.70	0.00	4	50.64
5301	5.5		51	21.87	4.837	—0.056?	4	147	20	46.01	10.68	+0.13	3	50.72
5305	5.7		52	12.83	4.367	+0.017	4	138	48	18.46	10.61	—0.04	4	50.52
5307	6.3		52	55.02	1.153	—0.012	4	30	39	16.68	10.56	+0.03	4	51.27
5308	6.5		53	22.80	3.694	+0.037?	4	118	42	41.32	10.53	+0.15	4	50.39
5312	6.8		54	8.88	3.634	—	3	116	17	14.59	10.47	—	4	50.46
5313	5.5		54	13.72	1.431	—0.030	4	34	49	30.27	10.46	—0.09	5	51.32
5316	6.1		54	48.69	1.694	—0.009	4	39	41	24.43	10.42	+0.09	4	50.79
5317	6.4		54	54.63	3.587	0.000	5	114	18	24.53	10.41	—	5	50.71
5326	7.5		56	23.03	3.562	—	3	113	15	11.67	10.30	—	2	50.45
5328	6.9		56	38.14	5.282	—	5	152	33	24.90	10.28	—	5	50.75
5334	7.6		57	6.11	5.280	—0.012	4	152	30	57.71	10.25	—0.38	4	50.98
5335	6.5		57	10.22	3.563	0.000	6	113	11	34.33	10.24	—	6	50.48
5341	6.2		58	15.78	1.522	—0.006	3	36	39	57.55	10.16	+0.07	3	50.31
5345	6.6		58	52.32	3.586	0.000	4	114	3	14.52	10.11	—	4	50.36
5350	7.9		59	14.71	5.202	—	8	151	31	39.16	10.08	—	8	51.22
5353	8.1		59	32.62	5.506	—0.046	4	154	35	16.07	10.06	0.00	4	51.05
5354	6.5		59	46.92	3.569	0.000	4	113	16	49.48	10.04	—	4	50.46
5356	7.1	16	0	2.00	3.757	0.000	4	120	38	51.46	10.03	—	4	50.98
5364	6.8		1	6.76	3.650	—	4	116	30	27.86	9.94	—	4	50.59
5365	6.9		1	9.55	3.592	0.000	4	114	10	51.70	9.94	—	4	50.67
5370	6.8		1	27.80	4.739	—0.012	4	145	8	42.87	9.92	+0.15	4	50.64
5372	7.3		1	37.44	4.629	—?	4	143	16	36.97	9.91	0.00	4	50.80
5378	7.2		2	23.21	3.658	0.000	3	116	45	15.16	9.85	—	3	50.40
5389	7.1		4	20.43	3.708	—	5	118	39	59.89	9.70	—	5	50.35
5391	7.2		4	27.53	3.737	—	4	119	49	19.55	9.69	—	4	51.05
5393	6.8		4	43.43	3.782	0.000	4	121	15	52.41	9.67	—	4	51.02
5394	6.6		4	45.02	3.593	0.000	4	114	1	59.01	9.67	—	4	50.98
5402	6.8		5	45.10	4.612	+0.011	4	142	42	12.46	9.59	+0.11	4	51.04
5406	6.0		5	55.37	0.133	—0.021	4	21	47	40.73	9.57	+0.04	4	51.37
5407	7.4		5	57.64	4.952	—0.016	4	148	0	35.67	9.57	+0.06	3	51.05
5408	6.6		6	0.34	3.456	—	4	108	8	44.76	9.57	—	4	50.80
5409	7.3		6	8.22	3.665	—	4	116	49	15.54	9.56	—	4	50.78
5416	7.6		6	38.24	3.756	—	5	120	14	20.34	9.52	—	4	51.10
5417	6.0		6	49.50	1.982	—	4	47	14	20.29	9.51	—	4	50.81
5418	6.9		7	26.29	3.593	0.000	4	113	54	7.66	9.46	—	4	50.78
5421	7.0		7	30.33	3.734	—	4	119	21	51.97	9.46	—	4	50.87
5424	6.5		8	23.03	4.744	+0.040?	3	144	46	2.77	9.38	—0.06	4	50.93
5430	7.0		9	0.48	3.691	—	4	117	39	58.96	9.34	—	4	50.78
5433	7.2		9	51.08	3.699	0.000	6	117	54	42.99	9.27	—	5	50.86
5441	7.6		11	11.74	3.734	—	4	119	8	52.05	9.17	—	4	50.42
5443	7.1		11	26.81	4.993	—	4	148	14	32.36	9.15	—	4	50.46

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Obs- ervations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No of Obs- ervations.	Mean Date of Obser- vation.
		h. m. s.	s.	s.				° ' "	"	"				
5449	6.9	16	12	19.90	+3.585	—	4	113	20	37.00	+9.08	—	4	50.40
5452	6.7	13	33.83	2.600	—	—	4	68	30	5.57	8.98	—	4	50.00
5454	6.4	14	3.71	5.493	—0.011	—	4	153	42	29.46	8.94	—0.15	4	50.38
5459	6.0	14	44.66	0.983	—0.015	—	4	29	52	48.64	8.89	—0.01	4	50.25
5460	5.6	14	46.50	2.062	—0.021	—	4	49	55	48.88	8.89	+0.01	4	50.44
5461	6.4	14	59.53	1.672	—0.011	—	4	40	36	2.77	8.87	—0.03	4	50.46
5468	6.8	15	33.25	3.794	—	—	4	121	4	7.77	8.83	—	4	50.46
5471	7.5	16	8.99	3.803	—	—	4	121	21	8.27	8.78	—	4	50.48
5476	7.5	16	23.26	+3.753	—	—	5	119	34	19.08	8.76	—	4	50.65
5483	6.4	17	3.39	—1.064	—0.013	—	4	16	14	23.25	8.71	—0.03	4	51.34
5485	6.5	17	16.27	+4.956	+0.006	—	4	147	24	51.00	8.69	+0.07	5	50.82
5486	5.9	17	31.65	5.272	+0.003	—	4	151	17	36.23	8.67	—0.09	4	50.56
5487	7.0	18	7.34	3.738	—0.029?	—	4	118	56	38.05	8.62	+0.06	3	50.84
5493	6.5	19	17.01	3.014	—	—	4	87	18	28.78	8.58	—	5	51.01
5494	5.6	19	38.85	3.225	+0.018	—	4	97	15	2.25	8.51	+0.22	4	50.89
5497	7.1	20	8.40	1.857	—0.010	—	5	44	57	56.82	8.46	+0.06	4	50.62
5499	6.8	20	42.68	1.482	—0.007	—	4	37	22	0.10	8.42	0.00	4	51.42
5500	6.6	20	58.36	3.705	0.000	—	4	117	34	52.35	8.40	—	4	50.44
5502	5.9	21	8.42	1.800	0.000	—	4	34	27	8.06	8.39	—0.01	4	50.41
5503	7.2	21	11.75	1.513	—0.015	—	3	37	56	30.15	8.38	+0.01	4	51.50
5504	6.9	21	15.27	2.729	—	—	5	74	18	41.60	8.38	—	4	50.90
5505	6.7	21	21.23	5.697	—0.002	—	4	155	10	8.19	8.37	+0.05	4	51.06
5507	7.2	21	34.35	2.727	—	—	4	74	13	54.26	8.35	—	5	51.09
5509	6.3	21	47.60	+0.780	—0.019	—	4	27	57	41.15	8.33	—0.01	4	51.54
5514	5.8	22	9.46	—0.177	—0.033	—	4	20	32	38.40	8.30	+0.01	4	51.54
5517	7.5	22	43.80	+4.949	—	—	4	147	1	42.14	8.26	—	4	50.84
5518	7.6	23	2.10	3.738	0.000	—	4	118	42	55.15	8.23	—	4	51.36
5522	7.2	23	28.74	3.811	—	—	5	121	13	36.26	8.20	—	5	51.39
5526	7.8	23	42.51	5.567	—0.054?	—	3	153	55	44.60	8.17	—	3	51.36
5527	6.1	24	2.74	2.606	+0.033?	—	4	69	11	22.94	8.16	—	4	50.43
5529	6.5	24	44.11	2.816	—	—	2	78	14	58.82	8.10	—	1	50.57
5530	6.6	24	48.16	2.563	—	—	4	67	28	41.42	8.09	—	4	50.16
5532	5.7	25	35.07	2.814	—	—	2	78	11	9.81	8.03	—	3	50.94
5537	7.2	26	27.17	2.839	—	—	4	79	18	36.92	7.96	—	4	49.81
5540	6.8	27	41.38	5.213	—?	—	4	150	8	14.75	7.87	—	4	50.32
5543	7.2	28	7.90	5.084	—0.013	—	4	148	33	46.39	7.83	+0.03	4	50.29
5549	7.0	28	59.41	1.577	+0.003	—	4	39	32	27.40	7.76	+0.06	4	50.43
5550	6.9	29	11.76	5.339	+0.072?	—	4	151	29	5.66	7.75	—	4	50.22
5554	9.0	29	41.72	5.263	—0.006	—	4	150	37	36.08	7.70	+0.75	2	50.74
5556	6.8	29	48.68	3.773	—	—	4	119	37	12.75	7.69	—	4	50.49
5557	7.7	29	50.58	3.788	0.000	—	4	120	9	39.31	7.69	—	4	50.83
5559	6.7	30	18.74	1.457	—0.014	—	4	37	27	0.05	7.65	+0.02	4	51.25
5564	7.0	30	54.25	3.668	—0.035?	—	4	115	45	33.51	7.60	—	4	50.82
5568	7.0	31	48.37	1.745	—0.011	—	4	43	4	53.45	7.53	+0.05	3	50.66
5569	6.9	32	18.48	3.716	—	—	4	117	30	42.40	7.49	—	4	50.06
5570	7.3	32	29.98	5.342	+0.058?	—	4	151	22	21.14	7.48	—	4	50.31
5571	6.6	32	31.18	3.628	0.000	—	5	114	10	17.80	7.47	—	4	50.69
5572	7.3	32	34.89	3.794	—	—	4	120	13	59.83	7.47	—	4	50.86
5576	7.8	32	42.32	3.763	—	—	4	118	49	33.17	7.45	—	4	50.84
5588	6.5	34	0.71	3.842	0.000	—	4	121	48	54.25	7.35	—	3	50.70

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850		Annual Precession.	Proper Motion.	No of Observations	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion	No of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>		<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>		
5589	7.2	16	33	59.79	+3.817	4	120	56	10.34	+7.35	—	5	1800+
5595	6.8	34	36.18	3.692	0.000	4	116	30	56.54	7.30	—	4	50.91
5597	6.5	34	47.23	2.486	-0.012	4	64	50	54.87	7.29	+0.10	4	51.05
5599	5.9	34	58.36	1.202	-0.013	4	33	41	22.73	7.27	-0.09	4	50.66
5600	6.8	34	59.25	3.710	0.000	5	117	10	6.05	7.27	—	5	51.32
5601	6.1	35	24.41	0.583	-0.009	4	26	37	28.83	7.24	+0.06	4	51.10
5605	6.8	35	46.55	3.806	0.000	5	120	31	22.96	7.21	—	5	51.34
5608	7.2	36	33.90	3.690	—	4	116	21	58.13	7.14	—	4	50.88
5612	7.1	37	17.18	3.829	-0.045?	4	121	10	25.49	7.08	—	4	50.06
5613	7.0	37	21.87	5.767	-0.008	4	155	6	15.32	7.08	-0.09	4	50.49
5615	7.2	37	43.15	2.134	—	4	53	12	23.47	7.05	—	4	50.87
5620	6.1	38	34.78	2.711	—	4	73	58	25.40	6.98	—	4	50.84
5622	7.3	38	49.78	3.822	0.000	4	120	55	44.76	6.96	—	4	50.71
5626	8.1	39	33.67	5.532	—	4	152	58	10.52	6.90	—	4	50.23
5629	5.9	39	54.16	1.211	-0.003	4	34	1	57.85	6.87	-0.08	4	50.88
5630	7.0	39	56.54	3.837	—	5	121	22	52.76	6.86	—	4	51.30
5634	7.4	41	2.86	2.817	—	4	78	35	55.27	6.77	—	4	50.45
5636	7.1	41	26.71	5.543	-0.030	5	153	0	42.54	6.74	0.00	6	50.83
5641	7.3	42	12.80	3.647	0.000	4	114	34	16.51	6.68	—	4	50.64
5643	6.1	42	26.63	1.125	-0.007	4	32	56	54.88	6.66	-0.06	4	51.06
5644	6.2	42	31.43	1.914	-0.011	4	47	29	28.94	6.65	+0.02	4	51.42
5645	7.4	42	44.02	5.382	+0.060?	4	151	23	12.69	6.64	+0.43	4	51.04
5647	6.4	42	39.12	2.767	—	4	76	28	23.35	6.64	—	4	50.90
5650	6.9	43	4.36	3.669	—	4	115	20	25.64	6.61	—	4	50.81
5653	7.0	43	27.65	3.848	0.000	4	121	37	20.24	6.57	—	4	50.10
5657	7.2	43	43.26	5.775	0.000	4	154	57	13.33	6.55	+0.02	4	50.84
5669	7.2	44	59.01	3.860	—	3	121	56	13.68	6.45	—	3	50.93
(5671)	6.6	45	2.00	3.812	-0.003	4	120	20	5.34	6.44	-0.03	4	51.09
5670	7.4	45	5.33	5.400	+0.062	4	121	29	37.47	6.45	—	4	51.05
5672	6.6	15	11.40	3.825	—?	3	120	48	36.48	6.43	—	2	51.21
5673	{ 6.6 7.4 }	45	{ 8.59 19.55 }	3.676	—	{ 3 2 }	115	{ 34 29.88 33 34.41 }	6.43	—	{ 4 3 }	51.16	
5676	7.7	45	30.96	3.790	0.000	3	119	36	4.93	6.40	—	3	51.39
5678	7.1	45	31.78	3.837	—	4	121	9	2.06	6.40	—	2	51.31
5679	7.0	45	45.80	3.870	0.000	3	122	15	15.21	6.38	—	3	51.20
5681	5.6	45	50.07	4.156	-0.019	1	180	34	36.93	6.38	-0.11	4	50.53
5684	7.0	46	14.70	3.839	—	2	121	13	37.30	6.34	—	1	51.30
5686	7.0	46	32.99	2.715	0.000	3	74	20	25.59	6.32	—	3	50.89
5687	7.6	46	32.59	3.670	—	3	115	17	9.27	6.32	—	3	51.11
5690	7.1	46	40.67	3.836	-0.059?	3	121	4	52.54	6.30	—	1	50.72
5694	7.2	47	16.45	3.867	—	4	122	5	24.32	6.26	—	4	51.46
5699	6.6	47	56.44	4.844	-0.054?	4	144	21	24.40	6.20	0.00	4	50.06
5704	7.2	49	2.45	3.688	-0.038?	4	115	49	13.97	6.11	-1.22?	4	50.28
5715	6.2	51	39.62	5.076	+0.008	4	147	29	16.69	5.89	+0.02	4	50.01
5716	7.3	51	50.53	2.712	—	4	74	19	5.84	5.88	—	4	50.50
5717	6.6	51	58.98	0.801	-0.007	4	29	23	47.44	5.87	0.00	4	50.01
5722	9.0	52	50.41	4.964	+0.149?	3	145	55	7.33	5.80	-3.01?	3	51.36
5726	6.8	53	10.42	2.917	0.000	4	83	11	12.94	5.77	—	4	50.90
5728	6.9	53	16.35	0.627	-0.062	4	27	39	38.88	5.75	+0.01	4	50.89
5730	7.2	54	22.62	3.642	—	5	114	1	13.47	5.66	—	4	51.37
5732	6.3	54	43.90	2.723	—	4	74	49	37.86	5.64	—	4	50.19

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Obser- vations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Obser- vations	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
5737	6.7	16	55	1.21	+3.763	—	3	118	21	14.94	+5.61	—	4	50.25
5739	7.1		55	7.71	3.847	—	4	121	8	45.33	5.60	—	4	50.85
5742	6.9		55	19.64	3.643	—	3	114	1	23.80	5.59	—	3	50.76
5743	6.8		55	23.78	3.620	—	4	113	10	23.88	5.58	—	4	50.92
5750	7.1		56	29.50	3.772	+0.051?	4	118	39	37.84	5.49	+1.29?	4	51.06
5751	6.7		56	26.15	5.437	-0.014	4	151	28	12.79	5.49	-0.08	4	51.14
5754	6.9		56	45.90	4.534	+0.015	4	138	40	29.04	5.46	+0.20	4	51.16
5756	7.0		56	56.99	3.812	—	4	119	56	17.85	5.45	—	4	51.19
5762	6.7		58	6.32	3.841	—	4	120	52	11.22	5.35	—	4	50.95
5764	6.7		58	17.73	5.119	-0.010	4	147	49	31.61	5.34	+0.10	4	51.12
5766	7.3		58	21.36	5.655	—	4	153	29	14.65	5.32	—	4	50.95
5767	6.9		58	45.12	3.666	—	4	114	47	37.03	5.30	—	4	50.94
5768	6.3		59	13.14	+3.821	0.000	4	120	11	56.45	5.26	+0.30?	4	51.07
5769	6.6		59	16.75	-1.245	-0.020	4	16	38	50.38	5.25	+0.01	4	51.02
5772	5.7		59	50.86	+4.333	-0.007	4	134	21	27.91	5.20	+0.18	4	50.31
5773	7.7	17	0	18.22	5.558	0.000	4	152	32	31.69	5.17	-0.26?	4	50.92
5777	6.8		1	18.54	2.147	—	4	54	28	26.82	5.08	—	4	50.48
5787	7.3		2	35.56	2.837	—	4	79	45	38.92	4.97	—	3	50.68
5790	6.8		2	52.32	1.956	-0.013	4	49	17	6.81	4.95	+0.01	4	50.85
5791	7.0		3	1.24	3.677	—	4	115	3	50.07	4.94	—	4	50.23
5792	6.2		3	2.02	3.747	—	4	117	34	16.02	4.93	—	4	50.10
5793	6.4		3	14.24	3.839	—	4	122	15	1.28	4.92	—	5	50.83
5796	7.0		4	33.60	3.750	—	4	117	36	46.32	4.80	—	4	50.85
5799	6.9		4	50.52	5.537	—	4	152	41	55.12	4.78	—	4	51.07
5805	6.2		5	33.29	4.247	+0.024	4	132	9	40.29	4.72	+0.15	4	51.28
5806	6.1		5	56.93	5.230	-0.004	4	149	31	19.89	4.69	+0.07	4	51.17
5809	6.3		6	16.89	3.822	—	5	120	1	54.66	4.66	—	5	50.96
5812	6.5		6	48.52	4.623	—	4	140	2	15.63	4.62	—	4	51.18
5814	7.1		6	58.46	5.672	-0.060?	3	153	24	53.35	4.59	—	3	51.17
5815	7.2		7	14.23	3.681	0.000	6	115	7	50.26	4.58	0.00	6	51.10
5818	8.1		7	19.02	3.827	0.000	3	120	10	37.79	4.57	—	3	51.13
5819	7.1		7	32.62	4.449	—?	3	136	37	44.36	4.54	+0.12	4	51.07
5820	7.0		7	46.33	3.822	—	3	119	59	30.46	4.53	—	3	51.04
5825	6.7		8	45.15	3.977	+0.107	4	124	48	55.49	4.45	+0.11	4	50.91
5826	7.2		8	50.12	3.814	—	3	119	42	18.19	4.44	—	4	51.39
5833	7.1		9	36.71	3.881	0.000	4	121	11	40.34	4.37	—	4	50.93
5835	6.3		9	56.84	5.600	—	4	152	42	23.49	4.34	—	3	51.11
5838	7.1		10	56.57	3.801	—	4	119	12	12.42	4.26	—	4	50.74
5848	7.4		12	32.73	3.837	—	4	120	20	46.05	4.12	—	4	50.04
5859	6.2		14	18.96	4.660	-0.011	4	140	29	20.31	3.97	-0.15	4	50.54
5861	7.7		14	55.11	3.783	—	4	118	30	23.80	3.92	—	3	50.09
5869	6.9		15	56.78	3.814	0.000	3	119	31	37.68	3.83	—	4	50.11
5870	6.2		16	1.71	4.760	-0.015	4	142	9	23.60	3.82	0.00	4	50.87
5872	6.7		16	14.47	4.948	-0.015	5	145	1	57.98	3.81	+0.02	4	50.91
5874	6.1		16	48.00	1.964	-0.005	4	49	52	32.23	3.76	+0.13	4	50.42
5875	7.0		16	48.80	3.777	0.000	4	118	16	32.25	3.76	+0.05	4	50.30
(5879)	7.0		17	32.39	3.713	—?	4	116	11	38.89	3.69	—?	4	50.92
5878	6.8		17	38.65	3.706	—	5	115	48	17.56	3.68	—	5	50.95
5882	7.1		17	47.30	3.788	—	4	118	37	56.33	3.67	—	3	51.10
(5898)	7.2		18	31.37	3.861	—?	4	121	4	25.89	3.61	—?	4	51.15

MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>o</i>	<i>'</i>	<i>"</i>				
													1800 +	
5887	6.6	17	18	33.16	-0.964	-0.009	4	18	3	10.80	+3.61	-0.03	4	51.35
5889	6.1		18	38.53	+5.080	—	4	146	47	34.90	3.60	—	4	51.06
5892	7.4		19	0.00	3.869	—	4	121	15	3.81	3.57	—	4	50.85
5894	6.6		19	4.53	2.892	—	4	82	16	8.00	3.56	—	4	50.96
5895	6.1		19	15.24	2.076	—	4	52	54	41.76	3.55	—	4	51.14
5897	6.5		19	31.10	3.873	-0.027?	8	121	24	15.15?	3.52	0.00	4	51.15
5908	7.9		22	17.45	3.886	-0.036?	4	121	42	26.18	3.28	-0.13	4	50.38
5910	5.6		22	40.73	3.092	—	4	90	56	1.32	3.25	—	4	50.44
5914	7.6		23	16.29	3.926	0.000	4	112	56	30.16	3.20	—	4	50.48
5916	6.8		23	30.03	3.819	—	4	119	32	8.30	3.18	—	4	50.54
5917	5.8		23	44.99	0.768	—	4	29	49	29.46	3.16	—	4	50.78
5924	7.5		24	55.09	3.889	+0.024?	4	121	45	41.83	3.06	-0.05	4	50.77
5929	6.2		25	39.18	2.000	-0.010	4	51	0	10.70	2.99	+0.03	4	50.86
5938	7.0		27	13.11	3.898	+0.055?	4	122	1	31.29	2.86	+0.05	4	50.10
5943	7.3		28	16.17	3.785	—	5	118	20	18.88	2.77	—	4	50.05
5944	5.8		28	21.43	1.905	-0.014	4	48	38	51.60	2.76	+0.07	4	50.99
5946	6.9		28	45.30	3.774	—	5	117	56	58.45	2.72	—	5	51.06
5952	6.8		29	33.17	3.785	—	5	118	18	58.77	2.68	—	4	51.21
5955	6.7		29	46.72	3.819	—	4	119	26	15.50	2.64	—	4	51.13
5956	7.5		29	51.49	3.832	—	4	119	52	1.70	2.63	—	4	51.01
5961	7.1		30	53.18	3.801	0.000	4	118	50	1.90	2.54	—	4	50.84
5965	7.5		31	14.39	5.821	+0.038	4	154	14	46.54	2.51	-0.12	4	50.89
5966	7.7		31	16.77	3.770	—	4	117	48	14.88	2.51	—	4	50.94
5969	6.4		32	1.55	5.151	—	4	147	27	59.88	2.44	—	4	50.27
5973	7.6		32	34.93	4.521	—	3	137	33	3.96	2.39	—	3	51.11
5977	6.3		33	16.41	3.931	+0.034?	4	122	58	18.24	2.34	+0.88?	4	50.33
5980	6.9		33	46.62	3.920	+0.015?	4	122	35	4.28	2.29	-0.11	4	50.54
5983	7.6		33	53.27	3.839	-0.045?	4	120	5	55.48	2.27	+1.40?	3	50.47
5989	7.6		35	9.18	3.651	—	4	113	36	15.90	2.17	—	3	50.02
5993	7.2		35	31.74	5.826	-0.011	4	154	14	33.74	2.14	-0.05	4	50.47
5997	6.8		36	4.78	1.807	0.000	4	46	27	13.24	2.09	-0.01	4	50.35
6000	7.2		36	31.15	5.559	-0.006	4	151	51	52.32	2.05	-0.48	4	50.44
6011	7.0		38	28.35	3.923	-0.067?	5	122	36	31.03	1.88	-1.52?	4	50.11
6013	6.7		38	38.61	1.778	-0.007	4	45	50	50.51	1.87	-0.07	4	49.61
6023	7.2		40	47.34	3.668	0.000	4	114	9	7.52	1.68	-0.20	4	49.99
6032	6.8		42	34.76	3.879	-0.062	4	121	16	53.61	1.51	+1.40	4	50.05
6035	6.8		43	3.25	2.838	—	4	80	6	3.51	1.48	—	4	50.48
6036	6.7		43	6.07	1.607	—	4	42	20	1.99	1.48	—	4	50.61
6037	6.1		43	19.77	3.994	+0.032	2	124	41	18.32	1.46	+0.08	4	50.31
6039	6.2		43	26.60	3.903	0.000	4	121	59	22.43	1.45	+0.30	4	50.53
6040	7.7		43	26.75	5.407	+0.073	4	150	17	17.23	1.45	+0.22	4	50.58
6042	6.0		43	45.19	3.996	—?	1	124	44	45.09	1.42	+0.13	1	50.52
6043	6.1		43	55.22	3.995	—?	3	124	42	42.42	1.41	+0.02	3	50.83
6044	7.0		44	10.12	3.757	—	4	117	14	32.50	1.38	—	4	50.90
6055	6.2		45	50.90	4.373	+0.008	4	134	17	34.51	1.24	0.00	4	50.70
6057	7.3		46	27.79	3.919	—	4	122	26	35.23	1.18	—	4	50.69
6058	6.7		47	0.62	3.926	0.000	3	122	39	32.66	1.14	—	4	50.67
6059	7.5		47	2.86	3.743	—	4	116	44	22.93	1.13	—	4	49.61
6063	5.7		47	13.80	3.782	—	4	118	2	6.05	1.12	—	4	50.69
6072	5.8		49	8.39	3.803	—	4	118	44	11.30	0.95	—	4	50.21

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
6075	7.0	17	49	41.43	+3.822	s.	4	119	22	9.78	+0.90	—0.04	4	50.31
6076	7.3	50	3.27	3.951	—	—	4	123	23	24.09	0.87	—	4	50.45
6090	7.1	53	6.72	5.879	—0.008	—	4	154	32	56.46	0.60	—0.16	4	50.81
6095	7.2	53	25.17	1.805	—0.005	—	4	46	34	1.19	0.58	—0.06	4	49.62
6100	5.4	54	8.36	5.771	0.000	—	4	153	39	53.48	0.51	+0.11	4	50.35
6108	7.2	55	31.66	3.712	—	—	4	115	36	21.62	0.39	—	2	50.22
6113	6.9	56	6.91	3.820	—	—	3	119	16	45.33	0.34	—	3	50.49
6129	6.4	59	13.44	1.562	—0.003	—	4	41	32	26.64	0.07	+0.02	4	50.53
(6131)	7.5	59	17.19	3.879	—0.025?	—	4	121	10	26.53	0.06	+0.60?	4	50.61
6130	7.0	59	18.08	3.843	—	—	4	120	0	27.08	0.06	—	4	50.36
6132	6.8	59	37.66	3.708	—	—	4	115	29	15.01	0.03	—	4	50.77
6136	7.0	59	50.13	5.777	—0.018	—	4	153	42	44.03	0.02	+0.11	4	50.82
6137	6.7	59	48.69	3.013	—	—	4	87	31	56.53	0.02	—	4	50.79
6139	6.8	18	0	10.11	3.930	+0.045?	4	122	43	52.79	—0.01	+0.48?	4	50.88
6144	7.3	0	16.02	3.911	—	—	4	122	9	43.99	0.02	—	4	50.92
6148	6.7	1	25.73	5.704	—?	—	3	153	5	5.82	0.12	—0.03	4	50.85
6158	6.5	2	21.62	3.554	—	—	5	109	51	56.59	0.21	—	5	51.08
6160	6.9	2	26.42	3.809	—	—	4	118	55	38.16	0.21	—	5	51.15
6162	6.2	2	57.19	1.804	—0.010	—	4	46	33	16.86	0.26	+0.02	5	51.19
6163	7.0	3	8.79	3.790	—	—	4	118	15	54.41	0.28	—	4	51.08
(6166)	6.7	3	51.60	3.906	—	—	3	121	59	55.03	0.34	—	3	49.96
6165	7.0	3	56.00	3.642	—	—	4	113	8	52.54	0.30	0.00	3	51.15
6170	7.1	5	9.68	5.802	—?	—	4	153	55	11.65	0.45	+0.06	4	51.18
6173	6.7	5	29.58	3.836	—0.074?	—	3	119	51	33.96	0.49	+2.31?	4	50.90
6175	7.4	5	49.30	3.918	—	—	4	122	22	48.67	0.51	—	4	50.91
6181	7.7	6	28.84	3.880	—	—	4	121	11	59.08	0.57	—	4	49.78
6182	7.1	6	35.70	3.885	—	—	3	121	21	41.19	0.58	—	5	50.63
6184	7.0	7	21.26	1.072	0.000	—	2	33	45	57.88	0.64	0.00	4	51.41
6185	6.4	7	26.70	1.215	—0.006	—	4	35	45	23.29	0.65	—0.25	4	51.50
6187	6.5	7	31.46	3.774	—	—	3	117	45	19.33	0.66	—	3	50.89
6188	6.9	7	33.15	3.884	—	—	4	121	20	30.07	0.66	—	4	50.80
6190	6.6	7	53.63	3.802	—	—	4	118	41	50.43	0.69	—	4	51.24
6192	6.9	7	57.98	3.953	—	—	3	123	26	34.43	0.70	—	3	49.89
6193	6.1	8	4.32	1.999	—0.008	—	4	51	15	55.77	0.71	—0.02	4	51.31
6196	6.1	9	1.36	3.142	—	—	4	93	2	36.04	0.79	—	4	51.22
6197	5.9	9	8.73	3.301	—	—	4	99	48	15.10	0.80	—	4	51.10
6199	7.0	9	24.87	3.712	—	—	4	115	39	14.17	0.83	—	4	50.68
6202	7.4	10	43.80	3.885	—0.025?	—	4	121	22	24.93	0.94	—0.31?	4	50.45
6203	6.0	10	58.45	1.863	—0.013	—	4	47	53	22.42	0.96	+0.03	5	51.13
6204	7.2	11	3.22	3.951	—	—	4	123	23	28.83	0.97	—	4	49.61
6207	7.2	11	17.75	5.701	—?	—	3	153	5	2.84	0.99	+0.12	4	50.80
6212	6.9	11	33.06	3.914	—0.075?	—	3	122	14	26.92	1.02	—0.77?	4	50.84
(6214)	7.0	11	53.70	3.726	—	—	5	116	8	43.91	1.04	—	5	50.94
6213	5.9	11	54.52	2.902	—	—	4	82	47	48.26	1.04	—	4	51.19
6216	7.0	12	3.07	1.051	+0.006	—	4	33	27	42.21	1.05	—0.05	4	51.43
6218	6.5	12	20.99	1.915	—0.022	—	4	49	7	10.37	1.08	—0.12	4	51.22
6219	6.9	12	26.14	5.139	—?	—	4	147	9	48.73	1.09	+0.04	4	51.14
6220	6.2	12	30.85	3.795	0.000	—	4	118	29	32.79	1.09	—0.11	4	51.22
6222	7.3	12	57.45	3.637	—	—	4	112	59	6.79	1.13	—	5	50.94
6236	7.1	14	49.61	3.914	—	—	4	122	21	44.77	1.29	—	4	50.53



MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
													1800+	
6244	7.1	18	16	10.31	+3.899	—	4	121	49	50.43	-1.41	—	4	50.51
6245	5.7	16	11.17	2.644	—	—	4	72	14	40.52	1.41	—	5	50.84
6246	6.9	16	24.97	1.407	0.000	—	4	38	42	58.67	1.44	0.00	4	51.26
6249	6.6	17	2.72	3.855	—	—	4	120	28	13.44	1.49	—	4	49.62
6252	6.4	17	21.10	1.501	-0.012	—	4	40	20	44.73	1.52	-0.03	4	50.65
6255	5.7	17	42.17	1.535	-0.004	—	3	40	57	7.81	1.55	-0.08	4	50.50
6256	8.4	17	52.36	3.891	+0.041?	—	4	121	36	48.90	1.56	-0.35?	5	50.31
6258	6.8	17	57.15	1.411	+0.006	—	4	38	46	9.82	1.57	-0.03	4	51.38
6260	6.0	18	13.96	3.837	—	—	4	119	54	2.80	1.59	—	4	50.87
6261	6.5	18	22.58	3.741	0.000	—	4	116	43	0.30	1.61	—	4	50.94
6264	6.1	18	44.55	3.745	—	—	4	116	50	26.79	1.64	—	4	50.92
6266	7.2	19	1.51	3.639	—	—	4	113	5	9.57	1.66	—	5	50.76
6270	7.1	19	36.61	3.740	—	—	3	116	40	10.69	1.72	—	4	51.11
6271	7.6	19	39.23	3.819	—	—	4	119	20	47.09	1.72	—	4	51.02
6280	7.7	20	36.97	2.918	—	—	5	83	29	16.29	1.81	—	4	51.33
6283	7.2	21	0.62	3.805	—	—	4	119	53	17.66	1.84	—	5	50.96
6286	7.1	21	22.42	+3.645	—	—	4	113	20	40.78	1.86	—	4	51.17
6288	6.7	21	24.72	-0.895	—	—	4	18	33	27.98	1.87	—	4	51.43
6295	6.7	22	41.54	+3.817	—	—	5	119	17	24.67	1.98	—	4	50.88
6303	7.0	23	15.37	3.434	—	—	4	105	16	56.69	2.03	—	3	50.61
6310	7.6	24	36.46	3.869	—	—	4	120	59	21.72	2.15	—	4	49.81
6311	7.2	24	37.52	0.804	-0.010	—	4	30	23	15.64	2.15	-0.01	5	51.40
6318	6.6	25	37.88	0.820	-0.002	—	5	30	32	57.29	2.24	-0.06	4	51.41
6319	7.2	26	8.27	3.839	—	—	4	120	2	59.09	2.28	—	3	49.62
6321	6.7	26	25.19	3.831	—	—	4	119	48	42.86	2.31	—	4	50.60
6327	7.0	27	34.40	3.795	—	—	4	118	37	28.99	2.41	—	4	50.58
6328	6.7	27	42.04	5.888	-0.036	—	5	154	46	7.99	2.42	+0.03	4	50.98
6331	7.1	27	54.57	3.711	—	—	4	115	46	33.83	2.44	—	4	50.55
6334	6.8	28	31.26	3.926	—	—	4	122	48	5.96	2.49	—	4	50.91
6335	6.3	28	44.89	1.873	-0.011	—	4	37	59	42.84	2.51	-0.04	3	51.41
6337	7.0	28	58.37	5.874	—?	—	3	154	40	51.74	2.53	0.00	4	51.00
6338	7.7	28	59.60	3.704	-0.028?	—	3	115	34	33.83	2.53	—	4	51.08
6339	7.1	29	6.12	3.841	0.000	—	4	120	9	1.18	2.54	—	4	51.23
6342	7.2	29	14.19	3.856	-0.035?	—	4	120	38	30.72	2.56	—	4	51.24
6344	7.5	29	40.76	3.936	—	—	4	123	7	9.45	2.59	—	4	51.04
6345	7.4	29	46.49	3.784	—	—	4	118	18	22.50	2.60	—	4	51.21
6346	6.7	29	55.83	3.642	0.000	—	3	113	18	26.64	2.61	—	3	51.11
6350	6.1	30	31.96	1.360	-0.002	—	4	37	45	49.44	2.66	-0.04	4	51.51
6351	8.0	30	36.00	3.707	—	—	2	115	37	55.84	2.67	—	3	50.97
6354	6.2	31	30.63	5.482	+0.063?	—	4	151	18	58.46	2.74	—	4	50.80
6364	6.9	34	42.73	1.930	0.000	—	4	49	11	53.69	3.03	-0.02	4	50.44
6368	7.1	35	34.99	1.176	+0.005	—	5	34	53	30.54	3.10	-0.09	4	51.31
6373	7.0	36	34.42	0.731	-0.008	—	4	29	25	37.56	3.19	-0.09	4	51.32
6374	6.9	36	39.87	3.761	—	—	4	117	39	0.79	3.19	—	5	49.80
6377	7.2	37	14.19	3.826	—	—	4	119	46	56.53	3.24	—	4	50.17
6382	7.2	38	9.92	3.785	0.000	—	4	118	26	7.53	3.32	—	4	49.98
6389	7.0	39	15.86	3.922	—	—	4	122	52	13.61	3.42	—	4	50.32
6393	6.3	39	36.89	0.530	-0.008	—	4	27	23	55.20	3.45	+0.05	2	50.45
6396	7.7	40	14.99	3.750	—	—	3	117	17	17.32	3.51	—	3	50.55
6400	7.2	41	7.87	3.630	—	—	4	113	0	47.67	3.58	—	4	50.65

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion	No of Observations.	Mean Date of Observa- tion.	
		h.	m.	s.				°	'	"					
6403	8.1	18	41	19.03	+3.865	—	3	121	7	40.76	—3.60	—	3	1800+	50.41
6404	6.5		41	24.71	1.916	—0.012	3	48	43	0.32	3.61	—0.03	2		50.91
6408	7.1		42	4.38	3.750	—	4	117	19	55.78	3.67	—	4		50.55
6410	6.2		42	31.59	0.711	—0.005	4	29	6	35.99	3.70	—0.04	4		51.19
(6414)	6.5		43	3.68	3.857	—	4	120	54	20.67	3.75	—	4		50.87
6413	6.3		43	5.58	3.815	—	4	119	33	3.63	3.75	—	4		50.66
6416	6.4		43	8.86	3.735	—	4	116	49	15.42	3.75	—	4		50.81
6419	6.4		43	21.77	1.389	+0.005	4	37	10	29.91	3.77	0.00	4		51.39
6421	7.4		43	37.00	1.546	—0.003	4	40	43	58.31	3.79	0.00	4		51.00
6422	7.2		43	43.26	3.767	—	4	117	55	56.52	3.81	—	4		51.18
6424	6.8		43	57.37	3.896	—	6	122	10	6.06	3.82	—	5		50.17
6425	7.7		44	3.22	5.784	+0.026?	4	154	11	2.18	3.83	+0.05	3		51.13
6428	6.7		44	18.20	1.583	—0.004	3	41	24	6.29	3.85	—0.12	4		51.22
6437	7.4		45	17.78	3.741	—	4	117	4	13.82	3.94	—	4		49.90
6445	7.1		46	36.95	3.816	—	6	119	39	45.67	4.05	—	6		50.41
6446	7.0		46	45.34	3.885	—	4	121	52	29.40	4.06	—	4		50.52
6447	6.0		46	52.30	3.460	—	4	106	33	14.94	4.08	—	4		50.47
6452	5.9		48	12.88	1.349	—0.003	4	37	13	2.02	4.19	—0.22	4		51.34
6455	7.3		48	28.91	3.857	—0.004	4	121	0	59.24	4.21	+0.01	4		50.11
6459	6.8		48	43.29	3.863	—	4	121	13	37.16	4.23	—	4		50.48
6465	6.9		49	9.02	3.682	—	4	115	4	15.29	4.27	—	4		49.62
6468	6.7		49	22.51	+2.197	—	5	56	13	11.72	4.29	—	4		50.31
6469	6.2		49	29.45	—1.457	—	4	16	5	26.05	4.30	—	4		51.35
6470	5.6		49	30.22	+1.485	—0.005	5	39	28	35.75	4.30	+0.01	4		50.89
6472	7.5		49	48.60	5.747	+0.010?	4	153	59	21.45	4.32	0.00	4		50.57
6478	6.3		50	3.88	1.919	+0.003	4	48	35	11.58	4.35	—0.04	4		50.45
6477	6.2		51	9.58	1.040	+0.003	4	32	42	8.95	4.44	—0.02	4		51.30
6479	6.8		51	12.42	3.883	0.000	5	115	8	42.38	4.44	—0.23	4		50.15
6480	6.5		51	24.14	2.233	—	4	57	17	16.87	4.46	—	4		50.46
6481	8.9		51	42.37	5.738	—?	2	153	57	20.59	4.48	—0.06	4		50.20
6493	6.4		53	51.94	1.961	0.000	4	49	31	25.79	4.67	—0.04	4		49.63
6495	6.4		54	8.95	2.018	—0.008	5	50	59	14.89	4.70	0.00	5		50.26
6502	6.9		55	11.45	3.625	—	4	113	6	42.79	4.78	—	4		49.61
6504	7.3		55	22.01	3.588	—	4	111	44	44.44	4.80	—	4		50.34
6505	7.4		55	33.06	3.689	—	4	115	26	49.50	4.82	—	4		50.42
6508	6.2		55	46.23	0.610	+0.012	4	27	48	20.00	4.83	+0.01	5		50.39
6512	6.8		56	18.13	+3.798	—	4	119	18	2.51	4.88	—	4		50.17
6514	7.1		56	42.58	—1.416	+0.002	3	16	6	46.96	4.91	—0.06	5		51.42
6516	7.2		56	59.97	+1.640	—0.009	4	42	10	35.05	4.94	+0.02	4		50.47
6519	6.6		57	5.89	3.439	—	4	105	52	52.34	4.95	—	4		50.48
6530	6.8		58	34.92	1.412	—0.015	4	37	57	18.99	5.07	+0.03	4		51.47
6531	7.0		58	40.25	3.699	—	5	115	55	45.15	5.08	—	5		50.94
6532	7.0		58	48.90	3.731	—	4	117	3	45.77	5.09	—	4		51.08
6534	6.1		59	14.73	2.278	0.000	4	58	28	36.35	5.13	+0.22?	4		50.89
6537	8.1		59	32.87	3.843	—	4	120	51	25.53	5.15	—	4		49.61
6538	7.0		59	35.40	3.682	—	4	115	18	34.91	5.16	—	4		50.98
6539	7.8		59	38.97	3.572	—	3	111	13	11.75	5.16	—	2		51.11
6540	6.9		59	40.75	3.630	0.000	3	113	25	14.23	5.16	—	3		50.78
6544	6.7		59	56.78	3.520	—	4	109	11	3.04	5.19	—	4		50.65
6549	6.9	19	0	54.43	3.823	—	4	120	14	24.65	5.27	—	5		50.61

No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
6554	7.0	19	1	48.68	+3.806	0.000	4	119	44	25.99	-5.34	—	3	1800+
6555	6.9		1	50.19	0.660	+0.013	4	28	7	49.96	5.35	-0.04	4	49.85
6565	7.2		4	38.02	3.728	—	4	117	7	14.82	5.58	—	4	51.21
6566	7.1		4	42.79	1.534	-0.011	4	39	52	33.28	5.59	+0.02	5	50.32
6567	7.3		5	1.54	2.287	—	5	58	36	27.65	5.62	—	5	51.10
6568	7.0		5	5.39	3.814	+0.022?	4	120	4	53.05	5.62	+0.67?	5	50.64
6569	7.1		5	11.64	3.796	—	4	119	29	33.79	5.63	—	3	50.45
6571	6.6		6	0.60	2.299	—	3	58	57	50.16	5.70	—	3	50.60
6574	6.0		6	10.61	2.571	—	4	68	41	40.65	5.71	—	4	50.73
6577	7.3		6	39.39	3.832	—	5	120	42	54.79	5.75	—	5	50.95
6578	7.3		7	53.41	3.692	—?	3	115	55	18.41	5.86	—	3	51.11
6579	{ 6.9 } { 6.9 }		8	{ 11.64 } { 12.43 }	1.570	—	{ 4 } { 4 }	40	25	{ 26.45 } { 18.97 }	5.88	—	{ 3 } { 1 }	50.56
6591	6.4		10	34.12	3.440	—	4	106	10	34.05	6.08	—	6	50.54
6593	6.8		10	44.44	1.998	-0.005	4	49	54	2.56	6.09	+0.04	4	50.44
6594	6.8		10	47.21	3.869	—	4	122	5	17.53	6.10	—	3	49.62
6602	6.0		11	22.56	2.537	—	4	67	14	27.50	6.15	—	4	50.35
6603	7.0		11	24.18	1.564	0.000	4	40	11	32.08	6.15	0.00	4	49.87
6606	7.8		11	36.72	1.716	+0.008	3	48	12	7.19	6.17	+0.07	6	50.32
6609	7.3		12	9.23	3.801	—	3	119	52	47.22	6.21	—	3	50.69
6611	7.0		12	30.20	3.702	—	4	116	26	25.26	6.24	—	4	50.68
6613	6.9		12	34.08	3.798	—	4	119	47	56.88	6.24	—	3	50.46
6624	7.2		13	56.96	2.003	-0.005	4	49	54	47.71	6.36	-0.04	4	50.57
6626	6.6		14	37.39	1.598	-0.007	4	40	42	25.01	6.42	-0.02	5	50.61
6627	7.4		15	0.48	3.834	—	4	121	4	57.05	6.45	—	4	50.32
6631	6.2		15	37.26	3.789	—	4	119	35	37.44	6.50	—	4	49.62
6635	5.9		16	17.29	1.325	+0.001	4	35	54	5.06	6.55	+0.01	4	51.31
6640	6.2		17	30.56	1.101	-0.004	4	32	38	12.76	6.65	-0.07	4	50.73
6652	6.9		18	50.25	2.613	—	4	70	1	13.57	6.76	—	3	50.01
6656	6.0		19	11.69	1.894	-0.008	4	46	54	6.14	6.79	0.00	4	50.13
6665	7.0		20	7.98	3.828	0.000	4	121	5	21.74	6.87	—	4	49.62
6672	7.8		22	5.59	3.682	0.000	5	116	2	34.53	7.08	—	5	50.01
6677	7.7		22	41.74	3.750	0.000	4	118	31	23.15	7.08	—	4	50.17
6680	6.9		22	55.75	3.827	0.000	4	121	10	47.55	7.10	0.00	4	49.64
6684	6.9		23	32.65	3.812	—	4	120	40	32.34	7.15	—	4	50.27
6685	7.4		23	41.08	3.689	0.000	4	116	20	31.56	7.16	—	4	50.24
6693	7.5		25	30.23	3.846	—	4	121	55	39.74	7.31	—	4	49.61
6711	7.5		28	22.74	2.087	+0.002	4	51	33	43.88	7.54	-0.04	4	49.74
6712	7.0		28	38.03	1.067	-0.006	4	31	43	3.78	7.57	+0.42	3	50.60
(6717)	6.5		29	33.50	1.652	-0.005	4	41	3	44.25	7.64	-0.04	4	50.17
6716	6.8		29	34.54	3.754	—	4	118	56	23.70	7.64	—	4	49.64
6718	6.1		29	47.15	1.955	—	4	47	54	48.63	7.66	—	4	50.34
6720	6.8		29	58.91	1.894	-0.010	4	46	22	54.84	7.67	-0.03	4	50.42
6721	7.0		30	23.65	1.707	-0.007	3	42	9	38.23	7.71	+0.06	3	50.34
6728	6.9		31	45.91	1.907	0.000	4	46	37	38.24	7.82	-0.03	4	50.61
6731	6.6		31	58.79	1.867	-0.017	4	45	38	4.60	7.84	+0.07	4	50.68
6737	6.6		33	9.61	0.650	+0.005	4	26	53	56.36	7.93	-0.02	4	50.65
6738	6.4		33	16.50	3.649	0.000	4	115	12	13.65	7.94	—	4	49.63
6748	6.6		35	13.29	+1.348	—	5	35	22	34.26	8.10	—	4	50.77
6752	6.7		35	53.31	-0.533	—	4	18	43	34.45	8.15	—	4	51.05
6754	5.6		36	11.95	+1.842	-0.001	4	44	49	41.70	8.17	-0.08	5	50.19

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B A C	Magnitude.	Right Ascension, January 1, 1850.		Annual Precession	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850			Annual Precession	Proper Motion	No. of Observations.	Mean Date of Observa- tion.
		h. m. s.	s.				o	'	"				
6757	6.6	19 37	12.48	+5.308	+0.034	4	151	25	35.38	-8.25	-0.05	4	50.12
6765	6.4	37	53.64	2.109	-0.004	4	51	40	59.70	8.31	-0.01	4	50.16
6768	7.0	38	30.45	3.759	—	4	119	31	26.20	8.36	—	4	49.88
6769	7.2	38	44.11	1.999	-0.011	4	48	35	3.91	8.38	-0.04	4	50.39
6780	6.1	40	18.59	1.158	—	4	32	20	23.55	8.50	—	4	50.89
6786	7.1	41	10.03	3.689	—	4	117	5	17.08	8.57	—	4	50.25
6791	6.6	41	48.55	2.829	—	4	78	41	7.67	8.62	—	4	50.38
6792	7.4	41	55.13	3.708	0.000	4	117	50	47.18	8.63	—	4	50.44
6795	7.4	42	27.37	3.697	0.000	4	117	27	29.24	8.67	—	3	50.65
6799	6.3	43	3.63	+1.755	-0.004	4	42	27	40.49	8.72	-0.01	4	50.71
6808	6.4	44	29.68	-0.052	-0.005	4	21	1	46.07	8.83	-0.02	4	50.78
6813	6.2	45	14.67	+2.123	-0.007	4	51	39	39.74	8.89	-0.11	5	50.60
6814	6.6	45	18.75	3.612	0.000	4	114	18	32.16	8.90	—	4	49.67
6815	6.2	45	27.49	3.144	—	4	93	29	54.43	8.91	—	4	50.47
6817	6.3	45	27.91	2.058	-0.008	4	49	46	46.30	8.91	+0.03	4	50.24
6818	6.9	45	34.71	1.074	+0.001	3	30	57	17.27	8.92	-0.43	4	51.16
6829	6.8	47	22.36	3.786	—	4	120	57	43.77	9.06	—	4	50.19
6830	6.6	47	41.44	1.768	-0.016	4	42	27	11.27	9.08	-0.05	4	50.48
6831	7.4	47	43.36	3.588	—	4	113	27	26.09	9.08	—	4	50.39
6834	6.8	48	2.63	0.937	-0.007	4	29	10	32.97	9.11	-0.09	4	50.78
6841	6.4	49	30.12	3.782	—	4	120	56	5.20	9.22	—	3	49.62
6844	6.7	50	0.08	4.194	0.000	4	133	26	46.28	9.26	0.00	4	50.15
6852	6.8	50	53.53	1.076	—	4	30	41	11.53	9.33	—	4	50.71
6854	7.7	51	18.91	3.726	—	4	118	59	28.39	9.36	—	4	50.70
6855	7.1	51	24.47	2.730	—	4	73	54	26.13	9.37	—	5	50.14
6857	6.8	52	0.86	2.081	-0.008	5	50	1	59.12	9.42	+0.02	6	50.27
6861	6.9	52	15.98	0.992	+0.009	4	29	34	23.43	9.44	-0.04	4	51.07
6862	6.3	52	19.69	1.009	+0.013	4	29	46	57.58	9.44	+0.03	4	51.07
6863	6.4	52	23.11	1.194	0.000	4	32	8	42.02	9.45	+0.08	4	50.65
6865	6.8	52	38.46	1.641	-0.007	4	39	29	55.78	9.47	-0.04	4	50.59
6876	6.3	54	37.45	1.882	0.000	4	44	38	6.02	9.62	0.00	5	50.02
6887	7.2	56	1.18	3.732	—	4	119	29	42.54	9.72	—	4	49.62
6888	7.7	56	2.88	3.672	0.000	4	117	13	56.56	9.73	—	5	49.73
6899	7.3	58	3.81	3.747	—	4	120	8	54.15	9.88	—	4	49.70
6904	7.0	59	38.29	4.203	—	4	134	19	34.06	10.00	—	2	50.11
6906	7.1	59	58.60	3.652	—	4	116	39	10.44	10.03	—	5	49.98
6908	7.3	20 0	3.63	3.709	—	5	118	52	14.89	10.03	—	6	50.40
6918	6.6	1	2.40	1.623	+0.006	4	38	35	20.32	10.11	-0.09	4	50.74
6919	6.9	1	4.00	5.424	+0.005	8	153	51	32.32	10.11	-0.08	9	50.11
6920	7.1	1	4.33	3.627	0.000	4	115	43	7.88	10.11	—	4	49.61
6928	6.7	2	16.41	1.558	+0.020	4	37	16	33.44	10.20	-0.27	4	50.76
6930	6.5	2	50.82	0.769	+0.006	4	26	32	25.60	10.24	-0.12	4	51.21
6941	6.6	4	27.09	2.638	—	4	69	18	31.67	10.36	—	4	49.68
(6946)	7.2	5	44.68	5.249	—	3	152	21	37.67	10.46	—	4	50.53
6945	6.7	5	46.46	5.377	+0.035?	4	153	41	0.11	10.46	-0.06	3	50.39
6948	6.3	6	31.52	3.740	0.000	4	120	27	28.57	10.52	0.00	4	49.61
6954	7.5	7	57.92	4.140	—	4	133	18	57.44	10.62	—	5	49.72
6959	6.5	8	21.14	1.671	0.000	4	38	59	9.20	10.65	-0.02	4	51.08
6960	7.6	8	29.92	4.203	—	4	134	59	6.09	10.66	—	4	49.76
6961	6.4	8	30.00	4.330	+0.040	3	138	1	59.24	10.66	+0.18	4	50.70

No. from B. A. C	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion	No of Obscr- vations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No of Obscr- vations	Mean Date of Obser- vation.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>s.</i>	<i>o</i>	<i>'</i>				
6963	6.7	20	8	39.46	+2.018	-0.009	4	47	4	25.49	-10.68	+0.02	5	49.17
6966	5.6	8	54.22	2.540	—	4	64	51	47.68	10.70	—	5	50.72	
6977	7.7	10	7.13	3.724	0.000	4	120	5	13.26	10.78	—	3	50.34	
6982	7.1	10	46.51	3.612	—	4	115	41	14.07	10.83	—	4	50.49	
6984	{ 7.4 7.1 }	11	{ 12.26 13.40 }	3.711	— ?	{ 4 4 }	119	39	{ 29.31 50.45 }	10.86	—	{ 1 4 }	50.76	
6985	6.8	11	21.38	1.743	+0.002	4	40	13	37.90	10.88	-0.04	4	50.52	
6986	6.0	11	34.66	2.132	-0.003	4	50	5	48.62	10.89	-0.01	4	50.79	
6988	7.2	12	9.44	3.092	—	4	91	6	43.58	10.93	—	3	50.74	
6996	6.9	12	47.82	2.123	-0.007	4	49	43	59.04	10.98	-0.02	3	50.91	
7001	6.6	13	29.83	2.181	-0.004	3	51	27	47.51	11.03	-0.01	4	50.81	
7003	7.7	13	51.48	4.079	—	1	132	8	47.25	11.05	—	2	50.68	
7006	6.8	14	11.88	2.241	—	4	53	20	14.50	11.08	—	5	50.56	
7008	6.9	14	48.86	2.172	0.000	4	51	4	2.67	11.13	-0.01	5	50.67	
7011	6.6	15	29.80	3.700	—	6	119	33	18.15	11.18	—	4	49.64	
7012	7.4	15	35.58	3.619	—	4	116	18	43.87	11.19	—	4	49.75	
7014	6.2	15	44.43	2.976	—	4	85	7	56.54	11.20	—	3	50.46	
7017	6.1	16	1.50	0.537	+0.092	4	23	37	40.05	11.21	-0.33	4	50.95	
7021	7.7	16	44.95	3.635	—	4	117	2	20.31	11.27	—	4	49.70	
7026	7.0	17	20.43	3.697	—	4	119	33	26.10	11.31	—	4	49.75	
7027	6.7	17	25.49	2.126	-0.007	4	49	27	4.08	11.32	-0.01	3	50.31	
7030	7.4	18	17.78	3.688	—	4	119	18	6.11	11.38	—	4	50.44	
7032	7.4	18	46.38	3.674	—	4	118	45	1.97	11.41	—	5	50.65	
7033	7.2	18	53.00	3.701	—	4	119	51	45.09	11.42	—	4	50.46	
7034	7.0	19	1.64	3.609	—	4	116	5	48.52	11.43	—	4	49.76	
7035	6.9	19	8.42	1.549	+0.004	5	35	48	33.32	11.44	0.00	4	51.24	
7037	6.4	19	24.43	0.300	+0.015	3	21	35	57.67	11.46	-0.07	4	51.22	
7039	7.4	19	34.57	3.574	0.000	4	114	39	0.37	11.47	—	4	50.51	
7040	6.9	19	50.66	3.569	0.000	4	114	28	24.03	11.49	—	3	50.34	
7041	7.0	20	12.48	2.081	—	4	47	53	2.15	11.52	—	4	50.75	
7048	7.1	20	39.61	2.156	0.000	3	50	5	15.73	11.55	0.00	3	50.72	
7055	7.0	21	38.80	1.560	0.000	4	35	47	55.82	11.62	-0.59	3	51.36	
7056	8.1	21	41.13	5.287	-0.009	4	153	48	51.58	11.62	+0.17	4	49.76	
7057	6.2	21	45.39	3.689	—	4	119	36	37.56	11.63	—	5	49.65	
7060	6.4	21	57.76	1.251	-0.006	4	30	53	20.33	11.64	-0.04	5	51.13	
7063	6.3	22	39.97	3.373	—	4	105	33	13.46	11.70	—	4	49.76	
7064	6.7	22	45.57	1.452	-0.004	4	33	51	16.41	11.70	-0.02	3	51.04	
7071	8.1	23	33.24	3.674	—	5	119	5	54.12	11.76	—	4	49.72	
7074	6.7	23	40.04	5.255	-0.017	4	153	37	35.72	11.76	+0.13	4	50.40	
7082	5.7	24	58.49	5.102	+0.041	5	152	2	18.68	11.86	-0.24	2	50.34	
7083	6.8	25	1.66	1.977	+0.009	4	44	34	44.04	11.86	-0.20	5	50.53	
7086	6.9	25	41.67	1.502	—	4	34	26	1.80	11.91	—	4	50.80	
7092	7.1	26	47.65	5.090	—	4	152	3	7.77	11.98	—	4	50.45	
7093	7.1	26	52.18	3.624	—	4	117	17	13.18	11.99	—	4	49.61	
7095	6.9	26	59.56	5.212	—	4	153	25	21.99	12.00	—	4	49.76	
7100	7.2	27	38.74	2.085	-0.007	4	47	19	3.86	12.05	-0.02	4	50.39	
7101	7.1	27	39.16	2.143	-0.004	5	49	2	13.01	12.05	-0.07	5	49.78	
7104	7.0	28	5.67	4.139	+0.030 ?	4	135	2	30.29	12.08	—	5	49.94	
7108	6.6	28	56.29	3.581	—	4	115	37	35.90	12.13	—	4	50.44	
7111	7.5	28	57.17	3.521	0.000	4	112	57	41.14	12.14	—	4	50.11	
7112	6.1	28	59.70	1.962	-0.003	4	43	49	8.04	12.14	-0.01	3	50.68	

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C.	Magnitude.	Right Ascension, January 1, 1850			Annual Precession	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion	No of Observations.	Mean Date of Observa- tion
		h.	m.	s.				°	'	"				
(7114)	6.9	20	29	11.33	+2.160	-0.005	4	49	24	58.63	-12.15	-0.02	3	50.76
7118	7.2		29	11.77	3.561	0.000	4	114	44	49.43	12.15	—	4	50.45
7119	6.6		29	56.65	2.136	0.000	4	48	37	35.31	12.21	-0.05	3	50.70
7123	7.0		30	35.09	3.396	+0.049	4	107	4	51.25	12.25	+0.14	4	50.68
7128	7.0		31	15.94	3.548	+0.043?	4	114	19	3.88	12.29	—	4	50.67
7133	7.5		31	28.96	3.554	—	4	114	37	53.71	12.31	—	4	50.60
7135	7.3		31	32.48	3.634	—	4	118	6	45.81	12.31	—	4	50.78
7136	6.8		31	36.00	3.612	—	4	117	10	11.67	12.32	—	4	51.08
7139	6.5		31	45.90	3.657	—	4	119	4	38.24	12.33	—	4	51.07
7142	7.4		31	59.80	4.140	—?	4	185	24	50.12	12.35	—	4	51.09
7147	6.7		32	27.90	3.596	—	3	116	31	36.97	12.38	—	5	51.00
7148	8.0		32	28.99	3.642	—	4	118	31	23.09	12.38	—	4	51.23
7150	6.6		32	40.51	2.872	—	4	79	16	49.05	12.40	—	4	50.77
7153	6.8		32	56.87	1.705	-0.007	4	37	32	56.60	12.41	0.00	4	51.37
7157	6.8		33	36.19	2.788	—	4	74	53	18.64	12.46	—	4	50.28
7158	6.6		34	3.78	2.191	-0.002	4	49	56	53.85	12.49	-0.02	4	50.63
7161	7.1		34	19.32	2.020	—	4	44	51	40.10	12.51	—	4	49.75
7162	7.5		34	41.35	3.514	0.000	4	112	59	15.06	12.53	—	4	49.70
7166	7.0		35	6.84	1.555	-0.002	4	34	31	20.35	12.56	+0.04	4	51.25
7167	6.7		35	23.44	2.241	0.000	4	51	26	59.10	12.58	0.00	4	50.69
7168	7.1		35	30.97	3.641	—	4	118	44	28.00	12.59	—	4	50.53
7170	6.9		36	12.48	3.618	0.000	4	117	47	13.01	12.64	—	4	50.53
7172	6.8		36	20.56	3.151	0.000	5	94	27	11.48	12.64	—	3	50.86
7174	6.3		36	31.10	2.163	-0.004	4	48	49	4.95	12.66	-0.02	4	50.76
(7163)	7.7		36	51.37	4.850	—	4	149	46	39.87	12.68	—	5	50.56
7176	6.5		37	6.17	1.281	-0.004	4	30	2	8.86	12.70	-0.18	3	51.39
7180	8.0		37	28.10	3.537	0.000	3	114	15	57.07	12.72	—?	4	51.20
7181	7.1		37	28.53	3.607	0.000	4	117	24	36.85	12.72	0.00	4	50.86
7183	6.9		37	46.31	3.502	—	4	112	42	18.01	12.74	—	4	49.79
7187	7.1		38	22.34	3.595	—	4	116	57	35.40	12.78	—	3	50.72
7193	6.4		39	26.91	1.289	-0.003	4	29	56	15.85	12.85	+0.01	4	51.24
7198	6.7		39	38.57	1.980	-0.009	4	43	14	43.49	12.87	-0.03	4	49.76
7210	7.1		41	5.66	3.611	+0.007	4	117	55	7.24	12.96	+0.08	4	49.74
7216	7.1		41	39.69	3.557	0.000	4	115	31	54.41	13.00	—	4	49.41
7218	6.9		41	59.70	1.748	-0.018	5	37	32	56.83	13.03	+0.16	5	50.81
7219	6.8		42	11.80	2.054	0.000	4	44	58	9.00	13.04	-0.02	4	49.78
7224	6.9		42	34.77	3.623	—	4	118	33	6.06	13.06	—	4	50.00
7225	7.1		42	35.05	3.606	+0.004	5	117	47	59.72	13.06	+0.08	4	50.48
7240	8.4		44	35.28	4.803	—	4	149	50	17.17	13.20	—	5	49.71
7243	7.1		44	53.36	1.863	0.000	4	39	46	22.26	13.22	-0.03	4	50.75
7244	7.2		45	12.61	3.536	0.000	4	114	50	33.56	13.24	—	3	50.37
7245	7.0		45	38.39	4.078	+0.033?	3	135	8	30.38	13.27	-0.05	4	49.75
7248	6.8		46	14.47	3.422	—	3	109	21	33.62	13.30	—	4	49.61
7253	5.2		47	56.29	2.117	0.000	4	46	10	43.51	13.42	0.00	4	49.78
7254	6.3		48	3.73	2.091	0.000	4	45	23	2.80	13.42	-0.06	4	50.40
7259	8.0		48	34.46	2.119	+0.006	3	46	10	52.23	13.46	-0.05	3	49.82
7260	7.0		48	46.06	2.235	-0.003	4	49	51	56.05	13.47	-0.01	3	50.36
7268	6.8		50	45.61	2.021	—	4	43	9	18.50	13.60	—	5	49.72
7273	6.1		51	17.09	2.112	-0.008	4	45	38	58.98	13.63	-0.05	4	49.80
7274	6.4		51	31.05	1.958	—	4	41	22	46.12	13.65	0.00	5	49.75

No from B. A. C	Magnitude.	Right Ascension, January 1, 1850			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion.	No of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>s.</i>	<i>°</i>	<i>'</i>				
7278	6.8	20	51	39.67	+1.897	+0.010	5	39	50	45.38	-13.66	-0.02	4	1800+
7290	6.4		52	56.99	2.134	—	3	46	6	37.45	13.74	—	3	50.68
7295	7.0		53	47.89	4.170	—	4	138	32	53.70	13.79	—	4	50.62
7297	6.9		54	11.29	2.267	+0.018	4	50	19	58.61	13.82	-0.22	4	49.65
7307	6.1		56	1.26	5.090	—?	4	154	31	30.79	13.93	+0.10	4	49.78
7317	6.7		57	2.51	2.139	0.000	4	45	47	55.38	14.00	0.00	4	49.70
7327	6.8		58	21.01	3.490	—	6	113	44	50.00	14.08	—	5	49.72
7332	6.5		59	12.45	1.826	+0.004	4	37	18	34.80	14.13	-0.03	4	50.40
7340	7.2	21	0	29.96	3.495	—	4	114	13	48.61	14.21	—	4	49.76
7341	7.2		0	41.69	4.319	0.000	4	142	56	47.49	14.22	—	4	49.77
7347	7.1		1	51.88	3.469	-0.100?	5	113	5	5.15	14.31	—	5	50.42
7348	7.1		2	34.58	4.436	+0.010	4	145	35	57.41	14.34	—?	4	50.22
7359	7.0		4	33.93	3.512	0.000	4	115	27	27.50	14.46	0.00	4	49.78
7363	6.5		5	27.12	0.417	-0.029	5	19	10	9.71	14.52	+0.12	5	50.91
7366	8.0		5	57.91	3.530	—	5	116	30	10.48	14.55	—	4	49.69
7369	6.9		6	45.82	4.792	—	4	151	57	26.29	14.59	—	4	49.78
7402	5.5		12	51.49	2.231	-0.007	4	46	41	0.52	14.95	+0.02	4	49.62
7410	5.7		14	17.12	2.691	—	4	66	46	28.89	15.04	—	4	49.74
7411	6.1		14	18.92	2.058	0.000	4	41	7	19.80	15.04	-0.04	4	49.75
7417	6.3		15	6.03	1.660	—	4	32	0	34.48	15.08	—	3	49.84
7430	6.9		16	41.88	1.549	—	4	29	52	45.59	15.18	—	4	50.41
7431	6.1		16	47.43	2.075	-0.005	4	41	15	7.53	15.18	-0.11	4	49.76
7436	6.8		17	10.32	3.467	0.000	4	114	27	52.35	15.20	0.00	4	49.68
7448	7.2		18	56.34	2.003	+0.004	4	38	59	10.27	15.30	0.00	4	50.72
7450	6.3		19	28.47	2.778	0.000	4	71	16	18.32	15.33	+0.06	4	49.79
7452	8.0		19	40.43	4.204	—	4	142	47	4.93	15.34	—	3	49.78
7466	7.3		21	45.89	3.483	+0.007	4	115	50	45.94	15.46	+0.02	4	49.66
7472	6.9		22	53.03	4.210	+0.020	4	143	23	45.27	15.52	+0.20	3	49.69
7477	7.6		23	33.69	2.265	-0.010	4	46	19	0.04	15.56	+0.01	4	49.75
7483	6.3		25	20.49	1.990	+0.005	4	37	42	0.92	15.66	-0.02	3	49.81
7488	7.2		26	12.89	2.024	-0.006	4	38	27	59.27	15.71	-0.08	4	50.41
7489	6.8		26	24.84	2.009	-0.004	4	38	2	25.64	15.72	-0.02	5	50.53
7495	6.4		26	51.82	1.647	-0.005	4	30	12	3.97	15.74	0.00	4	50.70
7496	6.5		26	52.31	2.158	—	4	42	13	2.13	15.74	—	4	49.77
7497	6.9		27	4.91	3.054	—	4	88	50	5.83	15.75	—	4	49.68
7501	6.3		27	40.59	2.241	—	4	44	48	34.09	15.79	—	4	49.81
7508	7.2		29	2.05	0.802	+0.011	4	19	50	25.75	15.86	+0.08	4	50.48
7512	6.7		29	17.36	2.060	-0.003	4	38	58	6.04	15.87	-0.02	3	49.79
7515	6.2		29	51.49	3.086	0.000	4	91	3	35.73	15.90	—	4	49.71
7523	7.4		30	22.18	3.451	0.000	4	115	7	15.63	15.93	—	4	49.76
7531	7.7		32	50.45	4.629	—?	4	152	47	38.20	16.06	0.00	4	49.73
7548	7.1		34	46.26	2.160	-0.002	3	40	59	46.28	16.16	-0.02	4	49.73
7549	7.6		34	47.15	3.487	—	4	114	49	23.41	16.16	—	4	49.69
7552	7.9		34	54.51	4.639	+0.026	4	153	14	2.37	16.17	+0.40	4	50.18
7555	6.6		35	44.95	1.980	—	4	35	48	30.17	16.21	—	4	50.22
7564	7.2		37	2.83	0.849	0.000	6	19	22	6.36	16.28	+0.08	4	50.88
7589	7.2		39	55.47	2.103	-0.006	4	38	25	18.68	16.42	-0.02	4	50.60
7590	6.7		39	56.56	2.843	—	4	73	29	47.16	16.43	—	4	49.75
7593	6.6		40	19.12	2.373	—	4	47	37	49.80	16.44	—	4	49.75
7594	7.9		40	57.41	4.551	—?	4	152	44	46.06	16.47	+0.20	4	49.71

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No from B. A. C	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations.	North Polar Distance, January 1, 1850.			Annual Precession	Proper Motion.	No. of Observations.	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>s.</i>	<i>s.</i>	<i>o</i>				
7602	7.1	21	42	6.12	+2.474	0.000	4	51	44	18.69	-16.53	-0.06	4	49.85
7609	6.3	44	4	4.92	4.512	— ?	4	152	35	9.26	16.63	-0.04	4	49.65
7610	6.8	44	21	30	1.080	+0.003	3	20	32	38.40	16.64	+0.02	2	50.49
7611	6.8	44	28	00	1.510	+0.006	4	25	31	37.34	16.65	-0.03	4	50.74
7612	6.9	44	43	29	2.118	-0.006	4	38	0	6.72	16.66	+0.02	4	50.24
7614	6.6	44	52	66	2.472	0.000	4	51	9	50.10	16.67	-0.05	4	49.83
7617	7.6	44	59	01	3.219	—	4	101	15	47.29	16.67	—	4	49.66
7620	6.7	45	34	72	3.215	—	4	101	0	54.16	16.70	—	4	49.68
7621	6.8	45	38	78	1.402	+0.004	5	23	54	16.87	16.71	+0.05	5	50.74
7624	8.1	45	58	31	4.492	-0.011	4	152	33	6.43	16.72	+0.07	4	49.68
7631	6.2	46	56	26	2.021	— ?	4	34	54	25.47	16.77	-0.02	4	50.22
7646	6.9	50	13	50	2.135	+0.004	4	37	28	0.25	16.93	-0.05	4	49.86
7651	6.4	50	50	74	1.791	-0.010	4	29	10	7.85	16.95	-0.01	4	50.38
7652	7.3	50	51	53	3.382	0.000	4	113	35	12.71	16.95	—	4	49.74
7653	7.6	50	58	64	3.456	—	4	118	20	41.26	16.96	—	4	49.69
7667	8.2	54	23	11	4.144	-0.048	4	147	1	15.72	17.12	—	4	49.73
7677	6.5	56	22	71	0.631	-0.002	4	15	43	16.24	17.21	-0.04	4	49.70
7679	7.1	56	34	89	2.451	0.000	4	47	54	29.68	17.22	-0.04	4	49.76
7681	5.0	56	53	62	2.412	+0.003	4	46	4	17.64	17.23	-0.02	2	49.85
7695	7.0	59	0	29	2.361	+0.015	4	48	29	36.25	17.32	-0.10	4	50.28
7697	7.1	59	18	68	3.203	0.000	4	101	10	33.30	17.34	0.00	4	49.68
7699	6.5	59	23	06	1.786	+0.004	3	27	36	14.52	17.34	-0.48	5	50.76
7703	6.9	59	47	61	3.198	—	4	100	48	26.68	17.36	—	4	49.84
7709	7.0	22	0	42.35	3.237	—	4	104	1	54.91	17.40	—	4	50.67
7717	6.8	1	34	79	3.167	—	4	98	15	45.90	17.44	—	4	49.79
7727	6.8	2	44	99	2.364	0.000	4	42	47	55.66	17.49	-0.02	4	49.83
7734	8.0	3	30	14	3.840	-0.025	4	139	47	30.86	17.52	— ?	5	49.72
7743	7.2	4	49	58	2.485	-0.004	4	47	42	21.05	17.58	-0.01	4	49.69
7746	6.1	5	20	06	2.304	+0.004	4	39	54	58.38	17.60	-0.05	4	49.86
7754	5.8	6	23	96	2.125	+0.019	4	33	54	18.65	17.64	-0.18	4	49.81
7759	5.9	7	4	11	1.974	—	5	29	58	52.17	17.67	—	5	49.85
7760	6.6	7	12	50	1.391	-0.004	4	20	36	26.02	17.68	-0.09	4	50.42
7769	6.5	8	24	02	3.943	+0.050 ?	4	144	20	47.17	17.72	—	5	49.65
7770	6.6	8	26	22	2.503	0.000	4	47	47	18.78	17.73	0.00	4	49.78
7780	7.6	10	35	26	4.064	0.000	4	148	15	34.64	17.81	—	4	49.67
7786	7.7	12	46	99	1.755	-0.006	3	24	37	15.81	17.90	+0.01	4	50.55
7787	7.1	12	50	25	2.302	-0.002	4	38	5	39.11	17.90	-0.02	4	49.72
7797	7.8	14	12	25	3.719	—	4	137	25	28.89	17.96	—	4	49.63
7803	7.3	15	38	22	2.523	-0.008	4	47	0	33.22	18.01	+0.02	4	50.16
7810	7.0	17	16	91	1.772	+0.010	4	24	3	1.91	18.07	-0.02	4	50.82
7812	6.6	17	28	46	2.196	+0.004	4	33	28	22.16	18.08	0.00	4	50.76
7822	7.2	18	51	37	4.094	+0.042 ?	4	150	49	1.12	18.13	—	5	50.33
7834	7.3	21	43	84	3.624	+0.013 ?	4	134	51	37.31	18.24	0.00 ?	4	50.45
7841	5.0	22	48	91	4.139	— ?	4	152	44	59.40	18.28	—	3	49.77
7846	6.6	23	30	15	2.333	+0.004	5	36	31	14.30	18.30	0.00	4	49.86
7858	6.5	25	48	62	2.638	0.000	4	50	59	24.69	18.39	0.00	4	49.76
7866	5.7	27	21	22	3.313	—	4	114	45	51.67	18.44	—	4	49.69
7875	6.7	28	30	27	2.133	-0.015	4	28	59	45.63	18.48	-0.04	4	49.84
7876	6.4	28	42	07	1.710	+0.021	5	20	51	42.50	18.49	-0.16	5	49.86
(7878)	6.4	29	2	47	1.681	+0.013	5	20	28	59.99	18.50	-0.08	4	49.89



No. from B. A. C.	Magnitude.	Right Ascension, January 1, 1850.			Annual Precession.	Proper Motion.	No of Observations.	North Polar Distance, January 1, 1850.			Annual Precession.	Proper Motion.	No. of Observations	Mean Date of Observa- tion.
		<i>h.</i>	<i>m.</i>	<i>s.</i>				<i>s.</i>	<i>s.</i>	<i>o</i>				
7877	8.1	22	29	3.23	+3.634	— ?	4	137	29	0.80	—18.50	— ?	3	49.68
7882	6.9		29	39.55	2.474	—0.008	5	40	42	17.23	18.52	—0.04	4	49.78
7892	8.3		31	34.81	3.190	—	4	103	23	15.18	18.58	—	4	49.67
7907	6.7		33	59.11	1.292	+0.018	4	15	24	28.77	18.66	—0.05	4	50.75
7910	6.8		34	31.82	3.960	+0.042?	4	151	17	4.09	18.67	—	5	49.80
7917	6.1		34	58.95	2.652	+0.006	4	49	14	9.27	18.69	—0.08	4	49.80
7931	6.0		37	19.17	2.693	0.000	4	51	19	8.99	18.76	0.00	4	49.70
7939	7.2		38	35.39	3.963	—	4	152	28	22.46	18.80	—	3	49.76
7948	6.0		39	31.20	2.630	+0.010	4	46	14	38.11	18.83	—0.02	4	49.69
7953	6.6		41	26.09	2.360	+0.007	5	32	18	27.46	18.89	0.00	5	49.84
7956	6.6		42	22.87	3.981	—0.006	4	153	58	49.92	18.92	0.00	5	49.77
7961	6.2		43	35.27	2.443	+0.015	5	34	53	30.90	18.95	—0.01	4	50.21
7963	{ 6.7 6.7 }		43	{ 54.40 54.65 }	2.004	— ?	{ 4 4 }	22	13	29.80	18.96	—0.13?	4	49.86
7964	7.5		43	56.11	2.969	0.000	4	76	49	55.45	18.96	0.00	4	49.73
7968	6.7		44	31.59	3.518	—	4	135	56	34.71	18.98	—	4	49.73
7977	6.6		46	12.64	3.063	0.000	4	88	57	10.04	19.02	—	4	49.80
7978	6.8		46	20.39	2.724	0.000	3	50	37	42.38	19.03	—0.02	4	49.79
7983	6.2		46	57.68	2.667	—0.011	4	46	2	49.82	19.05	—0.03	4	49.78
7984	6.5		47	14.51	2.726	+0.007	2	50	25	19.04	19.05	—0.03	3	49.89
7989	7.9		47	51.79	3.738	—	4	148	11	54.14	19.07	—	6	50.45
7991	5.9		48	1.80	3.541	—0.038	3	138	46	6.42	19.08	—	3	49.80
7995	5.9		49	51.93	2.608	0.000	4	41	3	58.95	19.12	0.00	4	49.81
7996	6.1		49	54.48	3.049	—	4	86	59	29.08	19.12	0.00	4	49.65
7999	6.3		50	27.33	2.629	0.000	4	42	6	59.64	19.14	—	4	50.25
8000	7.0		50	36.56	3.483	— ?	3	135	59	29.20	19.14	—	3	50.44
8001	6.9		50	58.73	3.011	—	4	81	26	18.65	19.15	—	4	49.78
8011	8.8		52	40.63	3.904	— ?	4	155	6	2.01	19.20	—0.17	3	49.80
8013	5.9		53	1.08	2.429	+0.004	3	30	59	16.28	19.20	—0.03	3	49.86
8015	6.8		53	6.88	1.863	0.000	3	17	40	4.42	19.21	+0.02	3	50.42
8018	7.2		53	52.31	3.466	— ?	4	136	6	31.73	19.23	—	4	49.77
8029	5.9		55	46.22	3.594	—	4	144	46	4.03	19.27	—	4	49.72
8056	7.2	23	0	26.62	2.724	+0.003	3	44	44	32.31	19.38	+0.02	3	49.71
8068	6.1		1	52.81	2.400	—0.003	6	26	35	18.22	19.41	—0.04	7	49.81
8077	6.7		4	1.10	2.330	+0.006	4	23	34	18.58	19.46	—0.02	4	49.76
8086	8.2		6	35.91	3.617	—0.033?	4	150	30	36.21	19.51	—	4	49.71
8091	7.5		7	38.66	2.915	0.000	4	62	44	41.13	19.53	—	4	49.69
8096	6.4		8	17.88	3.373	+0.020?	4	135	18	23.71	19.55	—	4	49.75
8101	7.5		9	5.26	3.621	+0.023?	4	151	49	4.66	19.56	—	3	49.79
8104	6.3		9	18.36	2.085	+0.040	5	16	35	9.40	19.57	—0.02	5	50.19
8106	6.4		9	51.85	2.270	+0.011	4	19	55	45.39	19.58	—0.02	5	49.89
8107	6.1		9	52.56	2.694	+0.006	4	37	35	40.30	19.58	+0.25	4	49.85
8110	7.1		10	13.87	2.789	0.000	4	45	39	4.29	19.58	+0.03	4	49.75
8115	6.2		10	54.00	2.790	—0.007	4	45	19	45.15	19.60	0.00	4	49.79
8120	7.2		11	58.71	2.799	0.000	4	45	40	56.31	19.62	0.00	3	49.71
8122	7.4		12	27.39	2.177	—0.010	4	17	7	50.68	19.63	+0.07	4	50.81
8123	6.4		12	29.31	3.093	—	4	94	44	5.36	19.63	—	4	49.73
8130	7.5		13	9.71	3.349	—	4	135	43	45.99	19.64	—	4	49.86
8134	6.8		13	37.70	3.096	0.000	4	95	29	33.61	19.65	0.00	3	49.77
8135	6.4		13	38.55	2.818	0.000	4	46	42	12.19	19.65	—	4	50.02
8139	7.5		14	5.20	2.865	—	5	52	14	17.09	19.65	—	4	49.93

## MEAN PLACES OF 1440 STARS, SELECTED FROM THE B. A. CATALOGUE.

No. from B. A. C.	Magnitude	Right Ascension, January 1, 1850.			Annual Precession	Proper Motion.	No of Observ- ations	North Polar Distance, January 1, 1850			Annual Precession.	Proper Motion	No. of Observ- ations.	Mean Date of Observa- tion.
		h.	m.	s.				°	'	"				
8140	7.0	23	14	10.95	+3.547	+0.010	4	150	52	38.32	-19.66	-0.16	4	50.76
8147	6.9		15	17.31	2.978	+0.025	3	70	15	45.28	19.67	—	3	49.80
8153	6.5		15	51.60	2.640	-0.010	3	30	41	18.18	19.68	0.00	5	49.72
8158	6.7		17	19.56	2.694	+0.008	4	33	17	13.53	19.71	-0.05	7	49.84
8164	7.5		18	23.02	3.478	—?	4	149	14	44.17	19.72	—?	3	49.78
8165	7.2		18	24.91	3.556	-0.008	4	153	33	41.46	19.73	+0.02	4	49.75
8166	6.1		18	39.98	3.475	+0.024	5	149	18	11.36	19.73	-0.22	4	49.76
8173	6.8		19	59.34	2.437	+0.012	4	20	8	25.19	19.75	-0.07	4	49.73
8176	6.2		20	17.86	3.542	0.000	4	153	56	6.84	19.76	-0.11	4	49.74
8181	6.7		21	4.21	3.376	+0.020	5	143	30	16.32	19.77	—?	4	49.74
8187	6.6		23	6.12	2.303	-0.027	4	15	36	2.76	19.80	+0.08	4	49.79
8191	8.7		23	37.38	3.434	—	4	149	49	48.84	19.80	—	4	49.76
8207	7.3		26	37.06	3.497	+0.012	4	155	31	5.10	19.84	-0.29	4	49.78
8226	7.1		30	17.83	3.421	+0.010?	4	153	42	54.80	19.89	-0.11	4	49.75
8236	7.9		32	40.09	3.318	+0.030?	4	147	14	59.12	19.91	0.00?	4	49.72
8244	8.1		34	25.49	3.317	—	4	148	47	34.31	19.93	—	3	49.72
8245	6.6		34	52.34	2.929	0.000	4	45	50	20.05	19.93	-0.02	4	49.76
8247	7.0		34	56.08	3.024	—	4	72	9	49.81	19.94	—	4	49.70
8253	6.5		35	54.26	3.375	-0.029?	4	155	14	15.11	19.94	-0.26	3	49.79
8254	6.5		35	58.31	3.215	—	4	185	54	55.06	19.94	—	4	49.79
8260	8.2		38	35.11	3.188	—?	4	132	22	44.73	19.97	—	3	49.71
8269	7.1		40	4.94	3.064	0.000	4	86	36	9.91	19.98	0.00	4	49.76
8270	7.2		40	8.95	3.064	—	4	86	39	23.03	19.98	—	2	49.86
8272	6.6		40	32.83	3.056	0.000	4	82	35	11.11	19.98	—	4	49.78
8278	7.2		41	38.65	3.288	—?	3	153	40	18.07	19.99	0.00	3	49.79
8282	6.2		41	50.64	2.900	+0.003	4	31	52	11.04	19.99	+0.01	4	49.78
8283	7.9		41	54.97	3.269	—	4	151	58	10.42	19.99	—	4	49.76
8287	6.9		42	48.60	3.109	—	3	111	3	58.31	20.00	—	4	49.77
8294	6.8		43	52.99	3.154	—?	4	131	39	33.64	20.01	—	4	49.75
8306	8.0		45	47.45	3.170	+0.011?	5	140	16	0.68	20.02	—?	3	49.82
8315	7.0		47	57.56	3.062	0.000	3	82	36	39.90	20.03	—	4	49.66
8320	6.7		49	25.97	3.196	—	4	153	47	32.17	20.03	—	3	49.74
8325	7.4		50	31.76	3.183	—?	4	153	50	24.97	20.04	—	4	49.74
8340	7.1		53	34.06	3.105	—?	5	132	19	17.18	20.05	—	5	49.80
8345	6.5		54	4.22	3.040	0.000	4	48	28	4.85	20.05	+0.03	4	49.66
8347	7.6		54	12.66	3.102	—	3	132	26	53.75	20.05	—	4	49.72
8360	5.7		56	38.60	3.077	—	4	107	21	43.12	20.05	—	4	49.70
8366	6.2		57	22.66	3.044	0.000	4	29	31	16.69	20.05	-0.04	4	49.84
8371	7.0		58	12.23	3.080	—?	5	132	35	4.92	20.06	0.00?	4	50.00
8376	8.4		59	45.14	3.072	—	4	131	18	54.39	20.06	—	4	49.90

## NOTES ON THE FOREGOING CATALOGUE.

---

In the following Notes B. refers to Brisbane's Catalogue of 7385 Stars; G. to Groombridge's Catalogue of Circumpolar Stars; B.A.C. to the Catalogue of the British Association; L.C. to Lacaille's Catalogue of 9766 Stars as reduced by Baily;—P.M. means proper motion.

- No. 13 Another star of 7 magnitude precedes by  $88^{\circ}3'$  &  $10''$  S.
- 15 The A.R. differs from Lacaille by  $-6^{\circ}3'$ .
- 34 Comparison with B. reverses the P.M.
- 41 The P.M. is not confirmed either in A.R. or P.D.
- 76 The P.M. in A.R. is probably underrated, as the difference from Lacaille is  $-1^{\circ}8'$ ; that in P.D. if any, is —.
- 98 The proper motion is not confirmed either in A.R. or P.D.
- 157 The P.M. appears to be much overrated both in A.R. and P.D., the differences from Brisbane being  $+0^{\circ}46'$  and  $-10^{\circ}49'$  respectively; there must be some error in Lacaille.
- 186 Is not found.
- 188 The P.M. in P.D. is not confirmed, that in A.R. is if any thing +, the difference from Brisbane being  $+0^{\circ}5'$  but he has only one observation.
- 193 Lacaille is probably in error.
- 276 The P.M. in A.R. is almost exactly confirmed, while that in P.D. is — instead of +.
- 277 The P.M. is not confirmed.
- 278 Not seen.
- 294 The P.M. in P.D. is confirmed, or is probably greater than that assigned in the B.A.C., that in A.R. appears + instead of —, but its amount is uncertain as B. has but one observation with the mural; difference from B.  $+1^{\circ}09'$ ; from L.C.  $+0^{\circ}7'$ .
- 306 The P.M. in A.R. appears underrated, that in P.D. is not confirmed.
- 407 The P.M. in A.R. not confirmed; that in P.D. rather overrated.
- 417 The P.M. in A.R. is nearly confirmed, that in P.D. if any is + instead of —; difference from B  $+0^{\circ}9'$ .
- 434 Not seen.
- 450 Another star 7 magnitude precedes by  $27^{\circ}6'$ , and  $95^{\circ}5'$  N.
- 455 The P.M. in A.R. appears underrated.
- 514 The P.M. not confirmed.
- 531 The P.M. in A.R. nearly confirmed, that in P.D. reversed.
- 534 Not seen.
- 543 P.M. not confirmed; diff. from B.  $-0^{\circ}38'$  and  $+0^{\circ}7'$ , from L.C.  $+2^{\circ}0'$ .
- 575 The P.M. in P.D. appears underrated.
- 596 Observed by mistake for 601 which was not found; the P.M. in P.D. is nearly confirmed; that in A.R. appears underrated in B.A.C.
- 602 Differs from L.C. by  $+3^{\circ}6'$  and  $+26^{\circ}5'$ .
- 642 Is not found; the nearest star 7 magnitude is in  $1^{\text{h}} 57^{\text{m}} 35^{\text{s}}$  and  $143^{\circ} 45' 34''$ .
- 651 The P.M. in P.D. is not confirmed; difference from G.  $+1^{\circ}2'$ , but there is a sensible P.M. in A.R.

- No. 714 The P.M. is not confirmed either in A.R. or P.D.; difference from G. —  $0^{\cdot}33$  and +  $0^{\cdot}25$  respectively.
- 728 An error of  $1^m$  in A.R.
- 788 P.M. not confirmed.
- 779 Comparison with Brisbane would indicate that the signs of the proper motions both in A.R. and P.D. should be changed, the difference being +  $1^{\cdot}84$  and —  $3^{\cdot}93$ .
- 795 P.M. not confirmed; difference from G. only —  $0^{\cdot}16$  and —  $1^{\cdot}35$ .
- 802 The large P.M. in A.R. has its sign reversed by comparison with G.; that in P.D. appears rather underrated.
- 814 The P.M. in A.R. is doubtful, that in P.D. nearly confirmed; diff. from G. —  $0^{\cdot}06$  and +  $1^{\cdot}16$ .
- 841 P.M. not confirmed; diff. of A.R. from B. +  $0^{\cdot}45$ , from Lacaille +  $4^{\cdot}1$ ; of P.D. from B. +  $0^{\cdot}12$ .
- 868 Comparison with B. does not confirm the P.M. in A.R. and greatly reduces that in P.D.; diff. +  $0^{\cdot}03$  and +  $2^{\cdot}85$ .
- 876 The P.M. in A.R. appears over-estimated; that in P.D. is if any thing — instead of + : diff. in A.R. from B. +  $0^{\cdot}63$ , from L.C. +  $4^{\cdot}9$ ; in P.D. from B. —  $1^{\cdot}43$ .
- 906 Comparison with B. indicates a considerable P.M. in A.R., but in a direction opposite to that assigned in B.A.C. : diff. from B. +  $1^{\cdot}28$  and —  $2^{\cdot}18$ .
- 911 The large P.M. is not confirmed; there may be a small P.M. in P.D. but little or none in A.R.; diff. from B. +  $0^{\cdot}19$  and —  $3^{\cdot}8$ . There is probably an error in Lacaille.
- 931 } Are not found.  
935 }
- 936 A star  $8^{\cdot}5$  magnitude follows by about  $0^{\cdot}1$  and  $8^{\cdot}5$  S.
- 956 Agrees exactly with B. in A.R.; diff. in P.D. —  $1^{\cdot}54$ .
- 961 Comparison with B. shows a P.M. of an opposite sign to that in B.A.C. and no P.M. in P.D. : diff. +  $1^{\cdot}10$  and —  $0^{\cdot}11$ .
- 969 Is not found.
- 988 The P.M. in P.D. appears overrated; diff. from G. +  $0^{\cdot}95$ .
- 1018 The same remark applies; diff. from G. +  $0^{\cdot}59$ .
- 1036 P.M. not confirmed; diff. from B. +  $0^{\cdot}24$  and —  $0^{\cdot}26$ .
- 1048 The P.M. large as it is appears underrated in B.A.C. and unless there be a considerable error in L.C. that in A.R. is not uniform: diff. from B. +  $5^{\cdot}96$  and —  $20^{\cdot}0$ ; from L.C. +  $15^{\cdot}2$  and —  $74^{\cdot}4$ .
- 1050 The P.M. assigned is not confirmed by comparison with G. diff. +  $0^{\cdot}42$  and —  $2^{\cdot}06$ . A star  $7\frac{1}{2}$  magnitude follows by  $7^{\cdot}5$  and  $3^{\cdot}$  S.
- 1067 The same remark applies regarding the P.M. : diff. +  $0^{\cdot}41$  and —  $0^{\cdot}82$ .
- 1072 The same remark applies : diff. —  $0^{\cdot}24$  and —  $0^{\cdot}61$ .
- 1101 The P.M. is not confirmed.
- 1131 The P.M. appears underrated in A.R. and overrated in P.D.; diff. from B. +  $0^{\cdot}92$  and —  $3^{\cdot}88$ .
- 1297 The P.M. appears slightly overrated.
- 1412 Diff. from L.C. +  $2^{\cdot}1$  and —  $34^{\cdot}6$ .
- 1427 P.M. not confirmed.
- 1466 The P.M. in B.A.C. appears much underrated in A.R. and overrated in P.D.; difference from B. +  $0^{\cdot}91$  and —  $2^{\cdot}0$ .
- 1489 The direction of the P.M. is reversed by comparison with B.; diff. +  $1^{\cdot}14$  and —  $4^{\cdot}06$ .
- 1589 The same remark applies. diff. from B. +  $1^{\cdot}70$  and —  $1^{\cdot}80$ .
- 1612 The P.M. is over-estimated both in A.R. and P.D.; there is probably an error in L.C., diff. from B. —  $0^{\cdot}54$  and +  $4^{\cdot}2$ .
- 1621 The P.M. in A.R. is reversed; that in P.D. is nearly confirmed; diff. from B. —  $0^{\cdot}77$  and —  $3^{\cdot}7$ .
- 1678 } The P.M. is not confirmed.  
1696 }
- 1704 The P.M. in A.R. is underrated; the direction of that in P.D. is reversed; difference from B. +  $0^{\cdot}50$  and —  $5^{\cdot}8$ .

- No. 1712 The P.M. if any appears to be in a direction opposite to that assigned in B.A.C.; diff. from B —  $0^{\circ}.45$  and —  $0^{\circ}.58$ .  
Another star of about the same magnitude precedes by  $4^{\circ}.0$  and  $11^{\circ}.N$ .
- 1728 Both the stars were observed with the Mural circle but only the first with the Transit. The diff. of A.R.  $0^{\circ}.40$  was derived from the Equatorial Observations.
- 1729 There is probably no P.M. in A.R. but that in P.D. is nearly confirmed; diff. from B. —  $0^{\circ}.29$  and —  $1^{\circ}.84$ .
- 1752 The P.M. is not confirmed: another star of nearly the same mag. precedes by  $1^{\circ}.6$ , and  $29^{\circ}.S$ ; the pair are 10527 and 9 H.C.
- 1770 The P.M. in A.R. is uncertain; diff. from B +  $1^{\circ}.04$  and from L.C. —  $0^{\circ}.2$ ; that in P.D. has been overrated: diff. from B. —  $3^{\circ}.24$ .
- 1790 P.M. in A.R. uncertain; diff. from B +  $2^{\circ}.62$ ; from L.C. —  $0^{\circ}.4$ ; that in P.D. if any must have its sign reversed; diff. from B. +  $1^{\circ}.5$ .
- 1847 P.M. in A.R. not confirmed; that in P.D. has its sign changed: diff. from B. +  $0^{\circ}.27$  and —  $6^{\circ}.36$ .
- 1907 This star must have a considerable P.M. unless there be an error in Bessel.
- 1909 The P.M. in A.R. is deduced from comparison with L.C.; that in P.D. is much reduced by comparison with B.; diff. —  $5^{\circ}.07$ .
- 1921 The P.M. in A.R. is nearly confirmed by comparison with G.; the P.D. differs from his by only +  $1^{\circ}.1$ .
- 1926 The P.M. in A.R. appears to have been slightly overrated; that in P.D. is exactly confirmed; diff. from B +  $0^{\circ}.68$  and —  $18^{\circ}.6$ .
- 1927 The P.M. in A.R. is uncertain, B. having but one observation; difference from B. —  $1^{\circ}.24$ ; from L.C. +  $0^{\circ}.5$ ; that in P.D. has been slightly underrated; diff. from B. —  $4^{\circ}.6$ .
- 1942 The P.M. in A.R. is not confirmed; that in P.D. is derived from comparison with G.
- 1954 The P.M. in A.R. is reversed; that in P.D. is nearly confirmed; diff. from B. = +  $0^{\circ}.46$  and —  $6^{\circ}.44$ .
- 1999 A star 8 magnitude precedes  $0^{\circ}.6$  and  $10^{\circ}.S$ .
- 2013 } P.M. not confirmed.  
2014 }
- 2018 Not found.
- 2021 The P.M. in A.R. is not confirmed, but that in P.D. is confirmed very nearly.
- 2031 Comparison with Brisbane shows a larger P.M. in A.R. than that assigned in B.A.C.; that in P.D. is also larger, but with the opposite sign, diff. —  $1^{\circ}.19$  and —  $7^{\circ}.53$ .
- 2048 The place differs very widely from Brisbane's; L.C. 2242 should probably be referred to the following star, No. 2049.
- 2072 P.M. in A.R. not confirmed; that in P.D. has its sign changed; diff. from B. +  $0^{\circ}.34$  and +  $5^{\circ}.17$ , from L.C. —  $1^{\circ}.8$  and —  $53^{\circ}$ . There is probably an error in L.C.
- 2076 The P.M. in A.R. is not confirmed; that in P.D. has been underrated.
- 2078 The P.M. is nearly confirmed; diff. from B. +  $1^{\circ}.11$  and —  $6^{\circ}.78$ ; from L.C. +  $5^{\circ}.2$  and —  $31^{\circ}.4$ .
- 2093 P.M. not confirmed; diff. from B. +  $0^{\circ}.24$  and —  $0^{\circ}.18$ .
- 2102 There must be an error in L.C. as his place is out by  $4^{\circ}$ .
- 2106 The P.M. is reversed; diff. from B. —  $1^{\circ}.44$  and —  $4^{\circ}.3$ .
- 2121 There is some uncertainty about this star, the differences being from B. —  $2^{\circ}.98$  and —  $3^{\circ}.08$ ; and from L.C. +  $4^{\circ}.1$  and —  $27^{\circ}.3$ .
- 2137 The same remark applies; diff. from B. +  $0^{\circ}.88$  and —  $3^{\circ}.22$ ; from L.C. —  $2^{\circ}.5$  and +  $21^{\circ}.8$ .
- 2142 The same remark as above; diff. from B. —  $1^{\circ}.76$  and +  $0^{\circ}.8$ ; from L.C. +  $1^{\circ}.0$  and —  $7^{\circ}.2$ ; P.M. in P.D. not confirmed.
- 2190 Differs from B. +  $0^{\circ}.56$  and +  $66^{\circ}.1$ , but B. has only one observation.
- 2238 The A.R. in the B.A.C. is  $0^{\circ}.6$  in excess. The position agrees almost exactly with Lalande's as given by Bailly.

- No. 2284 The A.R. differs +  $\overset{\circ}{8}\cdot 0$ , and P.D. —  $\overset{\circ}{49}$  from L.C.
- 2288 The P.M. in A.R. is not confirmed; that in P.D. reversed; diff. from B. —  $\overset{\circ}{0}\cdot 04$  and —  $\overset{\circ}{6}\cdot 94$ .
- 2315 The P.M. in A.R. not confirmed; that in P.D. if any is overrated; diff. from B. = +  $\overset{\circ}{0}\cdot 03$  and —  $\overset{\circ}{0}\cdot 95$ .
- 2321 P.M. in A.R. doubtful; that in P.D. is very nearly confirmed; diff. from B. —  $\overset{\circ}{0}\cdot 38$  and  $\overset{\circ}{5}\cdot 90$ .
- 2360 There is some uncertainty about this star: difference from B. +  $\overset{\circ}{1}\cdot 04$  and —  $\overset{\circ}{1}\cdot 58$ ; from L.C. ←  $\overset{\circ}{2}\cdot 8$  and —  $\overset{\circ}{0}\cdot 8$ ; but there would appear to be little or no P.M. in P.D.
- 2363 P.M. not confirmed.
- 2386 The P.M. in A.R. appears rather overrated, that in P.D. is reversed; diff. from B. —  $\overset{\circ}{0}\cdot 22$  and +  $\overset{\circ}{1}\cdot 6$ .
- 2399 The P.M. in A.R. seems to have been rather overrated; that in P.D. is exactly confirmed; diff. from B. —  $\overset{\circ}{0}\cdot 67$  and —  $\overset{\circ}{1}\cdot 7$ .
- 2408 The P.M. in A.R. has been overrated, that in P.D. is not confirmed; diff. from B. —  $\overset{\circ}{0}\cdot 27$  and +  $\overset{\circ}{0}\cdot 7$ .
- 2511 A double star in a wide cluster with a star  $6\frac{1}{2}$  magnitude preceding; no nebula seen.
- 2528 The P.M. in A.R. is doubtful; that in P.D. nearly confirmed; diff. from B. —  $\overset{\circ}{0}\cdot 62$  and —  $\overset{\circ}{2}\cdot 4$ ; from L.C. +  $\overset{\circ}{2}\cdot 6$  and —  $\overset{\circ}{12}\cdot 5$ .
- 2610 The P.M. appears large, but B. has only one observation; diff. —  $\overset{\circ}{2}\cdot 92$  and —  $\overset{\circ}{7}\cdot 0$ .
- 2615 Differs from L.C. by —  $\overset{\circ}{1}\cdot 9$  and —  $\overset{\circ}{9}\cdot 3$ .
- 2656 P.M. in A.R. nearly confirmed; that in P.D. reversed; diff. from B. +  $\overset{\circ}{0}\cdot 37$  and —  $\overset{\circ}{5}\cdot 8$ .
- 2686 Not seen.
- 2687 This star is preceded by 3 others of 8th mag nearly in this form . . . ; diff of A.R.  $\overset{\circ}{41}$ ,  $\overset{\circ}{38}$  and  $\overset{\circ}{27}$ .
- 2688 Is the double star 88 H. and S.
- 2709 There is some uncertainty about this star, from B. having but one observation of A.R. and with the mural — but the P.M. in P.D. appears over-estimated—diff. from B. —  $\overset{\circ}{1}\cdot 22$  and +  $\overset{\circ}{2}\cdot 84$  and from L.C. —  $\overset{\circ}{1}\cdot 0$  and +  $\overset{\circ}{27}\cdot 3$ .
- 2713 The P.M. if any in A.R. should have its sign reversed; that in P.D. is not confirmed; diff. from B. —  $\overset{\circ}{0}\cdot 48$  and —  $\overset{\circ}{0}\cdot 48$ .
- 2738 The P.M. is underrated; diff. from B. +  $\overset{\circ}{0}\cdot 98$  and —  $\overset{\circ}{4}\cdot 4$ . A star 9 magnitude precedes by  $\overset{\circ}{12}\cdot 3$  and  $\overset{\circ}{14}\cdot 5$ .
- 2751 P.M. not confirmed.
- 2766 Is a cluster of small stars.
- 2768 The P.M. is greatly overrated; L.C. is probably in error, but B. has only one observation; diff. from B. —  $\overset{\circ}{0}\cdot 46$  and —  $\overset{\circ}{1}\cdot 44$ ; from L.C. —  $\overset{\circ}{5}\cdot 6$  and —  $\overset{\circ}{11}\cdot 6$ .
- 2796 The P.M. in A.R. is not confirmed, that in P.D. is nearly so; diff. from B. +  $\overset{\circ}{0}\cdot 02$  and —  $\overset{\circ}{2}\cdot 7$
- 2820 Comparison with B. reverses the direction of P.M. diff. —  $\overset{\circ}{0}\cdot 92$  and —  $\overset{\circ}{3}\cdot 6$ .
- 2823 Comparison with B. does not confirm the P.M. in A.R. but increases that in P.D.; diff. —  $\overset{\circ}{0}\cdot 06$  and —  $\overset{\circ}{5}\cdot 0$ .
- 2843 Comparison with B. reverses the P.M. in A.R. and does not confirm that in P.D.; diff. +  $\overset{\circ}{0}\cdot 98$  and —  $\overset{\circ}{0}\cdot 1$ .
- 2857 P.M. greatly overrated; L.C. probably in error; diff. from B. +  $\overset{\circ}{0}\cdot 23$  and —  $\overset{\circ}{3}\cdot 9$ ; from L.C. +  $\overset{\circ}{5}\cdot 3$  and —  $\overset{\circ}{12}\cdot 6$
- 2887 Is G. 1458 and the proper motions are derived from comparison with him.
- 2898 Comparison with B. increases the P.M. in A.R. and does not confirm that in P.D.; diff. from B. +  $\overset{\circ}{0}\cdot 83$  and —  $\overset{\circ}{1}\cdot 1$ ; from L.C. +  $\overset{\circ}{0}\cdot 9$  and +  $\overset{\circ}{3}\cdot 5$ .
- 2939 The P.M. in A.R. appears underrated; that in P.D. is not confirmed, diff. from B. +  $\overset{\circ}{0}\cdot 87$  and —  $\overset{\circ}{1}\cdot 3$ .
- 2949 P.M. not confirmed; diff. from B. —  $\overset{\circ}{0}\cdot 39$  and —  $\overset{\circ}{0}\cdot 8$ .
- 3007 Comparison with B. reverses the P.M. both in A.R. and P.D. diff. +  $\overset{\circ}{0}\cdot 99$  and +  $\overset{\circ}{4}\cdot 7$
- 3008 Comparison with B. nearly confirms the P.M. in P.D., but reverses that in A.R., but B. has only one observation; diff. —  $\overset{\circ}{2}\cdot 4$  and +  $\overset{\circ}{6}\cdot 2$ .
- 3028 The P.M. is derived from comparison with B. but he has only one observation.

- No. 3067 Comparison with B. reverses the proper motions, but he has only one observation; diff. —  $1^{\text{h}}.22$  and  $+ 15^{\text{m}}.5$ , under the supposition that he observed the *following* star.
- 3082 P.M. not confirmed; diff. from B.  $+ 0^{\text{h}}.12$  and  $+ 0^{\text{m}}.7$ .
- 3103 P.M. in A.R. not confirmed.
- 3128 The P.M. in A.R. has been underrated, and that in P.D. overrated; diff. from B.  $+ 0^{\text{h}}.57$  and  $- 2^{\text{m}}.4$ .
- 3139 A.R. agrees exactly with B.; P.D. differs  $+ 35^{\text{m}}.2$ .
- 3154 Diff. from B.  $+ 1^{\text{h}}.77$  and  $- 8^{\text{m}}.2$ , but he has only one observation.
- 3189 Diff. from B.  $+ 10^{\text{h}}.08$  and  $+ 7^{\text{m}}.0$ , but he has only one observation, and has probably made a mistake of  $10^{\text{m}}$ .
- 3233 Is not found.
- 3247 Cluster, no nebula seen; nearest star 8 magnitude,  $9^{\text{h}} 22^{\text{m}} 42^{\text{s}}$  and  $9^{\text{h}} 20^{\text{m}} 51^{\text{s}}$ .
- 3274 The P.M. appears overrated both in A.R. and P.D.; diff. from L.C.  $+ 3^{\text{h}}.0$  and  $- 2^{\text{m}}.3$ .
- 3276 Comparison with B. slightly increases the P.M. in A.R. and doubles that in P.D.; diff.  $+ 0^{\text{h}}.22$  and  $- 4^{\text{m}}.6$ .
- 3316 P.M. not confirmed; diff. from B.  $+ 0^{\text{h}}.25$  and  $- 0^{\text{m}}.9$ .
- 3323 P.M. in A.R. underrated; that in P.D. is reversed; diff. from B.  $+ 0^{\text{h}}.38$  and  $- 3^{\text{m}}.2$ .
- 3328 Appears to be a duplicate of 3323 with an error of 1 minute in A.R.
- 3351 The P.M. in A.R. is overrated; that in P.D. is not confirmed; diff. from B.  $+ 0^{\text{h}}.78$  and  $+ 0^{\text{m}}.4$ .
- 3357 The P.M. not confirmed.
- 3401 Not seen.
- 3426 The P.M. in A.R. has been overrated; that in P.D. is not confirmed; diff. from B.  $+ 0^{\text{h}}.25$  and  $- 0^{\text{m}}.7$ .
- 3454 } Not seen.  
3461 }
- 3460 } P.M. not confirmed.  
3479 }
- 3482 Not found.
- 3488 The P.M. in A.R. is reversed by comparison with B; that in P.D. has been underrated; diff.  $+ 1^{\text{h}}.14$  and  $- 2^{\text{m}}.8$ .
- 3513 The P.M. in A.R. not confirmed; that in P.D. reversed; diff. from B.  $- 0^{\text{h}}.22$  and  $- 4^{\text{m}}.6$ .
- 3535 Not seen.
- 3541 P.M. both in A.R. and P.D. reversed by comparison with B.; diff.  $+ 0^{\text{h}}.70$  and  $- 5^{\text{m}}.2$ .
- 3543 P.M. in A.R. not confirmed, that in P.D. confirmed.
- 3547 A cluster of small stars. The P.M. appears overrated both in A.R. and P.D.; probably different stars in the cluster have been observed.
- 3556 P.M. not confirmed.
- 3564 The P.M. in A.R. is reversed; that in P.D. nearly confirmed; diff. from B.  $+ 0^{\text{h}}.43$  and  $- 2^{\text{m}}.4$ .
- 3586 Not found.
- 3595 P.M. in A.R. not confirmed; that in P.D. confirmed nearly.
- 3599 P.M. in A.R. not confirmed; that in P.D. reversed; diff. from B.  $+ 0^{\text{h}}.19$  and  $- 3^{\text{m}}.5$ .
- 3605 The P.M. has been underrated; diff. from B.  $+ 0^{\text{h}}.74$  and  $- 4^{\text{m}}.0$ .
- 3627 P.M. not confirmed; probably an error in Lalande.
- 3635 P.M. in A.R. not confirmed; in P.D. doubtful; diff. from B.  $- 0^{\text{h}}.28$  and  $- 0^{\text{m}}.7$ .
- 3639 Diff. from Groombridge —  $30^{\text{h}}.44$  and  $+ 3^{\text{m}}.0$ ; probably an error of  $30^{\text{m}}$  in G.
- 3656 P.M. not confirmed; diff. from B.  $- 0^{\text{h}}.47$  and  $- 1^{\text{m}}.0$ . B. has only one observation.

- No. 3659 B. has only one observation and his A.R. is probably erroneous; diff. +  $\overset{s}{3}\cdot56$  and +  $\overset{o}{0}\cdot9$ ; diff. in A.R. from L.C. —  $\overset{s}{2}\cdot45$ , there is probably little or no P.M.
- 3668 P.M. not confirmed; diff. from B. +  $\overset{s}{0}\cdot22$  and —  $\overset{o}{0}\cdot1$ .
- 3674 P.M. not confirmed.
- 3692 Cluster, no nebula seen.
- 3694 Diff. from B. —  $\overset{s}{4}\cdot64$  and —  $\overset{i}{1}\cdot2$ ; from L.C. —  $\overset{s}{1}\cdot47$  and +  $\overset{i}{1}\cdot4$ ; an error of  $\overset{s}{5}$  in B.?
- 3706 P.M. in A.R. not confirmed; in P.D. nearly so; diff. from B. +  $\overset{s}{0}\cdot28$  and —  $\overset{i}{1}\cdot9$ .
- 3707 A duplicate of 3706, with an error of  $\overset{s}{5}$  in P.D.?
- 3716 The P.M. has been underrated in A.R., and overrated in P.D.; diff. from B. —  $\overset{s}{1}\cdot4$  and —  $\overset{i}{1}\cdot75$ .
- 3717 The P.M. has been overrated in A.R., and slightly underrated in P.D.
- 3800 There may be a small + P.M. in A.R.: that in P.D. has been overrated; diff. from B. +  $\overset{s}{0}\cdot26$  and +  $\overset{i}{2}\cdot7$ .
- 3806 Comparison with B. shews a large P.M.; but he has only one observation; diff. —  $\overset{s}{1}\cdot16$  and —  $\overset{i}{7}\cdot6$ .
- 3839 P.M. not confirmed, or if any thing reversed; diff. from B. +  $\overset{s}{0}\cdot15$  and —  $\overset{i}{1}\cdot7$ .
- 3860 The large P.M. in A.R. is increased; that in P.D. reduced by comparison with B, but he has only one observation; diff. —  $\overset{s}{1}\cdot94$  and —  $\overset{i}{1}\cdot8$ ; diff. from L.C. —  $\overset{s}{5}\cdot4$  and —  $\overset{i}{11}\cdot6$ .
- 3880 The P.M. in A.R. is not confirmed; that in P.D. is so, very nearly; diff. from B. +  $\overset{s}{0}\cdot21$  and —  $\overset{i}{1}\cdot5$ .
- 3895 Comparison with B. reduces the P.M. in A.R. and reverses that in P.D. if any; diff. —  $\overset{s}{1}\cdot16$  and —  $\overset{i}{1}\cdot2$ .
- 3923 } The large P.M. assigned to these 2 stars are not confirmed, Lacaille's places of both must be wrong; the numbers  
3924 } require to be interchanged; diff. of 3923 from B. —  $\overset{s}{0}\cdot43$  and —  $\overset{i}{2}\cdot7$ ; of 3924 +  $\overset{s}{0}\cdot11$  and —  $\overset{i}{1}\cdot4$ .
- 3944 Is a cluster of small stars; L.C. and B. appear to have taken different stars; the large P.M. in P.D. is not confirmed.
- 3960 The P.M. in A.R. appears underrated; that in P.D. is not confirmed; diff. from B. +  $\overset{s}{0}\cdot72$  and +  $\overset{i}{1}\cdot14$ .
- 4010 This is G. 1830 and the large P.M. is almost exactly confirmed.
- 4011 The P.M. in A.R. seems rather underrated; that in P.D. is not confirmed; diff. from B. —  $\overset{s}{0}\cdot95$  and +  $\overset{o}{0}\cdot7$ .
- 4041 Diff. from B. +  $\overset{s}{0}\cdot90$  and +  $\overset{i}{10}\cdot1\cdot4$ , but he has only one observation, and has doubtless made a mistake of  $\overset{i}{10}$
- 4067 P.M. not confirmed; diff. from B. +  $\overset{s}{0}\cdot08$  and —  $\overset{o}{0}\cdot2$ .
- 4073 P.M. in A.R. not confirmed; that in P.D. is nearly so; diff. from B. +  $\overset{s}{0}\cdot45$  and —  $\overset{i}{1}\cdot2$ , but he has only one observation.
- 4075 P.M. in A.R. not confirmed; that in P.D. reversed; only one observation of B.; diff. —  $\overset{s}{0}\cdot14$  and +  $\overset{i}{2}\cdot3$ .
- 4105 Comparison with B. reverses the P.M.; but he has only one observation; diff. +  $\overset{s}{0}\cdot87$  and +  $\overset{i}{1}\cdot7$ .
- 4133 The P.M. in A.R. appears underrated; that in P.D. not confirmed; diff. from B. —  $\overset{s}{0}\cdot56$  and —  $\overset{i}{1}\cdot2$ .
- 4146 The P.M. in A.R. if any is overrated; that in P.D. not confirmed; diff. from B. +  $\overset{s}{0}\cdot20$  and +  $\overset{i}{1}\cdot2$ .
- 4324 The P.M. not confirmed; diff. from B. +  $\overset{s}{0}\cdot31$  and +  $\overset{o}{0}\cdot6$ .
- 4356 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. —  $\overset{s}{1}\cdot21$  and —  $\overset{o}{0}\cdot5$ ; probably L.C. is in error.
- 4370 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. +  $\overset{s}{0}\cdot80$  and —  $\overset{o}{0}\cdot3$ .
- 4381 P.M. in A.R. nearly confirmed; that in P.D. appears overrated; diff. from B. +  $\overset{s}{0}\cdot18$  and +  $\overset{o}{0}\cdot6$ .
- 4399 Not seen.
- 4410 The large P.M. is not confirmed.
- 4469 P.M. in A.R. not confirmed; that in P.D. has been rather underrated; diff. from B.  $\overset{s}{0}\cdot00$  and —  $\overset{i}{2}\cdot9$ .
- 4475 The P.M. has been underrated, and the sign of that in P.D. is changed; diff. from B. —  $\overset{s}{0}\cdot95$  and —  $\overset{i}{3}\cdot5$ .
- 4485 Cluster, no nebula seen.
- 4491 P.M. not confirmed.
- 4512 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. —  $\overset{s}{2}\cdot98$  and —  $\overset{i}{1}\cdot3$ .



- No. 4524 Comparison with B. does not confirm the P.M., but he has only one observation: diff. —  $\overset{s}{0}^{\cdot}11$  and +  $\overset{s}{1}^{\cdot}9$ .
- 4557 P.M. not confirmed; diff. from B. —  $\overset{s}{0}^{\cdot}02$  and +  $\overset{s}{1}^{\cdot}6$ .
- 4558 This is a double star, and Brisbane has noted it as such, and he must apparently have observed the L.C. star, though he does not state which: the P.M. in A.R. is overrated; that in P.D. is not confirmed; diff. from B. —  $\overset{s}{0}^{\cdot}24$  and +  $\overset{s}{1}^{\cdot}5$ .
- 4569 Is not found.
- 4578 The middle star of 3 was observed. L.C. probably took the 1st, and B. appears to have observed the 2d with the mural, and 3d with the transit, there being a diff. of  $\overset{s}{3}$  between the two; in this case there will be little or no P.M.; diff. from B. —  $\overset{s}{0}^{\cdot}22$  and +  $\overset{s}{1}^{\cdot}1$ .
- 4644 P.M. not confirmed; if any, reversed; diff. from B. —  $\overset{s}{0}^{\cdot}35$  and +  $\overset{s}{1}^{\cdot}9$ .
- 4703 P.M. in A.R. not confirmed, in P.D. reversed: diff. from B. —  $\overset{s}{0}^{\cdot}28$  and —  $\overset{s}{9}^{\cdot}0$ .
- 4732 The P.M. in A.R. is reversed; that in P.D. has been underrated; diff. from G. —  $\overset{s}{0}^{\cdot}58$  and +  $\overset{s}{4}^{\cdot}7$ .
- 4740 The P.M. in A.R. is nearly confirmed; that in P.D. has been rather underrated: diff. from B. —  $\overset{s}{0}^{\cdot}55$  and —  $\overset{s}{6}^{\cdot}4$ ; but B. has only one observation.
- 4844 P.M. in A.R. doubtful; that in P.D. not confirmed; diff. from B. —  $\overset{s}{0}^{\cdot}57$  and —  $\overset{s}{0}^{\cdot}1$ .
- 4860 The large P.M. in A.R. is not confirmed.
- 4887 The P.M. in A.R. has been underrated; that in P.D. is reversed; diff. from B. —  $\overset{s}{0}^{\cdot}83$  and —  $\overset{s}{5}^{\cdot}6$ .
- 4899 The P.M. appears to have been slightly underrated: diff. from B. —  $\overset{s}{0}^{\cdot}76$  and —  $\overset{s}{1}^{\cdot}2$ .
- 4908 The P.M. in A.R. is reversed; that in P.D. nearly confirmed; diff. from B. —  $\overset{s}{1}^{\cdot}20$  and —  $\overset{s}{1}^{\cdot}5$ .
- 4912 The P.M. in A.R. is not confirmed, in P.D. doubtful; diff. from B. +  $\overset{s}{0}^{\cdot}01$  and —  $\overset{s}{52}^{\cdot}1$ ; from L.C. +  $\overset{s}{0}^{\cdot}4$  and —  $\overset{s}{9}^{\cdot}0$ ; perhaps B. has made an error of  $\overset{s}{1}$ ; he has only one observation.
- 4921 The P.M. in A.R. is confirmed; but not in P.D.
- 4938 The P.M. in A.R. is nearly confirmed: that in P.D. has been overrated: diff. from B. —  $\overset{s}{0}^{\cdot}37$  and —  $\overset{s}{1}^{\cdot}1$ .
- 4968 The A.R. is  $\overset{m}{1}$  in error.
- 4979 Differs from L.C. by —  $\overset{s}{14}$  and —  $\overset{s}{6}$ .
- 4980 P.M. in A.R. somewhat overrated; in P.D. none: diff. from G. —  $\overset{s}{0}^{\cdot}62$  and +  $\overset{s}{0}^{\cdot}03$ .
- 4983 Is not found.
- 5007 Comparison with B. increases the P.M. in A.R., and reverses that in P.D.; diff. —  $\overset{s}{0}^{\cdot}64$  and —  $\overset{s}{2}^{\cdot}1$
- 5025 Is not found.
- 5040 Cluster of stars of 7 and 8 mag.; P.M. not confirmed; B. has but one observation; diff. +  $\overset{s}{0}^{\cdot}23$  and —  $\overset{s}{0}^{\cdot}8$ .
- 5042 P.M. in A.R. overrated: in P.D. not confirmed; diff. from B. —  $\overset{s}{0}^{\cdot}43$  and —  $\overset{s}{1}^{\cdot}3$ .
- 5045 Diff. from B. —  $\overset{s}{1}^{\cdot}04$  and +  $\overset{s}{4}^{\cdot}5$ .
- 5049 The P.M. in A.R. is not confirmed; that in P.D. is nearly so.
- 5080 P.M. in A.R. not confirmed; in P.D. reversed; diff. from B. +  $\overset{s}{0}^{\cdot}19$  and —  $\overset{s}{3}^{\cdot}9$ .
- 5081 P.M. in A.R. nearly confirmed; in P.D. not so; diff. from B. —  $\overset{s}{0}^{\cdot}78$  and +  $\overset{s}{1}^{\cdot}1$ .
- 5101 P.M. in A.R. doubtful; that in P.D. is reversed; diff. from B. —  $\overset{s}{0}^{\cdot}30$  and —  $\overset{s}{5}^{\cdot}1$ .
- 5106 Comparison with B. reverses the P.M. in A.R., and increases that in P.D.; diff. +  $\overset{s}{0}^{\cdot}65$  and +  $\overset{s}{3}^{\cdot}2$ .
- 5111 A double star, components nearly equal. S. 673.
- 5114 The P.D. is in error  $\overset{s}{5}$ .
- 5117 The N.P.D. should be  $114^{\circ}36'$ . Taylor being right.
- 5137 The P.M. in A.R. is underrated, and in P.D. overrated: diff. from B. —  $\overset{s}{0}^{\cdot}36$  and +  $\overset{s}{4}^{\cdot}3$ .
- 5162 Is not found
- 5170 P.M. in A.R. (if any) has been overrated; that in P.D. is not confirmed; diff. from B. —  $\overset{s}{0}^{\cdot}14$  and —  $\overset{s}{0}^{\cdot}3$ .

## NOTES ON THE FOREGOING CATALOGUE.

- No. 5174 The P.M. in A.R. is nearly confirmed; that in P.D. reversed; diff. from B. —  $0^{\circ}.34$  and —  $2^{\circ}.9$ ; but he has only one observation.
- 5179 There is probably little or no P.M.; B. has only one observation; diff. —  $1^{\circ}.12$  and +  $2^{\circ}.7$ .
- 5182 The same remark applies; diff. from B. —  $1^{\circ}.26$  and —  $1^{\circ}.4$ .
- 5183 The P.M. in A.R. has been overrated; that in P.D. is reversed; diff. from B. —  $0^{\circ}.50$  and +  $2^{\circ}.6$ .
- 5186 The P.M. in A.R. is nearly confirmed; that in P.D. reversed; diff. from B. —  $1^{\circ}.13$  and +  $4^{\circ}.1$ .
- 5193 The P.M. in A.R. (if any) has been overrated; that in P.D. is not confirmed; diff. from B. +  $0^{\circ}.16$  and —  $1^{\circ}.2$ .
- 5200 Comparison with Brisbane and Taylor gives nearly the same P.M. in A.R.; while the P.D. is intermediate between the two.
- 5202 P.M. in A.R. not confirmed; that in P.D. has been slightly overrated; diff. from B. +  $0^{\circ}.07$  and +  $7^{\circ}.5$ .
- 5209 P.M. not confirmed; diff. from B. +  $0^{\circ}.02$  and —  $1^{\circ}.1$ .
- 5213 P.M. reversed; diff. from B. +  $0^{\circ}.37$  and —  $4^{\circ}.1$ .
- 5217 } P.M. not confirmed.  
5218 }
- 5225 The P.M. in A.R. has been underrated; that in P.D. is reversed. diff. from B. —  $1^{\circ}.19$  and —  $3^{\circ}.0$ .
- 5229 Probably no P.M.; diff. from B. +  $0^{\circ}.37$  and +  $1^{\circ}.3$ .
- 5231 P.M. in A.R. not confirmed; in P.D. reversed; diff. from B —  $0^{\circ}.13$  and —  $4^{\circ}.9$ .
- 5241 Is not found; probably a duplicate of 5247.
- 5247 P.M. in A.R. not confirmed.
- 5256 Comparison with B. reverses the P.M.; diff. —  $0^{\circ}.72$  and +  $1^{\circ}.1$ .
- 5261 P.M. in A.R. reversed; in P.D. confirmed; diff. +  $0^{\circ}.81$  and +  $1^{\circ}.3$ .
- 5263 P.M. not confirmed; diff. from B. +  $0^{\circ}.08$  and +  $0^{\circ}.8$ .
- 5288 Differs from L.C. +  $4^{\circ}.6$  and +  $4^{\circ}.5$ .
- 5300 A wide cluster of stars of 7 and 8 mag.; P. M. not confirmed; diff. from B. —  $0^{\circ}.04$  and —  $0^{\circ}.2$ ; B. and L.C. have probably observed different stars.
- 5301 P.M. perhaps underrated in A.R. and overrated in P.D.; but B. has only one observation diff. —  $1^{\circ}.45$  and +  $3^{\circ}.4$
- 5305 P.M. in A.R. exactly confirmed; that in P.D. (if any) reversed; diff. from B. +  $0^{\circ}.43$  and —  $1^{\circ}.0$ , but he has only one observation.
- 5308 The P.M. in A.R. has been underrated; that in P.D. is reversed; diff. from B. +  $0^{\circ}.95$  and +  $3^{\circ}.8$ .
- 5323 Comparison with B. reverses the P.M. (if any); but he has only one observation; diff. —  $0^{\circ}.81$  and —  $1^{\circ}.7$ .
- 5349 Not found; perhaps a duplicate of 5350.
- 5353 P.M. in A.R. reversed; in P.D. not confirmed; diff. from B. —  $1^{\circ}.20$  and +  $0^{\circ}.1$ ; L.C. is probably in error.
- 5370 P.M. in A.R. somewhat overrated, that in P.D. confirmed; diff. from B. +  $0^{\circ}.30$  and +  $3^{\circ}.9$ .
- 5372 B. has only one observation and his A.R. is probably in error. diff. +  $3^{\circ}.51$  and +  $0^{\circ}.4$ .
- 5389 Differs from L.C. +  $6^{\circ}$  in P.D.
- 5402 The P.M. in A.R. is not confirmed, and that in P.D. appears overrated; diff. from B. +  $0^{\circ}.29$  and +  $2^{\circ}.8$ .
- 5415 Not found; nearest star 6 mag. is in  $16^{\circ} 6' 59''$  and  $31^{\circ} 40' 11''$ .
- 5424 P.M. reversed; diff. from B. +  $1^{\circ}.03$  and —  $1^{\circ}.6$ .
- 5454 The P.M. in A.R. is nearly confirmed; that in P.D. has been underrated; diff. from B. —  $0^{\circ}.28$  and —  $3^{\circ}.9$ .
- 5459 G. appears to have made an error of  $1^{\circ}$  in the P.D.
- 5470 Is a cluster of small stars, and B. and L.C. have probably taken different ones.
- 5482 Is not found.
- 5495 P.M. not confirmed; diff. from B. +  $0^{\circ}.17$  and +  $1^{\circ}.8$ .

- No. 5486 P.M. in A.R. not confirmed; in P.D. nearly so; diff. from B.  $+ 0.09$  and  $- 2.3$ .
- 5487 Comparison with B. reverses the P.M. in A.R. and greatly increases that in P.D.; but he has only one observation.
- 5491 Not found.
- 5505 P.M. not confirmed: diff. from B.  $- 0.06$  and  $- 1.4$ .
- 5524 Is not found.
- 5540 The P.M. in A.R. is not confirmed; the diff. from L.C. being only  $- 0.76$ : that in P.D. is overrated; diff. from B.  $- 4.81$  and  $+ 2.2$ , but he has only one observation and has probably made a mistake of  $5$ .
- 5543 The P.M. though small is nearly confirmed: diff. from B.  $- 0.32$  and  $+ 0.8$ .
- 5564 Differs from L.C.  $- 3.5$  and  $- 9.4$ .
- 5570 Differs from L.C.  $+ 5.8$  and  $+ 5.7$ .
- 5612 Differs from L.C.  $- 4.5$  and  $- 123$ .
- 5618 P.M. in P.D. (if any) reversed: diff. from B.  $- 0.21$  and  $- 2.4$ .
- 5636 Comparison with B. increases the P.M. in A.R. and negatives that in P.D.; but he has only one observation; diff.  $- 1.21$  and  $- 0.2$ .
- 5657 P.M. not confirmed: diff. from B.  $- 0.03$  and  $+ 0.5$ .
- 5662 Not found.
- 5665 Not found. There is a star of 8 magnitude in  $16^{\text{h}} 44^{\text{m}} 33^{\text{s}}$  and  $120^{\circ} 29' 58''$ .
- 5672 Not found.
- 5673 Two stars were observed, neither of which agrees well with Lacaille's place.
- 5685 Not found.
- 5699 P.M. in A.R. reversed; but B. has only one observation; that in P.D. not confirmed; diff.  $- 1.36$  and  $- 0.1$ .
- 5707 Not found.
- 5715 The P.M. in A.R. is not confirmed, that in P.D. is nearly so, small as it is; diff. from B.  $+ 0.19$  and  $+ 0.66$ .
- 5722 Differs from B  $+ 3.87$  and  $- 78.3$ ; but he has only one observation.
- 5725 }  
5738 } Not found.  
5741 }
- 5751 Comparison with B. reverses the P.M. (if any); diff.  $- 0.34$  and  $- 2.0$ .
- 5754 The P.M. in A.R. is confirmed, that in P.D. appears somewhat overrated.
- 5764 The P.M. in A.R. has been overrated; that in P.D. is reversed; diff. from B.  $- 0.25$  and  $+ 2.6$ .
- 5770 Is not found; it is perhaps a duplicate of 5772, the P.M. of which has been overrated.
- 5806 The P.M. in A.R. is reversed; that in P.D. has been overrated; diff. from B.  $+ 0.60$ . and  $+ 3.8$ , but he has only one observation.
- 5806 The P.M. in A.R. is doubtful, that in P. D. has been much overrated; diff. from B.  $- 0.35$  and  $+ 1.8$ .
- 5812 }  
5815 } The P.M. is not confirmed.
- 5816 Is not found; perhaps a duplicate of the preceding.
- 5819 Diff. from B.  $- 6.20$  and  $+ 3.1$ ; the large diff. in A.R. is unaccountable.
- 5825 The large P.M. in A.R. is almost exactly confirmed; that in P.D. has been overrated: diff. from B.  $+ 2.79$  and  $+ 2.9$ .
- 5849 Not seen.
- 5859 The P.M. in A.R. is much overrated, that in P.D. is reversed; diff. from B.  $- 0.27$  and  $- 4.0$ .
- 5870 The P.M. in A.R. is nearly confirmed; but not in P.D.; diff. from B.  $- 0.38$  and  $- 0.1$ .
- 5872 The same remark applies; diff. from B.  $- 0.38$  and  $+ 0.5$ .
- 5875 The P.M. is not confirmed: diff. from B.  $+ 0.03$  and  $+ 1.2$ ; but he has only one observation.

- No. 5879 Differs from L.C. by  $-10^{\prime\prime}$  and  $+4^{\prime\prime}$ .
- 5889 } P.M. not confirmed.  
5895 }
- 5897 The large P.M. in P.D. is not confirmed, the place agreeing very nearly with L.C.; B. has probably made a mistake of  $1^{\prime}$ , he had but one observation: diff. from B.  $-0^{\prime\prime}.72$  and  $+58^{\prime\prime}.9$ ; from L.C.  $-0^{\prime\prime}.7$  and  $+9^{\prime\prime}$ .
- 5898 Differs from L.C.  $-66^{\prime\prime}.0$  and  $+194^{\prime\prime}$ .
- 5916 L.C. is probably in error; diff.  $-8^{\prime\prime}.0$  and  $+243^{\prime\prime}$ .
- 5923 No star is found in the place assigned, but there are several stars of 8th magnitude in the neighbourhood.
- 5924 The P.M. (if any) is reversed; diff. from B.  $+0^{\prime\prime}.63$  and  $-1^{\prime\prime}.4$ ; but he has only one observation.
- 5928 Not found.
- 5938 Comparison with B. reverses the P.M. in A.R. and much reduces that in P.D.; but he has only one observation; diff.  $+1^{\prime\prime}.39$  and  $+1^{\prime\prime}.4$ .
- 5965 The P.M. is reversed; diff. from B.  $+0^{\prime\prime}.98$  and  $-3^{\prime\prime}.0$ .
- 5969 P.M. not confirmed.
- 5977 Differs from L.C.  $+3^{\prime\prime}.4$  and  $+8^{\prime\prime}.8$ .
- 6000 The P.M. in A.R. is not confirmed; that in P.D. reversed; diff. from B.  $-0^{\prime\prime}.16$  and  $-12^{\prime\prime}.3$ .
- 6011 Differs from L.C.  $-6^{\prime\prime}.7$  and  $-152^{\prime\prime}$ .
- 6032 Differs from L.C.  $-6^{\prime\prime}.2$  and  $-140^{\prime\prime}$ .
- 6055 P.M. not confirmed: diff. from B.  $+0^{\prime\prime}.22$  and  $0^{\prime\prime}.0$ .
- 6090 P.M. in A.R. nearly confirmed; in P.D. reversed; diff. from B.  $-0^{\prime\prime}.21$  and  $-4^{\prime\prime}.1$ .
- 6100 Comparison with B. negatives the P.M. in A.R. but doubles that in P.D.; diff.  $+0^{\prime\prime}.07$  and  $+3^{\prime\prime}.0$ .
- 6132 A star 8 magnitude follows by about  $1^{\prime}$ .
- 6136 Comparison with B. greatly reduces the P.M. in A.R. and reverses that in P.D.; diff.  $-0^{\prime\prime}.46$  and  $+2^{\prime\prime}.9$ .
- 6148 Comparison with B. reverses the P.M.; diff.  $+0^{\prime\prime}.84$  and  $-0^{\prime\prime}.9$ .
- 6168 A star 9 magnitude precedes by  $6^{\prime}$ , and  $6^{\prime}N$ .
- 6165 There appears an error of  $30^{\prime}$  in Lalande's A.R.
- 6170 Comparison with B. reverses the P.M. in A.R.; and greatly reduces that in P.D.; diff.  $+1^{\prime\prime}.47$  and  $+1^{\prime\prime}.7$ .
- 6173 Differs from L.C.  $-7^{\prime\prime}.4$  and  $+232^{\prime\prime}$ .
- 6201 A wide cluster, no nebula seen.
- 6207 Comparison with B. reverses the P.M. but he has only one observation; diff.  $+0^{\prime\prime}.42$  and  $+3^{\prime\prime}.1$ .
- 6212 Differs from L.C.  $-7^{\prime\prime}.6$  and  $-7^{\prime\prime}.7$ .
- 6219 Differs from B.  $+7^{\prime\prime}.75$  and  $+1^{\prime\prime}.0$ ; but he has only one observation.
- 6288 The P.M. in A.R. appears underrated; that in P.D. is not confirmed.
- 6303 There appears to have been an error of  $30^{\prime}$  in the A.R.
- 6328 Comparison with B. increases the P.M. in A.R. and negatives that in P.D.; diff.  $-0^{\prime\prime}.92$  and  $+0^{\prime\prime}.7$ .
- 6337 Comparison with B. reverses the P.M. in A.R. and negatives that in P.D.; diff.  $-1^{\prime\prime}.06$  and  $+0^{\prime\prime}.1$ .
- 6374 Differs from L.C.  $+2^{\prime\prime}.4$  and  $+93^{\prime\prime}$ .
- 6410 P.M. not confirmed; diff. from G.  $+0^{\prime\prime}.22$  and  $-1^{\prime\prime}.7$ .
- 6425 Comparison with B. reverses the P.M. in A.R., and does not confirm that in P.D.; diff.  $+1^{\prime\prime}.09$  and  $+1^{\prime\prime}.3$ .
- 6469 The P.M. in A.R. appears to have been underrated, and that in P.D. overrated.
- 6472 P.M. not confirmed: diff. from B.  $+0^{\prime\prime}.25$  and  $+0^{\prime\prime}.1$ .
- 6481 Comparison with B. reverses the P.M. in A.R., and negatives that in P.D.; but he has only one observation: diff.  $+0^{\prime\prime}.74$  and  $+1^{\prime\prime}.5$ .

- No. 6542 Is not found; nearest star 6 magnitude in  $19^{\text{h}} 0^{\text{m}} 22^{\text{s}}.8$  and  $65^{\circ} 58' 40''.8$ .
- 6571 P.M. not confirmed. A star 7 magnitude, follows by  $1^{\text{h}} 0^{\text{m}}$  and  $2^{\text{h}} 29^{\text{m}}$  N.
- 6578 Lacaille's A.R. is 1 wrong.
- 6579 This is a double star, H. and S. 290. The places of both are given. The pair appears to have a large P.M. but the exact amount cannot be assigned as it is not known which of the two was observed by G.
- 6725 Not seen.
- 6757 Comparison with B. somewhat reduces the P.M. in A.R. and negatives that in P.D.; but he has only one observation; diff.  $+ 0^{\text{h}}.86$  and  $- 1^{\text{h}}.8$ .
- 6770 Not seen: nearest star  $19^{\text{h}} 33^{\text{m}} 29^{\text{s}}$  and  $118^{\circ} 51'$ .
- 6775 Not found: there is a star of  $6\frac{1}{2}$  mag. in  $19^{\text{h}} 39^{\text{m}} 50^{\text{s}}$  and  $119^{\circ} 9' 10''$ , and one of  $8\frac{1}{2}$  mag. in  $19^{\text{h}} 39^{\text{m}} 19^{\text{s}}$  and  $119^{\circ} 15' 58''$ .
- 6818 Comparison with G. reverses (if any thing) the P.M. in A.R. and nearly confirms that in P.D.; diff.  $- 0^{\text{h}}.30$  and  $- 4^{\text{h}}.8$ .
- 6835 This star is noted as double.
- 6855 P.M. not confirmed.
- 6898 } Not found.  
6917 }
- 6941 P.M. not confirmed.
- 6945 Comparison with B. reverses the P.M. in A.R. and does not confirm that in P.D.; diff.  $+ 0^{\text{h}}.88$  and  $- 1^{\text{h}}.4$ .
- 6954 P.M. in A.R. not confirmed: that in P.D. has been underrated.
- 6960 P.M. not confirmed.
- 6961 Comparison with B. increases the P.M.; diff.  $+ 1^{\text{h}}.05$  and  $+ 4^{\text{h}}.5$ .
- 6984 Two nearly equal stars differing considerably from Lacaille's place.
- 6986 P.M. not confirmed; diff. from G.  $- 0^{\text{h}}.13$  and  $- 0^{\text{h}}.5$
- 6996 The P.M. in A.R. is not confirmed; that in P.D. though small is nearly confirmed; diff. from G.  $- 0^{\text{h}}.28$  and  $- 1^{\text{h}}.0$ .
- 7006 P.M. not confirmed.
- 7037 Comparison with G. reverses the P.M. in P.D.
- 7056 The P.M. has been much overrated; diff. from B.  $- 0^{\text{h}}.22$  and  $+ 4^{\text{h}}.3$ .
- 7074 The same remark applies; diff. from B.  $- 0^{\text{h}}.43$  and  $+ 3^{\text{h}}.4$ .
- 7082 Comparison with B. increases the P.M. in A.R. and reverses that in P.D.; diff.  $+ 1^{\text{h}}.05$  and  $- 6^{\text{h}}.3$ .
- 7095 The P.M. appears overrated.
- 7104 The P.M. is overrated in A.R., and underrated in P.D.
- 7142 The P.M. in A.R. appears underrated; that in P.D. is not confirmed.
- 7150 P.M. not confirmed.
- 7163 Rumker's A.R. must be  $2^{\text{m}}$  in error.
- 7180 The P.D. differs  $- 5^{\text{h}} 40^{\text{m}}$  from L.C. A star  $8\frac{1}{2}$  magnitude precedes by  $4^{\text{h}}$  and  $4^{\text{h}} 20^{\text{m}}$  N.
- 7208 Not found; probably a duplicate of 7210 with an error of  $1^{\text{m}}$ .
- 7214 Not found; probably a duplicate of 7225 with an error of  $1^{\text{m}}$ .
- 7259 Comparison with G. confirms the small P.M. in A.R.; diff.  $+ 0^{\text{h}}.23$  and  $- 2^{\text{h}}.1$ .
- 7268 Lalande's A.R. appears to be erroneous.
- 7290 } P.M. not confirmed.  
7295 }
- 7307 Comparison with B. reverses the P.M. in A.R.; and greatly reduces that in P.D.; + diff.  $+ 2^{\text{h}}.39$  and  $+ 2^{\text{h}}.5$ .
- 7327 A star of  $7\frac{1}{2}$  magnitude precedes by  $11^{\text{h}}.7$  and  $3^{\text{h}} 56^{\text{m}}$  S.
- 7341 P.M. not confirmed.

- No. 7347 There is probably an error in L.C.; the nearest star differs  $-9.8$  and  $+280$  from his place.
- 7349 The P.M. in A.R. appears underrated; that in P.D. is not confirmed.
- 7417 A star  $6\frac{1}{2}$  magnitude precedes by  $114.9$  and  $26.3$  S.
- 7437 A thin cluster of stars of 8th and 9th magnitude; B. and L.C. have observed different stars, and B. has probably observed different stars with the Transit and Mural.
- 7467 Is not found: no doubt it is identical with 7466.
- 7472 P.M. nearly confirmed.
- 7483 A star 7 magnitude precedes by  $26.8$  and  $82$  S.
- 7531 Comparison with B. reverses the P.M. in A.R., and negatives that in P.D.; diff.  $+0.65$  and  $-0.3$ .
- 7532 Comparison with B. reverses the P.M.; diff.  $+0.65$  and  $+10.1$ .
- 7534 Comparison with G. negatives the P.M. in A.R.; and reverses that in P.D.; diff.  $-0.07$  and  $+3.2$ .
- 7576 Is not found; it is perhaps a duplicate of 7575 with an error of  $2$  in P.D.
- 7594 If there be no error in B. the large P.M. in A.R. must be increased, but that in P.D. is reversed; diff.  $-4.69$  and  $+5.1$ .
- 7609 Comparison with B. reverses the P.M.; diff.  $+0.91$  and  $-1.0$ .
- 7624 Comparison with B. reduces the P.M. in A.R. and reverses that in P.D.; but he has only one observation; diff.  $-0.27$  and  $+1.7$ .
- 7631 G. has apparently made an error of  $10$  in A.R. The P.M. in P.D. is not confirmed; diff.  $-10.18$  and  $-1.0$ .  
Another star  $6\frac{1}{2}$  magnitude precedes by  $0.5$  and  $17.5$  S.
- 7667 P.M. in A.R. doubtful; in P.D. not confirmed.
- 7699 Comparison with G. negatives the P.M. in A.R., but shews a large one in P.D.: it is noted as double; the companion 7 magnitude preceding about  $1$ .
- 7717 The P.M. in A.R. is confirmed.
- 7734 The P.M. in A.R. is nearly confirmed, but not that in P.D.
- 7754 Comparison with G. confirms the P.M. nearly; diff.  $+0.76$  and  $-7.5$ .
- 7760 Comparison with G. negatives the P.M. in A.R. but nearly confirms that in P.D.; diff.  $-0.16$  and  $-3.6$ .
- 7769 Differs from L.C.  $+5.0$  and  $+7.0$ .
- 7810 Another star follows by  $0.93$ , nearly on the parallel; the pair form the double star H. and S. 348.
- 7834 The P.M. in A.R. is nearly confirmed, but not that in P.D.
- 7841 Comparison with B. reverses the P.M., diff.  $+1.39$  and  $-2.2$ .
- 7876 The P.M. has been slightly overrated; diff. from G.  $+0.83$  and  $-6.4$ .
- 7877 P.M. not confirmed.
- 7878 Comparison with G. considerably reduces the P.M.: diff.  $+0.52$  and  $-3.4$ .
- 7933 P.M. not confirmed.
- 7956 The P.M. in A.R. (if any) is overrated, that in P.D. is not confirmed; diff. from B.  $-0.14$  and  $+0.2$ .
- 7969 P.M. not confirmed.
- 8000 The P.M. appears underrated in A.R., and overrated in P.D.
- 8011 The A.R. agrees exactly with L.C. but differs  $+2.09$  from B. who may be in error, as he has but one observation with the Mural. The P.M. in P.D. is reversed; diff. from B.  $-4.1$ .
- 8018 The P.M. is not confirmed.
- 8042 Is not found; nearest star 7 magnitude in  $23\ 1\ 55\ 3$  and  $154\ 0\ 7$ .
- 8056 P.M. not confirmed.

- No. 8096 The P.M. in A.R. is perhaps overrated; that in P.D. is not confirmed.
- 8101 A star 9 magnitude precedes by  $5''$  and  $4.5''$  N.
- 8107 The P.M. is nearly confirmed; diff. from G. +  $0.23''$  and +  $9.9''$ .
- 8140 P.M. in A.R. doubtful; that in P.D. is reversed: diff. from B. +  $0.24''$  and —  $4.2''$ .
- 8147 The P.M. is nearly confirmed.
- 8158 The P.M. in P.D. is reversed; diff. from G. +  $0.31''$  and —  $2.1''$ .
- 8164 Differs from L.C. —  $12.5''$  and —  $190''$ . His place is probably erroneous.
- 8165 Comparison with B. greatly reduces (if any) the P.M. in A.R., and negatives that in P.D.; diff. —  $0.21''$  and +  $0.6''$ .
- 8166 Comparison with B. reverses the P.M. in A.R. but nearly confirms that in P.D.; diff. +  $0.61''$  and —  $6.8''$ .
- 8173 Comparison with G. reverses the P.M. in P.D.; diff. +  $0.48''$  and —  $2.8''$ .
- 8176 Comparison with B. negatives the P.M. in A.R. and reverses that in P.D.; diff. +  $0.12''$  and —  $2.7''$ .
- 8181 The P.M. appears underrated.
- 8207 Comparison with B. negatives the P.M. in A.R. and increases that in P.D.; diff. +  $0.29''$  and —  $7.4''$ .
- 8226 Comparison with B. negatives the P.M. in A.R. and reverses that in P.D.; diff. +  $0.24''$  and —  $2.7''$ .
- 8235 The P.M. in A.R. appears overrated; that in P.D. is not confirmed: the star is perhaps variable as the estimated magnitudes vary from  $6\frac{1}{2}$  to 10.
- 8247 The P.M. is not confirmed.
- 8253 The P.M. in A.R. is nearly confirmed; that in P.D. is underrated; diff. from B. —  $0.72''$  and —  $6.7''$ . A star  $7\frac{1}{2}$  magnitude follows by  $5.4''$  and  $4''$  N.
- 8260 The P.M. in A.R. is not confirmed, the difference from L.C. being only +  $1.3''$ ; that in P.D. is overrated. Rumker has probably made an error of  $10''$ .
- 8272 A star  $7\frac{1}{2}$  magnitude follows by  $6.4''$  and  $3\frac{1}{2}''$  S.
- 8278 The P.M. is not confirmed; B. has only one observation, and has probably made an error of  $5''$ ; diff. +  $4.26''$  and +  $0.4''$ .
- 8294 The P.M. has been overrated in A.R.; and underrated in P.D.
- 8306 The P.M. appears rather underrated in A.R., and overrated in P.D.; diff. from L.C. +  $1.1''$  and —  $12.7''$ .
- 8320 The P.M. is not confirmed.
- 8325 The P.M. is doubtful.
- 8340 P.M. not confirmed.
- 8347 The P.M. in P.D. has been overrated.
- 8371 The P.M. is not confirmed.

MEAN PLACES

OF

**97 PRINCIPAL FIXED STARS,**

FROM

OBSERVATIONS MADE AT THE MADRAS OBSERVATORY,

**IN THE YEARS 1848—52,**

REDUCED TO JANUARY 1<sup>ST</sup>, 1850.



## MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
λ Ursæ Minoris .....	23	20	13	1·12	0·72	1·70	23	1	8	22·09	21·79	22·01
	16	12	57·38	16			21·55					
	34	13	0·96	30			22·17					
	19	12	57·45	14			21·14					
	31	13	3·90	22			21·53					
α Ursæ Minoris ..	58	1	5	1·37	1·34	0·65	54	1	29	25·74	24·84	4·75
	62			1·47			65	24·98				
	77			1·34			61	25·17				
	72			1·36			40	24·06				
	62			1·14			37	23·65				
51 Cephei .....	30	6	28	33·21	33·18	32·22	35	2	44	39·52	39·00	38·20
	45			33·29			44	39·29				
	42			34·58			41	38·85				
	35			32·55			34	38·89				
	29			31·70			24	38·31				
δ Ursæ Minoris .....	25	18	20	44·42	43·72	43·60	26	3	24	10·35	10·58	10·08
	34			43·11			30	10·69				
	23			43·51			23	10·79				
	42			43·55			44	10·65				
	49			43·94			29	10·40				
ε Ursæ Minoris .....	8	17	1	31·53	31·42	31·54	10	7	43	28·48	27·99	28·09
	11			31·42			12	27·93				
	3			31·24			3	27·29				
	1			31·69			1	26·71				
	2			31·12			2	27·62				
ζ Ursæ Minoris .....	9	15	49	31·63	31·38	31·60	7	11	44	48·88	48·07	48·11
	8			31·56			9	47·81				
	2			30·36			1	44·44				
	8			31·19			4	48·14				
γ Cephei.....	6	23	33	13·75	13·78	14·02	5	13	12	14·13	16·89	16·68
	2			13·72			1	18·41				
	6			13·85			6	17·04				
	3			13·72			2	16 15				
β Ursæ Minoris.....	14	14	51	11·83	11·43	12·00	13	15	13	54·12	54·09	53·62
	17			11·97			18	53·40				
	15			11·40			17	53·95				
	36			11·14			32	54·83				
	16			11·18			13	53·40				
β Cephei.....	9	21	26	42·22	42·03	42·35	9	20	5	49·85	50·23	49·55
	4			41·83			4	49·86				
	13			41·95			10	50·41				
	2			42·07			8	50·76				
α Ursæ Majoris... ..	50	10	54	25·32	25·22	25·71	46	27	26	25·66	25·67	25·85
	56			25·30			53	25·45				
	42			25·33			46	25·83				
	15			25·30			8	26·16				
	34			25·14			32	25·70				

FROM OBSERVATIONS MADE AT THE MADRAS OBSERVATORY.

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
α Cephei.....	18	21	14	59.44	59.30	59.78	19	28	2	56.95	56.38	55.58
	1			59.38			1			57.83		
	9			59.33			2			53.05		
	24			59.14			24			56.17		
	6			59.40			5			56.90		
γ Draconis.....	—	16	21	—	57.70	58.29	—	28	8	42.77	42.77	42.39
	2			57.66			2			—		
	1			57.79			—			—		
α Cassiopeiæ.....	13	0	31	1.17	1.16	1.59	15	34	17	11.72	10.98	10.11
	1			1.43			1			9.54		
	35			1.11			33			10.29		
	50			1.09			36			11.52		
	31			0.98			15			10.58		
γ Ursæ Majoris....	36	11	45	54.75	54.70	55.07	37	35	28	15.75	15.96	16.71
	43			54.67			34			15.81		
	33			54.76			32			15.89		
	14			54.74			9			16.60		
	19			54.51			19			16.42		
β Draconis.....	8	17	27	2.48	2.36	2.73	9	37	35	8.45	8.71	8.20
	5			2.35			5			7.70		
	—			—			1			9.67		
	15			2.32			17			9.09		
θ Ursæ Majoris..	17	9	22	47.45	47.45	47.64	19	37	38	32.08	32.17	33.16
	20			47.40			20			32.63		
	14			47.47			15			31.48		
	5			47.68			5			31.77		
	5			47.35			6			32.94		
γ Draconis.....	17	17	53	7.19	7.05	7.46	17	38	28	29.16	29.49	29.30
	16			7.21			14			29.17		
	10			7.08			10			29.60		
	52			6.96			53			29.80		
	25			7.04			19			29.14		
γ Ursæ Majoris.....	29	13	41	37.14	37.11	37.38	36	39	56	10.94	11.37	10.09
	35			37.10			36			11.19		
	12			37.16			13			11.73		
	23			37.08			16			11.49		
	21			37.08			20			12.13		
α Persei.....	36	3	13	38.10	38.03	38.38	34	40	40	39.76	39.58	39.19
	39			38.06			29			39.59		
	31			38.12			40			39.79		
	48			37.94			43			39.47		
	29			37.93			12			38.72		
ε Ursæ Majoris.....	47	8	48	54.50	54.50	54.69	48	41	22	24.72	24.77	24.44
	43			54.50			47			24.86		
	13			54.58			15			24.23		
	21			54.47			18			24.59		
	23			54.48			27			25.10		

MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations	Observations in 1848-1852.		Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations	Observations in 1848-1852.		Mean.	Greenwich 12 yr. Catalogue, 1845.		
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>o.</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>		
$\alpha$ Aurigæ .....	29	5	5	36.75	36.72	36.98	28	44	9	39.91	39.55	39.60
	16			36.67								
	8			36.75								
	11			36.79								
	22			36.66								
$\alpha$ Cygni .....	37	20	36	18.94	18.82	19.15	40	45	15	12.90	12.75	12.29
	16			18.92								
	33			18.83								
	60			18.70								
	41			18.85								
12 Canum Venat.....	28	12	48	59.95	59.93	60.19	28	50	52	14.02	14.03	13.80
	31			59.90								
	26			59.96								
	6			59.98								
	21			59.89								
$\alpha$ Lyræ .....	27	18	31	51.41	51.30	51.58	30	51	21	11.87	11.73	10.90
	23			51.30								
	46			51.35								
	77			51.25								
	46			51.27								
61 <sup>1</sup> Cygni.....	18	21	0	10.38	10.31	10.61	19	51	59	8.99	8.50	7.28
	11			10.34								
	14			10.25								
	15			10.25								
	8			10.30								
$\beta$ Lyræ .....	13	18	44	32.33	32.31	32.52	14	56	48	30.99	30.45	30.35
	13			32.34								
	5			32.25								
	42			32.29								
	18			32.36								
$\alpha^2$ Geminorum.....	59	7	25	1.07	1.06	1.31	58	57	47	17.41	17.28	16.79
	53			1.09								
	56			1.08								
	46			1.04								
	63			1.04								
$\zeta$ Cygni .....	19	21	6	33.04	33.02	33.25	19	60	23	10.27	9.58	9.34
	12			33.02								
	29			32.93								
	28			33.04								
	18			33.11								
$\beta$ Tauri .....	59	5	16	48.54	48.58	48.81	62	61	31	29.03	28.85	29.65
	37			48.55								
	38			48.64								
	66			48.57								
	42			48.62								
$\beta$ Geminorum .....	63	7	36	7.55	7.61	7.82	58	61	36	58.86	58.71	58.90
	57			7.58								
	68			7.63								
	64			7.62								
	96			7.63								

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
α Andromedæ.....	11	0	0	38.43	38.42	38.59	10	61	44	15.83	15.56	16.51
	28			38.41								
	47			38.38								
	60			38.42								
	54			38.45								
ε Bootis.....	25	14	38	25.91	25.95	26.16	22	62	17	26.93	26.73	27.35
	26			25.90								
	26			25.95								
	18			26.01								
	25			26.00								
α Cor. Bor.....	24	15	28	20.00	20.04	20.29	22	62	46	38.83	38.44	39.05
	26			20.03								
	36			20.07								
	52			20.03								
	35			20.06								
ε Leonis.....	54	9	37	19.43	19.50	19.71	51	65	32	15.22	15.09	16.36
	49			19.47								
	36			19.55								
	26			19.54								
	42			19.57								
η Tauri.....	38	3	38	34.40	34.42	34.56	35	66	21	45.93	45.98	46.94
	26			34.41								
	32			34.46								
	47			34.39								
	34			34.47								
α Arietis.....	40	1	58	43.45	43.49	43.69	34	67	14	57.54	57.28	58.08
	27			43.42								
	39			43.49								
	57			43.51								
	40			43.57								
μ Geminorum.....	53	6	13	52.93	52.93	53.15	56	67	24	52.70	52.64	53.23
	48			52.91								
	32			52.89								
	54			52.95								
	14			52.95								
δ Geminorum.....	54	7	11	9.43	9.47	9.69	50	67	44	47.18	47.00	47.52
	39			9.41								
	27			9.48								
	43			9.50								
	48			9.51								
δ Leonis.....	47	11	6	7.25	7.31	7.47	45	68	39	18.05	18.08	19.36
	45			7.27								
	34			7.34								
	12			7.36								
	33			7.39								
α Bootis.....	35	14	8	49.00	49.08	49.27	34	70	2	4.36	4.14	4.00
	52			49.05								
	41			49.10								
	55			49.11								
	45			49.14								

## MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.						
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
γ Bootis .....	33	13	47	32·31	32·40	32·55	70	50	54·37	54·08	54·32
	33			32·34					53·73		
	10			32·38					54·02		
	28			32·53					54·03		
	25			32·46					54·34		
α Tauri.....	59	4	27	18·97	18·99	19·14	73	47	48·50	48·48	49·46
	52			18·98					48·32		
	65			19·00					48·49		
	64			18·97					48·37		
	61			19·02					48·89		
β Leonis.....	39	11	41	24·16	24·20	24·29	74	35	22·09	22·00	22·46
	53			24·12					21·69		
	43			24·21					22·35		
	23			24·31					22·43		
	40			24·27					21·91		
α Herouli.....	12	17	7	48·42	48·45	48·54	75	26	4·71	4·40	4·64
	22			48·42					4·02		
	38			48·41					4·07		
	55			48·42					4·81		
	38			48·54					4·21		
α Pegasi.....	16	22	57	17·40	17·46	17·52	75	36	1·60	1·20	3·12
	10			17·42					1·17		
	45			17·46					1·05		
	49			17·47					1·24		
	21			17·48					0·84		
γ Pegasi.....	13	0	5	30·84	30·95	31·00	75	39	0·63	0·50	2·02
	11			30·91					0·38		
	24			30·89					0·43		
	54			30·96					0·47		
	44			31·01					0·86		
ε Aquilæ.....	14	18	58	30·88	30·86	30·91	76	21	20·34	20·10	19·89
	6			30·80					19·69		
	15			30·86					20·03		
	44			30·84					20·26		
	16			30·90					19·96		
α Leonis.....	63	10	0	22·58	22·66	22·74	77	18	5·51	5·25	6·85
	66			22·61					5·11		
	29			22·67					5·03		
	39			22·73					5·40		
	61			22·76					5·21		
α Ophiuchi.....	10	17	27	58·24	58·29	58·37	77	19	35·18	34·75	35·88
	13			58·23					34·50		
	42			58·26					34·75		
	55			58·33					34·57		
	30			58·31					34·77		
γ Aquilæ.....	15	19	39	7·60	7·59	7·69	79	44	54·99	54·43	54·50
	8			7·57					54·12		
	39			7·59					54·94		
	79			7·60					54·28		
	49			7·57					53·98		

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1st, 1850				MEAN NORTH POLAR DISTANCE, JANUARY 1st, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
ζ Pegasi.....	19	22	33	58.86	58.88	58.90	18	79	57	0.80	0.52	0.53
	15			58.88								
	20			58.90								
	16			58.87								
	16			58.87								
ε Pegasi.....	20	21	36	49.06	49.05	49.12	22	80	48	37.95	37.46	35.99
	11			49.13								
	22			49.07								
	24			49.05								
	20			48.99								
α Aquilæ.....	40	19	43	27.83	27.79	27.81	43	81	31	26.50	26.28	26.30
	22			27.75								
	47			27.81								
	110			27.77								
	58			27.79								
α Orionis.....	63	5	47	3.05	3.06	3.15	60	82	37	31.11	31.25	32.78
	49			3.04								
	54			3.08								
	79			3.11								
	63			3.02								
ε Hydræ.....	46	8	38	49.72	49.75	49.79	51	83	2	1.96	2.38	3.68
	44			49.73								
	33			49.81								
	24			49.73								
	31			49.77								
α Serpentis.....	23	15	36	52.85	52.88	52.96	19	88	5	55.70	55.37	55.75
	22			52.87								
	28			52.92								
	40			52.90								
	37			52.87								
β Aquilæ.....	14	19	47	56.64	56.68	56.68	15	83	57	50.88	50.50	51.30
	5			56.62								
	9			56.59								
	59			56.71								
	19			56.70								
α Canis Minoris.....	67	7	31	26.87	26.89	26.85	66	84	23	39.03	39.05	39.36
	51			26.87								
	59			26.89								
	69			26.90								
	97			26.91								
ε Piscium.....	6	23	32	14.08	14.18	14.37	7	85	11	10.11	9.13	10.66
	20			14.15								
	25			14.27								
	20			14.16								
	24			14.16								
α Ceti.....	42	2	54	26.59	26.60	26.58	35	86	30	6.34	5.85	7.56
	23			26.63								
	26			26.63								
	63			26.61								
	42			26.58								

## MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr Catalogue, 1845.	No. of Observations	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>°</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
δ Aquilæ.....	16	19	17	56 16	56·10	56·09	17	87	10	47·92	47·72	48·28
	11			56·12			11			47·19		
	9			56 06			11			47·39		
	47			56·06			46			47·92		
	17			56·16			8			47·29		
γ Ceti.....	33	2	35	31·93	32·01	31 94	24	87	23	55·93	56·02	57·87
	15			32·01			26			56·09		
	24			32·03			25			56·31		
	52			32·06			29			55·63		
	23			31·99			10			56·36		
δ Orionis.....	28	5	24	20·77	20·75	20·72	30	90	24	52·42	51·76	53·10
	25			20·73			24			51·82		
	20			20·75			19			51 62		
	46			20·75			33			51·43		
	38			20·75			11			51·07		
α Aquarii.....	12	21	58	4·73	4·73	4·67	12	91	2	45·69	45·88	47·12
	15			4·72			15			45·67		
	39			4·73			25			45·85		
	24			4·77			9			46·51		
	21			4·72			11			45·91		
ε Orionis.....	27	5	28	36·29	36·30	36·25	30	91	18	6·71	6·19	8·24
	14			36 26			15			5·96		
	18			36·33			20			5·99		
	41			36·30			32			6·19		
	40			36·31			12			6·08		
δ Ophiuchi.....	14	16	6	29·32	29·34	29·35	13	93	18	14·04	13·83	14·32
	10			29·34			11			13·65		
	19			29·34			16			13·51		
	25			29·36			22			14·28		
	7			29 34			6			13·37		
β Aquarii.....	11	21	23	39·75	39·71	39·53	11	96	13	41·73	41·45	41·60
	1			39·77			2			41·34		
	27			39 70			21			41·62		
	17			39·64			18			41·45		
	18			39·75			12			40·94		
α Hydræ.....	34	9	20	13·12	13·17	12·97	31	98	0	38·48	38·45	40·28
	33			13·12			38			38·13		
	22			13·21			22			38·32		
	36			13 15			13			38·45		
	37			13·27			30			38·92		
ζ Orionis.....	25	5	7	20·00	20·02	19·88	28	98	22	43·70	43·54	44·91
	34			20·07			33			43·45		
	40			20·04			39			43·67		
	66			20·01			59			43·36		
	35			19·96			21			43·70		
β Libræ.....	22	15	8	56·56	56·58	56·49	17	98	49	32·99	31·95	33·17
	21			56·60			20			31·99		
	21			56·49			15			32·05		
	23			56·66			20			31·31		
	15			56·60			10			31·24		

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No of Observations	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations	Observations in 1848-1852.		Mean.	Greenwich 12 yr. Catalogue, 1845.	
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
$\theta^1$ Ceti.....	23	1	16	31.75	31.74	31.60	23	98	57	32.52	31.49	32.48
	23			31.70								
	23			31.77								
	26			31.74								
	11			31.74								
$\alpha$ Virginis.....	37	13	17	17.97	17.94	17.80	33	100	22	35.01	34.50	36.28
	45			17.91								
	30			17.92								
	32			17.99								
	28			17.91								
$\alpha^2$ Capricorni.....	13	20	9	43.91	43.87	43.71	12	103	0	20.86	20.06	20.58
	—			—								
	19			43.83								
	25			43.89								
$\gamma^1$ Eridani.....	44	3	51	2.18	2.20	1.91	40	103	56	18.59	18.74	19.76
	24			2.22								
	34			2.24								
	34			2.20								
	9			2.12								
$\delta$ Hyd. et Crat.....	48	11	11	50.88	50.92	50.66	46	103	58	1.75	1.83	3.04
	47			50.90								
	30			50.93								
	11			50.95								
	27			51.01								
$\alpha^3$ Libræ.....	30	14	42	35.48	35.47	35.32	23	105	24	54.92	54.17	54.21
	23			35.47								
	12			35.42								
	22			35.47								
	15			35.47								
$\alpha$ Canis Majoris.....	72	6	38	32.57	32.50	32.43	70	106	30	49.16	48.71	49.47
	69			32.50								
	70			32.53								
	80			32.45								
	47			32.44								
$\alpha$ Leporis.....	25	5	26	7.11	7.12	6.98	24	107	55	60.17	60.00	60.66
	18			7.14								
	11			7.17								
	12			7.08								
	4			7.00								
$\beta$ Ceti.....	17	0	36	3.62	3.68	3.44	19	108	48	38.05	37.83	38.77
	11			3.54								
	37			3.75								
	35			3.64								
	30			3.72								
$\beta^1$ Scorpii.....	15	15	56	43.42	43.42	43.35	12	109	23	25.96	25.00	24.93
	9			43.49								
	24			43.47								
	37			43.38								
	11			43.40								



## MEAN PLACES OF 97 PRINCIPAL FIXED STARS,

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations.	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.	No. of Observations	Observations in 1848-1852.			Mean.	Greenwich 12 yr. Catalogue, 1845.
		<i>h</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>		<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>
$\mu^1$ Sagittarii.....	19	18	4	47 85	47.77	47.62	22	111	5	33.59	32.72	33.35
	8			47.84			7			32.55		
	17			47.79			15			32.52		
	28			47.67			26			32.33		
	7			47.80			8			32.14		
$\beta$ Corvi.....	27	12	26	31.14	31.18	31.00	26	112	33	58.36	58.24	59.84
	36			31.17			29			58.20		
	36			31.19			37			58.52		
	11			31.26			3			59.01		
	17			31.17			27			57.70		
15 Argus.....	54	8	1	9.65	9.63	9.43	51	118	52	29.99	29.33	29.94
	51			9.59			56			29.28		
	21			9.69			24			29.73		
	34			9.60			32			29.26		
	34			9.65			29			28.58		
$\alpha$ Scorpii.....	18	16	20	13.18	13.16	13.09	17	116	5	38.73	37.74	38.88
	28			13.27			24			37.52		
	47			13.17			46			37.55		
	57			13.13			54			36.83		
	46			13.12			28			37.49		
$\alpha$ Canis Majoris.....	40	6	52	44.09	44.08	43.92	39	118	46	16.31	15.71	16.95
	50			44.09			57			15.83		
	37			44.10			39			15.97		
	66			44.09			50			15.66		
	55			44.03			48			14.94		
$\alpha$ Piscis Aust.....	17	22	49	21.34	21.33	21.09	16	120	24	56.21	56.07	56.76
	2			21.35			5			56.40		
	34			21.37			37			56.20		
	55			21.29			39			55.84		
	25			21.34			13			56.12		
$\alpha$ Columbæ.....	53	5	34	13.56	13.40	13.13	54	124	9	24.87	25.12	27.27
	34			13.39			37			25.51		
	35			13.38			37			25.06		
	44			13.31			35			25.22		
	23			13.30			4			24.39		
$\alpha$ Gruis.....	10	21	58	45.70	45.65	45.36*	9	137	41	4.76	4.19	3.20*
	1			45.91			5			4.65		
	1			45.78			1			3.43		
	5			45.46			5			3.03		
	—			—			1			3.48		
$\alpha$ Argus.....	20	6	20	37.65	37.55	37.48	29	142	36	56.54	55.67	55.63
	15			37.69			15			55.06		
	2			37.67			5			55.48		
	30			37.41			9			54.99		
	15			37.53			5			53.86		
$\alpha$ Pavonis.....	7	20	13	45.18	45.08	45.16	7	147	12	35.33	34.63	35.18
	2			45.35			2			35.38		
	4			44.87			1			34.27		
	11			45.05			12			33.94		
	5			45.03			7			34.96		

\* The places of this and the following Stars, are taken from the Nautical Almanac for 1850.

NAMES.	MEAN RIGHT ASCENSION, JANUARY 1ST, 1850.				MEAN NORTH POLAR DISTANCE, JANUARY 1ST, 1850.							
	No. of Observations	Observations in 1848-1852.			Mean.	Nautical Almanac.	No. of Observations.	Observations in 1848-1852.			Mean.	Nautical Almanac.
		<i>h.</i>	<i>m.</i>	<i>s.</i>	<i>s.</i>	<i>s.</i>	<i>o</i>	<i>'</i>	<i>"</i>	<i>"</i>	<i>"</i>	
$\alpha$ Eridani.....	27	1	32	7.43	7.50	7.30	28	147	59	59.92	59.92	60.17
	10			7.76			3		59.73			
	14			7.75			18		60.25			
	45			7.43			24		59.78			
	24			7.47			14		59.75			
$\epsilon$ Argus.....	44	9	13	4.84	4.79	4.51	44	148	38	49.74	49.38	48.80
	36			4.81			40		49.05			
	32			4.87			35		49.32			
	27			4.55			15		48.84			
	23			4.83			23		49.70			
$\eta$ Argus.....	40	10	39	15.55	15.51	15.22	36	148	53	48.51	48.20	47.87
	58			15.56			47		47.85			
	20			15.45			20		48.08			
	17			15.27			6		49.79			
	42			15.53			33		48.15			
$\beta$ Centauri.....	27	13	53	17.53	17.46	17.20	23	149	38	45.20	44.37	45.69
	30			17.58			32		44.34			
	10			17.43			9		44.24			
	21			17.27			17		43.78			
	15			17.39			13		43.86			
$\alpha^3$ Centauri.....	21	14	29	27.87	27.62	27.78	16	150	12	43.81	43.80	37.85
	35			27.87			29		43.61			
	24			27.58			29		43.74			
	42			27.41			29		43.15			
	20			27.39			12		45.70			
$\alpha^1$ Crucis.....	28	12	18	17.98	17.91	17.54	27	152	15	61.33	61.02	59.44
	37			18.08			29		60.98			
	36			17.90			28		59.93			
	13			17.50			6		61.74			
	25			17.82			21		61.91			
$\alpha$ Trianguli Aust.....	3	16	32	50.16	50.24	50.11	4	158	44	32.27	33.89	35.28
	8			50.32			9		34.73			
	—			—			—		—			
	2			50.05			2		33.36			
	—		—			—						

OBSERVATIONS  
OF  
**144 DOUBLE OR MULTIPLE STARS,**  
MADE AT THE  
MADRAS OBSERVATORY,  
WITH THE  
**LEREBOURS EQUATORIAL,**  
IN  
**1850—52.**

N. B.—The references in the column of Synonyms are as follow.—S refers to the Observations by Sir J. South, and H & S to those by Herschel and South, published in the Phil. Trans. for 1824 and 26; B to the Brisbane Catalogue of Southern Stars; D to Dunlop's Catalogue of 253 double Stars, Mem. Ast. Soc. Vol III, h to the various Catalogues of Observations by Sir J. Herschel published in Mem. Ast. Soc., and in his "Results of Observations at the Cape of Good Hope," Σ to the second or great Dorpat Catalogue; j to the Poona Catalogue, published in 17th Vol. Mem. Ast. Soc. In the columns of weights and magnitudes an accent signifies an additional half.



DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitude.	Date.	REMARKS.
43	$\alpha$ Piscium	<i>h. m.</i> 1 54.3	87 58	329 32	4	5	200	3.81	2'	6	200	5'—5'	1850-960	
44	<i>Continued</i>	—	—	329 22	6	6	—	3.57	3	6	—	—	— .967	
45	—	—	—	329 7	4'	5	—	3.43	3'	6	—	5'—6	1851-732	
46	—	—	—	329 20	4	5	—	3.55	3	6	—	—	— .793	
47	j 21 AB	2 7	123 0	281 23	3	5	123	6.16	2	6	123	7—10'	1851-044	A orange, B blue.
48	—	—	—	279 59	3	5	—	6.23	2	6	—	—	— .071	
49	AC	—	—	182 22	3	2	—	180.	estimated.		7—	—	1851-071	
50	S 412	19	106 3	293 8	4'	5	123	11.67	2	6	123	6—10	1851-101	
51	—	—	—	292 19	3	5	200	11.11	2	6	200	—	— .104	
52	h 3504	23	121 3	269 22	3'	5	123	6.42	2'	6	123	7'—8	1851-074	
53	—	—	—	269 5	3'	5	200	5.87	2	6	200	8'—9	— .080	
54	h 3527	37	131 9	45 48	3	5	200	1.6	estimated.		7'—7'	—	1851-033	Nearly equal.
55	—	—	—	44 13	3	5	—	1.4	estimated.		—	—	— .044	
56	$\delta$ 8	51	115 35	220 57	6	5	200	27.43	2	6	200	7'—7'	1851-033	
57	—	—	—	221 59	4'	5	—	27.97	2	4	—	7—7'	— .044	
58	$\theta$ Eridani	52	130 52	81 40	3	3	200	8.20	3'	6	200	3—4	1851-722	
59	—	—	—	81 13	4	4	—	8.16	3	6	—	—	— .724	
60	—	—	—	—	—	—	—	8.00	3'	6	—	—	— .725	
61	—	—	—	81 42	2	2	200	7.87	3'	6	—	—	— .740	} Day light.
62	—	—	—	83 22	3	3	—	8.11	3	6	—	—	— .751	
63	—	—	—	82 46	4'	5	—	8.40	3'	6	—	3'—4'	— .793	} Both yellow.
64	—	—	—	83 5	4'	5	—	8.08	2'	6	—	—	— .815	
65	12 Eridani	3 6	119 35	310 3	3	5	200	3.35	3	6	200	4'—7	1851-080	
66	—	—	—	307 1	4	5	—	3.46	2	6	—	—	— .096	
67	h 3556	7	134 59	232 56	3	5	200	2.48	1'	6	200	6—10	1851-101	A white, B reddish.
68	—	—	—	228 49	3	5	123	2.40	1'	6	123	—	— .115	
69	—	—	—	229 22	2	3	200	—	—	—	—	—	— .115	
70	S 431	29	89 54	236 25	4	5	123	6.06	2'	6	123	6'—8'	1851-041	
71	—	—	—	238 43	4	5	—	6.40	1'	6	—	6—8'	— .071	
72	h 3596	43	122 15	135 47	4	5	123	8.63	2'	6	123	8—8	1851-044	
73	—	—	—	136 29	5	5	—	8.62	3	6	—	—	— .074	
74	32 Eridani	46	93 20	347 56	4'	5	123	6.83	2'	6	123	6—7	1851-041	
75	—	—	—	347 4	4	5	200	6.69	3	6	200	—	— .080	
76	h 3622	59	126 17	112 3	3'	5	123	9.87	2	6	123	9—10	1851-115	
77	—	—	—	111 44	3	5	—	9.62	1'	6	—	—	— .124	
78	h 3632	4 9	120 28	165 22	3	5	123	10.90	2'	6	123	7'—10	1850-998	A white, B blue.
79	—	—	—	163 2	3	5	—	10.62	2	6	—	—	1851-000	
80	—	—	—	165 9	3	5	—	10.41	2'	6	—	7—10'	— .074	
81	h 3634	11	135 1	329 35	1'	5	123	10.	estimated.		10—10'	—	1851-151	
82	—	—	—	331 0	3	5	—	11.20	2	6	123	—	— .157	

43 Taken with diagonal prism.

54 Barely separated.

55 In contact.

56 Sky hazy.

58 Definition excellent.

68 B. seen plainly with 123, but, with 200, only by glimpses.

78 Rather difficult, B. being frequently obscured by light clouds.

81 The stars will not bear illumination; the observation was taken on the thick wire.

82 Tolerably distinct, the full aperture being used.

## DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0	N.P.D. 1850-0.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS.
83	h 3642	<i>h. m.</i> 4 14	124 16	160 47	4	5	200	6.06	3	6	200	6—9'	1851.083	
84	—	—	—	158 30	2'	5	—	5.86	2	6	—	—	— .101	
85	$\theta$ Tauri	20	74 22	166 2	2'	3	200	339.32*	1'	4	200	5—5'	1851.722	
86	—	—	—	— 7	2	2	—	338.23*	2	4	—	—	— .722	Day light.
87	—	—	—	— 6	4	3	—	338.78	2'	5	—	—	— .725	
88	—	—	—	— 4	3'	3	123	338.69	2	4	123	—	— .739	Day light.
89	—	21.3	147 25	231 38	4'	5	123	6.59	3	6	123	6—6'	1851.074	
90	—	—	—	231 25	4'	5	—	6.51	3	6	—	6'—7'	— .083	
91	$\epsilon$ 570	28	100 4	258 59	5	5	200	13.05	2	6	200	6'—7'	1851.101	Both white.
92	—	—	—	259 16	6	5	123	12.89	2'	6	123	6—6'	— .121	
93	—	—	—	259 12	4	5	—	13.17	2	6	—	—	— .124	
94	55 Eridani	36.4	99 5	316 28	5	5	200	9.22	4	6	200	6—6	1851.121	Both white, nearly equal.
95	—	—	—	316 6	4'	5	—	9.10	3	6	—	—	— .143	
96	B. A. C. 1673	59	125 41	315 40	3'	5	—	3.08	1'	6	200	5—9	1850.998	
97	—	—	—	315 17	3	5	—	3.22	1'	6	—	—	1851.001	
98	h 3745	5 13	124 11	166 3	3'	5	200	13.22	2	6	123	7—10'	1851.033	
99	—	—	—	168 0	2'	5	123	13.62	1	4	—	7'—11'	— .080	
100	h 3752 AB	16	114 55	107 43	3	5	200	3.11	2	6	200	6—8	1851.074	
101	—	—	—	107 29	4'	5	—	2.85	2	6	—	—	— .083	
102	— AC	—	—	106 0	2	2	—	60. estimated.				6—9	1851.074	
103	—	—	—	105 58	2	2	—	59.31	1	2	200	—	— .083	
104	h 3760	21	125 30	221 51	3	5	200	7.50	2'	6	200	8—8'	1851.102	
105	—	—	—	220 6	3	5	—	7.50	2	6	—	8'—9'	— .143	Hazy.
106	$\lambda$ Orionis	27	80 10	42 26	4	5	200	4.80	2	6	200	4'—7'	1851.042	
107	—	—	—	42 34	3	5	—	4.56	2'	6	—	—	— .104	
108	h 3777	30.8	145 1	349 10	3	5	123	50.56	2	6	123	6'—12'	1851.162	
109	—	—	—	349 59	3	5	—	50.43	2	6	—	—	— .170	
110	<i>mp.</i> $\sigma$ Orionis	31	92 40	267 18	5	5	200	8.59	2	6	200	8—8	1851.170	
111	—	—	—	268 10	4	5	123	8.02	2	6	123	—	— .173	
112	$\zeta$ Orionis	33	92 2	152 4	4'	5	200	2.90	2	6	200	2—7	1851.178	
113	—	—	—	152 14	3'	5	—	2.33	2	6	—	—	— .187	
114	h 3789	35.5	140 14	1 39	4	5	123	9.11	3'	6	123	7'—8	1851.034	
115	—	—	—	359 42	3	5	200	8.74	3	6	200	8—9	— .083	
116	S 497	38	94 19	89 7	3'	5	200	7.23	2'	6	200	6'—9'	1851.195	A yellow, B blue.
117	—	—	—	87 2	3	5	—	6.96	2	6	—	—	— .197	
118	S 499	40	83 36	199 33	3	5	200	1.5 estimated.				6'—6'	1851.039	Both orange.
119	—	—	—	202 18	4	5	—	1.78	1	4	200	—	— .042	
120	S 504	52	110 10	255 0	3	5	200	3.48	1'	6	200	9'—9'	1851.156	
121	—	—	—	253 11	3'	5	—	3.67	2	6	—	9—9	— .186	
122	—	—	—	252 56	3	5	—	—	—	—	—	—	— .192	

85 \*Observed diff. decn. 329"24.

86 \*Observed diff. decn. 328"18.

99 B. seen by glimpses.

108 Taken with full aperture; will scarcely bear illumination.

110 This is the pair marked D.E. in Smith's Cycle.

112 Taken with triangular aperture.

113 do. do.

118 Barely divided, nearly equal.

120 Taken with full aperture; blazy.

121 Triangular aperture.

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N P. D. 1850-0.	Position Angle.	Weight.	No of Observations.	Magnifying Power	Distance.	Weight	No. of Observations.	Magnifying Power	Magnitudes	Date.	REMARKS
123	h 3823	<i>h. m.</i> 5 55	121 4	130 26	3	5	200	4.13	2	6	200	8'—8'	1851.102	Both yellow.
124	—	—	—	130 38	3	5	—	3.82	1'	4	—	8—8	— .151	
125	∠ 23	6 1	138 28	352 5	3	5	200	2.51	1'	6	200	7—7'	1851.080	
126	—	—	—	354 4	3	5	—	2.48	2	6	—	—	— .102	
127	j 60	14	119 33	207 51	4'	5	200	13.07	2	6	200	7'—10	1851.167	
128	—	—	—	207 27	4'	5	—	13.23	2'	6	—	—	— .187	
129	— AB	20	124 59	47 50	3'	3	200	127.84	1'	4	200	6'—8'	1851.121	
130	—	—	—	47 51	3'	3	—	—	—	—	—	6—8	— .157	
131	h 3858? BC	—	—	316 27	3'	5	—	3.66	2'	6	200	8'—9	— .121	
132	—	—	—	317 13	4	5	—	3.69	2	6	—	8—9	— .157	
133	h 3860	21	130 53	225 46	3	5	200	8.73	2	6	200	7'—9	1851.167	
134	—	—	—	227 27	3	5	—	8.18	2	6	—	—	— .187	
135	11 Monoc. AB	21	96 56	129 39	5'	5	200	7.32	3	6	200	5'—6'	1851.195	
136	—	—	—	130 36	5	5	—	7.35	3'	6	—	6—6'	— .197	
137	— BC	—	—	102 51	4	5	—	2.71	3	6	—	6'—7	— .195	
138	—	—	—	103 19	4	5	—	2.84	2	6	—	6'—6'	— .197	
139	B.A.C. 2168	30	108 32	262 13	6	5	200	17.73	2'	6	200	6'—8'	1851.200	
140	—	—	—	262 3	6	5	—	17.56	2'	6	—	—	— .209	
141	B.A.C. 2207	37	128 15	277 38	4	5	200	7.71	2'	6	200	6'—7'	1851.080	
142	—	—	—	276 48	4	5	—	8.24	2'	6	—	—	— .102	
143	38 Gemin.	46	76 38	166 47	4	5	123	5.99	2'	6	123	6—8'	1851.041	
144	—	—	—	169 21	4	5	200	6.01	2'	6	200	—	— .162	
145	ζ Gemin.	55	69 13	352 56	6	4	123	92.27	3'	6	123	4—7	1851.042	
146	—	—	—	352 26	5	5	—	92.73	2'	6	—	—	— .104	
147	∠ 39	7 1	148 57	76 18	3	5	123	2.69	2	6	123	6'—7	1850.294	
148	—	—	—	75 53	2	5	—	—	—	—	—	—	1851.080	
149	h 3950	13	111 46	346 21	4	5	200	4.09	3	6	200	8—8	1851.211	
150	—	—	—	346 48	5	5	—	3.99	2'	6	—	—	— .220	
151	{ B.A.C. 2422 }	13	126 28	96 35	3	2	200	240.	estimated.		—	5—5'	1851.206	
152	{ & 2425; AB }	—	—	96 44	3	2	—	239.35	1	1	200	5'—6	— .211	
153	— BC	—	—	215 19	2	2	—	117.96	$\frac{1}{2}$	1	—	5'—10	— .206	
154	—	—	—	215 32	4	3	—	117.50	$\frac{1}{2}$	1	—	6—9'	— .211	
155	— CD	—	—	212 20	2'	5	—	3.0	estimated.		—	10—11	— .206	
156	—	—	—	213 39	3	5	—	2.98	2	6	200	9'—10	— .211	
157	h 3966	20	127 1	321 51	4'	5	200	7.28	3	6	200	6'—6'	1851.080	
158	—	—	—	323 35	5	5	—	7.02	3	6	—	—	— .167	
159	Castor.	25	57 47	248 55	4'	5	95	5.03	1'	4	95	2—3	1850.280	
160	—	—	—	248 1	3	5	123	—	—	—	—	—	— .280	
161	—	—	—	248 15	5'	5	200	* 4.88	4	12	200	2—2'	— .750	
162	—	—	—	248 0	5	5	123	5.14	2	6	123	—	1851.162	

131 If this be  $\lambda$  3858, of which there can be little doubt, there would seem to be an error of 1° in Herschel's P. D.

133 Sky hazy, and the measures rather wild.

145 Observed just before occultation by the Moon.

148 Sadly blurred, no measure of distance could be taken.

} Day light.

## DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0	N. P. D. 1850-0.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS
163	Castor	<i>h. m.</i> 7 25	<i>o ' /</i> 57 47	<i>o ' /</i> 249 51	3	5	200	"					1851·703	
164	<i>Continued.</i>	—	—	247 36	8	7	—	5·07	3	6	—	—	—·703	Day light.
165	—	—	—	247 37	4	4	—	5·17	4	6	—	—	—·722	
166	—	—	—	247 48	4	4	—	4·81	3'	6	—	—	—·725	} Day light.
167	—	—	—	247 26	5'	5	—	4·94	3'	6	—	—	—·739	
168	—	—	—	248 19	5	5	—	5·05	3	6	—	—	—·786	
169	B.A.C. 2511	30	104 9	302 30	3	5	200	7·11	2	6	200	7—7	1851·220	
170	—	—	—	304 6	4	5	—	7·07	2'	6	—	—	—·228	
171	h 4009	44	121 47	310 0	3	5	200	8·50	2	6	200	9—9	1851·195	
172	—	—	—	310 17	4	5	—	8·65	1'	6	—	9—9'	—·206	
173	—	—	—	310 52	1'	3	—	8·76	2	6	—	9'—10	—·209	
174	h 4031	56	150 27	356 25	4	5	123	5 58	2	6	123	7—7'	—·160	With full aperture.
175	—	—	—	357 14	3'	5	200	5·30	2	6	200	7'—8	—·167	4 inch do.
176	Δ 63	8 5	132 11	81 21	3'	5	200	5·96	2	6	200	7—8'	1850·971	Both white.
177	—	—	—	81 41	3'	5	—	5·99	2'	6	—	—	1851·025	
178	γ Argus; AB	5	136 54	219 40	4	3	200	41·32	1'	4	200	2—5'	1851·187	
179	—	—	—	219 25	3	3	—	40·97	1	4	—	2—5	—·206	
180	—	—	—	151 15	4	3	—	61·93	2	4	—	5'—9	—·187	
181	—	—	—	151 37	2'	3	—	61·53	1	2	—	5—9	—·206	
182	—	—	—	122 20	2	3	—	34·43	1	4	—	9—11	—·187	
183	—	—	—	121 43	2	3	—	34·32	1	4	—	—	—·206	
184	h 4069	10	135 23	253 24	6	5	200	33·06	3	6	200	5'—9	1851·025	
185	—	—	—	— 14	7	5	123	33·81	2'	6	123	—	—·160	
186	—	—	—	— 41	4'	5	169	33·25	2	6	169	—	1852·391	With Dollond's Micromr.
187	B 1974; AB	14	134 34	326 5	3	5	200	5·28	2	6	200	9'—9'	1851·195	
188	—	—	—	— 30	3	5	—	5·55	2	6	—	9—9'	—·198	
189	—	—	—	143 10	1	1	—	—	—	—	—	9'—10	—·195	
190	—	—	—	— 30	1	1	—	—	—	—	—	0—0	—·198	
191	—	—	—	142 50	1	1	—	77·61	$\frac{1}{2}$	1	200	9—10	—·198	
192	h 4093	21	128 34	122 26	5	5	200	8 18	3	6	200	6—6'	1851·026	Both yellow.
193	—	—	—	123 26	4	5	123	8·02	3	6	123	6'—7	—·162	Full aperture.
194	Δ 70	24	134 14	348 40	3	5	200	4·74	2'	6	200	6'—8'	1851·195	
195	—	—	—	350 45	3'	5	—	4·54	2'	6	—	—	—·209	
196	h 4107; AB	26	128 33	332 58	4	5	200	4·31	2	6	200	6'—8	1851·026	
197	—	—	—	327 39	4'	5	—	4·66	2	6	—	6'—8'	—·162	Full aperture, blazy.
198	—	—	—	330 10	3'	5	—	4·38	2	6	—	—	—·198	Triangular aperture.
199	—	—	—	100 59	1	2	—	30·	estimated.	—	—	8—10	—·026	
200	—	—	—	101 30	3	3	—	31·65	1	2	200	8'—10	—·162	Full aperture.
201	h 4128	36	149 47	218 40	2'	4	123	1·6	estimated.	—	—	7'—8	1850·294	A orange, B greenish.
202	—	—	—	221 43	2'	5	200	—	—	—	—	7'—8'	—·336	
203	—	—	—	221 21	2	4	188	—	—	—	—	—	—·338	With Troughton's Micromr
204	B.A.C. 2986	42	148 10	293 5	3	5	200	3·69	2	6	200	7'—8	1851·187	
205	—	—	—	288 19	2'	5	—	4·38	1'	6	—	8—8'	—·209	
206	—	—	—	293 16	2'	4	169	4	estimated.	—	—	8—8	1852·394	With Dollond's Micromr

169 In a loose cluster.

174 On S edge of a large loose cluster; a bright star follows: viz. 2687 B.A.C.



Reference Number.	Synonym	A. R. 1850-0	N P D 1850-0	Position Angle.	Weight	No of Observations.	Magnifying Power	Distance.	Weight.	No. of Observations	Magnifying Power.	Magnitudes	Date.	REMARKS.
207	sf 3009 B.A.C.	<i>h. m.</i> 8 44	<i>o /</i> 129 50	<i>o /</i> 25 15	3	5	200	3.42	1'	4	200	10—10	1851.195	
208	—	—	—	26 25	3	5	—	3.75	2	6	—	—	— .198	
209	h 4172	9 0	114 45	215 6	3	5	200	6.37	2	6	200	9'—10	1851.214	
210	—	—	—	— 32	2'	5	—	6.29	2	6	—	—	— .228	
211	h 4188	7	133 0	285 20	5	5	200	2.79	2	6	200	6'—7'	1850.335	
212	—	—	—	286 3	3'	4	188	2.70	2'	6	188	—	— .338	With Troughton's Micromr.
213	h 4220	28	138 20	203 32	3	5	200	2.45	1	4	200	7'—7'	1851.209	
214	—	—	—	— 17	3	5	—	2.48	2	6	—	—	— .214	
215	B.A.C. 3365	44	154 22	128 55	2'	5	200	5.30	1'	6	200	4'—8'	1851.198	
216	—	—	—	124 2	3	5	—	4.51	1'	6	—	—	— .209	
217	—	—	—	127 11	3'	5	—	5.34	2	6	—	5—9	— .214	
218	S 607	59	108 34	143 22	3	5	200	9.78	2	6	200	9'—9'	1851.209	Full aperture.
219	—	—	—	— 51	3'	5	—	10.08	2'	6	—	—	— .214	4 in. do.
220	h 4329	10 26	142 57	37 0	2	5	200	—	—	—	—	5—10'	1850.971	
221	—	—	—	35 15	4	5	123	16.72	2'	6	123	5—10	— .983	Flying clouds.
222	—	—	—	37 11	4'	5	200	17.30	2'	6	200	5'—9	1851.026	
223	—	—	—	36 56	4'	5	123	18.25	1'	6	123	—	— .255	
224	—	—	—	37 30	5	5	200	17.55	3	6	200	—	1852.198	
225	—	—	—	38 39	3	5	—	17.14	2	6	200	—	— .234	
226	—	—	—	39 15	7'	6	—	17.87	4'	8	—	—	— .242	
227	—	—	—	38 36	8	6	—	17.56	3	6	—	—	— .247	
228	h 4330	26.7	136 15	161 27	3'	5	123	40.41	1'	4	123	7—10	1851.214	A yellow, B blue.
229	—	—	—	160 3	4	5	200	41.15	2	6	200	—	— .228	
230	Δ 89	27	144 35	29 42	4'	5	123	25.84	2	6	123	7'—8'	1851.214	
231	—	—	—	— 17	4	5	—	25.93	2	6	—	—	— .228	
232	B.A.C. 3655	33	148 25	20 22	5	6	123	15.22	2	6	123	6—8'	1851.255	A orange, B green.
233	—	—	—	— 46	3	5	—	14.74	2	6	—	6—9'	— .264	
234	h 4409	11 0	131 50	272 57	3'	5	200	2.66	2	6	200	5'—9	1851.270	A orange, B bluish.
235	—	—	—	277 54	3	5	—	2.47	2'	6	—	—	— .272	
236	—	—	—	276 29	2'	5	—	—	—	—	—	—	— .278	A yellow, B reddish.
237	h 4423	10	135 2	277 20	2'	5	288	1.7	estimated.	—	—	8—8	1850.338	With Troughton's Micromr
238	—	—	—	274 27	3	5	200	1.73	1	6	200	7'—8	— .359	
239	ξ Urs. Maj.	10	57 37	123 32	4'	5	123	3.51	3	6	123	3'—5	1850.297	
240	—	—	—	125 0	4'	5	200	3.24	3	6	200	—	— .305	
241	—	—	—	120 57	5	5	—	3.01	3	6	—	—	1852.293	
242	B 3574	18	150 48	305 20	3'	5	123	4.88	2	6	123	7—8	1851.270	A yellow, B greenish.
243	—	—	—	304 19	4	5	200	4.54	2	6	200	—	— .273	
244	B.A.C. 3907	21.4	131 51	167 24	4'	5	200	13.33	2'	6	200	6—9	1850.300	
245	—	—	—	166 57	4'	5	—	13.61	2'	6	—	—	— .305	
246	—	—	—	169 2	5	5	—	13.19	3	6	—	5'—8'	— .359	
247	j 143; AB	22	113 39	77 10	3	5	123	7.55	2	6	123	7—9'	1851.215	
248	—	—	—	76 37	3	5	—	7.37	1	4	—	—	— .255	
249	AC	—	—	114 47	1	1	123	120	estimated.	—	—	7—9	— .215	
250	B.A.C. 3921,2	24.5	118 27	212 25	4	5	200	8.67	3	6	200	6—6	1851.286	Both orange.
251	—	24.5	118 27	211 43	5'	5	200	8.58	3	6	200	5'—5'	1851.294	

216 Set the circle at 129° which was pronounced quite intolerable.

219 Stars nearly equal.

220 *A* flaring and moulding, *B* seen by glimpses, the distance could not be taken.

235 Position set to 272° and pronounced intolerable.

250 Fine star, components nearly equal.

## DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A R. 1850-0.	N P D 1850-0	Position Angle	Weight	No. of Observations	Magnifying Power	Distance.	Weight	No. of Observations	Magnifying Power.	Magnitudes	Date.	REMARKS.		
252	B.A.C. 4015	<i>h. m.</i> 11 45	<i>o /</i> 123 4	<i>o /</i> 345 19	4	5	200	"	2' 54	2'	6	200	6—8'	1850·305		
253	—	—	—	340 25	2'	4	190	1·70	2	6	190	6—8	—·313			
254	—	—	—	338 57	3'	5	200	1·94	1'	6	200	—	1852 198			
255	<i>h</i> 4495	58	122 7	315 45	4	5	200	7·02	3	6	200	7—8'	1852·234			
256	—	—	—	315 42	5	5	—	6·65	3	6	—	—	—·242			
257	B.A.C. 4095	12 2	123 53	21 17	3	5	200	3·01	2'	6	200	6—9	1850·323	A yellow, B red.		
258	—	—	—	22 13	3	5	—	3·08	3	6	—	—	—·332			
259	$\gamma$ Virginis	34	90 38	177 29	2'	4	123	2·84	2'	6	123	3'—3'	1850·297			
260	—	—	—	178 21	3'	5	—	2·95	2'	6	—	—	—·305			
261	—	—	—	177 27	3'	5	200	3·09	2	6	200	—	1851·122			
262	—	—	—	178 0	3'	5	—	3·14	2'	6	—	—	—·264			
263	—	—	—	175 0	7	5	—	3·17	4	6	—	—	1852·198			
264	—	—	—	175 43	4'	5	—	3·06	5	8	—	—	—·247			
265	—	—	—	175 53	5	5	—	3·14	4	6	—	—	—·291			
266	<i>h</i> 4556	46	117 9	80 19	3	5	200	6·06	2	6	200	7—8'	1851·272	A yellow, B blue.		
267	—	—	—	82 0	3	5	—	5·58	1	4	—	—	—·278			
268	—	—	—	83 59	4'	5	—	5·54	3	6	—	8'—9'	1852·247			
269	—	—	—	82 20	4	5	—	5·54	2	6	—	8—10	—·250			
270	<i>h</i> 4563	53	122 50	287 51	4'	5	200	6·36	2'	6	200	7—8'	1851·270			
271	—	—	—	288 25	4'	5	—	6·11	2'	6	—	—	—·272			
272	—	—	—	286 50	4	5	—	5·78	2	6	—	—	—·286			
273	B.A.C. 4379	58	139 7	99 57	4	5	200	24·85	2	6	200	5—11	1852·247			
274	—	—	—	100 13	4	5	169	25 80	$\frac{1}{2}$	2	—	6—11	—·351			
275	B.A.C. 4558	13 32	143 48	165 33	4	5	123	5·32	3	6	123	5'—6'	1851·073	Both yellow.		
276	—	—	—	163 56	3	5	—	5·67	2	6	—	—	—·075			
277	<i>h</i> 4603	34	123 16	174 5	4'	5	200	4·46	2	6	200	8—8	1851·102			
278	—	—	—	175 0	3	5	—	4·37	2'	6	—	—	—·285			
279	B.A.C. 4623	43	122 16	111 18	4	5	123	8·60	3	6	123	5—7	1851·043			
280	—	—	—	110 56	4'	5	200	8·25	2'	6	200	—	—·065			
281	B.A.C. 4629	44·6	121 12	187 17	5	5	200	15·00	2'	6	200	5'—9	1851·102			
282	—	—	—	—	—	—	200	15·22	3'	6	—	—	—·294			
283	$\Sigma$ 1837	14 16·6	101 00	315 45	3	5	270	1·3	estimated.			7'—9	1852·421			
284	} $\alpha$ Centauri	30	150 13	246 51	4	5	200	6·57	3'	8	200	1—2	1850·278			
285				247 41	4'	5	123	6·57	3	6	123	—	—	—·296		
286				— 10	4'	5	200	6·63	3	6	200	—	—	—·299		
287				— 35	4	5	200	6·44	3'	6	—	—	—	—·359		
288				— 38	3'	5	123	6·71	2'	6	123	—	—	—·471		
289				— 9	2'	5	—	6·46	2	6	—	—	—	—·496		
290				248 52	3	5	200	6·26	2'	6	200	—	—	—·499		
291				— 22	4	5	—	* 6·67	3	10	—	—	—	—·598		
292				— 29	3	5	—	* 6·22	5	12	—	—	—	—·601		
293				— 36	4	5	—	6·20	2'	6	—	—	—	—·603		
294				249 44	4	5	—	* 6·22	4	12	—	—	—	—·611		
295				— 3	4'	5	—	* 6·05	4	12	—	—	—	—·636		
296				— 19	4	5	—	5·98	2	6	—	—	—	—·655		
297				— 45	4'	5	—	* 6·02	4	12	—	—	—	—·655		

252 } Unsatisfactory.  
253 }

274 Measured with Dollond's Micrometer.  
283 Do. do.

} Day light.

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Data.	REMARKS.			
298	α Centauri <i>continued.</i>	h. m.	° ' "	249 10	6	6	200	*6.24	2'	8	200	1-2	1850.690	} Day light.			
299				250 10	3'	5	—	5.88	3	6	—	—	—		—	— .882	
300				249 27	3	5	—	5.66	2'	6	—	—	—		—	— .884	
301				250 21	6	7	123	6.09	4	12	123	—	—		—	— .889	
302				—	—	—	—	—	—	—	—	—	—		—	—	— .889
303				250 9	5	5	123	*5.94	4'	12	—	—	—		—	— .933	
304				— 30	5'	5	200	5.76	3	6	200	—	—		—	— .944	
305				—	—	—	—	—	—	—	—	—	—		—	—	— .944
306				250 36	5'	5	123	5.96	5	8	123	—	—		—	— .947	
307				— 47	3'	5	200	5.84	2'	6	200	—	—		—	— .971	
308				251 13	5	5	—	5.84	4	8	—	—	—		—	— .999	
309				250 53	6'	6	—	5.99	3	6	—	—	—		—	1851.001	
310				— 50	7	6	123	6.04	2'	6	123	—	—		—	— .004	
311				251 11	4'	5	—	5.89	2'	6	—	—	—		—	— .035	
312				— 2	3	5	—	6.08	1'	6	—	—	—		—	— .043	
313				— 14	4	5	200	*5.70	3'	12	200	—	—		—	— .056	
314				— 20	3'	5	—	5.84	2'	6	—	—	—		—	— .059	
315				250 51	3	5	—	6.24	2	6	—	—	—		—	— .102	
316				— 54	3	5	—	5.97	2'	6	—	—	—		—	— .122	
317				252 32	4	5	—	6.16	2'	6	—	—	—		—	— .136	
318				251 54	4	5	—	*5.98	4	12	—	—	—		—	— .155	
319				— 55	3'	5	—	6.07	2	6	—	—	—		—	— .174	
320				252 29	4'	5	—	5.81	2'	6	—	—	—		—	— .215	
321				251 53	5	6	—	5.91	4	8	—	—	—		—	— .234	
322				252 22	4	5	—	5.83	2'	6	—	—	—		—	— .264	
323				— 22	4	5	—	5.72	2'	6	—	—	—		—	— .286	
324				253 26	4'	5	—	5.86	3	6	—	—	—		—	— .294	
325				255 27	3'	5	123	4.94	1'	6	123	—	—		—	— .668	
326				— 48	4	5	—	5.09	2	6	—	—	—		—	— .668	
327				—	—	—	—	—	—	—	—	—	—		—	— .668	
328				256 5	6'	6	200	5.85	3	6	200	—	—		—	— .671	
329				— 16	6	6	—	5.36	3'	6	—	—	—		—	— .685	
330				— 28	5	6	—	5.26	2'	6	—	—	—		—	— .699	
331				— 32	4	5	—	4.98	1'	6	—	—	—		—	— .707	
332				— 29	4	6	—	5.33	2	6	—	—	—		—	— .709	
333	257 22	3	5	—	5.20	2	6	—	—	—	—	— .759					
334	256 57	5	6	—	5.28	2'	6	—	—	—	—	— .775					
335	257 8	3	5	—	—	—	—	—	—	—	—	— .816					
336	258 8	4	5	—	4.98	2'	6	200	—	—	—	— .884					
337	— 14	6	6	—	5.16	2'	6	—	—	—	—	— .889					
338	257 50	4'	5	—	5.10	3	6	—	—	—	—	— .892					
339	258 1	3'	5	—	5.06	3	6	—	—	—	—	— .906					
340	— 53	3	5	—	5.13	2'	6	—	—	—	—	— .909					
341	— 34	4	5	—	5.16	2'	6	—	—	—	—	— .909					
342	— 17	5'	6	—	5.12	2'	6	—	—	—	—	— .914					
343	— 38	4	4	—	5.17	2'	6	—	—	—	—	— .917					
344	— 9	4'	5	—	5.19	2'	6	—	—	—	—	— .958					
345	— 8	5	5	—	5.15	2	6	—	—	—	—	— .963					
346	— 47	6	6	—	5.13	3	6	—	—	—	—	— .969					
347	— 36	5'	6	—	5.06	3'	6	—	—	—	—	— .972					
348	259 21	4	5	123	5.08	2'	6	123	—	—	—	— .993					
349	— 49	5	5	200	—	—	—	—	—	—	—	1852.015					
350	258 41	5	5	123	4.93	2'	6	123	—	—	—	— .018					

301 During the first three measures the stars were moulding, but became gradually more steady.



DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
399	$\alpha$ Herculis	h. m. 17 8	o ' 75 26	o ' 117 39	4'	5	200	"						
400	<i>continued.</i>	—	—	118 31	5	5	—	4.46	2'	6	200	3'—7	1852.242	Day light.
401	—	—	—	119 7	5'	5	—	4.72	2'	6	—	—	— .269	Night.
402	39 Ophiuchi	9	114 7	353 12	5	5	123	4.44	3	6	—	—	— .291	Day light.
403	—	—	—	353 19	5'	5	—	9.78	2	6	123	6—8	1851.228	do.
404	h 5000	48	126 55	108 20	3	5	200	10.79	3'	6	—	—	— .231	Night.
405	—	—	—	107 52	3'	5	—	6.	estimated.			8—11	1850.756	
406	$\tau$ Ophiuchi	55	98 10	234 53	3'	5	200	6.92	1'	6	200	8—10'	1851.231	
407	—	—	—	236 15	2	5	—	1.	estimated.			5—6	1850.642	
408	—	—	—	230 36	5'	6	—					—	— .740	
409	—	—	—	237 51	3	5	—					—	— .833	Day light.
410	70 Ophiuchi	58	87 27	115 30	6	5	176					—	— .836	
411	—	—	—	114 54	6'	5	200	7.13	3'	6	176	6—6'	1850.311	With Troughton's Micromr.
412	h 5041	18 12	143 43	265 14	2	5	200	*6.66	4'	12	200	—	— .636	
413	—	—	—	263 48	1	3	—	2.0	estimated.			7'—10	1850.768	
414	BAC 6247	16	110 37	297 44	3	5	200					—	— .786	
415	—	—	—	— 33	3	5	—	2.04	1'	6	200	6—9	1850.643	
416	59 Serpentis	20	89 54	315 12	4	5	200	2.06	1	4	—	6—9'	— .786	
417	—	—	—	313 13	4'	5	—	3.66	2'	6	200	6'—8'	1851.812	
418	—	—	—	314 11	4'	5	—	4.16	2'	6	—	—	1852.266	
419	—	—	—	315 16	4'	5	—	3.57	2'	6	—	—	— .269	
420	h 5055	30	143 1	80 9	2	4	200	3.77	3'	6	—	—	— .290	
421	—	—	—	79 2	2'	5	—	8.0	estimated.			9—9'	1850.757	
422	B 6556	51	127 16	281 52	6	5	200	6.48	1	4	200	—	— .759	
423	—	—	—	283 9	5	5	—	*13.31	4	10	200	7'—8	1850.604	
424	$\gamma$ Cor. Aust.	56	127 16	6 0	4'	5	176	12.77	4	6	—	—	— .643	
425	—	—	—	5 18	3	5	200	2.55	2	6	196	5'—5'	1850.313	Both yellow.
426	—	—	—	6 17	3	5	—	2.18	2	6	200	—	— .322	
427	—	—	—	5 52	4	5	—	*2.88	4'	12	—	—	— .601	
428	—	—	—	3 49	3	5	—	*2.14	4'	12	—	—	— .604	
429	—	—	—	4 45	3	5	—	*2.04	2'	12	—	—	1851.155	
430	—	—	—	6 28	3	5	—	2.21	2	6	—	—	— .174	
431	—	—	—	4 40	3	5	—	2.69	2	6	—	—	— .668	
432	—	—	—	4 10	4	5	—	2.56	1	4	—	—	— .671	
433	—	—	—	3 14	3'	5	—	2.38	1'	4	—	—	— .685	
434	—	—	—	3 37	4	5	—	2.10	2	6	—	—	— .792	
435	—	—	—	4 2	4'	5	—	1.83	2	6	—	—	1852.242	Twilight.
436	—	—	—	2 43	4'	5	340	2.00	2	6	—	—	— .261	do.
437	$\beta$ Sagittarii	19 11	134 44	78 15	6	5	123	1.85	2'	6	340	—	— .304	do.
438	—	—	—	— 2	7	5	200	28.14	2'	6	123	3'—7	1850.653	
439	h 5117	17	134 11	266 10	3	5	200	28.21	2'	6	200	—	— .672	
440	—	—	—	264 23	3	5	—	8.0	estimated.			7'—9'	1850.760	
								6.31	1	4	200	—	1851.680	

406 A wedge.  
 407 Notched.  
 408 Well notched.  
 409 Do.  
 411 Definition superb.

413 Indistinct.  
 424 Taken with Troughton's Micrometer.  
 437 Sky hazy. Definition good.  
 438 Do. do.

\* Distance measured by repetition.

## DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS
		<i>h. m.</i>	<i>o ' /</i>	<i>o ' /</i>				<i>"</i>						
441	h 5117	19 17	134 11	264 26	3'	5	123	6.17	2	6	123	7'—9'	1851.825	
442	<i>continued.</i>	—	—	265 5	3'	5	—	6.48	2	6	—	7'—9	— .831	
443	j 217	20 23	131 6	227 2	4'	5	200	4.21	3'	6	200	8'—9'	1850.570	
444	—	—	—	226 47	3	5	—	4.03	2	6	—	—	— .671	
445	—	—	—	225 49	3	5	—	4.35	3'	6	—	—	— .754	
446	BAC 7207	41	124 20	168 3	4	5	200	20.35	2	6	200	5'—11	1850.671	
447	—	—	—	167 50	4'	6	—	20.77	3	6	—	5'—10'	— .754	
448	12 Aquarii	56	96 25	191 6	4'	5	200	2.93	3	6	200	6—8'	1851.814	
449	—	—	—	— 8	3	5	—	2.86	2'	6	—	—	1852.000	
450	—	—	—	193 6	4'	5	270	2.68	2'	6	270	—	— .400	
451	—	—	—	192 28	4'	5	—	2.70	3	6	—	—	— .417	} Dollond's Micromr.
452	—	—	—	189 8	4'	5	—	2.64	3'	6	—	—	— .419	
453	61 Cygni	21 0	51 59	102 48	8	6	200	* 17.53	5	12	200	5'—6	1850.617	Both ochre yellow.
454	—	—	—	103 10	7	5	—	17.34	5	12	—	—	— .637	
455	—	—	—	102 42	6	5	—	17.54	3'	6	—	—	1851.732	
456	—	—	—	103 20	5'	5	—	17.50	3'	6	—	—	— .738	
457	—	—	—	— 28	5	5	—	17.32	3	6	—	—	— .786	
458	—	—	—	— 47	8	5	—	17.54	3'	6	—	—	— .807	
459	θ Indi	9	144 4	301 6	3	5	200	3.54	2'	6	200	5'—9'	1850.637	
460	—	—	—	300 2	4	5	—	3.52	2'	6	—	—	— .653	
461	—	—	—	296 52	4	5	—	3.52	3	6	—	—	1851.792	
462	—	—	—	298 33	3'	5	—	3.75	2'	6	—	—	— .814	
463	—	—	—	297 79	5	5	270	3.72	3'	6	270	—	1852.419	Dollond's Micromr.
464	β Cephei	26	20 6	250 33	6	5	200	13.79	2'	6	200	3—9	1851.814	
465	—	—	—	— 24	4'	5	—	13.72	2'	6	—	—	— .820	
466	BAC 7578	38	137 59	9 21	6'	5	123	32.61	3'	6	123	6—9'	1850.653	
467	—	—	—	9 35	6	5	—	31.76	3	6	—	—	— .748	
468	h 5319	22 3	129 2	294 47	4	5	200	2.18	2	6	200	8—8	1851.820	Both orange.
469	—	—	—	297 46	4'	5	—	2.39	2'	6	—	—	— .921	
470	ζ Aquarii	21	90 49	347 28	4'	5	200	3.60	5	6	200	4'—4'	1851.732	
471	—	—	—	346 35	4'	5	—	3.58	3	6	—	—	— .738	
472	β Pis. Aust.	23	123 6	171 45	7	5	200	30.05	4'	6	200	4'—8'	1850.836	A yellow, B bluish.
473	—	—	—	172 24	7	6	—	30.20	4	6	—	—	— .882	
474	γ Pis. Aust.	43	123 39	275 33	5	5	200	4.20	3	6	200	4'—9	1850.836	
475	—	—	—	274 54	3	5	—	4.16	2'	6	—	—	— .882	
476	θ Gruis AB	58	134 21	8 52	3'	5	200	2.93	3	6	200	4—9	1851.792	
477	—	—	—	10 16	3	5	—	3.00	3	6	—	—	— .812	
478	—	—	—	11 30	3	5	—	3.12	2	6	—	—	— .815	
479	—	—	—	11 48	3'	5	—	2.54	2	6	—	—	— .975	
480	—	—	—	292 47	4'	3	200	159.48	1	1	200	4—8'	1851.812	
481	—	—	—	293 0	4'	3	—	160.56	1	2	—	—	— .815	
482	—	—	—	292 39	3'	3	—	—	—	—	—	—	— .975	
483	S 824	23 3	102 44	101 19	3'	5	200	3.45	2	6	200	7'—7'	1851.820	Both yellow.
484	—	—	—	101 12	4	5	—	3.73	2	6	—	—	— .902	

441 Measured with full aperture.

447 Rather difficult from the faintness of B which does not bear a full illumination.

468 Position 114° ? Stars nearly equal.

470 Definition superb.

483 Nearly equal.

\* Distance measured by repetition

DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

Reference Number.	Synonym.	A. R. 1850-0.	N. P. D. 1850-0.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
485	h 5392	h. m. 23 10	o ' 149 7	o ' 0 39	3	5	200	" 10.00	1'	6	200	8'—11	1850.825	A yellow, B blue.
486	—	—	—	1 48	2'	5	—	—	—	—	—	—	— .882	
487	94 Aquarii	10	104 18	345 39	4	5	200	13.72	3	6	200	6—8'	1851.812	Both yellow.
488	—	—	—	347 16	4	5	—	13.76	3	6	—	—	— .815	
489	—	—	—	345 20	6	5	—	13.92	3	6	—	—	— .885	
490	—	—	—	345 26	6	5	—	13.89	3	6	—	—	— .899	
491	—	—	—	345 35	5'	5	169	13.69	3	6	169	6—8	1852.398	} Dollond's Micrometer.
492	—	—	—	— 50	4'	5	—	13.84	2'	6	—	—	— .417	
493	—	—	—	— 10	6	5	270	14.10	2'	6	270	—	— .419	
494	—	—	—	344 38	5	5	—	13.92	2'	6	—	—	— .425	
495	θ Phœnicis	31	137 25	269 10	5	5	200	4.19	3	6	200	6'—7'	1851.792	
496	—	—	—	269 31	3	5	—	3.97	2	6	—	—	— .809	
497	—	—	—	269 55	3'	5	—	4.02	2	6	—	—	— .811	
498	B 7342	47	117 53	269 15	4'	5	200	6.73	2	6	200	7—7'	1851.820	— .921
499	—	—	—	269 0	5'	5	—	6.61	3	6	—	—		
500	h 5440	55	117 58	286 32	3'	5	200	3.60	2	6	200	8'—9	1851.820	— .921
501	—	—	—	287 28	3'	5	—	3.56	2	6	—	—		

485 Colour of B very conspicuous for so faint a star.

486 Difficult, measured on the thick wire.

MEAN RESULTS

OF THE FOREGOING MEASURES

OF

**144 DOUBLE OR MULTIPLE STARS,**

WITH THE

**LEREBOURS EQUATORIAL.**



## MEAN RESULTS OF THE MEASURES OF 144 DOUBLE STARS.

Reference Number.	Synonym.	A. R.	N P. D.	Position Angle.	Weight.	No. of Observations.	Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
*245	h 1957	h. m.	° ' "	° ' "			yr.	"				
246	$\beta$ Tucani	0 14	113 50	20 56	6	10	0.977					
247	h 3375	25	153 47	171 15	8	10	0.958	6.13	4	12	yr.	7.5 — 9.5
248	$\gamma$ Cassiopeæ	26	125 48	165 30	10'	10	0.954	27.32	4'	12	0.958	5 — 5.5
249	h 2004	40	32 59	105 33	30	26	0.876	6.19	6	12	0.954	7 — 9
250	S 390	50	109 49	106 24	15	15	1.886	8.16	16	36	0.888	4 — 9
251	S 391	51	106 28	289 31	4'	10	0.988	8.04	10	18	1.891	—
252	S 392	52	90 0	34 58	9	10	0.980	3.20	2'	12	0.990	6.5 — 10.5
253	h 3416	57	96 16	305 55	8'	10	1.781	6.37	5'	12	0.982	7.5 — 7.5
254	$\zeta$ Phœnicis	57	150 54	166 48	7	10	1.118	18.88	4	12	1.778	8 — 10
255	S 396	1 2	146 4	129 7	6'	10	0.976	11.83	4'	12	1.113	8.5 — 9
256	h 2036	6	98 25	242 15	6	10	1.001	4.735	4	12	0.977	8 — 8
257	h 3447	12	106 36	339 20	6	10	1.015	6.89	5	12	1.001	5.5 — 9.5
258	$\rho$ Eridani	29	120 43	40 45	7	10	1.901	21.01	3	12	1.015	7 — 10.5
259	h 3475	34	146 57	82 31	6'	10	1.029	1.89	3'	12	1.911	7 — 7.5
260	H. & S. 247	51	151 4	268 44	14	20	0.797	2.62	4	12	1.029	5.5 — 7.5
261	$\alpha$ Piscium	53	113 40	266 23	4'	5	1.792	4.32	11'	24	0.790	6.5 — 6.5
262	{ J 21 AB AC }	54	87 58	43 30	4'	7	1.029	4.80	3	6	1.792	—
263	S 412	19	106 3	124 14	10	11	1.052	2.5	estimated.			7 — 7.5
264	h 3504	23	121 3	329 26	14	16	0.962	7.81	5'	12	1.053	7 — 7
265	h 3527	37	131 9	329 13	8'	10	1.761	3.66	8	18	0.962	5.5 — 5.7
266	$\delta$ 8	51	115 35	280 41	6	10	1.058	3.49	6'	12	1.760	—
267	$\theta$ Eridani	52	130 52	182 22	3	2	1.071	6.19	4	12	1.058	7 — 10.5
268	12 Eridani	3	119 35	292 48	7'	10	1.103	180.	estimated.			7 — 7
269	h 3556	7	134 59	269 14	7	10	1.077	11.39	4	12	1.103	6 — 10
				45 0	6	10	1.089	6.18	4'	12	1.077	8 — 9
				221 24	10'	10	1.038	1.5	estimated.			7.5 — 7.5
				82 22	21	22	1.763	27.70	4	10	1.038	7.3 — 7.5
				308 19	7	10	1.089	8.11	22'	42	1.750	3.5 — 4.2
				230 30	8	13	1.110	$\alpha$ 7.99	10	18	1.736	
								$\beta$ 8.22	12'	24	1.761	
								8.39	5	12	1.086	4.5 — 7
								2.44	3	12	1.115	6 — 10.5

251 The angle is progressing steadily at the rate of  $0.36$  per annum, distance constant

252 The retrograde motion is confirmed and the distance continues to decrease.

254 Perhaps a small retrogression in position.

255 Little or no change, distance perhaps increased.

257 This star presents some anomalies; my observations show no change in 5 years, while they differ from Herschell's by  $7^\circ$ .

258 Position retrograding about  $2^\circ$  per annum, distance steady.

259 Position seems to have advanced.

261 The angle is decidedly though slowly receding, and the distance decreasing; the orbit (apparent) must be highly elongated.

263 Unchanged

267  $\alpha$ , daylight observations;  $\delta$ , night do.

269 The stars would seem to have opened a little since Herschell's Cape Observations, but the angle can have changed little if any thing.

\* The Numbers are carried on from the Poona Catalogue published in 17th Volume of Memoirs of Royal Astronomical Society.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No of Observations.	Epoch		Distance.	Weight.	No. of Observations.	Epoch		Magnitudes.
		h.	m.	°	'				°	'				1850.	+	
270	S 431	3	29	89	54	237	34	8	10	1.056	6.19	4	12	1.052	6.3 — 8.5	
271	h 3596	43		122	15	136	10	9	10	1.061	8.62	5'	12	1.060	8 — 8	
272	32 Eridani	46		93	20	347	32	8'	10	1.059	6.75	5'	12	1.062	6 — 7	
273	h 3622	59		126	17	111	54	6'	10	1.119	9.76	3'	12	1.119	9 — 10	
274	h 3632	4	9	120	28	164	31	9	15	1.024	10.645	7	18	1.026	7 — 10.5	
275	h 3634	11		135	1	330	32	4'	10	1.155	11.20	2	6	1.157	10 — 10.5	
276	h 3642	14		124	16	159	54	6'	10	1.090	5.98	5	12	1.090	6 — 9.5	
277	$\theta$ Tauri	20		74	22	166	5	12	11	1.728	338.72	8	17	1.727	5 — 5.5	
278	BAC 1387	21		147	25	231	31	9	10	1.079	6.55	6	12	1.078	6.2 — 6.7	
279	$\Sigma$ 570	28		100	4	259	9	15	15	1.115	13.025	6'	18	1.116	6.2 — 6.7	
280	55 Eridani	36		99	5	316	18	9'	10	1.131	9.17	7	12	1.130	6 — 6	
281	BAC 1573	59		125	41	315	29	6'	10	0.999	3.15	3	12	0.999	5 — 9	
282	h 3745	5	13	124	11	166	52	6	10	1.053	13.35	3	10	1.049	7.2 — 10.7	
283	{ h 3752 AB AC }	16		114	55	107	35	7'	10	1.079	2.98	4	12	1.079	6 — 8	
						105	59	4	4	1.079	59.31	1	1	1.083	6 — 9	
284	h 3760	21		125	30	220	59	6	10	1.122	7.50	4'	12	1.122	8.2 — 8.7	
285	$\lambda$ Orionis	27		80	10	42	30	7	10	1.069	4.67	4'	10	1.076	4.5 — 7	
286	h 3777	31		145	1	349	35	6	10	1.166	50.50	4	12	1.166	6.5 — 12	
287	$\eta$ p 6 Orionis	31		92	40	267	41	9	10	1.171	8.30	4	12	1.172	8 — 8	
288	$\zeta$ Orionis	32		92	2	152	9	8	10	1.182	2.64	4	12	1.182	2 — 7	
289	h 3789	35.5		140	14	0	49	7	10	1.055	8.94	6'	12	1.057	7.7 — 8.5	
290	S 497	38		94	19	88	9	6'	10	1.196	7.11	4'	12	1.196	6.5 — 9.5	
291	52 Orionis	40		83	36	201	9	7	10	1.041	1.78	1	4	1.042	6.5 — 6.5	
292	S 504	52		110	10	253	41	9'	15	1.178	3.59	3'	12	1.173	9.2 — 9.2	
293	h 3823	55		121	4	130	32	6	10	1.126	4.00	3'	10	1.123	8.2 — 8.2	
294	BAC 1972 $\Delta$ 23	6	1	138	28	353	4	6	10	1.091	2.49	3'	12	1.093	7 — 7.5	
295	j 60	14		119	33	207	39	9	10	1.177	13.16	4'	12	1.178	7.5 — 10	
296	{ j 63 AB BC }	20		124	59	47	51	7	6	1.139	127.84	1'	4	1.121	6.2 — 8.2	
						316	52	7'	10	1.138	3.67	4'	12	1.137	8.2 — 9	

270 The position appears to have advanced about 0.5 per annum and the distance to have slightly increased.  
 271 Position unchanged; distance perhaps decreased.  
 272 No apparent change.  
 273 Do.  
 274 Perhaps a small advance.  
 275 Distance perhaps decreased.  
 279 Little or no change.  
 281 Position advancing nearly 0.8 per annum.  
 282 The distance seems to have increased.

283 Perhaps a small change in position.  
 284 Unchanged.  
 292 Position and distance seem both to have decreased.  
 293 Little or no change; distance perhaps decreased.  
 294 An evident advance of nearly 0.7 per annum, though the differences are not so regular as might be desired, diff. from Dunlop + 24, from Herschell + 10.  
 296 In the Poona Memoir (Ast. Soc. Vol. XVII.) the distance of AB is given at 95.80, but if an error of 1 rev. of the micrometer be admitted it will be 127.16.

## MEAN RESULTS OF THE MEASURES OF 144 DOUBLE STARS.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.		Weight.	No. of Observations.	Epoch		Distance.	Weight	No. of Observations.	Epoch		Magnitudes.
		<i>h.</i>	<i>m.</i>	<i>o</i>	<i>'</i>	<i>o</i>	<i>'</i>			1850.	+				1850.	+	
297	h 3860	6	21	130	53	226	36	6	10	yr.	1·177	8·46	4	12	yr.	1·177	7·5 — 9
298	{ 11 Monoc. AB } BC	21		96	56	{ 130 6 103 5		10' 8	10 10	1·196 1·196	7·34 2·76	6' 5	12 12	1·196 1·196	5·7 — 6·5 6·5 — 6·7		
299	$\nu$ Can. Maj.	30		108	32	262	8	12	10	1·204	17·64	5	12	1·205	6·5 — 8·5		
300	BAC 2207	37		128	15	277	13	8	10	1·091	7·97	5	12	1·091	6·5 — 7·5		
301	38 Gemin.	46		76	38	168	4	8	10	1·102	6·00	5	12	1·102	6·2 — 8·7		
302	$\zeta$ Gemin.	55		69	13	352	43	11	9	1·070	92·46	6	12	1·068	4 — 7		
303	BAC 2326	7	1	148	57	76	8	5	10	0·608	2·69	2	6	0·294	6·5 — 7		
304	h 3950	13		111	46	346	36	9	10	1·216	4·04	5'	12	1·215	8 — 8		
305	{ BAC <sup>2422</sup> AB } <sup>2425</sup> BC } CD	13		126	28	{ 96 40 215 27 213 3		6 5 5'	4 5 10	1·209 1·209 1·209	239·35 117·73 2·98	1 1 2	1 2 6	1·211 1·209 1·211	5·2 — 5·7 5·7 — 9·7 9·7 — 10·5		
306	h 3966	20		127	1	322	46	9'	11	1·126	7·15	6	12	1·124	6·5 — 6·5		
307	Castor	25		57	47	{ 248 18 247 57		18 29'	20 30	0·668 1·733	{ 4·98 5·05 4·96 5·23	7' 20 18 7	22 36 24 12	0·909 1·730 1·738 1·724	2 — 2·5 2 — 2·5		
308	BAC 2511	30		104	9	303	27	7	10	1·225	7·09	4'	12	1·224	7 — 7		
309	h 4009	44		121	47	310	17	8'	13	1·203	8·67	5'	18	1·203	9·2 — 9·5		
310	h 4031	56		150	27	356	48	7'	10	1·163	5·44	4	12	1·163	7·2 — 7·7		
311	$\Delta$ 68	8	5	132	11	81	31	7	10	0·998	5·98	4'	12	1·001	7 — 8·5		
312	{ $\gamma$ Argus AB } AC } CD	5		136	54	{ 219 34 151 24 122 1		7 6' 4	6 6 6	1·195 1·194 1·196	41·18 61·80 34·38	2' 3 2	8 6 8	1·195 1·193 1·196	2 — 5·2 5·2 — 9 9 — 11		
313	h 4069	10		135	23	253	25	17'	15	1·428	33·36	7'	18	1·434	5·5 — 9·5		
314	{ B. 1974 AB } BC } AC	14		134	34	{ 326 18 143 20 142 50		6 2 1	10 2 1	1·196 1·196 1·198	5·42 — 77·61	4 — $\frac{1}{2}$	12 — 1	1·197 — 1·198	9·2 — 9·5 9·5 — 10 9·2 — 10		
315	h 4093	21		128	34	122	53	9	10	1·086	8·10	6	12	1·094	6·2 — 6·7		
316	$\Delta$ 70	24		134	14	349	47	6'	10	1·202	4·64	5	12	1·202	6·5 — 8·5		
317	{ h 4107 AB } AC	26		128	33	{ 330 9 101 22		12 4	15 5	1·127 1·128	4·45 31·65	6 1	18 2	1·129 1·162	6·5 — 8·2 8·2 — 10		
318	h 4128	36		149	47	220	31	7	13	0·322	1·6	estimated.				7·5 — 8·2	
319	BAC 2986 (j 111)	42		148	10	291	38	8	14	1·567	3·99	3'	12	1·196	7·8 — 8·2		
320	j 113	44		129	50	25	48	6	10	1·196	3·61	3'	10	1·196	10 — 10		

303 The supposed advance is not confirmed.

307 *a* daylight observations ; *b* night do.

310 Perhaps a small change.

314 There is a 4th Star of 12th mag. position 350, distance 80 from B, as estimated from diagram.

318 The stars seem to have closed a little since Herschell's Cape Observations.

320 Little or no change in five years.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight	No. of Observations.	Epoch	Distance.	Weight.	No. of Observations.	Epoch	Magnitudes.
		h.	m.	°	'				1850.				1850.	
321	h 4172	9	0	114	45	215 18	5'	10	yr. 1·220	6·33	4	12	yr. 1·221	9·5—10
322	h 4188		7	113	0	285 38	8'	9	0·336	2·74	4'	12	0·337	6·5—7·5
323	h 4220		28	138	20	203 24	6	10	1·212	2·47	3	10	1·212	7—7·5
324	BAC 3365		44	154	22	126 37	9	15	1·208	5·08	5	18	1·208	5—9
325	S 607		59	108	34	143 37	6'	10	1·212	9·95	4'	12	1·212	9·5—9·5
326	h 4329	10	26	142	57	{ 36 32 38 35	15 23	20 22	1·071 2·234	17·30 17·60	6' 12'	18 26	1·062 2·235	5·2—10' —
327	h 4330		26·7	136	15	160 42	7'	10	1·221	40·83	3'	10	1·222	7—10
328	∟ 89		27	144	35	29 30	8'	10	1·221	25·89	4	12	1·221	7·5—8·5
329	BAC 3655		33	148	25	20 31	8	11	1·258	14·98	4	12	1·259	6—9
330	h 4409	11	0	131	50	275 42	9	15	1·273	2·55	4'	12	1·271	5·5—9
331	h 4423		10	135	2	275 46	5'	10	0·349	1·73	1	6	0·359	7·7—8·2
332	ξ Urs. Maj.		10	57	37	{ 124 15 120 57	9 5	10 5	0·301 2·293	3·37 3·01	6 3	12 6	0·301 2·293	3·5—5 —
333	B 3574		18	150	48	304 48	7'	10	1·271	4·71	4	12	1·271	7—8
334	BAC 3907		21·4	131	51	167 50	14	15	0·322	13·36	8	18	0·324	5·7—8·7
335	{ j 143 AB AC }		22	113	39	{ 76 54 114 47	6 1	10 1	1·235 1·215	7·49 120·	3 estimated.	10	1·228	7—9·5 7—9
336	BAC 3921,2		24·5	118	27	212 1	9'	10	1·291	8·62	6	12	1·290	5·7—5·7
337	BAC 4015		45	123	4	341 42	10	14	0·970	2·07	5'	18	0·824	6—8·2
338	h 4495		58	122	7	315 43	9	10	2·238	6·84	6	12	2·238	7—8·5
339	BAC 4095		12·2	123	53	21 45	6	10	0·328	3·05	5'	12	0·328	6—9
340	γ Virginis		34	90	38	{ 178 0 177 43 175 28	6 7 16	9 10 15	0·302 1·193 2·239	2·90 3·12 3·12	5 4' 13	12 12 20	0·301 1·201 2·245	3·5—3·5 — —
341	h 4556	12	46	117	9	{ 81 9 83 12	6 8'	10 10	1·275 2·248	5·90 5·54	3 5	10 12	1·274 2·248	7—8·5 8·2—9·7
342	h 4563		53	122	50	237 44	13	15	1·276	6·105	7	18	1·275	7—8·5
343	BAC 4379		58	139	7	100 5	8	10	2·299	25·04	2'	8	2·268	5·5—11
344	BAC 4558		13 32	143	48	164 51	7	10	1·074	5·46	5	12	1·074	5·5—6·5

321 On the whole there appears to be no change, though the differences are large, for so easy a star.

322 Unchanged.

323 Probably no change, though the distance may have decreased a little.

324 Unchanged

326 This pair has advanced in position more than 20° since 1837, with very little change of distance; but the change is probably due to the proper motion of A.

330 These stars seem to be opening, but the angle is little altered.

331 The angle has advanced and the distance increased.

333 The angle has advanced and the distance decreased.

334 Remarkably coincident with the observations in 1847.

337 The observations present considerable anomalies for so easy a star, but on the whole, it appears to have undergone little or no change; the magnitude of B is probably underrated, though it would seem to be somewhat variable.

341 Perhaps a small advance in position, and the distance apparently decreased.

342 }  
343 } Little or no change.  
344 }

## MEAN RESULTS OF THE MEASURES OF 144 DOUBLE STARS.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations.	Epoch		Distance.	Weight.	No of Observations	Epoch		Magnitudes.
		h. m.	° ' "	° ' "	1850. +				yr.	1850. +				yr.		
345	h 4608	13 34	123 16	174 27	7'	10	1.175	4.41	4'	12	1.204	8 — 8				
346	BAC 4623	43	122 16	111 7	8'	10	1.054	8.44	5'	12	1.053	5 — 7				
347	BAC 4629	44.6	121 12	186 45	10	10	1.198	15.13	6	12	1.214	5.5 — 9				
348	F 1837	14 16.6	101 0	313 45	3	5	2.421	1.3	estimated.			7.5 — 9				
349	α Centauri	30	150 13	247 31	26	35	0.370	6.524	20	44	0.372	1 — 2				
				249 6	34	41	0.636	6.200	27	78	0.636	—				
				250 16	28'	32	0.917	5.884	33	64	0.922	—				
				251 3	37'	42	1.018	5.880	22	56	1.020	—				
				252 8	39'	51	1.205	5.937	27'	68	1.202	—				
				256 23	41	50	1.702	5.270	23'	66	1.700	—				
				258 12	37'	46	1.895	5.108	21	48	1.899	—				
				258 51	39'	42	1.988	5.078	19	42	1.988	—				
				261 4	30	35	2.232	5.030	19	42	2.266	—				
				261 53	27'	32	2.381	4.944	19	36	2.382	—				
264 7	17'	20	2.535	5.000	12'	24	2.535	—								
350	h 4715	45	137 15	281 4	6	10	0.838	2.41	4	12	0.838	7.5 — 8				
351	ω Lupi	55	136 28	288 38	4'	8	1.278	1.2	estimated.			5.5 — 5.5				
352	{ μ Lupi AB AC }	15 8	137 19	350 5	12	20	1.486	1.5	estimated.			5 — 5.5				
				128 30	9	10	1.177	22.65	1	2	2.201	5 — 7				
353	h 4788	25.6	134 27	353 30	10'	15	1.955	2.62	6'	18	1.931	6 — 8				
354	ν Scorpii BC	16 3	109 4	41 3	10	15	0.626	2.13	5	16	0.638	7 — 8				
355	h 4850	15	119 20	347 49	8'	10	1.497	7.09	5'	10	1.386	6.5 — 7				
356	Δ 213	59	136 32	166 47	5'	9	1.433	7.72	2	6	1.792	8 — 10.5				
357	36 Ophiuchi	17 6	116 22	214 56	11	11	0.623	4.49	7	18	0.619	5.5 — 6				
358	α Herculis	8	75 26	117 44	16	20	1.753	a 4.570	8'	18	1.758	3.5 — 5.5				
				118 26	27	25	2.252	b 4.806	5	12	1.724	—				
359	39 Ophiuchi	9	114 7	353 16	10	10	1.230	10.43	5'	12	1.230	6 — 8				
360	h 5000	48	126 55	108 5	6'	10	1.011	6.92	1'	6	1.231	8 — 10.7				
361	τ Ophiuchi	55	98 10	234 0	13'	21	0.777	1.0	estimated.			5 — 6				
362	70 „	58	87 27	115 11	12'	10	0.483	6.86	8	18	0.494	6 — 6.5				
363	h 5041	18 12	143 43	264 45	3	8	1.107	2.0	estimated.			7.5 — 10				

345 }  
346 } Little or no change.  
347 }

349 The advance in position continues with accelerated speed, but the rate of approach in distance appears to be slackening, so that the stars will probably come to a minimum (but not the minimum) of distance in the course of another year or two, the true periastron will not be arrived at before 1858 or 60.

350 There is perhaps a small advance in position and decrease of distance.

351 Position may be 103;—there appears little or no change.

353 The same remark as 350.

354 Little or no change since the discovery in 1847

355 Little or no change.

357 The slow recess in position continues, and the distance is decreasing.

358 There is a trace of parallax shewn here which subsequent observations confirm.

360 Little or no change.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations.	Epoch		Distance.	Weight.	No of Observations.	Epoch		Magnitudes.	
		<i>R.</i>	<i>m.</i>	<i>°</i>	<i>'</i>				<i>°</i>	<i>'</i>				1850.	+		1850.
364	BAC 6247	18	16	110	37	297	39	6	10	yr.	2.05	2'	10	yr.	1.100	6 — 9.2	
365	59 Serpentis	20		89	54	314	28	18	20		3.79	6	12		2.171	6.5 — 8.5	
366	h 5055	30		143	1	79	32	4'	9		0.758	1	4		0.759	9 — 9.5	
367	Prec. $\gamma$ Cor. Aust.	51		127	16	282	27	11	10		0.625	8	16		0.623	7.5 — 8	
368	$\gamma$ Cor. Aust.	56		127	16	5	52	14	20		0.455	13	36		0.515	5.5 — 5.5	
						4	28	19'	30		1.539	10'	38		1.477	—	
						3	27	13	15		2.270	6'	18		2.272	—	
369	$\beta$ Sagittarii	19	11	134	44	78	8	13	10		0.663	28.17	5	12		0.663	3.5 — 7
370	h 5117	17		134	11	265	0	13	20		1.547	6.32	5	16		1.798	7.5 — 9.2
371	j 217	20	23	131	6	226	36	10'	15		0.654	4.21	9'	18		0.663	8.5 — 9.5
372	BAC 7207	41		124	20	167	56	8'	11		0.716	20.60	5	12		0.720	5.5 — 10.7
373	12 Aquarii	56		96	25	191	7	7'	10		1.876	2.90	5'	12		1.899	6 — 8.5
						191	34	13'	15		2.412	2.67	9	18		2.415	—
374	61 Cygni	21	0	51	59	102	58	15	11		0.626	17.43	10	24		0.627	5.5 — 6
						103	21	24	20		1.773	17.48	13'	24		1.760	—
375	$\delta$ Indi	9		144	4	300	29	7	10		0.646	3.53	5	12		0.645	5.5 — 9.5
						297	31	12'	15		2.050	3.66	9	18		2.034	—
376	$\beta$ Cephei	26		20	6	250	29	10'	10		1.817	13.75	5	12		1.817	3 — 9
377	BAC 7578	38		137	59	9	28	12'	10		0.700	32.22	6'	12		0.697	6 — 9.5
378	h 5319	22	3	129	2	116	22	8'	10		1.873	2.30	4'	12		1.876	8 — 8
379	$\zeta$ Aquarii	21		90	49	347	2	9	10		1.735	3.59	8	12		1.734	4.5 — 4.5
380	$\beta$ Pis. Aust.	23		123	6	172	4	14	11		0.859	30.12	8'	12		0.858	4.5 — 8.5
381	$\gamma$ do. do.	43		123	39	275	18	8	10		0.853	4.18	5'	12		0.857	4.5 — 9
382	{ $\theta$ Gruis AB } AC }	58		134	21	10	35	13	20		1.851	2.91	10	24		1.839	4 — 9
						292	49	12'	9		1.859	160.20	1'	3		1.814	4 — 8.5
383	S 824	23	3	102	44	101	15	7'	10		1.863	3.59	4	12		1.861	7.5 — 7.5
384	h 5392	10		149	7	1	10	5'	10		0.851	10.00	1'	6		0.825	8.5 — 11
385	94 Aquarii	10		104	18	345	49	20	20		1.861	13.82	12	24		1.853	6 — 8.5
						345	14	21	20		2.415	13.854	10'	24		2.414	6 — 8
386	$\theta$ Phoenicis	31		137	25	269	29	11'	15		1.802	4.08	7	18		1.802	6.5 — 7
387	B 7342	47		117	53	269	7	10	10		1.875	6.66	5	12		1.881	7 — 7.5
388	h 5440	55		117	58	287	0	7	10		1.870	3.58	4	12		1.870	8.5 — 9

366 The position has apparently advanced: the distance perhaps decreased.  
 367 Unchanged.  
 368 A steady advance of about 1.8 per annum, distance slightly decreasing.

370 }  
 371 } Unchanged.  
 372 }  
 376 }

**NORTH POLAR, DISTANCES**

**OF**

**THE PLANET MARS**

**AND OF**

**STARS SITUATED NEAR TO HIS PATH**

**AT THE SEVERAL OPPOSITIONS**

**BETWEEN 1847 AND 1852.**

**OBSERVED AT THE MADRAS OBSERVATORY.**

Madras Mean Time.	NAMES.	Barome- ter.	THERMO- METER.		Observed N. P. D.	Madras Mean Time.	NAMES.	Barome- ter.	THERMO- METER.		Observed N. P. D.
			In.	Out.					In.	Out.	
<i>d. h. m.</i>		Inches.	o	o	o / "	<i>d. h. m.</i>		Inches.	o	o	o / "
1847. Oct. 4 14 0·7	{ σ Arietis ♂ Centre * (a) }	29·982	82·3	81·7	{ 75 31 59·8 76 2 35·2 75 59 36·9 }	1849. Nov. 19 14 28·1	{ B.A.C. 2058 ♂ Centre ♁ Gemin. }	30·080	77·1	76·4	{ 64 50 47·8 64 48 12·6 64 41 40·4 }
5 13 56·1	{ σ Arietis ♂ Centre * (b) }	29·958	82·2	80·4	{ 75 32 0·2 76 3 5·2 76 6 48·9 }	20 14 23·4	{ B.A.C. 2058 ♂ Centre ♁ Gemin. }	30·068	76·1	74·3	{ 64 50 47·1 64 44 49·9 64 41 40·2 }
18 12 52·3	{ ν Arietis ♂ Centre * (c) }	29·964	80·8	80·2	{ 78 11 56·5 76 24 41·2 76 23 25·6 }	21 14 18·7	{ B.A.C. 2058 ♂ Centre ♁ Gemin. }	30·039	76·0	74·9	{ 64 50 50·5 64 41 24·9 64 41 39·4 }
19 12 47·1	{ ν Arietis ♂ Centre * (d) }	29·968	80·3	78·7	{ 78 11 45·3 76 27 21·3 76 23 25·3 }	22 14 14·0	{ ♂ Centre ♁ Gemin. }	30·008	75·9	74·6	{ 64 38 0·4 64 41 41·8 }
22 12 31·3	{ ν Arietis ♂ Centre * (e) }	30·048	80·6	79·8	{ 78 11 53·8 76 35 59·2 76 41 50·1 }	23 14 9·2	{ Hist. Cel. 11864 ♂ Centre ♁ Gemin. }	30·035	79·1	79·1	{ 64 35 43·3 64 34 34·1 64 41 39·7 }
25 12 15·3	{ ω Arietis * ♂ Centre (f) }	30·020	77·8	77·2	{ 75 38 32·1 76 53 44·3 76 45 20·1 }	28 13 44·1	{ ♁ Gemin. ♂ Centre }	30·090	77·7	76·5	{ 65 31 11·8 64 17 34·1 }
26 12 10·0	{ 19 Arietis * ♂ Centre (g) }	30·026	78·3	77·3	{ 75 25 10·0 76 50 6·6 76 43 35·6 }	29 13 39·0	{ ♁ Gemin. ♂ Centre Hist. Cel. 12386 }	30·082	78·0	77·5	{ 65 31 13·0 64 14 13·7 64 15 36·1 }
Nov. 5 11 16·7	{ 19 Arietis ♂ Centre * (h) }	30·084	80·0	79·9	{ 75 25 1·8 77 21 2·8 77 19 36·7 }	Dec. 2 13 23·1	{ ♂ Centre B.A.C. 2058 Hist. Cel. 12395 }	30·030	75·9	76·1	{ 64 4 40·7 64 50 48·2 64 11 31·7 }
6 11 11·5	{ 19 Arietis ♂ Centre }	30·017	79·5	78·3	{ 75 24 58·8 77 24 2·2 }	10 12 39·0	{ Hist. Cel. 11108 † 139 Tauri ♂ Centre }	29·959	71·3	71·0	{ 63 33 55·9 64 2 21·8 64 43 0·4 }
9 10 55·9	{ ♂ Centre * (i) }	30·076	79·2	77·6	{ 77 32 22·2 77 29 46·6 }	11 12 33·4	{ * Hist. Cel. 11108 — 139 Tauri ♂ Centre }	30·016	74·1	72·7	{ 63 33 55·6 63 35 5 2 64 2 21·3 63 40 49·5 }
10 10 50·8	{ A.S.C. 212 ♂ Centre }	30·102	78·4	78·0	{ 78 25 34·9 77 34 54·9 }	12 12 27·8	{ Hist. Cel. 11108 † 139 Tauri ♂ Centre }	30·024	76·1	75·0	{ 63 35 6·0 64 2 21·1 63 38 50·3 }
11 10 45·7	{ ♂ Centre * (j) }	30·112	79·2	79·5	{ 77 37 15·2 77 45 5·3 }	13 12 22·1	{ Hist. Cel. 11108 † ♂ Centre Taylor III 671 }	30·044	75·8	74·3	{ 63 35 8·2 63 36 58·5 63 17 22·3 }
13 10 35·7	{ A.S.C. 212 ♂ Centre }	30·110	77·6	76·7	{ 78 25 33·2 77 41 33·2 }	17 11 59·4	{ 125 Tauri Hist. Cel. 11108 † ♂ Centre }	30·136	78·2	77·9	{ 64 9 40·8 63 33 55·4 63 31 3·0 }
15 10 25·8	{ A.S.C. 212 ♂ Centre * (k) }	30·082	75·2	73·0	{ 78 25 33·9 77 45 10·3 77 44 58·3 }	18 11 53·7	{ 125 Tauri ♂ Centre Hist. Cel. 11108 † }	30·181	77·8	77·6	{ 64 9 40·4 63 29 59·1 63 33 56·7 }
16 10 21·0	{ ♂ Centre * (l) }	30·048	74·5	73·2	{ 77 46 40·2 77 41 44·2 }	19 11 48·0	{ 125 Tauri ♂ Centre Hist. Cel. 11108 † }	30·152	76·8	76·3	{ 64 9 41·8 63 29 3·9 63 33 56·0 }
23 9 48·4	{ * ♂ Centre * (m) }	30·090	77·3	76·6	{ 77 47 1·1 77 51 31·4 77 41 43·4 }						

\* Three Stars, the 1st and 3rd observed and the 2d omitted.

† 3d Star.

‡ 1st Star.



## OBSERVED AT THE MADRAS OBSERVATORY, AT THE TIMES OF OPPOSITION, IN THE YEARS 1847-52. 81

Madras Mean Time.	NAMES.	Barometer.	THERMO-METER.		Observed N. P. D.	Madras Mean Time.	NAMES.	Barometer.	THERMO-METER.		Observed N. P. D.
			In.	Out.					In.	Out.	
<i>d. h. m.</i>		Inches.	o	o	o ' "	<i>d. h. m.</i>		Inches.	o	o	o ' "
1849. Dec. 20 11 42.4	125 Tauri Hist. Cal. 10069 ♂ Centre	30.087	76.9	76.8	{ 64 9 40.9 63 36 34.5 63 28 16.6	1852. Jan. 10 13 33.8	γ Cancri G. 480 ♂ S.L.	30.037	77.8	77.7	{ 67 58 1.7 68 2 52.6 67 59 22.8
21 11 36.7	125 Tauri Hist. Cal. 10069 ♂ Centre	30.094	77.7	77.8	{ 64 9 40.9 63 36 35.0 63 27 39.6	15 13 6.9	32 Cancri γ — ♂ N.L.	30.065	73.9	73.7	{ 65 22 50.1 67 58 0.5 67 22 55.5
27 11 3.5	*118 Tauri ♂ Centre Hist. Cal. 10069	30.097	76.0	78.0	{ 64 56 39.5 63 26 50.8 63 26 10.7	16 13 1.4	32 Cancri ♂ S.L. H.C. 17528	30.030	75.6	75.5	{ 65 22 48.7 67 16 4.2 67 11 14.9
29 10 52.7	*118 Tauri ♂ Centre Hist. Cal. 10069	30.043	74.0	77.0	{ 64 56 39.7 63 27 32.5 63 26 11.4	17 12 55.9	32 Cancri ♂ N.L.	30.086	76.9	76.4	{ 65 22 50.3 67 8 37.9
1850. Jan. 2 10 31.6	B.A.C. 1648 ♂ Centre Hist. Cal. 10069	30.134	79.1	79.0	{ 62 10 7.7 63 30 1.2 63 26 12.1	19 12 44.8	λ Cancri 32 — ♂ N.L.	30.076	75.1	74.8	{ 65 28 50.0 65 22 49.9 66 54 36.3
3 10 26.4	♂ Centre Hist. Cal. 10069	30.120	78.0	78.0	{ 63 30 50.2 63 26 10.8	20 12 39.3	λ Cancri 32 — ♂ S.L.	30.084	77.5	77.5	{ 65 28 49.1 65 22 49.9 66 48 7.2
5 10 16.3	B.A.C. 1648 ♂ Centre B.A.C. 1754	30.112	78.4	78.4	{ 62 10 9.4 63 32 38.6 63 8 36.8	21 12 33.7	λ Cancri v <sup>s</sup> — ♂ S.L.	30.102	78.7	78.7	{ 65 28 49.8 65 23 18.5 66 41 19.4
9 9 56.7	♂ Centre B.A.C. 1754	29.998	79.7	79.7	{ 63 36 40.6 63 8 35.9	22 12 28.1	v <sup>s</sup> Cancri ♂ S.L.	30.119	78.8	78.9	{ 65 23 18.9 66 34 44.6
10 9 51.9	B.A.C. 1562 ♂ Centre	30.032	78.3	78.0	{ 63 44 58.6 63 37 44.2	23 12 22.5	λ Cancri v <sup>s</sup> — ♂ N.L.	30.139	79.6	79.6	{ 65 28 49.1 65 23 17.0 66 27 53.5
11 9 47.2	♂ Centre *118 Tauri	30.048	77.8	76.5	{ 63 38 51.0 64 56 40.5	24 12 16.9	λ Cancri v <sup>1</sup> — ♂ S.L.	30.186	79.2	79.2	{ 65 28 47.8 64 56 54.0 66 21 54.4
14 9 38.5	♂ Centre *118 Tauri	30.023	78.7	76.8	{ 63 42 0.5 64 56 41.8	26 12 5.7	λ Cancri v <sup>1</sup> — ♂ S.L.	30.178	78.3	78.3	{ 65 28 46.1 64 56 52.7 66 9 48.8
15 9 29.1	B.A.C. 1562 ♂ Centre *118 Tauri	30.030	79.1	78.8	{ 63 44 58.9 63 43 3.2 64 56 41.1	27 12 0.1	λ Cancri ♂ N.L.	30.176	78.3	78.3	{ 65 28 47.1 66 3 43.0
16 9 24.7	B.A.C. 1562 ♂ Centre *118 Tauri	30.050	78.4	77.9	{ 63 44 59.4 63 44 4.3 64 56 42.2	28 11 54.5	B.A.C. 2703 λ Cancri ♂ S.L.	30.180	78.0	77.5	{ 67 6 9.9 65 28 47.5 65 58 33.3
17 9 20.4	B.A.C. 1562 ♂ Centre *118 Tauri	30.060	77.9	77.6	{ 63 44 59.7 63 45 4.1 64 56 41.2	29 11 48.9	B.A.C. 2703 λ Cancri ♂ N.L.	30.134	76.6	76.1	{ 67 6 10.2 65 28 47.1 65 52 46.2
1852. Jan. 2 14 14.5	γ Cancri ♂ Centre H.C. 18105	30.142	77.7	77.6	{ 67 57 57.2 68 54 3.8 68 56 3.3	30 11 43.3	B.A.C. 2703 λ Cancri ♂ S.L.	30.115	75.9	75.6	{ 67 6 10.8 65 28 49.8 65 48 4.6
8 13 44.3	γ Cancri G. 485 ♂ Centre	30.046	76.4	76.3	{ 67 58 0.3 68 13 34.6 68 13 27.9	31 11 37.8	B.A.C. 2703 λ Cancri ♂ N.L.	30.146	76.6	76.6	{ 67 6 11.2 65 28 49.3 65 42 49.0

\* 2d Star observed.



ECLIPSES

OF THE

SUN AND MOON

AND OF THE

**SATELLITES OF THE PLANET JUPITER**

TOGETHER WITH

**OCCULTATIONS OF FIXED STARS BY THE MOON**

IN THE YEARS 1848—1852,

AS OBSERVED AT THE MADRAS OBSERVATORY.

## ECLIPSES OF THE SUN AND MOON, ETC.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 19TH MARCH, 1848.									
	Madras Mean Time.			Observer.		Madras Mean Time.			Observer.
	h.	m.	s.			h.	m.	s.	
Beginning of the Eclipse .....	12	37	11.3	A	First Total Immersion.....	{ 13	41	49.6	A
						{ 13	41	49.6	S
Touches Mare Humorum.....	{ 12	50	19.1	S	Last Total Immersion*.....	{ 15	23	14.9	A
	{ 12	50	20.1	A		{ 15	23	18.9	S
Touches Keplerus.....	{ 12	52	9.6	A	Discovers Mare Humorum.....	{ 15	31	38.5	A
	{ 12	52	10.8	S		{ 15	31	41.5	S
Touches Plato .....	{ 12	59	6.7	A	Discovers Aristarchus.....	{ 15	32	49.3	A
	{ 12	59	8.7	S		{ 15	32	53.3	S
Touches Mare Serenitatis.....	{ 13	6	37.5	A	Leaves Aristarchus.....	{ 15	34	13.1	A
	{ 13	6	39.5	S		{ 15	34	16.1	S
Touches Tycho.....	13	11	36.6	S	Leaves Keplerus.....	{ 15	36	28.7	A
						{ 15	36	34.7	S
Covers Tycho.....	13	13	0.4	S	Leaves Mare Humorum.....	{ 15	38	2.5	A
						{ 15	38	5.5	S
Touches a bright spot.....	{ 13	19	55.3	A	Discovers Tycho.....	{ 15	46	31.1	A
	{ 13	19	56.3	S		{ 15	46	33.1	S
Covers do. ....	13	21	10.1	A	Leaves Tycho.....	{ 15	48	0.8	A
						{ 15	48	0.8	S
Touches Mare Crisium....	{ 13	28	45.8	A	Discovers Plato.....	{ 15	50	14.5	A
	{ 13	28	47.8	S		{ 15	50	16.5	S
Covers Mare Crisium .....	{ 13	34	40.8	A	Leaves Mare Vaporum.....	{ 16	1	12.7	A
	{ 13	34	42.8	S		{ 16	1	12.7	S
Touches Langrenus.....	{ 13	35	52.6	A	Flying clouds prevented further obser-	{			
	{ 13	35	53.6	S	vation.....	{			
Covers Langrenus.....	13	37	32.4	A	End of the Eclipse*.....	{ 16	30	33.8	A
						{ 16	30	38.8	S

A. with 5 feet Achromatic power 60 — S. with 45 inch Telescope power 55.

I lost the commencement of the Eclipse owing to dew condensing on the object glass; Mr. R. Allan at the 5 feet remarks the same "as well as on account of the shadow being ill defined and confused." I resigned the Telescope to C. Sashoo Iyengar. The object glasses of both Telescopes were repeatedly wiped. Observations generally very unsatisfactory.

W. K. WORSTER, Captain, *Acting Astronomer.*

## OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 8TH MARCH, 1849.

	Madras Mean Time			Observer.		Madras Mean Time.			Observer.
	h.	m.	s.			h.	m.	s.	
Covers of a bright spot.....	17	22	33.8	A	Touches Mare Vaporum.....	17	33	46.0	A
Covers Keplerus.....	17	23	33.7	"	Touches Palus Somni .....	17	39	30.7	"
Touches Mare Nectaris.....	17	32	2.3	"	Touches Mare Serenitatis. ....	17	47	9.3	"

Observed with the 5 feet Achromatic, power 60.

Flying clouds prevented the commencement of the Eclipse being observed and during the whole time rendered the observations unsatisfactory. The above are the only ones worthy of record, but are still of doubtful value.

\* Flying clouds.

OBSERVATION OF THE ECLIPSE OF THE MOON ON THE 2ND SEPTEMBER, 1849.

	Madras Mean Time.	Observer.		Madras Mean Time.	Observer.
	<i>h. m. s.</i>			<i>h. m. s.</i>	
Leaves Eudoxus.....	11 43 46.7	A	End of the Eclipse.....	11 55 5.8	A
Do. Lacus Somniorum.....	11 45 32.4	„			

Observed with the 5 feet Achromatic, power 60.

The time of beginning could not be noted, or the spots observed, as it was cloudy throughout the Eclipse, except for a short time when the clouds having moved away a little, the above observations were made. The Umbra not being very well defined, but somewhat confused with the Penumbra, the observations are unsatisfactory and cannot be depended upon.

OBSERVATION OF THE ECLIPSE OF THE SUN, ON THE 11TH AND 12TH FEBRUARY, 1850.

	Madras Mean Time.	Observer.	Telescope.	Power.
	<i>d. h. m. s.</i>			
Beginning of the Eclipse.....	11 22 39 23.9	J	45 inch	60

At this time the Eclipse had already commenced, the sun having just emerged from the clouds; true time of contact probably 15 seconds earlier.

At greatest obscuration (about 0 9) the distance of the cusps measured 29.32 of Troughton's Micrometer: value of 1 rev. = 44.20.

	Madras Mean Time.	Observer.		
	<i>d. h. m. s.</i>			
End of the Eclipse.....	12 1 39 17.1	S	45 inch	55
	1 39 18.1	V	5 foot	60
	1 39 31.8	J	45 inch	60

My observation of the last contact was good, the indentation being clearly seen 3 seconds before; the differences in the time are therefore unaccountable, as S. and V. both considered their observations satisfactory.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 17TH JANUARY, 1851.

	Madras Mean Time.	Observer.		Madras Mean Time.	Observer.	
	<i>h. m. s.</i>			<i>h. m. s.</i>		
Beginning of the Eclipse.*.....	9 0 26.8	S	Touches Mare Srenitatis.....	9 27 41.4	B	
Do.....*		B			9 27 44.4	V
Do.....*		V				
Touches Mare Frigoris.....	9 8 16.6	V	Touches Lacus.....	9 32 49.5	B	
				9 32 51.5	V	
Covers Mare Frigoris.....	9 11 13.1	V	Touches Mare Imbrium.....	9 37 40.7	V	
Touches Plato.....	9 13 34.7	V	Covers Lacus.....	9 39 42.4	V	
	9 13 35.7	B				
Covers Plato.....	9 15 4.5	V				
	9 15 5.5	S				
	9 15 6.4	B				

\* Flying clouds.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 17 <sup>TH</sup> JANUARY 1851, (Continued)						
	Madras Mean Time.	Observ.		Madras Mean Time.	Observer.	
	<i>h. m. s.</i>			<i>h. m. s.</i>		
Covers Copernicus.....	9 39 55.4	B	Beginning of the Eclipse*.....	9 2 12.3	J	
Covers Mare Serenitatis.....	9 49 18.8	V	Touches Mare Imbrium.....	9 9 41.0	„	
Touches Mare Crisium.....	{ 9 50 5.7	B	Touches } Plato.....	{ 9 13 40.4	„	
	{ 9 50 10.7	V		Covers } .....	{ 9 15 55.0	„
Covers Mare-Crisium.....	{ 10 5 1.2	B	Touches } Aristarchus.....	{ 9 19 16.4	„	
	{ 10 5 6.2	V		Covers } .....	{ 9 20 19.2	„
	{ 10 5 6.2	R				
Leaves Keplerus.....	10 13 4.9	R	Touches Mare Serenitatis.....	9 27 48.0	„	
Leaves Copernicus.....	{ 10 22 13.4	R	Touches } Eratosthenes.....	{ 9 29 22.7	„	
	{ 10 24 38.0	B		Covers } .....	{ 9 29 45.7	„
Leaves a small spot.....	{ 10 32 7.8	V	Touches } Aristoteles.....	{ 9 35 44.6	„	
	{ 10 32 11.7	B		Covers } .....	{ 9 37 6.4	„
Leaves Archimedes.....	10 48 4.1	R	Covers Mare Imbrium.....	9 38 28.2	„	
Leaves Mare Imbrium.....	{ 10 59 45.2	R	Touches Copernicus.....	9 40 55.7	„	
	{ 10 59 47.2	B	Touches } Archimedes.....	{ 9 45 49.9	„	
	{ 10 59 52.2	V		Covers } .....	{ 9 47 54.6	„
Leaves Mare Serenitatis .....	{ 11 6 51.1	R	Touches } Keplerus.....	{ 9 48 34.5	„	
	{ 11 6 53.1	B		Covers } .....	{ 9 52 23.8	„
	{ 11 6 56.0	V				
Leaves Posidonius.....	{ 11 8 55.7	R	Covers Copernicus.....	9 50 39.1	„	
	{ 11 9 0.7	V	Touches Mare Crisium.....	9 52 33.9	„	
Leaves Mare Crisium.....	{ 11 15 4.7	R	Uncovers } Keplerus.....	{ 9 57 33.0	„	
	{ 11 15 8.7	V		Leaves } .....	{ 10 0 32.4	„
	{ 11 15 9.7	B				
End of the Eclipse.....	{ 11 21 28.6	R	Touches Menelaus.....	10 10 0.9	„	
	{ 11 21 43.6	V	Uncovers Copernicus.....	10 12 54.4	„	
	{ 11 23 1.4	B	Covers Menelaus.†.....	10 16 29.8	„	
V. with 5 feet Achromatic, power 60			Leaves Copernicus.....	10 21 48.9	„	
B with 45 inch Telescope, power about 55.			Leaves Aristarchus.....	10 23 48.5	„	
S. and R. with 45 inch Telescope, power 100			Leaves Menelaus.....	10 27 27.9	„	
J with 7 feet Equatorial, power 75.						

\* Flying clouds, uncertain.

† Uncertain, this being about the limit of the Eclipse.

OBSERVATION OF THE ECLIPSE OF THE MOON, ON THE 20TH DECEMBER, 1852.											
	Madras Mean Time.		Observer.		Madras Mean Time.		Observer.				
	<i>h.</i>	<i>m.</i>	<i>s.</i>		<i>h.</i>	<i>m.</i>	<i>s.</i>				
Touches Mare Serenitatis.....	{	6	15	36·0	S	Touches Aristarchus.....	6	14	48·0	J	
		6	15	41·0	R						
Touches Mare Crisium.....	{	6	28	3·6	S	Covers do.....	6	20	48·0	”	
		6	28	13·7	R						
Leaves Mare Serenitatis.....		6	47	54·9	S	Touches Mare Crisium.....	6	29	0·0	”	
Leaves Grimaldus.....		6	50	19·5	S	Covers Eratosthenes.....	6	33	48·0	”	
Leaves Mare Vaporum.....		7	3	7·0	S	Leaves do.....	6	46	18·0	”	
Leaves Mare Crisium.....	{	7	9	35·9	S	Leaves Menelaus.....	6	47	48·0	”	
		7	10	0·8	R						
Leaves Mare Humorum.....		7	24	38·0	S	Leaves Copernicus.....	6	51	53·0	”	
Leaves Tycho.....	{	7	31	31·7	R	Leaves Mare Crisium.....	7	9	28·0	”	
		7	31	41·8	S						
Leaves Petavius.....		7	43	4·6	S	Leaves Grimaldus.....	7	10	38·0	”	
End of the Eclipse.....	{	7	53	57·6	S	Leaves Mare Nectaris.....	7	39	38·0	”	
		7	54	37·6	R						
						Leaves Petavius.....	7	47	58·0	”	
						End of the Eclipse.....	7	52	43·0	”	
S. with 5 feet Achromatic, power 60.								J with the 45 inch Dollond, power 40.			
R with 45 inch Telescope, power 55								Frequently obscured by clouds.			
Flying clouds at intervals, but the Observations are satisfactory											

The letters set against the above Observations refer to the following observers.

- |                             |                            |
|-----------------------------|----------------------------|
| J to W. S. Jacob.           | S. to C. Sashoo Iyengar    |
| A. to Mr. R. Alan.          | B. to P. Baboo Naidoo.     |
| V. to C. Vecrasawmy Pillay. | R. to C. Ragoonatha Chary. |

ECLIPSES OF THE SATELLITES OF JUPITER.									
Date.	Satellites.	Im. or Em.	Telescope.	Power	Madras Mean Time.			REMARKS.	Observer.
					<i>h.</i>	<i>m.</i>	<i>s.</i>		
1847.									
Sept. 20	I	Immersion ..	5 feet	110	16	23	45.6		A
" 27	II	Immersion ..	5 feet	110	13	47	32.7		A
Nov. 5	I	Immersion ..	5 feet	110	16	39	38.8	Planet in the Zenith.	A
" 23	II	Immersion ..	5 feet	110	10	38	55.5		S
Dec. 9	IV	Emersion ..	5 feet	110	11	47	7.8	Good.	S
1848.									
Jan. 8	I	Emersion ..	5 feet	110	11	55	57.7	Planet on the Meridian, Satellite near the body, unsatisfactory.	A
" 15	I	Emersion ..	5 feet	110	13	49	4.6	Good.	A
" 19	II	Emersion ..	5 feet	110	10	22	8.1	Good.	A
" 22	I	Emersion ..	5 feet	110	15	43	38.6	Satisfactory.	A
" 24	I	Emersion ..	5 feet	110	10	12	20.4	Not very satisfactory, flying clouds.	A
" 25	III	Emersion ..	5 feet	110	9	37	14.1	Haze, yet pretty good.	A
" 26	II	Emersion ..	5 feet	110	12	58	50.5	Good.	A
" 31	I	Emersion ..	5 feet	110	12	6	52.7	Satisfactory.	A
Feb. 1	III	Emersion ..	5 feet	110	13	37	14.9	Good.	S
" 2	I	Emersion ..	5 feet	110	6	35	37.8	Good.	A
" "	II	Emersion ..	5 feet	110	15	36	5.6	Very good.	S
" 7	I	Emersion ..	5 feet	110	14	1	57.7	Satisfactory.	S
" 9	I	Emersion ..	5 feet	110	8	30	29.0		A
" 14	IV	Emersion ..	5 feet	110	12	24	51.5	Not satisfactory, faint.	S
" 16	I	Emersion ..	5 feet	110	10	25	30.8	Good observation.	B
" 23	I	Emersion ..	5 feet	110	12	20	46.3	Satisfactory.	S
March 8	III	Emersion ..	5 feet	110	9	39	0.5	Planet high, good observation.	A
" 10	I	Emersion ..	5 feet	110	10	39	47.1	Convenient altitude, good observation.	A
" 16	II	Emersion ..	5 feet	110	7	15	10.1	Good observation.	B
" 23	II	Emersion ..	5 feet	110	9	51	7.1		A
April 11	I	Emersion ..	5 feet	110	7	19	34.5		A
" 20	III	Emersion ..	5 feet	110	9	43	33.0	Very good observation.	B
" 24	II	Emersion ..	5 feet	110	9	31	56.4	Observation very satisfactory.	B
May 27	I	Emersion ..	5 feet	110	7	50	24.7		B
1849.									
Jan. 24	I	Immersion ..	5 feet	110	16	34	59.5	Satisfactory.	R
" "	III	Immersion ..	5 feet	110	17	30	58.3	Unsatisfactory—Dew.	R
" 26	I	Immersion ..	5 feet	110	11	3	14.4		V
" "	II	Immersion ..	5 feet	110	11	25	13.8		V
Feb. 2	I	Immersion ..	5 feet	110	12	57	37.3	Planet in the Zenith—Satellite close to the body—observation otherwise good.	S



ECLIPSES OF THE SATELLITES OF JUPITER, (Continued.)									
Date.	Satellites.	Im. or Em.	Telescope.	Power.	Madras Mean Time.			REMARKS.	Observer
					<i>h.</i>	<i>m.</i>	<i>s.</i>		
1849.									
Feb. 15	III	Emersion ..	5 feet	110	8	58	48.7	Thin haze around the planet, otherwise satisfactory.	A
" 20	I	Emersion ..	5 feet	110	7	57	15.6	Good.	A
" "	II	Emersion ..	5 feet	110	11	27	17.8	Good.	B
" 27	I	Emersion ..	5 feet	110	9	51	14.9	Observation very good.	B
March 6	I	Emersion ..	5 feet	110	11	45	40.6	Planet very high—D near, good.	A
" 17	II	Emersion ..	5 feet	60	8	36	18.8	Good observation.	B
" 24	II	Emersion ..	5 feet	110	11	13	9.2	Thin haze, otherwise satisfactory.	A
" 30	III	Emersion ..	5 feet	110	8	52	47.9	Planet in the zenith—D light, otherwise satisfactory.	S
" 31	I	Emersion ..	5 feet	110	6	27	10.2	Faint, haze.	S
April 18	II	Emersion ..	5 feet	110	8	22	19.7	Planet in the zenith—satisfactory, notwithstanding thin haze.	A
" 21	I	Emersion ..	5 feet	110	12	11	41.9	Thin haze.	A
" 23	I	Emersion ..	5 feet	110	6	40	12.8	Planet in the zenith, good.	A
" 25	II	Emersion ..	5 feet	110	10	53	53.4	Observation satisfactory.	S
" 30	I	Emersion ..	5 feet	110	8	35	18.3	Moon near the planet—pretty good.	A
May 7	I	Emersion ..	5 feet	110	10	30	19.5	Convenient altitude—bright D light—observation satisfactory.	A
" 12	III	Emersion ..	5 feet	110	8	48	39.3	Haze—otherwise satisfactory.	S
Nov. 21	I	Immersion ..	5 feet	60	13	39	16.5	Planet low and distorted—time uncertain to several seconds.	J
1850.									
Jan. 13	I	Immersion ..	5 feet	110	15	48	33.6	Pretty good.	J
" 15	I	Immersion ..	5 feet	110	10	16	40.8	Planet in the horizon—tremulous observation unsatisfactory.	V
Feb. 23	I	Immersion ..	5 feet	110	8	40	18.6	Convenient altitude—clear; bright D light good observation.	V
March 9	IV	Emersion ..	5 feet	110	7	9	9.9	Definition bad, Satellite nearly in contact.	J
" 11	II	Emersion ..	5 feet	110	6	54	26.3	Satellite in contact with disk, limb violently agitated; not good.	J
" "	I	Emersion ..	5 feet	110	9	9	56.1	Satellite near the body—good.	V
" 18	II	Emersion ..	5 feet	110	9	29	21.0	Satisfactory.	V
" "	I	Emersion ..	5 feet	110	11	2	45.7		V
" 25	II	Emersion ..	5 feet	110	12	5	15.3	Unsatisfactory.	A
" 27	I	Emersion ..	5 feet	110	7	25	4.4	Good.	S
April 10	I	Emersion ..	5 feet	110	11	13	6.9		S
" 19	I	Emersion ..	5 feet	110	7	36	18.4	Haze—pretty good.	A
" 26	I	Emersion ..	5 feet	110	9	30	40.3	Good observation.	V
May 3	I	Emersion ..	5 feet	110	11	25	3.1	Good.	V
" 21	II	Emersion ..	5 feet	60	9	2	4.7	Unsatisfactory observation—haze.	B
June 4	I	Emersion ..	5 feet	110	8	0	41.0	Good observation.	B
" 11	I	Emersion ..	5 feet	110	9	55	36.6	Observation good.	B



OCCULTATION OF STARS AND PLANETS BY THE MOON.		Madras Mean Time.	Obser- ver.
		<i>h. m. s.</i>	
1848.			
Jan. 10	Disappearance of a very bright star, 3d magnitude,* behind the Moon's dark limb, observed with the 5 feet Achromatic, power 110 : Very good observation.	7 30 14.6	B
„ 12	Disappearance of a star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : Very good observation.	7 0 25.4	B
„ 17	Disappearance of a small star, 6½ magnitude, behind the Moon's dark limb, observed with the 5 feet Achromatic, power 110 : Satisfactory observation.	7 21 58.2	B
„ „	Disappearance of a star, 6th magnitude (120 Tauri?), behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 . Satisfactory observation.	10 23 8.2	B
Mar. 16	Disappearance of $\alpha$ Leonis behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at	6 48 19.5	W
Apr. 7	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 . at	8 8 6.6	V
„ „	Disappearance of a bright star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at	8 11 49.0	V
May 6	Disappearance of a very faint star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at Observation unsatisfactory.	7 29 47.1	B
„ „	Disappearance of a small star, 6½ magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at Observation satisfactory.	7 53 47.1	B
„ „	Disappearance of a bright star, 5th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at Observation good.	8 12 1.6	B
„ „	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at Good observation.	8 22 19.4	B
Sept. 8	Disappearance of $\epsilon^2$ Sagittarii behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 at Good observation.	7 38 10.0	B
1849.			
Feb. 26	Disappearance of a star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 . Very good.	7 35 32.1	A
Mar. 1	Disappearance of a bright star, (75 Tauri?), behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : at Very good.	9 6 29.1	V
„ „	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : at Very good.	9 11 12.3	W
„ 2	Disappearance of a star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at Very satisfactory observation.	11 11 54.0	A
„ 28	Disappearance of a bright star behind the Moon's dark limb, observed with 5 feet Achromatic, power 60 : at Good	8 12 44.1	S
„ 30	Disappearance of a bright star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110 : at Observation very satisfactory.	9 28 19.1	A

\* The star was probably B.A.C. 7986, though the magnitude must have been greatly overrated. The magnitudes are given as entered in the Observation book, but are generally too high.

OCCULTATION OF STARS AND PLANETS BY THE MOON.		Madras Mean Time.	Obser- ver.
		<i>h. m. s.</i>	
1849.			
Apr. 26	Disappearance of a bright star, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110. Very satisfactory.	at 7 32 1·3	A
„ 27	Disappearance of a bright star, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Very satisfactory.	at 7 58 48·8	A
„ 30	Disappearance of a bright star, (B. A. C. 3344 ?), behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Very satisfactory.	at 8 36 28·2	A
June 25	Disappearance of a small star, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Unsatisfactory.	at 7 58 37·4	V
Augt. 23	Disappearance of B.A.C. 4794, behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: Instantaneous.	at 6 54 33·4	J
Oct. 1	Occultation of Saturn observed with 5 feet Achromatic, power 110. Very hazy, Planet scarcely visible.		
	External contact of ring,	at 15 44 17·2	„
	Do. of Planet,	at 15 45 15·3	„
	Internal contact lost by clouds		
	At Emersion 1st appearance of Planet,	at 16 48 1·9	„
	External contact; Rather dim but no distortion,	at 16 48 30·9	„
	Do. of ring,	at 16 49 23·2	„
12	Occultation of Jupiter observed with 5 feet Achromatic, power 60 :		
	Immersion. 1st contact.	at 22 8 48·2	„
	At bright limb. total immersion.*	at 22 10 43·2	„
	Emersion. 1st appearance.†	at 23 16 51·0	„
	At dark limb. external contact.	at 23 18 27·1	„
	The Moon's limb appeared sharp and well defined upon Jupiter, but the Planet's limb was not very well defined.		
„ 20	Disappearance of a bright star behind the Moon's dark limb (NE), observed with 5 feet Achromatic, power 110: Observation very satisfactory.	at 6 25 18·2	V
„ „	Disappearance of a faint star behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 110:	at 6 28 37·7	V
„ „	Disappearance of a bright star behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: Observation very satisfactory.	at 7 46 46·7	V
„ 23	Disappearance of a star behind the the Moon's dark limb (N), observed with 5 feet Achromatic, power 110: Good observation.	at 8 29 40·5	V
„ 24	Disappearance of a star, 5th magnitude (B.A.C. 7097 ?), behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 100:	at 9 45 34·0	B
Nov. 19	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 240. Observation good.	at 7 28 24·6	B

\* Uncertain to some seconds there being a thick air-haze.

† At first appearance Jupiter seemed to be spread out along the C's limb, but when partially emerged there was no perceptible distortion

OCULTATION OF STARS AND PLANETS BY THE MOON		Madras Mean Time	Observer
1849.		<i>h. m. s.</i>	
Nov. 20	Disappearance of a star, 5th magnitude, behind the Moon's dark limb, apparently to the (N.E.) observed with 5 feet Achromatic, power 110: Observation good. at	6 17 47.9	B
" 21	Disappearance of a star, 7½ magnitude, at Moon's northern cusp; observed with 5 feet Achromatic, power 110. at The star seemed to hang on the limb, for near a minute before disappearing, without any diminution or distortion, but the disappearance was decidedly gradual, occupying perhaps 0.2.	6 25 4.3	J
Dec. 20	Disappearance of a star, 8½ magnitude, at Moon's dark limb, near centre, observed with 5 feet Achromatic, power 110: at pretty good, star's light slightly reduced for 2 or 3 seconds before immersion.	6 47 42.0	J
1850.			
Jan. 21	Disappearance of a star, 5th magnitude, at Moon's (N.E.) limb, observed with 5 feet Achromatic, power 110. at The star appeared to hang on the limb, for near ½ minute before disappearing. Observation very good.	8 38 6.3	B
" 25	Disappearance of a star, 4th magnitude, (B.A.C. 2004?), behind the Moon's eastern limb, observed with 5 feet Achromatic, power 110. Observation very good. at	7 0 11.0	B
Feb. 15	Disappearance of a bright star behind the Moon's dark limb near south, observed with 5 feet Achromatic, power 110: Good observation. at	7 32 36.8	V
" 16	Disappearance of a bright star, (B.A.C. 388,) behind the Moon's dark limb (South East), observed with 5 feet Achromatic, power 110. at Instantaneous—very good observation.	8 40 44.9	V
Mar. 19	Disappearance of a star, 5th magnitude, in Taurus behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: at	6 55 39.4	B
" "	Disappearance of a star, 5th magnitude, in Taurus behind the Moon's dark limb, observed with 5 feet Achromatic, power 110. at	7 10 12.1	B
" 20	Disappearance of a star, 7th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: at	8 39 52.1	R
" "	Disappearance of a star, 5th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: at	8 41 34.3	R
" 21	Disappearance of a star, 5th magnitude, behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 110: at	7 9 33.7	S
" "	Disappearance of a star, 6th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: at	8 7 11.2	S
" "	Disappearance of a star behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110. at	9 12 13.6	V
" 22	Disappearance of B.A.C. 2505 behind the Moon's dark limb (NE), observed with 5 feet Achromatic, power 110: Very satisfactory observation. at	8 19 1.0	A
" 23	Disappearance of a star, 7th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110: Very satisfactory observation. at	11 29 53.8	A
May 17	Disappearance of a star, 6th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60: Satisfactory observation. at	8 3 23.5	S
" 18	Disappearance of a star, of about 5th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60: (Immersion gradual) at	10 49 27.0	A
" "	Disappearance of Regulus behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60: at Did not at all lose its brilliancy, but when very near the limb it appeared distorted or rather elongated; the immersion was instantaneous—Clear, very good observation.	10 54 41.4	A

OCCULTATION OF STARS AND PLANETS BY THE MOON.		Madras Mean Time.			Obser- ver.
		h.	m.	s.	
1850.					
May 18	Reappearance of Regulus behind the Moon's bright limb (W), observed with 5 feet Achromatic, power 60: at No distortion whatever now, but the image was perfectly round; Emersion instantaneous—Clear, very good observation.	11	52	33.6	A
Oct. 8	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: at	6	33	56.6	B
" "	Disappearance of a small star behind the Moon's dark limb, observed with 5 feet Achromatic, power 110. at	6	35	8.4	B
Dec. '6	Disappearance of a star, 7th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110. Good observation. at	6	41	4.8	B
" "	Disappearance of a star, 6½ magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Good observation. at	6	43	43.4	B
" "	Disappearance of a star, 4th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110. Good observation. at	6	48	58.0	B
1851.					
Jan. 8	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: Observation good. at	9	44	6.9	B
" 10	Disappearance of a star, 5th magnitude, behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 110. at	8	6	48.4	V
" "	Disappearance of a star, 4th magnitude, behind the Moon's dark limb, observed with 5 feet Achromatic, power 110: at	9	48	41.1	B
" 15	Disappearance of $\chi^1$ Orionis, behind the Moon's dark limb (NE), observed with 5 feet Achromatic, power 60: Good observation. at	7	28	10.2	V
" "	Reappearance of $\chi^1$ Orionis, behind the Moon's bright limb (W), observed with 5 feet Achromatic, power 60: Good observation. at	8	40	45.2	V
" 16	Disappearance of a star, 7th mag. 90° N. of $\zeta$ Geminorum, behind the Moon's dark limb, observed with 7 feet Equatorial, power 125 at Not very certain.	10	53	34.8	J
" "	Do. of $\zeta$ Geminorum with do. Instantaneous. at	10	56	30.8	J
" "	Do. do. with 5 feet Achromatic, power 60. Good observation. at	10	56	32.1	B
" "	Do. do. with 45 inch. at	10	56	32.8	R
" "	Reappearance of $\zeta$ Geminorum behind the Moon's enlightened limb, observed with 7 feet Equatorial.—No projection or distortion; star seen suddenly in contact with the limb, at	12	13	25.9	J
" "	Do. do. with 45 inch Telescope. at	12	13	40.6	R
" "	Do. do. with 5 feet Achromatic, power 60. at	12	13	43.6	B
" 24	Disappearance of $\xi^2$ Libræ, behind the Moon's bright limb, observed with 5 feet Achromatic, power 60.—Instantaneous. at	17	5	47.9	J
" "	Reappearance of $\xi^2$ Libræ behind the Moon's dark limb (near the Northern Cusp), observed with 45 inch Telescope. at Very good observation, the limb well defined, and the star appeared to stay at the same point for about 2 minutes, or to move along the Moon's border.	17	52	42.2	R
Feb. 3	Disappearance of a star, 6th magnitude, behind the Moon's dark limb, observed with 45 inch Telescope. at Very good observation.	7	7	59.0	R
" "	Do. do. do. with 5 feet Achromatic, power 60. at Good observation.	7	7	59.2	B

OCCULTATION OF STARS BY THE MOON.		Madras Mean Time.	Obs- ver.
1851.		<i>h. m. s.</i>	
Feb. 5	Disappearance of a star (5th magnitude B.A.C. 81?) behind the Moon's dark limb, observed with 45 inch Telescope. Very good observation. at	7 36 34.5	R
" "	Do. do. do. with 5 feet Achromatic, power 60: Very good observation. at	7 36 34.6	B
" 6	Disappearance of a star, 5th magnitude, (B.A.C. 344?) behind the Moon's dark limb, observed with 5 feet Achromatic, power 60. Very good observation. at	8 29 3.7	B
" "	Do. do. do. with 45 inch Telescope. at	8 29 3.8	R
" 7	Disappearance of a star (6th magnitude) behind the Moon's dark limb, observed with 45 inch Telescope. Good observation. at	7 5 55.4	R
" "	Do. do. with 5 feet Achromatic, power 60: Very good observation. at	7 5 55.6	B
" 10	Disappearance of a star of about 6th magnitude behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: Good observation, but the limb was not well defined. at	7 54 12.6	R
" 12	Disappearance of a star of 5½ magnitude (B.A.C. 2080?) behind the Moon's dark limb, observed with 45 inch Telescope. The dark limb was invisible. Good observation. at	7 27 36.0	R
" "	Do. do. with 5 feet Achromatic, power 60: do. do. Good observation. at	7 27 36.2	B
" 14	Disappearance of $\delta$ Cancrī at Moon's dark limb (E), with 5 feet Achromatic, power 60: Clear, observation very satisfactory. at	18 17 51.4	V
Mar. 6	Disappearance of a star, 6½ magnitude, behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 60: at	7 8 58.8	V
" "	Disappearance of a star, 6th magnitude. at	7 9 28.7	V
" 8	Disappearance of a star (5th magnitude) at Moon's dark limb (NE), with 5 feet Achromatic, power 60: at	7 18 28.1	V
" 12	Disappearance of a star (6th magnitude) at Moon's dark limb (SE), with 5 feet Achromatic, power 60: at	7 52 22.5	S
" 20	Reappearance of $\xi^a$ Libræ behind the Moon's dark limb (NW), with 5 feet Telescope, power 60. at	9 42 17.0	V
April 7	Disappearance of $\chi^1$ Orionis (of 4½ magnitude,) behind the Moon's dark limb (SE), observed with 7 feet Equatorial, power 125. Instantaneous, dark limb barely visible; the star made a sudden move or wriggle about ½ second before disappearing. at	10 24 8.0	J
" "	Do. do. with 5 feet Achromatic, power 60: Good observation. at	10 24 8.7	V
" 17	Disappearance of $\gamma$ Libræ at Moon's bright limb, with 5 feet Achromatic, power 60: Very good observation. at	11 59 33.1	R
June 24	Disappearance of B.A.C. 845 behind the Moon's bright limb, observed with 5 feet Achromatic, power 110: at	16 33 44.9	R
	The star disappeared instantaneously. Observation good.		
" "	Reappearance of Do. behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: at	17 36 32.2	R
	The limb and star extremely faint by day light, the time doubtful to 4 or 5 seconds, haze.		
Oct. 7	Reappearance of $\psi^a$ Aquarii behind the Moon's bright limb (W), with 5 feet Achromatic, power 60: Rather hazy—Not satisfactory. at	7 47 3.9	S
" 21	Disappearance of $\nu$ Virginis behind the Moon's bright limb (E), with 5 feet Achromatic, power 60. Good observation. at	17 7 38.5	S
Nov. 27	Disappearance of a star (of about 7½ magnitude) behind the Moon's dark limb, with 5 feet Achromatic, power 60: at	7 37 8.5	R

OCCULTATION OF STARS BY THE MOON.		Madras Mean Time.	Observer.
		<i>h. m. s.</i>	
1851.			
Nov. 27	Disappearance of a star, 6th magnitude, doubtful. at	7 37 51.4	R
" "	Disappearance of a star (of about 7th magnitude), behind the Moon's dark limb, with 5 feet Achromatic, power 60: at	8 24 53.6	V
Dec. 19	Disappearance of $\eta$ Libræ, behind the Moon's bright limb (E), with 5 feet Achromatic, power 60: Good observation. at	17 55 6.1	S
1852.			
Jan. 28	Disappearance of a star of about $4\frac{1}{2}$ magnitude behind the Moon's dark limb, with 5 feet Achromatic, power 60: at	7 34 6.4	S
Feb. 2	Disappearance of a star of about 5th magnitude behind the Moon's dark limb, with 5 feet Achromatic, power 60: Good observation. at	7 36 23.6	R
" 25	Disappearance of a star of about 6th magnitude behind the Moon's dark limb, (about $15^\circ$ from N. Point) with 5 feet Achromatic, power 60: at	7 45 4.0	R
" 26	Disappearance of a star of about 6th magnitude behind the Moon's dark limb, (about $75^\circ$ from N. Point) with 5 feet Achromatic, power 60: Good observation. at	7 5 18.5	R
" "	Disappearance of a star of $5\frac{1}{2}$ magnitude behind the Moon's dark limb, with 5 feet Achromatic, power 110: Good. at	8 10 41.2	S
Mar. 6	Disappearance of $\nu$ Virginis behind the Moon's bright limb (E), observed with 5 feet Achromatic, power 60: Moon in the horizon—haze. Observation unsatisfactory. at	6 49 58.3	M
" "	Reappearance of do. at	7 24 15.7	R
" 27	Disappearance of a star, (6th magnitude) behind the Moon's dark limb, observed with 5 feet Achromatic, power 60: Good observation. at	9 4 34.2	B
" 28	Disappearance of $\mu$ Geminorum behind the Moon's dark limb, observed with 7 feet Equatorial, power 125: at The star suffered a small diminution of light and was slightly agitated for about two seconds before disappearance, which was also not quite instantaneous.	2 59 8.7	J
" "	Reappearance of do. observed with 7 feet Equatorial: Instantaneous, no projection, but the star seemed to hang on the limb for about 2. at	4 27 36.7	J
Apr. 3	Disappearance of $c$ Virginis behind the Moon's dark limb (E), observed with 7 feet Equatorial, aperture 4 inches, power 200: Instantaneous, no distortion. at	9 1 38.4	J
" "	Do. do. with 5 feet Achromatic, power 60: Observation very satisfactory. at	9 1 38.7	B
" "	Reappearance of do. behind the Moon's enlightened limb (W), observed with 7 feet Equatorial, at Star seen nearly $\bar{1}$ from limb, rather faint but no distortion.	10 8 35.0	J
" "	Do. do. with 5 feet Achromatic, power 60 at	10 9 5.1	B
" 24	Disappearance of red star $6\frac{1}{2}$ magnitude (B.A.C. 1987) observed with 7 feet Equatorial, power 169: at No projection or distortion, but the star seemed to slide behind the limb, occupying nearly 0.1 in disappearing.	6 53 42.0	J
" "	Do. do. with 5 feet Telescope, power 60: at	6 53 42.4	R
" "	Reappearance of do. observed with 7 feet Equatorial, power 169. Instantaneous. at	7 38 8.7	J
" "	Disappearance of $\eta$ Geminorum behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 60: at	8 16 35.8	S



OCCULTATION OF STARS BY THE MOON		Madras Mean Time.	Observer.
1852.		<i>h. m. s.</i>	
April 24	Disappearance of $\eta$ Geminorum behind the Moon's dark limb (SE), observed with 45 inch. at	8 16 36.3	M
" "	Do. do. with 7 feet Equatorial, power 169 : Hazy—instantaneous.	8 16 36.4	J
" "	Reappearance of do. behind the Moon's bright limb observed with 5 feet Achromatic, power 60 : Haze.	9 15 54.0	S
" 26	Disappearance of a star about $5\frac{1}{2}$ magnitude (B.A.C. 2714?) behind the Moon's dark limb (SE), observed with 5 feet Achromatic, power 60 : Rather hazy.	8 31 40.3	S
" 27	Disappearance of a star about $6\frac{1}{2}$ magnitude behind the Moon's dark limb (E), observed with 5 feet Achromatic, power 60 : Good.	8 39 55.0	S
May 13	Disappearance of $\beta$ Piscium behind the Moon's bright limb, observed with 5 feet Achromatic, power 60 : Instantaneous, satisfactory, hazy.	15 48 42.5	R
" "	Reappearance of do. with do. behind the Moon's dark limb. Very good observation—hazy.	16 20 24.0	R
Sept. 22	Reappearance of No. 6864 B.A.C. observed with 5 feet Achromatic, power 60 : Very good observation.	11 23 51.1	R
Oct. 30	Reappearance of $\alpha$ Tauri behind the Moon's dark limb (SW), observed with 5 feet Achromatic, power 60 : Haze, not satisfactory.	7 59 13.8	S

W. refers to Captain W. K. Worster.

M. „ to T. Moottoosawmy Pillay.

TRANSITS

OF

THE MOON

AND OF

**STARS CULMINATING NEAR THERETO,**

BETWEEN 1848 AND 1852,

OBSERVED AT THE MADRAS OBSERVATORY.

Date.	Names.	Observed Transit.	Obs- ver.	Date	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.
1848.		<i>h. m. s.</i>		1848.		<i>h. m. s.</i>		1848		<i>h. m. s.</i>	
Jan. 13	$\mu$ Piscium Moon I. L. $\xi^2$ Ceti	1 22 30.48 1 26 47.90 2 20 22.29	B " "	Feb. 16	$\delta$ Cancri $\alpha^2$ —	8 36 50.28 8 50 58.16	B "	Mar. 19	$\beta$ Virginis Moon I. L. $\eta$ Virginis	11 43 16.78 11 52 25.29 12 12 38.13	A " "
" 14	$\xi^2$ Ceti Moon I. L. $\delta$ Arietis	2 20 23.03 2 23 53.43 3 3 15.14	B " "	" 17	Moon I. L. $\xi$ Leonis	8 51 39.36 9 24 34.02	B "	" 20	$\mu$ Virginis $\gamma^1$ — Moon II. L. $\theta$ Virginis $\alpha$ —	12 12 39.09 12 35 28.87 12 41 27.03 13 2 36.39 13 17 42.87	A " " " "
" 17	$\epsilon$ Tauri Moon I. L. $\zeta$ Tauri $\eta$ Geminor. $\mu$ —	4 54 21.76 5 22 20.59 5 28 54.66 6 6 3.24 6 14 6.90	A " " " "	" 22	$\gamma^1$ Virginis Moon II. L. $\theta$ Virginis $\alpha$ —	12 34 53.94 12 58 59.60 13 3 1.29 13 18 7.85	B " " "	" 21	$\theta$ Virginis $\alpha$ — Moon II. L. $\ast$ Virginis $\lambda$ —	13 2 37.54 13 17 44.00 13 28 26.82 14 5 20.02 14 11 26.20	A " " " "
" 18	$\eta$ Geminor. $\mu$ — Moon I. L. $\zeta$ Geminor. $\delta$ —	6 6 4.17 6 14 7.87 6 22 28.81 6 55 27.38 7 11 24.37	A " " " "	" 23	$\alpha$ Virginis $\zeta$ — Moon II. L. $\ast$ Virginis $\lambda$ —	13 18 9.46 13 27 54.65 13 46 3.83 14 5 45.31 14 11 51.46	B " " " "	" 22	$\ast$ Virginis $\lambda$ — Moon II. L. $\alpha^2$ Libræ $\beta$ —	14 5 21.23 14 11 27.25 14 15 56.06 14 43 2.19 15 9 23.88	A " " " "
" 19	$\zeta$ Geminor. $\delta$ — Moon I. L. $\zeta$ Cancri	6 55 28.55 7 11 25.43 7 20 20.85 8 3 52.32	A " " "	" 24	$\ast$ Virginis $\lambda$ — Moon II. L. $\beta$ Libræ $f^1$ —	14 5 46.67 14 11 52.76 14 33 49.77 15 9 49.19 15 26 51.45	B " " " "	" 23	$\alpha^2$ Libræ Moon II. L. $\beta$ Libræ	14 42 3.54 15 4 21.69 15 9 24.83	A " "
" 20	$\zeta$ Cancri ( $\alpha$ ) Moon I. L. Moon II. L. $\theta$ Cancri	8 3 53.94 8 18 7.26 8 19 21.04 8 23 19.82	B " " "	Mar. 13	$\mu$ Geminor. $\gamma$ — Moon I. L. $\delta$ Geminor. $\ast$ —	6 14 9.22 6 29 19.22 6 43 8.04 7 11 26.12 7 35 39.76	B " " " "	" 24	Moon II. L. $\chi$ Ophiuchi $m$ Scorpi	15 54 2.85 16 18 49.10 16 33 23.01	A " "
" 21	$\ast$ Cancri Moon II. L. $\pi$ Leonis $\alpha$ —	8 59 55.84 9 14 30.66 9 52 35.96 10 0 41.68	A " " "	" 14	$\delta$ Geminor. $\ast$ — Moon I. L. $\theta$ Cancri	7 11 27.00 7 35 40.54 7 39 41.07 8 23 20.27	B " " "	" 25	$\chi$ Ophiuchi $m$ Scorpi Moon II. L. $\nu$ Serpentis $\circ$ —	16 18 50.36 16 33 24.05 16 45 12.63 17 12 53.64 17 33 29.17	A " " " "
" 22	$\pi$ Leonis $\alpha$ — Moon II. L. $d$ Leonis $\chi$ —	9 52 37.28 10 0 43.00 10 6 9.00 10 53 9.21 10 57 37.22	A " " " "	" 15	Moon I. L. $\delta$ Cancri $\circ$ Leonis	8 34 1.33 8 36 27.68 9 33 27.66	A " "	Apr. 11	$\delta$ Cancri Moon I. L. 29 Cancri $\alpha^2$ —	7 57 34.26 8 17 52.24 8 21 6.58 8 51 8.88	A " " "
" 25	Moon II. L. $\gamma^1$ Virginis $\theta$ — $\alpha$ —	12 30 25.60 12 34 28.59 13 2 36.16 13 17 42.62	A " " "	" 16	$\xi$ Leonis Moon I. L. $\circ$ Leonis $\pi$ — $\alpha$ —	9 24 11.75 9 26 9.45 9 33 28.61 9 52 37.45 10 0 42.96	A " " " "	" 12	$\alpha^2$ Cancri $\alpha^2$ — Moon I. L. $\circ$ Leonis $\alpha$ —	8 39 36.06 8 51 10.30 9 10 53.56 9 34 2.62 10 1 16.80	A " " " "
" 27	Moon II. L. $\lambda$ Virginis $\alpha^2$ Libræ $\delta$ —	14 4 24.98 14 11 27.18 14 42 2.29 14 53 24.89	A " " "	" 17	$\pi$ Leonis $\alpha$ — Moon I. L. $d$ Leonis $\chi$ —	9 52 38.39 10 0 43.94 10 16 18.60 10 53 10.58 10 57 38.47	A " " " "	" 13	$\circ$ Leonis Moon I. L. $\rho$ Leonis	9 34 4.09 10 1 30.35 10 25 50.56	A " "
Feb. 12	$\lambda$ Tauri Moon I. L. $\gamma$ Tauri $\alpha$ — $\epsilon$ —	3 53 7.38 4 4 33.76 4 12 0.50 4 28 3.86 4 54 52.60	A " " " "	" 18	$d$ Leonis $\chi$ — Moon I. L. $\nu$ Leonis $\beta$ Virginis	10 53 11.62 10 57 39.42 11 4 53.98 11 29 39.15 11 43 15.75	A " " " "	" 14	Moon I. L. $\sigma$ Leonis $\tau$ —	10 50 14.74 11 14 22.22 11 21 11.80	B " "
" 16	$\lambda$ Geminor. $\ast$ — Moon I. L.	7 25 43.50 7 36 4.20 7 57 18.86	B " "	" 19	$\nu$ Leonis	11 29 40.13	A	" 15	Moon I. L. $\pi$ Virginis $\eta$ —	11 37 42.26 11 54 11.11 12 13 14.26	S " "
								" 17	$\theta$ Virginis	13 3 14.87	S

(a) Not very distinct.

Date	Names.	Observed Transit.	Obs- ver.	Date	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit.	Obs- ver.
1848.		<i>h. m. s.</i>		1848.		<i>h. m. s.</i>		1849.		<i>h. m. s.</i>	
Apr. 17	Moon I. L. $\alpha$ Virginis <i>m</i> —	13 11 15.59 13 18 21.72 13 34 18.34	S	May 20	$\delta$ Sagittarii Moon II. L. $\gamma^1$ Sagittarii <i>o</i> —	17 51 10.68 17 56 30.81 18 45 39.36 18 56 14.11	"	Jan. 3	Moon I. L. $\xi^2$ Ceti B.A.C. 845	1 54 18.51 2 21 16.74 2 37 55.67	B
" 18	<i>m</i> Virginis Moon II. L. $\kappa$ Virginis $\alpha^2$ Libræ $\xi^2$ —	13 34 49.94 14 0 31.88 14 6 59.30 14 43 40.59 14 49 43.44	S	June 19	$\alpha^2$ Capricorni <i>\rho</i> — Moon II. L.	20 9 13.98 20 19 48.06 20 21 39.21	"	" 4	$\xi^2$ Ceti Moon I. L.	2 21 16.96 2 52 23.56	B
" 19	$\alpha^2$ Libræ Moon II. L. $\beta$ Libræ	14 43 42.13 14 48 39.62 15 10 3.16	S	" 20	$\delta$ Capricorni Moon II. L. $\epsilon$ Aquarii	21 6 57.78 21 16 15.80 21 57 51.05	"	" 8	$\zeta$ Geminor. Moon I. L. $\delta$ Geminor. $\kappa$ —	6 56 19.18 7 7 15.76 7 12 16.80 7 36 29.70	A
" 20	$\beta$ Libræ <i>f</i> — Moon II. L.	15 10 4.34 15 27 7.24 15 37 59.73	B	Aug. 10	$\xi$ Serpentis D Ophiuchi Moon I. L. A.S.C. 2125	17 28 59.86 17 34 28.23 17 46 30.26 18 20 38.92	"	Feb. 1	$\delta$ Arietis $\xi$ Tauri Moon I. L. $\gamma$ Tauri $\alpha$ —	3 3 21.71 3 19 21.03 3 30 40.47 4 11 34.27 4 27 37.65	A
May 10	Moon I. L. $\delta^1$ Leonis $\epsilon$ —	9 44 6.83 10 17 36.48 10 25 10.19	B	" 15	Moon II. L. $\phi$ Aquarii $\psi^2$ —	22 28 0.37 23 6 34.23 23 11 10.52	"	" 2	$\gamma$ Tauri $\alpha$ — Moon I. L.	4 11 35.11 4 27 38.62 4 31 9.26	A
" 11	$\delta^1$ Leonis <i>\rho</i> — Moon I. L. $\sigma$ Leonis	10 17 37.61 10 25 11.49 10 33 56.04 11 13 41.50	B	Sept. 7	$\mu^1$ Sagittarii Moon I. L.	18 4 55.64 18 16 55.46	"	" 3	$\epsilon$ Tauri $\zeta$ — $\delta$ Tauri $\zeta$ — Moon I. L. $\mu$ Geminor.	4 54 27.38 5 29 0.46 4 54 28.35 5 29 1.49 5 33 30.47 6 14 3.60	A
" 12	$\sigma$ Leonis Moon I. L. $\beta$ Virginis $\eta$ —	11 13 43.26 11 21 55.63 11 42 12.37 12 12 33.85	B	" 8	$\pi$ Sagittarii Moon I. L.	19 0 59.55 19 11 24.48	"	" 5	$\delta$ Geminor. <i>K</i> — Moon I. L. $\theta$ Cancræ	7 11 31.16 7 35 44.63 7 39 31.66 8 23 24.20	B
" 13	Moon I. L. $\eta$ Virginis $\gamma^1$ —	12 8 50.51 12 12 35.35 12 34 25.27	B	" 9	$\epsilon^2$ Sagittarii Moon I. L. $\alpha^2$ Capricorni	19 34 6.43 20 6 52.17 20 9 54.36	"	" 6	$\theta$ Cancræ $\delta$ — Moon I. L.	8 23 24.59 8 36 31.69 8 40 35.23	B
" 15	$\alpha$ Virginis <i>m</i> — Moon I. L. $\kappa$ Virginis $\lambda$ —	13 17 42.70 13 34 9.71 13 42 15.89 14 5 19.04 14 11 25.14	A	" 13	$\rho$ Piscium Moon II. L. $\delta$ Piscium <i>m</i> Ceti $\epsilon$ Piscium	23 51 13.99 23 55 52.96 23 57 53.71 0 45 34.85 1 0 52.91	"	" 14	Moon II. L. $\epsilon$ Piscium	0 53 45.49 1 0 53.57	A
" 16	$\kappa$ Virginis $\lambda$ — Moon I. L. $\beta$ Libræ	14 5 20.70 14 11 26.78 14 29 58.64 15 9 23.31	A	Dec. 4	$\phi$ Aquarii $\psi^2$ — Moon I. L. $\delta$ Piscium	23 7 7.75 23 11 43.93 23 28 39.35 23 57 14.43	"	Mar. 2	11 Orionis 15 — Moon I. L. $\nu$ Orionis	4 55 52.63 4 59 59.53 5 13 12.83 5 58 53.31	B
" 17	$\beta$ Libræ Moon I. L.	15 9 25.14 15 18 56.29	A	" 6	$\epsilon$ Piscium Moon I. L. $\xi^1$ Ceti	0 55 48.93 1 19 15.63 2 5 42.68	"	" 3	$\mu$ Geminor. Moon I. L. $\xi$ Geminor. $\zeta$ —	6 13 46.63 6 14 50.87 6 35 45.91 6 55 6.34	B
" 18	$\delta$ Scorpii $\rho^1$ — Moon II. L. <i>m</i> Scorpii $\eta$ Ophiuchi	15 51 58.25 15 57 13.40 16 11 29.71 16 33 24.16 17 2 16.75	A	" 8	Moon I. L. $\gamma$ Tauri $\alpha$ —	3 19 59.84 4 11 58.79 4 28 2.30	"	" 5	12 Cancræ Moon I. L. $\delta$ Cancræ $\alpha$ —	8 0 14.33 8 16 7.24 8 36 4.41 8 50 12.09	A
" 19	<i>m</i> Scorpii Moon II. L. D Ophiuchi	16 33 25.73 17 3 23.78 17 34 58.08	A	" 9	Moon I. L. $\alpha$ Tauri $\epsilon$ —	4 24 34.40 4 28 3.72 4 54 52.56	"	" 6	$\delta$ Cancræ $\alpha$ — Moon I. L. $\sigma$ Leonis $\alpha$ —	8 36 4.97 8 50 12.68 9 14 22.66 9 54 13.23 10 0 18.93	A
				1849.				Jan. 3	$\nu$ Piscium	1 34 42.89	B

Date.	Names.	Observed Transit	Obscr- ver.	Date.	Names.	Observed Transit.	Obscr- ver.	Date.	Names.	Observed Transit.	Obscr- ver.
1849.		<i>h m. s.</i>		1849.		<i>h m. s.</i>		1849.		<i>h. m. s.</i>	
Mar. 7	$\pi$ Leonis	9 52 13.81	A	May 3	$\beta$ Virginis	11 42 57.14	B	Aug. 13	$\zeta$ Tauri	5 29 46.54	A
	$\alpha$ —	10 0 19.55	"		Moon I. L.	12 9 55.77	A		Moon II. L.	5 42 22.33	"
	Moon I. L.	10 10 7.93	"		$\eta$ Virginis	12 12 18.13	"		$\epsilon$ Aquarii	20 40 0.15	B
	$d$ Leonis	10 52 45.98	"		$\gamma$ —	12 34 8.13	"	" 31	$\mu$ —	20 45 0.71	"
	$\chi$ —	10 57 13.69	"		$\theta$ —	13 2 15.71	"		Moon I. L.	21 5 31.27	"
" 8	$d$ Leonis	10 52 46.76	A	" 4	$\gamma$ Virginis	12 34 8.70	A	Sept. 2	Moon I. L.	22 49 45.76	A
	$\chi$ —	10 57 14.38	"		Moon I. L.	12 58 37.32	"		Moon II. L.	22 51 54.92	"
	Moon I. L.	11 3 37.15	"		$\theta$ Virginis	13 2 16.30	"		$\epsilon$ Aquarii	23 12 7.72	"
	$v$ Leonis	11 29 13.99	"		$\alpha$ —	13 17 22.95	"	" 26	$g$ Sagittarii	19 49 30.86	B
	$\beta$ Virginis	11 42 50.70	"		$m$ —	13 33 49.86	"		Moon I. L.	19 50 39.87	"
" 12	$\ast$ Virginis	14 4 58.44	A	" 5	$\alpha$ Virginis	13 17 23.81	A		$v$ Capricorni	20 31 35.12	"
	$\lambda$ —	14 11 4.30	"		$m$ —	13 33 50.66	"	" 7	$v$ Capricorni	20 31 36.14	B
	Moon II. L.	14 25 42.80	"		Moon I. L.	13 46 59.10	"		Moon I. L.	20 42 43.02	"
	$\delta$ Libræ	14 53 2.08	"		$\epsilon$ Virginis	14 8 15.23	"		$\gamma$ Capricorni	21 31 52.59	"
	$\beta$ —	15 9 0.66	"		$\mu$ —	14 35 15.69	"	" 29	$\theta$ Aquarii	22 9 3.68	S
" 13	$\delta$ Libræ	14 53 3.73	A	" 7	$\beta$ Libræ	15 9 4.17	A		Moon I. L.	22 26 49.38	"
	$\beta$ —	15 9 2.41	"		Moon II. L.	15 26 46.11	"	Oct. 1	$\beta^1$ Scorpii	15 56 51.02	"
	Moon II. L.	15 14 56.16	"		$\delta$ Scorpii	15 51 36.01	"		$\beta^1$ —	15 56 51.02	"
	$\beta^1$ Scorpii	15 56 49.25	"	" 8	$\delta$ Scorpii	15 51 36.76	A		$\beta^1$ —	15 56 51.72	"
	$\nu$ —	16 3 22.74	"		$\beta^1$ —	15 56 51.72	"	" 2	$\delta$ Piscium	0 41 6.23	B
" 14	$\nu$ Scorpii	16 3 23.98	A	" 9	$\delta$ Scorpii	15 51 36.76	A		20 Ceti	0 45 32.74	"
	Moon II. L.	16 4 28.10	"		$\beta^1$ —	15 56 51.72	"	" 8	Moon II. L.	7 7 2.80	J
	B.A.C. 5579.	16 33 0.88	"	" 9	Moon II. L.	16 16 41.66	"		$\delta$ Geminor.	7 11 28.05	"
	20 Ophiuchi.	16 41 39.23	"	" 9	$\xi$ Ophiuchi	17 12 9.10	"	" 24	$\alpha^2$ Capricorni	20 10 26.13	J
" 31	Moon I. L.	6 58 33.17	S	" 9	$\eta$ Ophiuchi	17 1 55.89	A		Moon I. L.	20 21 14.41	"
	68 Geminor.	7 25 30.97	"	" 9	Moon II. L.	17 7 24.88	"	" 25	29 Capricorni	21 8 10.81	A
	$\ast$ —	7 35 51.25	"	" 9	$\xi$ Ophiuchi	17 12 10.08	"		Moon I. L.	21 12 30.75	"
April 2	$\delta$ Cancræ	8 36 39.61	A	" 9	$\circ$ Serpentis	17 33 8.52	"	" 26	$\delta$ Capricorni	21 39 29.89	"
	$\alpha$ —	8 50 47.26	"	" 9	$\mu^1$ Sagittarii	18 4 56.61	"		$\epsilon$ Aquarii	21 59 4.83	"
	Moon I. L.	8 56 31.66	"	June 5	$\phi$ Ophiuchi	16 22 23.45	B	" 26	Moon I. L.	21 39 31.51	A
	$\circ$ Leonis	9 33 39.21	"	" 5	20 —	16 41 22.12	"	" 27	$\epsilon$ Aquarii	21 59 6.17	"
" 3	$\circ$ Leonis	9 33 40.35	A	" 5	Moon I. L.	16 48 9.24	"	" 28	Moon I. L.	22 3 42.28	"
	Moon I. L.	9 51 59.32	S	" 5	Moon II. L.	16 50 17.46	"	" 29	$\sigma$ Aquarii	22 23 28.84	"
	$\eta$ Leonis	9 59 41.41	"	" 6	$\nu$ Serpentis	17 12 14.44	B	" 30	$\lambda$ —	22 45 33.91	"
	45 Leonis	10 20 16.21	"	" 6	$\circ$ —	17 32 50.14	"	" 31	$\lambda$ Aquarii	22 45 35.85	A
	$\rho$ —	10 25 27.01	"	" 6	Moon II. L.	17 41 30.07	"	" 31	( <i>b</i> ) Moon I. L.	22 55 7.38	"
" 30	$\xi$ Leonis	9 23 52.05	A	July 3	Moon I. L.	17 22 59.69	A	" 29	Moon I. L.	0 40 32.40	B
	$\circ$ —	9 33 9.25	"	" 3	4 Sagittarii	77 50 55.16	"	" 30	20 Ceti	0 45 13.29	"
	Moon I. L.	9 35 17.83	"	" 6	$\epsilon^2$ Sagittarii	19 34 16.22	A	" 31	( <i>c</i> ) $\mu$ Piscium	1 23 12.39	"
	$\alpha$ Leonis	10 0 23.61	"	" 6	57 —	19 43 43.88	"	" 31	$\circ$ —	1 38 21.24	"
	$\rho$ —	10 24 55.65	"	" 6	Moon II. L.	20 1 10.00	"	" 31	$\mu$ Piscium	1 23 14.13	B
May 1	$\alpha$ Leonis	10 0 24.64	B	" 10	$\phi$ Aquarii	23 6 55.47	A	" 31	Moon I. L.	1 35 42.57	"
	$\rho$ —	10 24 56.72	"	" 10	$\psi^2$ —	23 11 31.70	"	" 31	$\xi^2$ Ceti	2 21 5.70	"
	Moon I. L.	10 28 57.30	"	" 12	Moon II. L.	23 25 46.97	"	" 31	$\xi^2$ Ceti	2 21 7.58	B
	$\chi$ Leonis	10 57 19.10	"	" 12	$\delta$ Piscium	0 41 18.47	A				
	$\sigma$ —	11 13 26.54	"	" 12	$\epsilon$ —	1 1 2.93	"				
" 2	$\chi$ Leonis	10 57 19.74	B	" 12	Moon II. L.	1 9 11.15	"				
	$\sigma$ —	11 13 27.38	"	Aug. 8	20 Ceti	0 46 21.73	J				
	Moon I. L.	11 20 16.69	"	" 8	Moon II. L.	0 53 57.75	"				
	$\beta$ Virginis	11 42 56.48	"	" 8			"				

(a) Not distinct. (b) Very faint (c) Faint.

Date.	Names.	Observed Transit.	Obscr- ver.	Date.	Names.	Observed Transit.	Obscr- ver.	Date.	Names.	Observed Transit.	Obscr- ver.
1849.		<i>h. m. s.</i>		1849.		<i>h. m. s.</i>		1850.		<i>h. m. s.</i>	
Oct. 31	Moon I. L.	2 33 16.71	B	Dec. 29	$\mu$ Geminor.	6 14 39.68	J	Feb. 28	( <i>e</i> ) $\gamma$ Virginis	12 33 59.24	J
	Moon II. L.	2 35 34.83	"		$\gamma$ —	6 29 49.41	"		Moon II. L.	12 48 22.85	"
	B.A.C. 845	2 37 46.53	"		( <i>b</i> ) Moon I. L.	6 45 52.41	"		$\alpha$ Virginis	13 17 13.44	"
					Moon II. L.	6 48 21.37	"				
Nov. 4	$\gamma$ Geminor.	6 30 4.39	J	1850.				Mar. 3	$\beta$ Libræ	15 8 52.98	J
	( <i>a</i> ) Moon II. L.	6 47 12.75	"	Jan. 25	Moon I. L.	6 9 31.98	A		Moon II. L.	15 24 53.60	"
	$\lambda$ Geminor.	7 10 29.79	"		$\mu$ Geminor.	6 14 1.78	"		$\delta$ Scorpii	15 51 24.58	"
					$\zeta$ —	6 55 21.18	"		$\beta^1$ —	15 56 39.60	"
" 5	$\lambda$ Geminor.	7 10 31.53	J	" 26	$\zeta$ Geminor.	6 55 18.00	A	" 5	$\eta$ Ophiuchi	17 1 43.55	R
	68 —	7 26 5.93	"		Moon I. L.	7 15 17.36	"		Moon II. L.	17 7 51.56	"
	Moon II. L.	7 50 21.59	"		$\beta$ Geminor.	7 36 13.18	"		$\nu$ Serpentis	17 12 20.30	"
	$\delta$ Cancræ	8 37 12.19	"		$\phi$ —	7 44 24.03	"				
" 8	Moon II. L.	10 43 48.05	A	Feb. 4	Moon II. L.	15 46 2.99	B	" 6	Moon II. L.	17 59 34.84	B
	$\sigma$ Leonis	11 14 31.81	"		$\alpha$ Scorpii	16 20 11.70	"		$\mu^1$ Sagittarii	18 4 44.16	"
" 9	$\sigma$ Leonis	11 14 33.66	A	" 5	$\alpha$ Scorpii	16 20 11.48	B	" 7	$\xi^2$ Sagittarii	18 48 42.66	B
	Moon II. L.	11 36 24.03	"	" 5	Moon II. L.	16 36 35.24	"		Moon II. L.	18 51 22.06	"
" 22	$\gamma$ Capricorni	21 32 18.80	J	" 7	$\eta$ Ophiuchi	17 1 44.71	"	" 22	$\zeta$ Geminor.	6 55 3.94	A
	$\delta$ —	21 39 17.81	"	" 6	$\eta$ Ophiuchi	17 1 44.28	B		$\delta$ —	7 11 1.06	"
	Moon L. L.	21 42 28.00	"	" 18	Moon I. L.	2 43 33.51	J		Moon I. L.	7 25 2.08	"
" 23	$\theta$ Aquarii	22 9 29.93	B	" 18	$\xi$ Tauri	3 18 55.54	"		$\theta$ Cancræ	8 22 53.97	"
	Moon I. L.	22 32 33.94	"	" 19	Moon I. L.	3 40 9.55	J	" 23	$\theta$ Cancræ	8 22 54.40	S
	$\phi$ Aquarii	23 7 8.50	"	" 19	$\alpha$ Tauri	4 27 11.76	A		Moon I. L.	8 27 23.92	"
	$\psi^2$ —	23 11 44.74	"	" 21	$\beta$ Tauri	5 16 40.96	A		$\delta$ Cancræ	8 26 1.22	"
" 24	$\phi$ Aquarii	23 7 10.22	B	" 21	$\zeta$ —	5 28 33.24	"	" 25	$\alpha$ —	8 50 8.60	"
	$\psi^2$ —	23 11 16.40	"	" 21	Moon I. L.	5 40 18.81	"	" 25	$\pi$ Leonis	9 52 7.84	A
	Moon I. L.	23 23 55.60	"	" 22	$\mu$ Geminor.	6 18 45.61	"	" 25	$\alpha$ —	10 0 13.54	"
	33 Piscium	23 58 16.72	"	" 22	$\gamma$ —	6 28 55.23	"	" 25	Moon I. L.	10 27 24.94	"
" 26	20 Ceti	0 46 1.62	B	" 22	$\mu$ Geminor.	6 13 46.03	A	" 26	$\sigma$ Leonis	11 13 14.42	A
	Moon I. L.	1 7 12.07	"	" 22	$\gamma$ —	6 28 55.65	"	" 26	$\tau$ —	11 20 3.86	"
" 28	Moon I. L.	3 1 20.37	A	" 22	Moon I. L.	6 44 6.17	"	" 26	Moon I. L.	11 24 21.58	"
	$\delta$ Arietis	3 3 48.38	"	" 23	$\delta$ Geminor.	7 11 2.83	"	" 27	$\pi$ Virginis	11 53 1.16	A
	$e$ Tauri	3 40 48.11	"	" 23	$\delta$ Geminor.	7 11 3.05	A	" 27	$\eta$ —	12 12 3.88	"
	$\lambda$ —	3 53 7.43	"	" 23	Moon I. L.	7 48 48.02	B	" 27	Moon I. L.	12 19 27.91	"
" 29	$\lambda$ Tauri	3 53 9.41	A	" 23	$\delta$ Cancræ	8 36 3.43	"	" 19	Moon I. L.	8 8 38.23	A
	Moon I. L.	4 3 25.47	"	" 25	$\sigma$ Leonis	9 33 3.15	B	" 19	$\delta$ Cancræ	8 35 59.65	"
	$\alpha$ Tauri	4 28 5.83	"	" 25	Moon I. L.	9 54 59.88	"	" 20	$\alpha$ —	8 50 7.22	"
	" —	4 54 55.07	J	" 25	$\alpha$ Leonis	10 0 17.58	"	" 20	$\delta$ Cancræ	8 35 59.67	A
Dec. 2	$\zeta$ Geminor.	6 56 5.11	J	" 25	$\rho$ —	10 24 49.51	"	" 20	$\alpha$ —	8 50 7.34	"
	$\delta$ —	7 12 2.14	"	" 26	$\rho$ Leonis	10 24 49.66	B	" 20	Moon I. L.	9 9 3.79	"
	Moon II. L.	7 24 7.37	"	" 26	( <i>e</i> ) Moon I. L.	10 54 33.18	J	" 20	$\sigma$ Leonis	9 32 59.39	"
	$\theta$ Cancræ	8 23 54.51	"	" 26	( <i>d</i> ) Moon II. L.	10 56 50.32	"	" 22	$\alpha$ —	10 0 13.76	"
	$\delta$ Cancræ	8 37 1.35	"	" 26	$\chi$ Leonis	10 57 11.38	"	" 22	$d$ Leonis	10 52 41.25	A
" 21	$\lambda$ Aquarii	22 45 15.05	J	" 27	$\tau$ —	11 20 8.43	"	" 22	$\chi$ —	10 57 9.20	"
	Moon I. L.	23 3 43.03	"	" 27	$\beta$ Virginis	11 42 48.42	R	" 23	Moon I. L.	11 3 35.24	"
	27 Piscium	23 51 28.06	"	" 27	Moon II. L.	11 53 44.05	"	" 23	$\beta$ Virginis	11 42 46.90	S
" 27	$\alpha$ Tauri	4 28 1.20	J	" 27	$\gamma$ Virginis	12 33 59.18	"	" 23	Moon I. L.	11 57 55.84	"
	Moon I. L.	4 32 14.22	"	" 27	$\delta$ —	12 47 58.32	"				
	$\alpha$ Tauri	4 54 50.27	"								

(a) Greatly agitated. (b) Uneven. (c) Imperfect. (d) Agitated. (e) N. Star

Date.	Names.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit	Obs- ver.	Date	Names.	Observed Transit	Obs- ver.
1850.		<i>h. m. s.</i>		1850.		<i>h. m. s.</i>		1850.		<i>h. m. s.</i>	
Apr. 23	$\delta$ Virginis	12 47 57.31	S	Oct. 18	Moon I. L.	23 51 51.68	S	Dec. 14	$\xi^1$ Ceti	2 6 4.42	B
" 30	$\lambda$ Sagittarii	17 50 33.36	S		( <i>a</i> ) $\beta$ Piscium	23 55 6.54	"	"	$\xi^2$ —	2 21 12.59	"
	$\mu^1$ —	18 4 43.14	"		$\delta$ —	0 41 45.08	"	" 16	$\circ$ Tauri	3 17 47.60	S
	Moon II. L.	18 8 36.38	"		20 Ceti	0 46 11.41	"	"	Moon I. L.	3 19 51.23	"
	$\circ$ Sagittarii	18 55 36.76	"	" 28	Moon II. L.	9 18 16.36	V	"	$\gamma$ Tauri	4 12 19.01	"
	$\pi$ —	19 0 45.66	"	"	$\alpha$ Leonis	10 1 11.18	"	"	$\epsilon$ —	4 20 54.89	"
May 20	$\nu$ Virginis	11 38 2.78	B	" 29	$\alpha$ Leonis	10 1 11.38	V	" 17	$\gamma$ Tauri	4 12 19.51	S
	Moon I. L.	11 41 26.55	"	"	( <i>b</i> ) Moon II. L.	10 17 13.88	"	"	Moon I. L.	4 17 39.61	"
	$\eta$ Virginis	12 12 8.03	"	Nov. 11	Moon I. L.	21 5 50.49	S	"	$\circ^1$ Orionis	4 45 6.51	"
	$\gamma$ —	12 33 57.83	"	"	$\gamma$ Capricorni	21 32 37.88	"	"	$\lambda$ Tauri	4 55 11.85	"
" 21	$\eta$ Virginis	12 12 9.01	B	"	$\delta$ —	21 39 36.94	"	1851.	$\epsilon$ Piscium	0 55 21.91	M
	Moon I. L.	12 33 54.17	"	" 13	Moon I. L.	22 43 32.63	S	Jan. 10	Moon I. L.	1 13 2.92	S
	$\alpha$ Virginis	13 17 13.33	"	"	$\lambda$ Aquarii	22 45 39.35	"	"	$\alpha$ Piscium	1 54 30.02	"
" 22	$\theta$ Virginis	13 2 7.76	B	"	$\phi$ —	23 7 25.38	"	"	$\xi^1$ Ceti	2 5 16.53	"
	$\alpha$ —	13 17 14.43	"	" 14	$\phi$ Aquarii	23 7 25.59	S	" 11	Moon I. L.	2 1 34.65	S
	Moon I. L.	13 25 23.57	"	"	$\psi^b$ —	23 12 1.98	"	"	$\xi^1$ Ceti	2 5 16.73	"
" 25	$\delta$ Scorpii	15 41 29.00	A	"	( <i>c</i> ) Moon I. L.	23 31 19.69	"	"	B.A.C. 845	2 37 4.27	"
	$\beta^1$ —	15 56 44.07	"	"	27 Piscium	23 51 52.43	"	"	$\pi$ Arctis	2 41 9.74	"
	Moon I. L.	16 0 6.30	"	" 15	33 —	23 56 32.11	"	" 13	$\epsilon$ Tauri	3 40 18.07	S
	$\phi$ Ophiuchi	16 22 34.32	"	"	27 Piscium	23 51 52.47	S	"	Moon I. L.	3 47 2.79	"
	20 —	16 41 33.01	"	"	33 —	23 58 32.09	"	"	$\lambda$ Tauri	3 52 37.59	"
June 19	Moon I. L.	14 1 35.74	B	"	Moon I. L.	0 19 16.11	"	"	$\alpha$ —	4 27 34.26	"
	( <i>a</i> ) $\alpha^2$ Libræ	14 43 4.47	"	" 18	$\nu$ Ceti	2 28 53.53	B	" 14	$\alpha$ Tauri	4 27 34.44	S
" 22	$\alpha$ Scorpii	16 20 45.11	S	"	B.A.C. 845	2 37 43.52	"	"	Moon I. L.	4 45 31.41	"
	Moon I. L.	16 35 17.32	"	"	Moon I. L.	2 51 42.32	"	" 15	$\circ$ Tauri	5 18 52.87	B
July 18	Moon I. L.	15 28 12.41	S	"	$\circ$ Tauri	3 17 38.01	"	"	$\zeta$ —	5 28 56.23	"
	$\delta$ Scorpii	15 52 27.10	"	" 19	$\xi$ —	3 19 55.94	"	"	Moon I. L.	5 48 1.86	"
	$\beta^1$ —	15 57 42.12	"	"	$\circ$ Tauri	3 17 38.27	B	"	$\mu$ Geminor.	6 14 8.51	"
Aug. 21	29 Capricorni	21 7 48.52	S	"	$\xi$ —	3 19 56.28	"	" 16	$\nu$ —	6 20 18.81	B
	Moon I. L.	21 12 35.46	"	"	Moon I. L.	3 47 46.09	"	"	$\mu$ Geminor.	6 14 8.65	"
	$\epsilon$ Capricorni	21 14 15.44	"	"	Moon II. L.	3 50 3.41	"	"	$\nu$ —	6 20 18.81	"
	$\delta$ —	21 39 7.50	"	"	$\epsilon$ Tauri	4 20 45.50	"	"	Moon I. L.	6 54 39.65	"
	$\mu$ —	21 45 28.67	"	"	$\alpha$ —	4 28 12.77	"	"	68 Geminor.	7 25 18.10	"
Oct. 12	$\xi^2$ Sagittarii	18 49 35.02	J	Dec. 11	$\phi$ Aquarii	23 7 32.02	R	"	$\kappa$ —	7 35 38.85	"
	Moon I. L.	18 52 0.90	"	"	Moon I. L.	23 11 34.30	"	" 24	$\alpha^2$ Libræ	14 43 53.23	R
	$\circ$ Sagittarii	18 56 29.84	"	"	27 Piscium	23 51 53.43	"	"	Moon II. L.	14 51 47.77	"
" 14	Moon I. L.	20 35 52.28	B	" 12	33 —	23 58 38.29	"	Feb. 10	$\lambda$ Tauri	3 52 49.72	R
	$\nu$ Aquarii	21 2 14.84	"	"	27 Piscium	23 51 59.08	B	"	$\gamma$ —	4 11 43.31	"
	$\epsilon$ Capricorni	21 14 43.05	"	"	Moon I. L.	23 58 36.44	"	"	Moon I. L.	4 18 19.50	"
" 15	$\nu$ Aquarii	21 2 14.82	B	" 13	$\delta$ Piscium	0 41 54.05	"	"	11 Orionis	4 56 27.82	"
	$\epsilon$ Capricorni	21 14 42.89	"	"	20 Ceti	0 46 20.60	"	" 11	11 Orionis	4 56 28.28	R
	Moon I. L.	21 26 2.24	"	"	$\delta$ Piscium	0 41 54.45	B	"	15 —	5 1 35.36	"
	$\epsilon$ Aquarii	21 59 9.86	"	"	Moon I. L.	0 46 2.71	"	"	Moon I. L.	5 16 53.55	"
	$\theta$ —	22 9 44.82	"	"	$\nu$ Piscium	1 34 38.31	"	"	$\eta$ Geminor.	6 6 18.07	"
" 17	Moon I. L.	23 3 37.67	S	" 14	$\circ$ —	1 38 29.38	"	"	$\mu$ —	6 14 21.97	"
	$\phi$ Aquarii	23 7 23.85	"	"	Moon I. L.	1 34 46.89	B	" 12	$\eta$ Geminor.	6 6 18.69	B
				"	$\circ$ Piscium	1 38 29.70	"	"	$\mu$ —	6 14 22.43	"

(a) Famb. (b) Haze. (c) Flying clouds.

Date.	Names.	Observed Transit.	Observed	Date.	Names.	Observed Transit.	Observed	Date.	Names.	Observed Transit.	Observed
1851.		<i>h. m. s.</i>		1851.		<i>h. m. s.</i>		1851.		<i>h. m. s.</i>	
Feb. 12	Moon I. L.	6 19 11.03	B	Apr. 21	o Sagittarii	18 56 33.69	S	Sept. 3	θ Ophiuchi	17 12 35.60	S
" 19	0 Virginis	13 2 46.36	S	" "	Moon II. L.	19 14 17.67	"	" "	Moon I. L.	17 25 3.73	"
" "	Moon II. L.	13 35 46.07	"	" "	e <sup>2</sup> Sagittarii	19 34 48.00	"	" "	μ <sup>1</sup> Sagittarii	18 4 35.24	"
" "	* Virginis	14 5 28.69	"	" 22	e <sup>2</sup> Sagittarii	19 34 48.50	S	" 5	o Sagittarii	18 55 30.04	R
" "	λ —	14 11 34.76	"	" "	Moon II. L.	20 8 0.42	"	" "	π —	19 0 39.04	"
" 20	* Virginis	14 5 29.85	S	May 8	Moon I. L.	9 19 11.72	M	" "	Moon I. L.	19 17 30.46	"
" "	λ —	14 11 35.77	"	" "	π Leonis	9 52 6.54	"	" "	α <sup>2</sup> Capricorni	20 9 32.08	"
" "	Moon II. L.	14 30 36.47	"	" "	α —	10 1 12.35	"	" "	β —	20 12 23.34	"
" "	β Libræ	15 9 31.79	"	" 15	γ Libræ	15 36 30.55	S	" 6	Moon I. L.	20 10 26.09	R
" 21	β Libræ	15 9 32.91	S	" "	δ —	15 46 9.43	"	" "	β Capricorni	20 12 24.06	"
" "	Moon II. L.	15 24 51.56	"	" "	(a) Moon I. L.	15 55 22.69	"	" "	ν —	20 31 19.61	"
" "	ν Scorpæ	16 3 53.43	"	" "	Moon II. L.	15 57 40.15	"	" "	ψ —	20 37 1.97	"
" 24	Moon II. L.	18 7 6.09	S	" "	B.A.C. 5579.	16 33 46.50	"	" 18	Moon II. L.	6 6 34.76	S
" "	π Sagittarii	19 1 29.33	"	" "	B.A.C. 5579.	16 33 46.48	S	" "	μ Geminor.	6 13 49.34	"
Mar. 12	μ Geminor.	6 14 33.35	S	" 16	Moon II. L.	16 55 11.77	"	" 19	Moon II. L.	7 7 9.72	S
" "	ν —	6 20 43.67	"	" "	o <sup>2</sup> Ophiuchi	17 23 8.48	"	" "	δ Geminor.	7 11 6.34	"
" "	Moon I. L.	6 54 51.65	"	" "	58 —	17 35 18.96	"	" 30	γ Ophiuchi	17 1 48.94	J
" "	68 Geminor.	7 25 43.41	"	" 18	Moon II. L.	18 49 51.36	S	" "	Moon I. L.	17 3 45.29	"
" "	* —	7 36 3.96	"	" "	o Sagittarii	18 56 33.80	"	" "	μ <sup>1</sup> Sagittarii	18 4 50.40	"
" 13	68 Geminor.	7 25 42.85	S	" 19	λ <sup>2</sup> Sagittarii	19 28 26.37	B	Oct. 1	(b) Moon I. L.	18 1 30.94	B
" "	* —	7 36 3.88	"	" "	e <sup>2</sup> —	19 35 47.82	"	" "	o Sagittarii	18 55 45.66	R
" "	Moon I. L.	7 58 21.02	"	" "	Moon II. L.	19 45 20.79	"	" "	π —	19 0 54.68	"
" 23	0 Ophiuchi	17 13 25.24	R	" "	ψ Capricorni	20 38 3.71	"	" 2	o Sagittarii	18 55 46.32	R
" "	58 —	17 35 3.66	"	" 20	Moon II. L.	20 38 44.43	B	" "	Moon I. L.	18 58 13.64	"
" "	Moon II. L.	17 46 55.88	"	" "	ζ Capricorni	21 18 56.87	"	" "	π Sagittarii	19 0 55.24	"
" "	λ Sagittarii	18 19 19.66	"	" "	ε —	21 29 31.37	"	" 3	λ <sup>2</sup> Sagittarii	19 27 40.21	J
" 24	λ Sagittarii	18 19 20.00	R	June 12	ψ Ophiuchi	16 16 11.75	S	" "	e <sup>2</sup> —	19 34 1.60	"
" "	Moon II. L.	18 41 42.65	"	" "	Moon I. L.	16 28 35.04	"	" "	Moon I. L.	19 53 16.30	"
April 7	Moon I. L.	5 34 14.31	M	" 15	Moon II. L.	19 20 53.11	B	" "	β Capricorni	20 12 40.50	"
" "	e Geminor.	6 35 24.19	"	" "	β Capricorni	20 12 34.02	"	" "	ψ —	20 37 18.77	B
" 8	Moon I. L.	6 34 0.90	M	" "	φ —	20 20 17.06	"	" 4	ψ Capricorni	20 37 19.37	M
" "	ζ Geminor.	6 55 55.85	"	July 8	(b) α <sup>2</sup> Libræ	14 41 21.62	S	" "	Moon I. L.	20 46 13.85	"
" "	δ —	7 11 53.10	"	" "	(b) Moon I. L.	15 12 16.18	"	" 31	β Capricorni	20 12 59.58	B
" 9	ζ Geminor.	6 55 56.79	M	" 9	(b) θ Libræ	15 44 4.68	S	" "	(b) Moon I. L.	20 27 11.79	"
" "	δ —	7 11 54.02	"	" "	Moon I. L.	16 7 10.36	"	" "	ν Capricorni	20 31 55.29	"
" "	Moon I. L.	7 35 22.71	B	" 10	Moon I. L.	17 3 1.97	"	Nov. 28	Moon I. L.	20 58 17.07	S
" "	θ Cancri	8 23 46.48	"	" "	ξ Ophiuchi	17 10 47.63	R	" "	(b) μ Capricorni	21 45 55.69	"
" "	δ —	8 36 53.68	"	Aug. 8	Moon I. L.	18 38 4.65	S	Dec. 1	φ Aquarii	23 7 22.55	R
" 10	0 Cancri	8 23 47.44	B	" "	π Sagittarii	19 0 19.61	"	" "	ψ <sup>2</sup> —	23 11 58.72	"
" "	Moon I. L.	8 37 14.26	"	" "	φ <sup>1</sup> —	19 12 27.43	"	" "	Moon I. L.	23 25 30.51	"
" "	* Cancri	9 0 22.56	"	" 11	29 Capricorni	21 6 57.00	S	" "	27 Piscium	23 51 49.32	"
" "	ξ Leonis	9 24 36.94	"	" "	λ —	21 13 23.95	"	" "	83 —	23 58 29.06	"
" 11	* Cancri	9 0 23.60	B	" "	Moon I. L.	21 18 39.59	"	" 2	27 Piscium	23 51 50.28	R
" "	ξ Leonis	9 24 37.92	"	" "	Moon II. L.	21 20 48.45	"	" "	33 —	23 58 30.00	"
" "	Moon I. L.	9 38 32.85	"	" "	ε Aquarii	21 57 50.40	"	" "	Moon I. L.	0 11 7.74	S
" "	α Leonis	10 1 9.34	"	" "			"	" "	B.A.C. 205	0 38 37.60	"
" "	φ —	10 25 41.41	"	" "			"	" "	20 Ceti	0 46 12.15	"

(a) Imperfect (b) Exact.



TRANSITS OF THE MOON, AND OF STARS CULMINATING NEAR THERETO,

Date.	Names.	Observed Transit.	Obscr- ver.	Date.	Names.	Observed Transit.	Obscr- ver.	Date.	Names.	Observed Transit.	Obscr- ver.
1851.		<i>h. m. s.</i>		1852.		<i>h. m. s.</i>		1852.		<i>h. m. s.</i>	
Dec. 3	B.A.C. 205	0 38 38.36	S	Feb. 3	$\beta$ Geminor.	7 36 32.29	S	Apr. 28	Moon I. L.	9 51 15.70	R
	20 Ceti.	0 46 13.01	"		$\varphi$ —	7 44 43.39	"		$\eta$ Leonis	10 0 13.70	"
	Moon I. L.	0 56 24.61	"				"		$\gamma$ —	10 12 46.70	"
	$\mu$ Piscium	1 23 12.21	"	" 4	$\beta$ Geminor.	7 36 34.65	S	" 29	Moon I. L.	10 49 5.51	S
	$\sigma$ —	1 38 21.14	"		Moon I. L.	8 13 51.53	"		$\iota$ Leonis	11 17 12.87	"
" 4	Moon I. L.	1 42 15.23	S	" 13	Moon II. L.	17 0 5.30	S	" 30	$\xi$ Virginis	11 38 39.75	"
	$\xi^2$ Ceti	2 21 5.02	"		$\eta$ Ophiuchi	17 2 36.50	"		$\iota$ Leonis	11 17 13.73	S
	$\nu$ —	2 28 54.28	"		$\mu^1$ Sagittarii	18 5 37.18	"		$\xi$ Virginis	11 38 40.41	"
" 6	$\sigma$ Tauri	3 17 39.67	S	" 27	Moon I. L.	3 53 14.90	R		Moon I. L.	11 46 18.46	"
	Moon I. L.	3 19 9.94	"		( $\alpha$ ) $\sigma$ Tauri	4 20 12.59	"		$\eta$ Virginis	12 13 21.54	"
	$f$ Tauri	3 23 31.00	"		$\alpha$ —	4 27 39.86	"		$\gamma$ —	12 35 11.10	"
" 30	12 Ceti	0 23 21.56	J	Mar. 2	$\delta$ Geminor.	7 5 15.45	B	May 25	Moon I. L.	9 32 58.07	M
	13 —	0 28 30.36	"		$\delta$ —	7 11 40.10	"		$\alpha$ Leonis	10 1 45.40	"
	Moon I. L.	0 37 41.45	"		Moon I. L.	7 41 20.29	"		$\varrho$ —	10 26 17.25	"
	$\epsilon$ Piscium	1 1 27.48	"		$\delta$ Cancr	8 36 39.81	"		$\alpha$ Leonis	10 1 45.12	M
1852.					$\alpha$ —	8 50 47.08	"	" 26	$\varrho$ —	10 26 17.13	"
Jan. 2	$\pi$ Arietis	2 41 54.49	J	" 3	$\delta$ Cancr	8 36 41.89	B		Moon I. L.	10 29 35.23	"
	Moon I. L.	2 55 51.09	"		Moon I. L.	8 43 53.73	"		$\delta$ Leonis	10 54 11.57	"
	$\epsilon$ Tauri	3 40 1.86	"		$\alpha$ Cancr	8 50 49.10	"		$\chi$ —	10 53 39.35	"
	$\lambda$ —	3 52 21.49	"		$\xi$ Leonis	9 24 23.90	"		$\delta$ Leonis	10 54 11.39	M
" 6	Moon I. L.	6 39 12.23	S	" 4	$\xi$ Leonis	9 24 25.48	B	" 27	$\chi$ —	10 53 39.19	"
	$\delta$ Geminor.	7 11 11.95	"		$\sigma$ —	9 33 42.45	"		Moon I. L.	11 25 13.63	"
	$\alpha$ —	7 35 25.91	"		Moon I. L.	9 46 19.61	"	" 29	$\delta$ Virginis	12 49 25.55	B
" 8	$\delta$ Cancr	8 23 4.80	S	" 28	$\mu$ Geminor.	6 14 40.44	J		$\theta$ —	13 3 34.33	"
	$\delta$ —	8 36 11.38	"		Moon I. L.	6 16 22.96	"		Moon I. L.	13 15 43.97	"
	Moon II. L.	8 48 49.47	"		$\nu$ Geminor.	6 20 50.54	"		$\ast$ Virginis	14 6 17.63	"
" 15	Moon II. L.	15 27 27.44	B	" 30	3 Cancr	7 52 0.55	M	" 31	$\delta$ Libræ	14 54 21.27	B
	$\beta^1$ Scorpii	15 56 46.40	"		Moon I. L.	8 15 9.98	"		$\beta$ —	15 10 19.76	"
	$\nu$ —	16 3 20.24	"	" 31	$\delta$ Cancr	8 36 59.37	B	June 28	Moon I. L.	15 10 54.91	"
" 16	$\beta^1$ Scorpii	15 56 46.94	B		$\sigma^2$ —	8 50 2.33	"		( $\alpha$ ) $\eta$ Libræ	15 36 40.69	S
	Moon II. L.	16 19 5.15	"		Moon I. L.	9 15 51.37	"		( $\alpha$ ) Moon I. L.	15 45 14.77	"
" 28	$\sigma$ Piscium	1 37 38.78	S	Apr. 1	$\alpha$ Leonis	10 1 13.42	B	Aug. 24	B.A.C. 5579	16 33 56.59	"
	Moon I. L.	1 48 31.31	"		$\gamma$ —	10 12 32.58	"		4 Sagittarii	17 51 48.22	S
	$\xi^2$ Ceti	2 20 21.58	"		Moon I. L.	10 16 12.48	"		Moon I. L.	18 6 22.08	"
	B.A.C. 845	2 37 0.74	"		$\chi$ Leonis	10 58 7.36	"		$\sigma$ Sagittarii	18 56 51.66	"
" 30	Moon I. L.	3 23 27.97	M		$\iota$ —	11 16 56.96	"	" 25	$\pi$ —	19 2 0.72	"
	$\gamma$ Tauri	4 11 28.90	"	" 2	$\chi$ Leonis	10 58 8.02	B		$\sigma$ Sagittarii	18 56 50.56	S
	$\delta^2$ —	4 14 30.50	"		Moon I. L.	11 15 47.34	"		$\pi$ —	19 1 59.74	"
" 31	$\gamma$ Tauri	4 11 30.65	M	" 26	$\beta$ Virginis	11 43 44.58	"		Moon I. L.	19 6 45.42	"
	Moon I. L.	4 15 0.06	"		Moon I. L.	7 53 51.04	R		$\lambda^2$ Sagittarii	19 28 44.12	"
	$\sigma^1$ Orionis	4 44 18.32	"	" 27	$\delta$ Cancr	8 37 12.48	"	" 26	$e^2$ —	19 35 5.41	"
Feb. 2	$\nu$ Orionis	5 59 21.81	S	" 26	$\alpha$ —	8 51 19.97	"		$e^2$ Sagittarii	19 35 3.65	S
	Moon I. L.	6 8 50.17	"		Moon I. L.	8 37 13.18	R	" 27	Moon I. L.	20 5 45.93	"
	51 Geminor.	7 5 7.30	"		Moon I. L.	8 52 43.82	"		$\eta$ Capricorni	20 56 59.16	"
	$\delta$ —	7 11 31.67	"	" 27	$\nu$ Leonis	9 50 12.95	"		29 —	21 8 33.85	"
" 3	51 Geminor.	7 5 9.38	S				"	" 27	$\eta$ Capricorni	20 56 57.50	S
	Moon I. L.	7 10 32.17	"				"				

(c) Faint.

ames.	Observed Transit.	Obs- ver.	Date.	Names.	Observed Transit	Obs- ver.	Date.	Names.	Observed Transit	Obs- ver.
	<i>h. m. s.</i>		1852.		<i>h. m. s.</i>		1852.		<i>h. m. s.</i>	
n I. L.	21 2 19.58	S	Oct. 23	Moon I. L.	23 3 39.56	S	Nov. 23	γ Piscium	1 33 51.04	B
apricorni	21 8 32.01	"		φ Aquarii	23 7 35.26	"		Moon I. L.	1 49 15.87	"
				20 Piscium	23 41 16.25	"				
apricorni	21 46 10.52	S		27 —	23 52 1.23	"	" 24	ξ <sup>2</sup> Ceti	2 20 23.64	B
n I. L.	21 55 54.57	"				"		Moon II. L.	2 34 44.86	"
arii	21 59 23.32	"	" 25	12 Ceti	0 23 28.59	S		δ Arietis	3 3 16.35	"
				13 —	0 28 37.25	"				
gittarii	18 45 42.25	S		Moon I. L.	0 35 27.12	"	Dec. 20	Moon I. L.	1 32 34.32	S
n I. L.	18 48 12.01	"				"		ξ <sup>1</sup> Ceti	2 4 48.79	"
			" 26	ε Piscium	0 56 17.70	S				
gittarii	19 34 31.11	B		ε —	1 1 46.90	"	" 21	ξ <sup>1</sup> Ceti	2 4 47.15	S
n I. L.	19 47 39.77	"		Moon I. L.	1 20 11.88	"		Moon I. L.	2 17 36.14	"
						"		λ Ceti	2 51 25.25	"
n I. L.	21 38 38.16	B	Nov. 19	Moon I. L.	22 47 42.90	M				
arii.	21 58 55.97	"		φ Aquarii	23 7 35.98	"	" 23	Moon I. L.	3 52 27.19	S
—	22 23 18.01	"				"		A <sup>1</sup> Tauri	3 55 34.73	"
			" 20	φ Aquarii	23 7 34.86	M		ε —	4 19 36.41	"
arii	21 58 56.35	B		Moon I. L.	23 35 13.36	B		α —	4 27 3.53	"
n I. L.	22 29 30.53	"				"				
			" 22	20 Ceti	0 46 21.06	B	" 24	ε Tauri	4 19 36.61	S
apricorni	21 39 45.81	S		ε Piscium	1 1 39.31	"		α —	4 27 3.58	"
n I. L.	22 14 41.71	"		Moon I. L.	1 4 24.47	"		Moon I. L.	4 43 31.85	"

# APPENDIX

CONTAINING

OBSERVATIONS

**MADE AT THE MADRAS OBSERVATORY,**

WITH THE

**LEREBOURS EQUATORIAL,**

SUBSEQUENT TO THE ARRIVAL OF THE NEW OBJECT GLASS IN 1852

ALSO

A DISCUSSION OF THE PARALLAX

OF  $\alpha$  HERCULIS.

Reference Number	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No of Observations	Magnifying Power.	Distance.	Weight	No of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
546	$\alpha$ Piscium	h. m.	o /	o				"						
547	(Continued)	1 54	87 57	327.78	5'	5	365	3.20	4'	3	365	5'—5'	1853.959	
548	$\gamma$ Androm. BC	55	48 24	112.92	1'	3	365	*0.5	—	—	—	6'—7	1852.644	A wedge.
549	—	—	—	108.90	1	3	320	—	—	—	—	—	— .995	
550	—	—	—	102.95	3	5	365	0.4	—	—	—	—	1853.921	Blurred.
551	—	—	—	107.15	3'	5	—	—	—	—	—	—	— .937	
552	—	—	—	110.72	2	3	—	—	—	—	—	—	— .940	
553	—	—	—	107.60	4	4	—	—	—	—	—	—	— .959	
554	— AB	—	—	62.10	2	2	365	10.87	2	4	365	3—6'	— .915	
555	—	—	—	61.04	3	3	—	10.05	3	6	—	—	— .921	
556	h 3485	2 6	140 2	139.35	3	5	277	4.49	1	4	277	10—10'	1852.820	
557	—	—	—	138.50	2'	4	—	4.34	1	4	—	10'—11	1853.066	
558	—	—	—	139.72	4'	5	—	4.63	1'	4	—	—	— .072	
559	h 3494	13.5	126 8	110.35	3'	5	277	*1.6	—	—	—	9—9	1852.820	
560	—	—	—	109.69	3	4	—	1.96	1'	4	277	—	— .825	
561	$\gamma$ Ceti	36	87 26	290.12	4'	5	293	2.77	3	6	293	3'—7	1853.058	A orange, B blue.
562	—	—	—	291.82	4'	5	277	2.63	2'	6	277	—	—	
563	$\epsilon$ Arietis	50	69 16	197.04	4	3	277	*0.8	—	—	—	5'—6	1852.971	
564	—	—	—	193.92	3	4	365	1.08	1	4	365	—	1853.033	
565	—	—	—	194.68	4'	5	—	1.06	1	4	—	—	— .036	
566	—	—	—	198.83	4	5	—	1.07	2'	6	—	—	— .959	
567	—	—	—	196.58	4'	5	—	1.10	2	6	—	—	— .973	
568	$\theta$ Eridani	52	130 49	83.33	7	5	277	8.03	5	3	277	3'—4	1852.755	
569	—	—	—	83.96	6	5	—	8.09	3'	6	—	—	— .758	
570	—	—	—	82.72	5'	5	—	7.92	3	6	—	3'—4'	— .814	
571	—	—	—	82.92	5'	5	—	8.05	2'	6	—	—	— .820	
572	—	—	—	82.98	5	5	—	7.72	3'	6	—	—	1853.151	Daylight.
573	—	—	—	82.79	5'	5	—	7.94	3'	6	—	—	— .165	Twilight.
574	B.A.C 936	52	58 11	187.84	4'	5	174	8.48	2'	6	174	7—8'	1853.121	
575	—	—	—	187.72	5'	5	277	8.59	3'	6	277	—	— .123	
576	12 Eridani	3 6	119 34	308.40	4'	5	282	—	—	—	—	4—7	1852.968	
577	—	—	—	309.78	5	5	277	3.17	3	6	277	—	— .970	
578	—	—	—	310.60	5	5	320	3.41	3'	6	320	—	— .995	
579	—	—	—	310.38	5'	5	277	3.27	3'	6	277	—	— .998	
580	h 3565	12	109 4	109.40	6	5	277	5.60	4	6	277	6—9	1853.072	
581	—	—	—	111.66	5	6	—	5.51	3'	6	—	—	— .088	
582	S 431	29	89 54	237.42	5'	5	365	6.36	3'	6	365	7—9	1853.973	
583	—	—	—	238.88	6'	6	277	6.30	4	6	277	—	— .992	
584	f Eridani	43	128 5	203.23	6	5	277	6.97	4	6	277	5'—6	1852.758	
585	—	—	—	201.51	4'	5	—	—	—	—	—	5—5'	1853.063	
586	—	—	—	201.91	5	5	—	7.15	3'	6	277	—	— .066	
587	—	—	—	203.20	6	5	—	7.14	3'	6	—	5'—5'	— .178	
588	—	—	—	202.88	5'	5	—	7.19	3	6	—	—	— .181	
589	—	—	—	202.60	7'	6	—	6.91	3	6	—	—	— .184	
590	39 Eridani	4 7	100 38	151.25	8	6	277	6.52	3	6	277	5'—9	1853.072	A orange, B blue.
591	—	—	—	152.56	5'	5	—	6.56	3	6	—	—	— .088	
592	—	—	—	149.55	4'	5	—	6.42	3	6	—	—	— .091	

549 Taken with Troughton's Micrometer and Barlow lens.

561 Taken with Lerebours' Micrometer. B has rather a greenish tinge.

563 Barely divided.

564 } Well divided.

565 }

576 Taken with Troughton's Micrometer.

578 Do. and Barlow lens.

585 Frequently obscured by clouds, which prevented the distance being taken.

589 Exactly at sunset.

106 DOUBLE STARS OBSERVED WITH THE LEREBOURS EQUATORIAL.

( 5 )

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
593	h 3632	h. m.	° ' "	°				"						
594	—	4 9	120 28	164.47	4'	4	365	10.99	3	6	365	8—11	1853.978	
595	—	—	—	164.78	4'	5	277	10.83	3	6	277	—	— .992	
596	AB	18	99 5	266.46	2'	2	277	126.32	1	1	277	8'—9'	1853.088	
597	—	—	—	266.60	2'	2	—	127.58	1	1	—	—	— .091	
598	Σ 544	BC	—	266.80	2	2	—	—	—	—	—	—	— .098	
599	—	—	—	353.33	3	5	277	2.26	3	6	277	9—10	— .088	
600	—	—	—	351.73	3	5	—	—	—	—	—	—	— .091	
601	80 Tauri	22	74 44	355.65	2'	4	—	2.39	3'	6	—	—	— .093	
602	—	—	—	11.28	3	5	277	1.62	2'	6	277	6—9	1853.134	
603	Σ 566	28	36 50	9.39	3'	5	365	1.38	2'	6	365	6—9'	— .143	
604	—	—	—	303.51	3'	5	365	2.05	3	6	365	6'—8'	1853.192	
605	—	59	125 41	303.93	3	5	—	1.81	2'	6	—	—	— .197	
606	B.A.C. 1573	—	—	316.02	3	5	277	2.68	2	6	277	6—9'	1852.755	
607	—	—	—	316.35	4'	5	—	2.87	3'	6	—	6'—9'	— .758	
608	—	—	—	316.53	3'	5	365	2.70	2'	6	365	6—10	1853.978	
609	—	—	—	314.80	3'	5	277	2.99	2'	6	277	5—10	1854.006	
610	h 3728	5 4	131 25	314.86	4	5	—	2.89	2'	6	—	5'—10'	— .017	
611	—	—	—	260.65	4	5	277	9.83	2'	6	277	7—11	1853.072	
612	* Leporis	6	103 7	260.86	2'	4	—	9.68	2	6	—	7—12	— .094	
613	—	—	—	359.80	4'	5	277	2.56	4	6	277	4'—8'	1853.090	A yellow, B blue.
614	AC	—	—	359.33	4'	5	—	2.57	4	6	—	—	— .123	
615	h 3752	16	114 55	58.85	1	1	—	*210	—	—	—	4'—8	— .090	
616	—	—	—	108.42	5	5	293	2.90	3'	6	293	6'—7'	1853.058	
617	—	—	—	106.58	5'	5	277	2.33	3'	6	277	5'—6'	— .090	
618	AC	—	—	105.97	6	4	293	58.33	2'	6	293	6'—9'	— .058	
619	7 Orionis	17	92 32	105.75	5	3	277	59.21	1'	4	277	5'—9'	— .090	
620	—	—	—	87.16	3	4	365	1.22	2	6	365	4—6'	1853.121	A pale yellow.
621	—	—	—	87.03	4	5	—	1.01	3	8	—	—	— .123	B ochre yellow.
622	—	—	—	86.93	3	5	—	1.03	2'	6	—	—	— .126	
623	—	—	—	84.38	3	5	—	*0.7	—	—	—	3'—5	— .978	
624	32 Orionis	23	84 10	83.22	3'	5	—	*0.8	—	—	—	—	1854.006	Notched.
625	—	—	—	201.67	3	5	365	*0.9	—	—	—	5—7'	1853.033	A white, B bluish.
626	38 Orionis	23	86 50	202.32	2'	4	—	1.11	2	6	365	—	— .036	
627	—	—	—	26.50	4	5	277	1.90	2'	6	277	6—8	1852.856	
628	B.A.C. 1728	24	73 3	25.17	4	5	365	1.84	3	6	365	—	1853.033	
629	—	—	—	141.95	4'	5	277	9.43	3'	6	277	6'—6'	1853.036	
630	0 Orionis	28	95 30	140.88	6'	5	—	9.52	4	6	—	—	— .123	
631	—	—	—	310.66	2	2	277	12.85	2	4	277	4'—7	1853.014	
632	—	—	—	311.57	3	2	—	12.98	2	4	—	5—7	— .030	
633	AC	—	—	60.98	2	2	—	13.38	2	4	—	4'—7	— .014	
634	—	—	—	60.81	3	3	—	13.80	2	4	—	5—7	— .030	
635	AD	—	—	343.85	1'	2	—	16.63	1'	4	—	4'—8	— .014	
636	—	—	—	342.90	1'	2	—	16.96	1'	4	—	5—7'	— .030	
637	Aa	—	—	124.25	2'	3	—	3.26	1	4	277	4'—14	— .014	
638	—	—	—	122.33	2	3	—	—	—	—	—	5—15	— .030	
639	BE	—	—	351.81	3	4	—	3.98	2	4	—	7—11	— .014	
639	—	—	—	352.41	2	3	—	3.99	1	4	—	7—12	— .030	

615 } Taken with Lerebours' Micrometer.  
617 }  
619 Discs in contact.

624 Discs in contact.  
625 Just divided.

B b

\* Estimated.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.	
640	42 Orionis	<i>h. m.</i> 5 28	<i>o ' "</i> 94 54	<i>o</i> 216·08	1'	3	365	*1·6	—	—	—	5—11	1853·124		
641	—	—	—	219·25	3	4	—	1·65	1'	4	365	5—10	—·145		
642	—	—	—	221·14	2	4	—	—	—	—	—	5—10'	—·178		
643	26 Aurigæ	29	59 56	267·60	4'	5	365	12·57	1'	4	365	5—10	1853·192		
644	—	—	—	267·28	5	5	—	12·32	2	6	—	—	—·197		
645	ζ Orionis	AB	33	92 2	150·08	4	5	277	2·44	2'	6	277	2—5'	1853·181	
646	—	—	—	149·85	4'	5	—	2·13	3'	6	—	—	—·184	Daylight.	
647	—	—	—	149·85	6	6	365	2·25	5'	6	365	—	—·186		
648	—	—	—	150·03	5'	6	—	2·42	3'	6	—	—	—·189		
649	—	—	—	149·41	4	5	—	2·30	2'	6	—	—	—·766		
650	—	—	—	151·81	5'	5	—	2·25	3'	6	—	—	—·769	Daylight.	
651	—	—	—	153·66	5	5	—	2·48	3	6	—	—	—·772		
652	—	—	—	150·72	5	5	—	2·27	4	6	—	—	—·774		
653	—	—	—	148·63	6'	7	277	2·25	3'	6	277	—	1854·063		
654	—	—	—	149·23	5	6	—	2·40	3	6	—	—	—·066	Twilight.	
655	—	AC	—	9·30	3	3	—	59·02	1	1	—	2—11	1853·181		
656	—	—	—	9·21	2	2	—	—	—	—	—	—	1854·066		
657	h 3830	59	118 40	182·34	4	5	365	6·55	3'	6	365	9'—9'	1854·042	Both orange.	
658	—	—	—	181·71	4	5	277	6·33	3	6	277	—	—·063		
659	h 3831	59	131 9	135·71	3	5	365	2·71	2	6	365	10—10	1854·042		
660	—	—	—	136·62	3	5	277	2·68	2	6	277	—	—·063		
661	h 3834	Aa	6 0	135 5	236·99	4	5	365	2·58	2'	6	365	6—11	1854·042	
662	—	—	—	237·63	2'	4	277	—	—	—	—	—	—·063		
663	—	AB	—	—	320·30	2	1	365	173·76	1	1	365	6—6'	—·042	
664	—	—	—	—	320·10	2'	2	277	—	—	—	—	—·063		
665	Δ 23	1	138 28	350·32	4'	5	277	2·91	3'	6	277	7—7	1852·727		
666	—	—	—	350·55	4	5	—	2·56	2	6	—	—	—·733		
667	—	—	—	351·18	4'	5	—	2·86	2'	6	—	7'—7'	—·741		
668	—	—	—	352·16	4	5	365	2·72	3	6	365	—	1853·979		
669	—	—	—	350·85	4'	5	277	2·40	2'	6	277	—	1854·006		
670	B.A.C. 2048	14	149 7	225·28	3	3	277	†40·55	2'	4	277	7—8'	1853·148		
671	B.A.C. 2080	19	69 7	205·44	6	5	174	31·62	3	6	174	6—7'	1853·126		
672	—	—	—	205·25	7	5	—	31·31	4	6	—	—	—·143		
673	Cyc. 248	AB	19	89 28	151·35	1	1	365	67·13	1	1	365	6'—10	1853·145	
674	—	—	—	151·21	2	2	277	—	—	—	—	6'—9	—·148		
675	—	—	—	151·32	2	2	365	66·32	1	1	365	7'—8'	—·200		
676	Σ 910	BC	—	—	165·20	2'	4	365	*0·6	—	—	—	10—10	—·145	
677	—	—	—	—	162·68	3'	5	277	*0·8	—	—	—	9—9·3	—·148	
678	—	—	—	—	170·57	2'	4	365	*0·6	—	—	—	8'—8'	—·200	
679	38 Gemin.	46	76 38	170·13	4'	5	277	6·01	3	6	277	5'—8	1852·775		
680	—	—	—	169·03	5	5	365	5·96	4	6	365	—	—·783		
681	μ Can. Maj.	49	103 51	337·27	5	5	293	2·87	3'	6	293	5'—9	1853·058		
682	—	—	—	338·00	5'	6	277	2·91	3'	6	277	—	—·072		
683	δ Gemin.	7 11	67 45	203·16	5'	5	277	7·10	3'	6	277	3'—9	1852·782		
684	—	—	—	201·20	5	5	365	7·02	3'	6	365	—	—·785		

640 B seen only by glimpses, doubtful.

641 Still only glimpses of B, but rather more certain.

642 Very difficult.

657 Nearly equal.

675 The components would appear to be variable.

678 Just divided.

681 Taken with Lerebours' Micrometer.

\* Estimated.

† Diff. Declination.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
685	$\pi$ Argus	<i>h. m.</i> 7 12	<i>o ' "</i> 126 50	<i>o</i> 212·35	6	5	174	68·71	2	4	174	5—9	1852·853	} Daylight.
686	—	—	—	212·03	7'	5	—	68·70	2'	4	—	—	1853·173	
687	Castor AB	25	57 47	247·63	6	5	277	5·28	2'	6	277	2—2'	1852·750	
688	—	—	—	247·26	7	5	—	4·91	3	6	—	—	1853·170	
689	—	—	—	247·10	7	5	365	5·09	4	6	365	—	—·173	
690	—	—	—	247·21	6'	5	277	5·41	3	6	277	—	1854·017	
691	—	—	—	247·45	4'	5	—	5·09	3'	6	—	—	—·067	
692	— AC	—	—	163·38	3'	3	277	72·92	1'	2	277	2—11	—·067	
693	S 552	28	113 9	287·63	4	5	365	8·63	3	6	365	6'—6'	1853·217	
694	—	—	—	288·20	6	5	—	8·71	4	6	—	—	—·219	
695	Cyc. 299	32	84 26	138·63	5	6	365	1·50	3'	6	365	7—7	1853·217	
696	—	—	—	137·90	3'	5	—	1·45	3'	6	—	6'—6'	—·219	
697	Cyc. 301	33	116 28	319·00	6	5	365	9·77	3'	6	365	5'—5'	1853·217	
698	—	—	—	319·15	7	5	—	9·66	4	6	—	—	—·219	
699	$\epsilon$ Cancri AB	8 4	71 54	323·80	4	5	365	1·30	2'	6	365	6—7	1853·192	} Both yellow.
700	—	—	—	320·27	4	5	—	1·26	3	6	—	—	—·197	
701	—	—	—	322·05	4	5	—	1·09	2'	6	—	—	—·200	
702	—	—	—	317·55	4	5	277	1·31	2'	6	277	—	—·917	
703	—	—	—	316·92	4	5	365	0·96	2	6	365	—	—·978	
704	— AC	—	—	143·01	5	5	365	4·95	2	4	365	6—7	—·192	
705	—	—	—	141·15	4'	5	—	4·91	2	4	—	—	—·197	
706	—	—	—	142·02	5'	5	—	4·82	2	4	—	—	—·200	
707	—	—	—	141·18	3	3	277	4·75	2'	6	277	—	—·917	
708	—	—	—	139·34	5'	5	365	5·10	3	6	365	—	—·978	
709	h 4128	36	149 47	220·63	4'	5	277	2·21	2'	6	277	7—8	1853·947	} A yellow, B greenish.
710	—	—	—	221·81	3'	5	—	1·91	2'	6	—	8—9	1854·020	
711	—	—	—	220·81	3	4	—	—	—	—	—	—	—·042	
712	$\epsilon$ Hydræ	39	83 3	209·97	4'	4	277	3·27	4'	6	277	4'—7	1853·225	
713	—	—	—	208·17	4	5	—	3·39	4	6	—	—	—·258	
714	—	—	—	209·16	4	5	365	3·29	2'	6	365	—	—·969	
715	—	—	—	210·05	4'	5	277	3·25	4'	8	277	—	1854·017	
716	B.A.C. 3118	9 0	27 42	25·61	6	5	174	24·77	3'	6	174	7'—7'	1853·126	
717	—	—	—	25·15	4	5	—	24·90	2'	6	—	—	—·143	
718	$\omega$ Leonis	20	80 18	346·67	2	5	365	*0·5	—	—	—	6'—7	1853·170	
719	—	—	—	341·45	3'	6	650	*0·4	—	—	—	—	—·189	
720	—	—	—	5·80	1	3	365	*0·4	—	—	—	—	—·947	
721	—	—	—	351·54	2	3	650	—	—	—	—	—	—·969	
722	$\gamma$ Leonis	10 12	79 24	107·97	5'	5	365	2·88	3'	6	365	2—3'	1853·192	
723	—	—	—	107·64	6	5	277	2·94	4	6	277	—	—·247	
724	—	—	—	107·92	4'	5	—	3·03	2'	6	—	—	—·963	
725	—	—	—	108·71	5'	5	—	3·11	3	6	—	—	—·966	
726	$\Sigma$ 1517	11 6	69 57	288·93	3'	5	365	*0·8	—	—	—	8—8	1853·192	
727	—	—	—	288·32	4	5	—	*0·7	—	—	—	—	—·247	
728	h 4423	10	135 2	273·63	4'	5	277	1·82	3	6	277	7—7'	1853·900	
729	—	—	—	272·80	4'	5	—	2·06	3	6	—	—	—·947	
730	—	—	—	276·60	3	5	—	2·09	1'	4	—	—	—·963	

687 Slightly tremulous.

696 A follows Procyon by  $42^{\circ} 6'$ , at an angle of  $100^{\circ} 5'$ .

699 The 3 are almost exactly in line.

701 Exactly in line.

718 Doubtful.

719 Definition much better : small end of *egg* plainly directed *np* doubtful if any advantage from using the higher power

720 Very doubtful.

721 Rather better.

726 In contact, very difficult ; closer than  $\epsilon$  Arietis.

\* Estimated.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
731	ξ Urs. Maj.	<i>h. m.</i> 11 10	<i>° ' "</i> 57 38	119.77	5'	5	365	2.99	3'	6	365	4'-5'	1853.192	
732	—	—	—	119.19	6	5	—	3.03	3'	6	—	—	— .203	
733	—	—	—	119.09	4	5	277	3.01	2'	6	277	—	— .914	
734	—	—	—	117.05	4'	5	—	3.21	2	6	—	—	— .947	
735	* Leonis	16	78 39	79.87	4'	5	365	2.47	3	6	365	4'-8	1853.192	A yellow, B lt. blue.
736	—	—	—	80.00	4'	5	277	2.42	3'	6	277	—	— .225	
737	—	—	—	78.85	4	5	—	2.62	3	6	—	—	— .947	
738	—	—	—	78.65	6	6	—	2.64	3	6	—	—	— .971	
739	B 3574	18	150 48	303.40	4'	5	277	4.39	2'	6	277	7'-9	1853.947	
740	—	—	—	304.17	3	5	—	4.67	1	4	—	—	— .969	
741	57 Urs. Maj.	21	49 49	6.67	5	5	277	5.24	4	6	277	6'-9'	1853.225	A white, B purple?
742	—	—	—	7.02	3'	5	—	5.30	2'	6	—	6'-10	— .260	
743	γ Virginis	12 34	90 38	172.92	5	5	277	3.10	3'	6	277	4-4	1853.225	
744	—	—	—	173.68	4'	5	365	3.13	5	6	365	—	— .247	
745	—	—	—	172.63	5'	5	277	3.05	4	6	277	—	— .900	
746	—	—	—	173.45	4'	5	—	3.08	2'	6	—	—	— .914	
747	h 4556	46	117 9	82.98	5	5	365	5.72	3	6	365	7'-10'	1854.004	
748	—	—	—	84.20	3	4	277	5.86	2	6	277	—	— .010	
749	Σ 1757	13 27	89 33	44.68	4	5	365	2.07	3	6	365	8-9	1853.267	
750	—	—	—	50.76	4	5	—	1.95	2	6	—	8-9'	— .925	
751	—	—	—	48.58	4	5	—	2.34	3	6	—	—	1854.004	
752	Σ 1937	14 17	100 59	320.81	4	5	277	1.52	2'	6	277	7-9	1853.149	
753	—	—	—	319.74	3'	5	365	1.40	2'	6	365	7-9'	— .171	
754	—	—	—	318.12	4	5	277	1.75	2	6	277	7-9	— .998	
755	—	—	—	315.67	4'	5	365	1.64	2	6	365	—	1854.007	
756	—	—	—	316.73	3	4	277	1.57	2	6	277	—	— .010	
757	—	—	—	264.46	3'	5	174	4.74	2'	6	174	1-2	1852.645	
758	—	—	—	263.76	3'	5	—	4.74	2'	6	—	—	— .648	
759	—	—	—	265.10	5	5	277	5.36	2	6	277	—	— .650	
760	—	—	—	264.42	4	5	—	5.50	2	6	—	—	— .658	
761	—	—	—	265.66	3	5	174	4.60	2'	6	174	—	— .705	
762	—	—	—	265.61	3	5	365	4.91	2	6	365	—	— .708	
763	—	—	—	264.95	3'	5	174	4.31	2'	6	174	—	— .721	
764	—	—	—	265.33	3	5	—	4.40	2	6	—	—	— .724	
765	—	—	—	266.97	3	5	—	4.43	2	6	—	—	— .857	
766	—	—	—	265.87	3'	5	—	4.74	2	6	—	—	— .859	
767	—	—	—	266.21	3	5	—	4.41	2	6	—	—	— .873	
768	α Centauri	30	150 13	.77	5'	6	—	4.51	3	6	—	—	— .890	} Daylight.
769	—	—	—	.69	7	6	277	4.65	5'	8	277	—	— .933	
770	—	—	—	.47	4	5	—	4.55	3	6	—	—	— .941	
771	—	—	—	267.10	2'	5	—	4.53	2	6	—	—	— .958	
772	—	—	—	267.47	3	5	174	4.46	2'	6	174	—	— .971	
773	—	—	—	266.71	3	5	277	4.38	2'	6	277	—	— .974	
774	—	—	—	267.27	4'	5	214	4.50	2	6	214	—	— .993	
775	—	—	—	266.93	4'	5	365	4.43	5	8	365	—	1853.002	
776	—	—	—	267.12	6	6	277	4.52	4'	8	277	—	— .013	
777	—	—	—	.21	6'	6	—	4.41	3'	6	—	—	— .021	
778	—	—	—	.38	6'	6	—	4.44	4'	8	—	—	— .024	
779	—	—	—	.19	4'	5	365	4.65	3'	6	365	—	— .034	

758 Slightly flaring.

759 Flaring.

760 The distances are probably erroneous as the wire *fiddles* slightly.

765 Taken at 11 A. M.

774 Taken with Troughton's Micrometer and Barlow lens.



Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations	Magnifying Power	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Date.	REMARKS.
780	$\alpha$ Centauri	<i>h. m.</i> 14 30	<i>o ' "</i> 150 13	267.85	4'	5	365	"				1-2	1853.053	} Daylight.
781	(Continued.)	—	—	.77	6	5	293	4.53	5	8	293	—	— .056	
782	—	—	—	.75	6'	6	277	4.69	4'	8	277	—	— .070	
783	—	—	—	.49	5	5	—	4.58	3	6	—	—	— .089	} Twilight.
784	—	—	—	268.98	4	5	—	4.61	2'	6	—	—	— .092	
785	—	—	—	268.12	3'	5	—	4.73	2	6	—	—	— .103	
786	—	—	—	267.85	4	5	—	4.77	2'	6	—	—	— .119	} Flaring.
787	—	—	—	267.75	4	5	277	4.57	3'	6	277	1-1'	— .180	
788	—	—	—	268.06	5	6	—	4.52	3'	6	—	—	— .182	
789	—	—	—	268.65	2'	4	—	—	—	—	—	—	— .220	} Flaring.
790	—	—	—	269.59	4	5	—	4.64	3'	6	—	—	— .247	
791	—	—	—	269.47	5	5	365	4.64	3'	6	365	—	— .267	
792	—	—	—	269.24	5'	5	—	4.43	3'	6	—	—	— .272	} Flaring.
793	—	—	—	273.35	3	5	277	3.96	2	6	277	—	— .870	
794	—	—	—	274.78	4	5	—	4.37	2'	6	—	—	— .881	
795	—	—	—	275.14	4'	5	174	4.23	3	6	174	—	— .887	} Flaring.
796	—	—	—	275.46	5'	6	—	4.45	3'	6	—	—	— .903	
797	—	—	—	273.68	4'	5	—	4.42	2'	6	—	—	— .944	
798	—	—	—	274.96	5'	6	277	4.46	3	6	277	—	— .980	} Daylight.
799	—	—	—	276.05	6	6	—	4.23	3	6	—	—	— .991	
800	—	—	—	276.78	6'	6	—	4.41	2'	6	—	—	— .993	
801	—	—	—	276.79	4	5	—	4.04	2'	6	—	—	1854.026	} Daylight.
802	—	—	—	277.26	5'	5	365	4.22	3'	6	365	—	— .040	
803	—	—	—	277.58	4	5	—	3.97	3	6	—	—	— .042	
804	—	—	—	276.56	4'	5	277	4.09	3'	6	277	—	— .070	} Daylight.
805	—	—	—	276.96	4'	5	—	4.02	2	4	—	—	— .097	
806	—	—	—	273.39	6	6	—	4.09	4'	8	—	—	— .100	
807	—	—	—	273.29	4'	5	—	4.09	3	6	—	—	— .103	
808	$\zeta$ Bootis	34	75 38	126.29	3	4	365	*1.2	—	—	—	4-4	1852.603	} Daylight.
809	—	—	—	126.11	4	5	—	1.18	2'	6	365	—	1853.196	
810	—	—	—	125.70	4'	5	—	1.13	2'	6	—	—	— .202	
811	—	—	—	126.89	3	5	277	1.31	1'	4	277	—	— .944	} Daylight.
812	—	—	—	126.31	4'	5	365	1.36	2'	6	365	—	1854.040	
813	$\alpha$ Bootis	38	62 18	324.02	5	5	365	2.65	3'	6	365	3-6'	1853.196	
814	—	—	—	322.23	5'	5	—	2.62	3'	6	—	—	— .202	
815	<i>h</i> 4715	46	137 16	279.41	5	5	365	2.54	3	6	365	7-7'	1854.040	
816	—	—	—	277.25	4	5	—	—	—	—	—	—	— .042	} Flaring.
817	$\pi$ Lupi	55	136 28	281.62	3'	5	277	1.33	1'	6	277	5-7-6	1853.125	
818	—	—	—	281.15	3'	5	365	1.31	2	6	365	—	— .139	
819	—	—	—	286.80	3	5	277	*0.9	—	—	—	5-5	— .993	} In contact.
820	—	—	—	288.05	4	6	365	1.13	2'	6	365	—	1854.040	
821	44 Bootis	59	41 46	238.27	4	4	365	4.53	3'	6	365	5-6	1853.267	
822	—	—	—	238.70	5'	5	—	4.41	3'	6	—	—	— .272	} Flaring.
823	$\gamma$ Cor. Bor.	15 17	59 10	256.97	1'	4	650	*0.4	—	—	—	6-?	1853.196	
824	—	—	—	79.20	1	3	—	—	—	—	—	—	— .201	
825	—	—	—	296.42	1	4	—	*0.5	—	—	—	6-6'	1854.040	} Flaring.
826	—	—	—	282.79	2	5	—	—	—	—	—	—	— .043	
827	—	—	—	281.32	1'	4	—	—	—	—	—	—	— .045	

781 Taken with Lerebours' Micrometer.  
 783 At sunrise.  
 784 Just before sunrise.  
 788 Taken with triangular aperture, not much improved.  
 808 Clearly divided; nearly equal.  
 809 The preceding star seems now the smaller if any thing.

817 The measure of distance is too great, wires fiddle.  
 823 Very doubtful; at times it appears almost round.  
 824 Even more doubtful than before. Angle may be 259.  
 825 Well elongated with 365 - little improvement with 650.  
 826 Seen better than yesterday, definition excellent.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations	Magnifying Power	Distance.	Weight.	No. of Observations	Magnifying Power.	Magnitudes.	Date.	REMARKS.
828	$\mu^3$ Bootis	h. m.	o ' "	o				"					1853-196	Nearly equal.
829	—	15 19	52 8	269-90	1'	4	365	*0-5	—	—	—	8'-8'	— 247	
830	—	—	—	262-76	3	5	—	*0-4	—	—	—	—	— 247	
831	—	—	—	254-00	1'	4	—	*0-5	—	—	—	8-8	1854-048	
832	$\gamma$ Lupi	25	130 39	274-62	3	5	365	1-14	1'	6	365	3'-4	1853-125	
833	—	—	—	272-41	3'	5	—	0-98	2'	6	—	4-4-2	— 130	
834	$\gamma$ Cor. Bor.	36	63 14	294-55	2'	5	650	*0-5	—	—	—	5-7	1853-196	
835	—	—	—	298-86	1'	5	365	—	—	—	—	—	— 199	
836	51 Libræ AB	56	100 57	43-13	3	5	365	*0-7	—	—	—	4'-5	1852-650	
837	—	—	—	50-29	3	5	—	0-97	2	6	365	—	1853-125	
838	—	—	—	46-25	4	5	—	0-90	2'	6	—	—	— 130	
839	—	—	—	49-00	3	5	—	*0-9	—	—	—	5-5'	1854-059	
840	—	—	—	47-32	2	5	—	—	—	—	—	—	— 064	
841	AC	—	—	67-90	3	3	365	7-51	2	4	365	4'-7'	1853-125	
842	—	—	—	68-60	2	2	—	—	—	—	—	—	— 130	
843	—	—	—	68-90	4	5	—	7-73	2'	6	365	5-8	1854-059	
844	—	—	—	69-88	2'	4	—	—	—	—	—	—	— 064	
845	$\beta$ Scorpii	57	109 23	25-58	5'	5	277	—	—	—	—	2'-5	1852-653	
846	—	—	—	25-29	5	5	365	13-59	2'	6	365	—	— 705	
847	—	—	—	25-41	5'	5	—	13-81	2'	6	—	—	— 708	
848	$\sigma$ Cor. Bor.	16 9	55 46	177-62	4'	5	277	2-29	4'	8	277	6-6'	1853-141	
849	—	—	—	178-17	4'	5	365	2-04	3'	6	365	—	— 144	
850	—	—	—	178-18	3	4	—	2-21	2	4	—	—	1854-045	
851	—	—	—	176-82	7	6	—	2-21	4	6	—	—	— 048	
852	—	—	—	178-86	6'	5	—	2-32	3	6	—	—	— 051	
853	$\lambda$ Ophiuchi	23	87 41	13-35	3'	5	277	1-32	2	6	277	4'-6	1852-648	
854	—	—	—	12-79	3'	5	365	1-19	2	6	365	—	— 651	
855	—	—	—	11-49	3	5	—	1-12	2	6	—	—	— 724	
856	—	—	—	13-32	3	5	—	1-22	1'	4	—	4'-6'	1854-059	Daylight.
857	—	—	—	15-60	3	5	—	1-41	1'	6	—	—	— 065	
858	—	—	—	16-83	3	5	—	1-40	2	6	—	—	— 067	
859	$\zeta$ Herculis	36	58 8	81-68	3'	5	365	1-73	2'	6	365	4-8	1853-147	
860	—	—	—	80-56	3	5	277	1-44	2'	6	277	—	— 149	
861	—	—	—	78-14	3	5	365	1-52	2	6	365	4-8'	1854-059	
862	—	—	—	78-29	2'	4	—	1-53	1	4	—	—	— 065	
863	—	—	—	77-69	2'	5	—	1-52	1	4	—	—	— 067	
864	36 Ophiuchi AB	17 6	116 22	34-32	4'	5	277	4-07	5'	8	277	5-5	1854-070	Nearly equal.
865	—	—	—	34-41	5'	5	—	4-19	5	8	—	—	— 073	
866	AC	—	—	298-30	3	2	—	*150	—	—	—	5-8'	— 070	
867	—	—	—	298-37	3	2	—	—	—	—	—	—	— 073	
868	BC	—	—	296-85	3	2	—	—	—	—	—	5-8'	— 073	

828 Very difficult. Tried 650 but with no improvement.

829 Very difficult, position from  $\mu = 171.7$ .

832 Discs in contact; measured distance too great, wires fiddle.

833 Separated by fits; the preceding star certainly the least, but the difference is scarcely  $\frac{1}{2}$  a magnitude.

834 Elongation plainly seen with 365; doubtful if any advantage from the higher power; this star is now much easier than  $\gamma$

835 Elongation less decided than yesterday, the definition being not quite so perfect.

836 Daylight, notched.

837 Discs in contact.

840 Hazy and flying clouds; definition blurred

845 Distance rejected as the wires fiddle

857 Hazy with cir-strat., clouds; def. blurred.

864 Position may be 214

865 The stars are still almost exactly equal, the *sp.* the larger if any thing.

Reference Number	Synonym.	A. R.	N. P. D.	Position Angle.	Weight	No. of Observations.	Magnifying Power	Distance.	Weight.	No. of Observations.	Magnifying Power	Magnitudes	Date.	REMARKS.
		<i>h. m.</i>	<i>° ' "</i>	<i>°</i>				<i>"</i>						
869	—	—	—	117-25	4	5	365	4-62	3'	6	365	3'-5'	1852-716	
870	—	—	—	116-64	5	5	—	4-31	3	6	—	—	—727	
871	—	—	—	117-53	5'	5	—	4-24	3	6	—	—	—738	
872	—	—	—	117-97	5	5'	—	4-49	2'	6	—	—	—740	
873	—	—	—	117-75	5	5	—	—	—	—	—	—	—763	Daylight.
874	—	—	—	117-92	5	5	—	4-52	3'	6	365	—	—782	
875	—	—	—	117-41	5	5	—	4-49	3	6	—	—	—784	
876	—	—	—	117-08	4'	5	—	4-84	3	6	—	—	—790	
877	—	—	—	117-39	5'	5	—	4-63	3'	6	—	—	—795	Daylight.
878	—	—	—	117-69	5'	5	—	4-70	3	6	—	—	—817	
879	—	—	—	117-99	4'	5	—	4-61	2'	6	—	—	—820	
880	—	—	—	117-73	4	6	277	4-35	2	6	277	—	—825	
881	—	—	—	117-90	5	5	—	—	—	—	—	—	1853-024	
882	—	—	—	117-86	6'	6	365	4-54	3'	6	365	—	—034	
883	—	—	—	117-74	6	5	—	4-49	3'	6	—	—	—037	
884	—	—	—	118-30	7	6	—	4-57	3'	6	—	—	—056	
885	—	—	—	118-06	4'	5	277	4-59	2'	6	277	—	—108	
886	—	—	—	.16	6	6	365	4-61	3'	6	365	—	—122	
887	α Herculis	17 8	75 26	.20	6	6	277	4-64	3	6	277	—	—133	
888	—	—	—	.25	6	6	—	4-66	3	6	—	—	—141	
889	—	—	—	.55	5	5	—	4-34	3'	6	—	—	—254	
890	—	—	—	.41	5	5	—	4-53	3'	6	—	—	—262	
891	—	—	—	.62	4	5	365	—	—	—	—	—	—267	Daylight.
892	—	—	—	.45	6	6	—	4-36	3'	6	365	—	—273	
893	—	—	—	.58	7	6	—	4-57	5	8	—	—	—278	
894	—	—	—	117-34	4'	5	277	4-41	2'	6	277	—	—762	
895	—	—	—	.08	7	5	365	4-64	4	6	365	—	—776	
896	—	—	—	.65	7	5	277	4-51	3'	6	277	—	—778	
897	—	—	—	.49	5'	5	—	4-49	2'	6	—	—	—786	
898	—	—	—	.99	5	5	365	4-61	2'	6	365	—	1854-034	
899	—	—	—	.87	7	6	—	4-89	4'	8	—	—	—040	
900	—	—	—	.63	3	5	—	4-24	3	6	—	—	—048	
901	—	—	—	.35	4	5	—	4-32	4'	8	—	—	—051	
902	—	—	—	.84	7	6	—	4-46	4'	8	—	—	—086	
903	—	—	—	118-10	7	6	—	4-50	3	6	—	—	—097	
904	—	—	—	118-17	7	6	—	4-39	3'	8	—	—	—100	
905	δ Herculis	9	64 59	176-30	5	5	365	22-47	3'	6	365	4-9'	1852-724	
906	—	—	—	177-26	7	6	277	22-21	5'	8	277	—	—738	
907	—	—	—	177-47	5'	5	365	22-00	3'	6	365	—	1853-144	
908	—	—	—	177-83	5'	5	277	21-98	3'	6	277	—	—166	
909	—	—	—	176-38	6	6	365	21-92	4	6	365	4-10	1854-073	
910	—	—	—	177-74	7'	6	277	21-88	3	6	277	—	—078	
911	—	—	—	177-31	6'	6	—	21-78	4	6	—	—	—086	
912	φ Herculis	18-5	52 43	309-35	4'	5	365	3-33	3	6	365	4-6	1852-779	A white, B green.
913	—	—	—	308-59	5'	5	—	3-57	4	6	—	—	—782	Daylight.
914	—	—	—	308-80	6	5	—	3-73	3'	6	—	—	—784	
915	—	—	—	309-55	5	5	277	3-80	3'	6	—	—	—770	
916	τ Ophiuchi	55	98 10	239-88	4'	6	365	1-14	2'	6	365	5-6	1852-648	
917	—	—	—	238-95	3	5	—	1-06	2	6	—	—	—651	

874 Definition excellent.  
881 By the time the measures of position were taken, B was too faint for distance.  
884 Definition superb  
888 Fog; some dew on the object glass, in spite of the cap.  
904 Sky hazy, definition excellent.

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes	Date.	REMARKS
		<i>h. m.</i>	<i>° ' "</i>	<i>°</i>				<i>"</i>						
918	70 Ophiuchi	17 58	87 27	113.79	5'	5	365	6.61	3	6	365	6—7	1852.724	
919	—	—	—	114.49	6'	5	277	6.90	3'	6	277	—	— .752	
920	—	—	—	113.78	5'	5	—	6.66	3'	6	—	—	— .757	
921	—	—	—	113.86	4'	5	—	6.16	3	6	365	—	1854.067	
922	—	—	—	113.80	4'	5	—	6.44	3'	6	277	—	— .073	
923	—	—	—	113.96	6	5	—	6.33	3'	6	—	—	— .081	
924	—	—	—	113.06	6	5	365	6.47	4'	8	365	—	— .097	
925	59 Serpentis	18 20	89 54	314.32	5	5	365	3.18	3	6	365	6'—8'	1852.738	
926	—	—	—	314.60	6	5	277	3.68	3'	6	277	—	— .749	
927	—	—	—	314.77	5'	5	—	3.80	3	6	—	—	— .752	
928	—	—	—	314.42	5	5	365	3.91	3	6	365	—	— .776	
929	—	—	—	318.44	4'	5	—	3.71	3	6	—	—	— .814	
930	$\gamma$ Cor. Aust.	56	127 16	2.00	3	5	365	2.10	2'	6	365	5'—5'	1852.672	
931	—	—	—	0.15	5	6	—	1.72	3	6	—	—	— .707	
932	—	—	—	0.21	3'	5	—	2.04	2	6	—	5—5	— .709	
933	—	—	—	1.87	4	5	—	1.83	4	6	—	—	— .779	
934	—	—	—	358.17	3	5	—	1.98	2	4	—	5'—5'	1853.196	
935	—	—	—	359.77	3'	4	277	1.75	5	8	277	—	— .262	
936	—	—	—	0.80	5	6	365	1.86	5'	8	365	—	— .264	Sunrise.
937	—	—	—	358.21	4	5	—	1.87	2'	6	—	5—5	— .776	
938	—	—	—	358.69	4'	5	277	1.79	3'	6	277	—	— .778	Daylight.
939	—	—	—	358.60	4'	5	365	1.80	2'	6	365	—	— .784	
940	—	—	—	356.41	5	6	277	1.78	3'	8	277	—	1854.106	
941	—	—	—	356.70	5	6	—	1.83	2'	6	—	—	.117	
942	$\lambda$ Cygni	AB 20 42	54 4	99.10	2	3	365	*0.7	—	—	—	5'—6	1853.882	
943	—	—	—	99.10	1	3	—	—	—	—	—	—	— .891	
944	—	AC	—	104.36	2	2	—	—	—	—	—	5'—10	— .882	
945	—	—	—	104.85	3'	3	—	85.95	1	2	365	—	— .891	
946	$\epsilon$ Equulei	AB 52	86 16	287.50	3	5	277	*0.8	—	—	—	6—7	1853.880	In contact.
947	—	—	—	285.98	2'	4	365	—	—	—	—	—	— .882	Barely divided.
948	—	AC	—	74.90	3'	4	277	*10.	—	—	—	6—7	1853.880	
949	—	—	—	75.78	3	3	365	—	—	—	—	—	— .882	
950	12 Aquarii	56	96 25	191.87	5	5	277	2.77	3	6	277	6'—8'	1852.814	
951	—	—	—	191.92	4'	5	365	2.94	3	6	365	—	— .817	
952	—	—	—	192.40	4'	5	—	2.67	4	6	—	—	— .820	
953	—	—	—	190.40	4	5	277	2.87	2'	6	277	—	— .852	
954	61 Cygni	21 0	52 0	104.02	6	5	277	17.40	3'	6	277	6—6	1852.752	
955	—	—	—	104.54	7	5	—	17.41	3'	6	—	—	— .760	
956	—	—	—	105.04	5'	5	365	17.65	3'	6	365	—	1853.890	
957	—	—	—	104.48	7	5	—	17.71	3'	6	—	—	— .893	
958	$\theta$ Indi	9	144 4	299.26	3'	5	277	3.67	3	6	277	6—8	1852.733	
959	—	—	—	298.53	4	5	—	3.23	2	6	—	—	— .740	
960	—	—	—	297.71	5	5	—	3.11	3	6	—	—	— .749	
961	—	—	—	298.58	3	5	—	3.14	2'	6	—	—	— .762	
962	B.A.C. 7578	38	138 0	8.89	7	5	277	32.86	3'	6	277	6'—9	1852.752	
963	—	—	—	9.20	5'	5	174	32.93	3	6	174	—	— .776	
964	—	—	—	8.59	6	5	277	33.02	4	6	277	6'—9'	1853.893	
965	—	—	—	8.49	5'	5	—	33.25	4	6	—	—	— .896	

926 Wires fidle slightly  
932 Flying clouds, stars moulding.  
934 Just after sunrise; rather faint; heavy dew.

935 Just before sunrise, wind S. sky hazy; no dew  
940 Just before sunrise, the Northern star is now the brighter if any thing.

\* Estimated

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Magnifying Power.	Distance.	Weight.	No. of Observations.	Magnifying Power.	Magnitudes.	Data.	REMARKS.
		<i>h. m.</i>	<i>o ' "</i>	<i>o</i>				<i>"</i>						
966	h 5319	22 3	129 2	114.99	4'	5	277	1.34	2	6	277	8-8	1852.733	Nearly equal.
967	—	—	—	112.24	5	5	—	1.55	3'	6	—	—	— .747	
968	ξ Aquarii	21	90 49	346.74	4'	5	277	3.65	3'	6	277	4-4	1852.725	A yellow, B reddish.
969	—	—	—	346.92	5'	5	—	3.89	4	6	—	—	— .733	
970	γ Pisc. Aust.	44	123 40	274.08	5	6	277	4.16	3	6	277	4'-9'	1852.776	A yellow, B reddish.
971	—	—	—	274.40	4'	5	365	4.17	3	6	365	—	— .784	
972	—	—	—	273.48	4'	5	277	4.16	3	6	277	—	— .814	
973	—	—	—	273.75	5'	5	365	4.20	3	6	365	—	— .817	
974	—	—	—	273.92	4	5	277	4.22	2'	6	277	—	1853.901	
975	—	—	—	275.88	5'	6	—	4.20	3'	6	—	—	— .910	
976	AB	—	—	11.77	4'	5	277	3.03	3'	6	277	5'-9	1852.733	
977	—	—	—	11.28	4'	5	—	2.48	4	6	—	—	— .747	
978	—	—	—	10.60	3	5	—	2.55	2'	6	—	5'-8'	— .937	
979	—	—	—	12.64	4'	5	—	2.50	3'	6	—	—	— .943	
980	θ Gruis	58	134 21	13.61	3	4	327	2.61	2'	6	327	—	— .995	
981	—	—	—	13.85	4'	5	277	2.36	3'	6	277	—	1853.000	
982	AC	—	—	292.60	1'	1	277	—	—	—	—	5'-8'	1852.733	
983	—	—	—	292.90	4	2	—	159.33	1	2	277	—	— .747	
984	—	—	—	292.80	3	2	—	—	—	—	—	—	— .943	
985	94 Aquarii	23 10	104 18	345.22	7	6	282	13.29	4	6	282	5'-9	1852.896	
986	—	—	—	345.60	5'	5	277	13.67	3'	6	277	—	— .943	
987	—	—	—	345.64	5	5	—	13.88	3'	6	—	—	— .970	
988	—	—	—	345.82	5'	5	—	13.68	3'	6	—	—	1853.011	
989	θ Phœnicis	31	137 30	270.77	4	5	277	3.87	4	6	277	6-6	1852.776	
990	—	—	—	271.03	3'	5	365	4.04	3	6	365	—	— .784	
991	—	—	—	269.41	4	5	277	4.05	3	6	277	—	— .814	
992	—	—	—	268.97	5'	5	365	4.15	1'	4	365	—	— .817	
993	h 5437	53	143 56	290.48	3	5	277	2.86	1'	4	277	5'-10'	1852.825	
994	—	—	—	294.75	2	5	—	—	—	—	—	7-12	— .943	
995	—	—	—	293.07	2'	5	—	2.94	1	4	277	6'-12	1853.011	
996	α Scorpii	16 20	116 6	272.46	3'	5	365	3.37	2	6	365	1-9'	1852.606	
997	—	—	—	272.16	3	5	—	2.74	2'	6	—	—	— .647	
998	—	—	—	273.67	4	5	277	2.81	3	6	277	1-8'	— .649	

966 Sky hazy, definition good.

970 Hazy and flying clouds; definition fair.

972 Sky hazy, definition good.

980 Taken with Troughton's Micrometer and Barlow lens.

985 Troughton's Micrometer.

991 Sky hazy, and flying clouds.

993 Rather difficult.

994 Very difficult; the sky is hazy, yet the former estimate of the magnitudes must surely be too high.

996 Omitted in its proper place through inadvertence.

N. B.—All the Observations given in this Appendix were taken with Dollond's Micrometer, unless otherwise noted.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.		Epoch 1850. +	Distance.	Weight.	No. of Observations.	Epoch 1850. +	Magnitudes.
		h. m.	° ' "	° ' "	° ' "	yr.	"						
389	{ h 1007 AB } AC }	0 6	63 51	{ 53°07 224°40	4 8 4 6	4°000 4°000	*0°7 *18°	— —	— —	— —	— —	7 — 8 7 — 12	
390	h 3375	26	125 48	164°99	11 10	2°750	6°61	6	12	2°750	7 — 7		
391	γ Cassiopeæ	40	32 59	{ 107°97 109°00 109°77	12 10 10' 10 27 22	2°756 3°135 3°986	7°985 7°910 8°007	8 12 7 12 15 26	2°756 3°135 3°991	4 — 8' 4 — 9 3·8 — 9			
392	36 Andromedæ	47	67 11	338°06	11 15	3°962	1°26	4'	12	3°971	6' — 7		
393	S 392	57	96 16	166°21	8' 10	2°815	12°55	4'	12	2°815	8·7 — 9		
394	ζ Phœnicis	1 2	146 4	244°12	8' 10	2°763	5°995	5	12	2°764	6 — 8'		
395	{ Cyc LX AB } AC }	29	83 7	{ 27°24 68°70	8 10 2 2	2°942 2°825	1°68 *80°0	5' 12 —	2°931 —	7 — 7 7 — 11'			
396	h 3447	29	120 42	82°46	8' 10	2°908	2°50	7'	18	2°901	6 — 8		
397	ρ Eridani	34	142 56	{ 264°84 263°24	19 20 14 15	2°758 3°990	4°14 4°36	12' 24 7 12	2°758 4°001	6' — 6' 6 — 6			
398	{ BAC 547 AB } AC AD }	40	42 51	{ 44°54 359°73 275°73	7' 9 4' 5 1 2	3°158 3°157 3°151	1°90 19°87 164°10	6' 12 2 4 1 1	3°158 3°158 3°151	6' — 7 6' — 12 6' — 12			
399	α Piscium	55	87 57	{ 328°44 328°49 327°86	16 15 9 10 16 15	2°683 3°127 *3°957	3°48 3°33 3°22	11 20 6' 12 11 18	2°689 3°128 3°957	5' — 5' — —			
400	{ γ Androm. } AC AB }	55	48 24	{ 111°31 106°83 61°46	2' 6 12 18 5 5	2°784 3°940 3°919	*0°5 *0°4 10°38	— — 5 10	— — 3°919	6' — 7 — 2' — 6'			
401	h 3485	2 6	140 2	139°30	10 14	2°995	4°51	3'	12	2°998	10·3 — 10·8		
402	h 3494	14	126 8	110°05	6' 9	2°822	1°96	1'	4	2°825	9 — 9		
403	γ Ceti	36	87 26	290°97	9 10	3°061	2°70	5'	12	3°060	3' — 7		
404	ε Arietis	50	69 16	196°15	17 22	3°497	1°08	6	20	3°678	5' — 6		
405	θ Eridani	52	130 49	{ 83°25 82°88	24 20 10' 10	2°784 3°158	8°025 7°83	14 26 7 12	2°780 3°158	3·5 — 4·2 —			
406	BAC 936	52	58 11	187°77	10 10	3°122	8°54	6	12	3°122	7 — 8'		
407	12 Eridani	3 6	119 34	309°82	20 20	2°983	3°29	10	18	2°989	4 — 7		
408	h 3565	12	109 4	110°43	11 11	3°079	5°56	7'	12	3°079	6 — 9		
409	S 431	29	89 54	238°21	12 11	3°983	6°33	7'	12	3°983	7 — 9		
410	f Eridani	43	128 5	202°61	34 31	3°075	7°07	17	30	3°058	5·3 — 5·7		
411	39 —	4 7	100 38	151°23	18 16	3°082	6°50	9	18	3°084	5' — 9		
412	h 3632	9	120 28	164°63	9 9	3°985	10°91	6	12	3°985	8 — 11		

394 Little or no change.

395 The angle progresses 0·3 per annum; distance apparently on the increase.

396 Still no apparent change since 1846.

400 The angle continues to recede, and the decrease in distance is accelerating—the star should be closely watched.

401 Probably unchanged.

402 The angle appears to have receded.

410 The angle seems slowly advancing, distance steady

MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

( 15 )

Reference Number.	Synonym.	A. R.	N. P. D.	Position Angle.	Weight.	No. of Observations.	Epoch		Distance.	Weight.	No. of Observations.	Epoch		Magnitudes.
							1850.	+				1850.	+	
413	{ $\Sigma$ 544 AB } BC }	<i>h. m.</i> 4 18	<i>° ' "</i> 99 5	<i>°</i> { 266.61 353.45 }	7 8'	6 14	<i>yr.</i> 3.090	126.95	2	2	<i>yr.</i> 3.090	8' — 9		
414	80 Tauri	22	74 44	10.20	6'	10	3.139	1.50	5	12	3.138	6' — 9.2		
415	$\Sigma$ 566	28	36 50	303.70	6'	10	3.194	1.94	5'	12	3.194	6' — 8'		
416	B.A.C. 1573	59	125 41	315.73	18'	25	3.497	2.835	13	30	3.474	5.6 — 9.9		
417	h 3728	5 4	131 25	260.53	6'	10	3.080	9.76	4'	12	3.082	7' — 11'		
418	{ *Leporis AB } AC }	6	103 7	{ 359.56 58.85 }	9 1	10 1	3.106 3.090	2.565 *210.	8	12	3.106	4' — 8'		
419	{ h 3752 AB } AC }	16	114 55	{ 107.46 105.87 }	10' 11'	10 7	3.075 3.073	2.865 58.77	7 4	12 10	3.074 3.070	6 — 7 6 — 9'		
420	$\eta$ Orionis	17	92 32	{ 87.04 83.76 }	10 6'	14 10	3.123 3.993	1.07 *0.75	7'	20	3.123	4 — 6' 3' — 5		
421	32 —	23	84 10	201.97	5'	9	3.034	1.11	2	6	3.036	5 — 7'		
422	33 —	23	86 50	25.88	8	10	2.945	1.87	5'	12	2.953	6 — 8		
423	B.A.C. 1728	24	73 3	141.32	11	10	3.086	9.48	7'	12	3.082	6' — 6'		
424	$\theta$ Orionis { AB } AC } AD } Aa } BE }	28	95 30	{ 311.21 60.88 343.38 123.40 352.05 }	5 5 3 4' 5	4 5 4 6 7	3.024 3.024 3.022 3.021 3.020	12.92 13.59 16.80 3.26 3.98	4 4 3 1 3	8 8 8 4 8	3.022 3.022 3.022 3.014 3.019	4.7 — 7 4.7 — 7 4.7 — 7.7 4.7 — 14.5 7 — 11.5		
425	42 —	28	94 54	219.10	6'	11	3.151	1.65	1'	4	3.145	5 — 10'		
426	26 Aurigæ	29	59 56	267.43	9'	10	3.195	12.42	8'	10	3.195	5 — 10		
427	$\zeta$ Orionis	33	92 2	{ 149.94 151.56 148.89 }	20 20 11'	22 20 13	3.185 3.770 4.064	2.29 2.32 2.32	15 13 6'	26 24 12	3.185 3.771 4.064	2 — 5' — —		
428	h 3830	59	118 40	2.03	8	10	4.053	6.45	6'	12	4.052	9' — 9'		
429	h 3831	59	131 9	136.16	6	10	4.052	2.70	4	12	4.053	10 — 10		
430	{ h 3834 Aa } AB }	6 0	135 5	{ 237.31 320.19 }	6' 4'	9 3	4.050 4.054	2.58 173.76	2' 1	6 1	4.042 4.042	6 — 11 6 — 6'		
431	$\sphericalangle$ 23	1	138 28	{ 350.69 351.47 }	13 8'	15 10	2.734 3.993	2.81 2.57	8 5'	18 12	2.733 3.991	7.2 — 7.2 7' — 7'		
432	B.A.C. 2048	14	149 7	225.28	3	3	3.148	†40.55	2'	4	3.148	7 — 8'		
433	B.A.C. 2080	19	69 7	205.34	13	10	3.135	31.44	7	12	3.136	6 — 7'		
434	{ $\Sigma$ 910 AB } BC }	19	89 28	{ 151.28 165.74 }	5 8'	5 13	3.168 3.162	66.72 *0.67	2 —	2 —	3.172	6.8 — 9.2 9.2 — 9.3		
435	38 Gemin.	46	76 38	169.55	9'	10	2.779	5.98	7	12	2.780	5' — 8		
436	$\mu$ Can. Maj.	49	103 51	337.65	10'	11	3.065	2.89	7	12	3.065	5' — 9		
437	$\delta$ Gemin.	7 11	67 45	202.23	10'	10	2.783	7.06	7	12	2.783	3' — 9		

414 The suspected orbital movement of this star is not confirmed, but it should be carefully watched, as the changes noticed in the angle may perhaps prove to be parallactic.  
415 The angle appears receding, and the distance increasing.

427 These Observations were taken as trials of parallax, and the differences are in the right direction.  
431 The differences are distressingly irregular.  
436 The angle appears slowly receding, and the distance decreasing.  
437 A probable advance of about 0.2 per annum.

\* Estimated.

† Diff. declination.

## MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations.	Epoch		Distance.	Weight.	No. of Observations.	Epoch		Magnitudes.												
		h.	m.	°	'				yr.	1850. +				yr.	1850. +													
438	$\pi$ Argus	7	12	126	50	212.17	13'	10	3.031	68.70	4'	8	3.031	5—9'														
439	Castor { AB AC }	25	57	47	{ 247.32 247.31 163.98	20 11 4	15 11 3	3.045 4.037 4.067	5.083 5.24 72.92	9' 6' 1'	18 12 2	3.061 4.044 4.067	2—2' — 2—11															
														440	S 552	28	113	9	287.97	10	10	3.218	8.68	7	12	3.218	6'—6'	
														441	Cyc. 299	32	84	26	138.83	8'	11	3.218	1.475	7	12	3.218	6.7—6.7	
442	Cyc. 301	33	116	28	319.08	13	10	3.218	9.71	7'	12	3.218	5'—5'															
443	$\zeta$ Canori { AB AC }	8	4	71	54	{ 322.04 317.24 142.09 139.99	12 8 15 8	15 10 15 8	3.196 3.947 3.196 3.956	1.22 1.15 4.89 4.94	8 4' 6 5'	18 12 12 12	3.196 3.944 3.196 3.950	6—7 — 6—7 —														
															444	h 4128	36	149	47	220.92	11	14	4.003	2.06	5	12	3.983	7.7—8.5
															445	$\epsilon$ Hydræ	39	83	3	{ 209.12 209.63	8' 8'	9 10	3.241 3.994	3.33 3.265	8' 7	12 14	3.241 4.000	4'—7 —
447	$\omega$ Leonis	20	80	18	{ 343.34 356.08	5 3	11 6	3.133 3.962	*0.45 *0.4	— —	— —	— —	— —	6'—7 —														
															448	$\gamma$ —	10	12	69	24	{ 107.37 108.34	11' 9'	10 10	3.221 3.965	2.91 3.07	7' 5'	12 12	3.221 3.965
449	$\varepsilon$ 1517	11	6	69	57	286.27	7'	10	3.220	*0.75	—	—	—	8—8														
450	h 4423	10	135	2	274.06	12	15	3.931	1.97	7'	16	3.932	7—7'															
451	$\xi$ Urs. Maj.	10	57	38	{ 119.47 117.07	11' 8'	10 10	3.193 3.931	3.01 3.11	7 5	12 12	3.197 3.931	4'—5' —															
														452	$\iota$ Leonis	16	78	39	{ 79.68 78.73	9 10	10 11	3.208 3.961	2.44 2.63	6' 6	12 12	3.210 3.959	4'—8 —	
453	B. 3574	18	150	48	303.71	7'	10	3.956	4.47	3'	10	3.953	7'—9															
454	$\delta$ Urs. Maj.	21	49	49	6.81	8'	10	3.239	5.26	6'	12	3.238	6'—9.7															
455	$\gamma$ Virginis	12	34	90	38	{ 173.28 173.00	9' 10	10 10	3.235 3.906	3.12 3.06	8' 6'	12 12	3.238 3.905	4—4 —														
															456	h 4556	46	117	9	83.44	8	9	4.006	5.78	5	12	4.006	7'—10'
457	$\varepsilon$ 1757	13	27	89	38	48.01	12	15	3.732	2.14	8	18	3.700	8—9.2														
458	$\varepsilon$ 1837	14	17	100	59	318.41	19	24	3.670	1.56	11	30	3.620	7—9.2														
459	$\alpha$ Centauri	30	150	13	{ 264.88 266.49 267.04 267.84 268.82 275.23 277.46	28 15 47 38 25 39 33	40 21 54 41 30 44 16	2.673 2.873 2.987 3.075 3.231 3.940 4.070	4.795 4.520 4.495 4.627 4.560 4.333 4.033	18 9 35 27 17 22 21	48 24 68 52 30 48 42	2.633 2.872 2.935 3.071 3.230 3.933 4.070	1—2 — — — 1—1' — 1—1.7															

449 There appears little or no change in this star.

454 The angle appears to recede nearly  $0.2$  per annum, while the distance is slowly decreasing.457 It may be doubted if this is a binary system, for the relative motion does not differ sensibly from a straight line, a proper motion of  $0.04$  would account for the changes.458 There appears a small change, of about  $-0.3$  per annum, in the angle, but little or none in the distance.

\* Estimated.



MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

( 17 )

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations	Epoch	Distance.	Weight.	No. of Observations	Epoch	Magnitudes.
		h.	m.	°	'				1850.				+	
460	ζ Bootis	14	34	75	38	126°21	19	24	3·422	1·24	9	22	3·551	4 — 4
461	σ —		38	62	18	323°08	10	10	3·199	2·635	7	12	3·199	3 — 6'
462	h 4715		46	137	16	278°45	9	10	4·041	2·54	8	6	4·040	7 — 7'
463	π Lupi		55	136	28	283°02	14	21	3·576	1·24	6	18	3·551	5·3 — 5·5
464	44 Bootis		59	41	46	238°52	9'	9	3·270	4·47	7	12	3·270	5 — 6
465	η Cor. Bor.	15	17	59	10	{ 257·86 285·31	2'	7	3·198	*0·4	—	—	—	6 — ?
							4'	13	4·043	*0·5	—	—	—	6 — 6'
466	μ <sup>3</sup> Bootis	19	52	8	{ 265·14 255·74	4'	9	3·230	*0·45	—	—	—	8' — 8'	
						4	9	4·050	*0·5	—	—	—	8 — 8	
467	γ Lupi		25	130	39	273°43	6'	10	3·128	1·03	4	12	3·128	3·8 — 4·1
468	γ Cor. Bor.		36	63	14	294°29	4	10	3·197	*0·5	—	—	—	5 — 7
469	51 Libræ } AB } AC }	56	100	57	{ 46·52 48·35 68·18 69·28	10	15	2·985	0·93	4'	12	3·128	4' — 5	
						5	10	4·061	*0·9	—	—	—	5 — 5'	
						5	5	3·127	7·51	2	4	3·125	4' — 7'	
						6'	9	4·061	7·73	2'	6	4·059	5 — 8	
470	β Scorpii		57	109	23	25°43	16	15	2·688	13·70	5	12	2·706	2' — 5
471	σ Cor. Bor.	16	9	55	46	{ 177·90 177·87	9	10	3·142	2·18	8	14	3·142	6 — 6'
							16	15	4·043	2·25	9	16	4·043	—
472	α Scorpii		20	116	6	272°33	10'	15	2·634	2·94	7'	18	2·637	1 — 9
473	λ Ophiuchi	23	87	41	{ 12·60 15·25	10	15	2·672	1·21	6	18	2·674	4' — 6	
						9	15	4·064	1·84	5	16	4·064	4' — 6'	
474	ζ Herculis	36	58	8	{ 81·16 78·05	6'	10	3·148	1·58	5	12	3·148	4 — 8	
						8	14	4·063	1·52	4	14	4·062	4 — 8'	
475	36 Ophiuchi } AB } AC } BC }	17	6	116	22	{ 34·37 298·84 296·85	10	10	4·072	4·13	10'	16	4·071	5 — 5
							6	4	4·072	*180	—	—	—	5 — 8'
							3	2	4·073	—	—	—	—	5 — 8'
							24	25	2·736	4·39	12	24	2·730	3 — 5'
							20	20	2·788	4·616	13	24	2·788	—
							14	16	2·820	4·58	7'	18	2·820	—
476	α Herculis	8	75	26	{ 118·02 175 515 117·39 75 118·04	24	22	3·039	4·58	10'	18	3·042	—	
						22'	23	3·127	4·62	12	24	3·127	—	
						27	27	3·268	4·46	15'	26	3·268	—	
						24	20	3·776	4·53	12'	24	3·776	—	
						19	20	4·042	4·375	14	28	4·044	—	
						21	18	4·094	4·45	11	22	4·094	—	
						12	11	2·732	22·31	9	14	2·733	4 — 9'	
477	δ —	9	64	59	{ 177·07 65 19	11	10	3·155	21·99	7	12	3·155	—	
						20	18	4·079	21·86	11	18	4·079	4 — 10	
478	ρ —		18·5	52	43	309°04	21	20	2·784	3·723	14	24	2·784	4' — 6

460 Perhaps a change of about  $-0.1$  per annum in the angle, distance nearly constant.  
 461 The progression is still doubtful.  
 463 The angle seems to have decreased and the distance increased since Herschel's Cape measures, but the star is difficult and the change is therefore doubtful.

464 The slow progression of the angle continues, and the distance appears to be coming to a maximum.  
 465 These places agree very nearly with M. Yvon Villarceau's last orbit.  
 467 Apparently unchanged.  
 475 The components must certainly be variable.  
 476 For a discussion of the parallax of this star, see p (19).

## MEAN RESULTS OF THE FOREGOING MEASURES OF DOUBLE STARS.

Reference Number.	Synonym.	A. R.		N. P. D.		Position Angle.	Weight.	No. of Observations.	Epoch		Distance.	Weight.	No. of Observations.	Epoch		Magnitudes.
		h.	m.	°	'				°	'				1850.	+	
479	$\tau$ Ophiuchi	17	55	98	10	239.51	7'	11	2.649		1.10	4'	12	2.649		5 — 6
480	70 —		58	87	27	{ 114.05 113.65	17 21	15 21	2.745 4.081	6.78 6.365	10 14	18 26	2.745 4.081		6 — 7 —	
481	59 Serpentis	18	20	89	53	314.35	26	25	2.764	3.657	15	30	2.766		6' — 8'	
482	$\gamma$ Cor. Aust.		56	127	16	{ 0.97 359.58 358.51 356.55	15' 11' 13 10	21 15 15 12	2.719 3.246 3.779 4.111	1.905 1.827 1.817 1.800	11' 12' 8' 6	24 20 18 14	2.725 3.252 3.779 4.110		5.2 — 5.2 5.5 — 5.5 5 — 5 —	
483	$\lambda$ Cygni { AB } { AC }	20	42	54	4	{ 99.10 104.67	3 5'	6 5	3.885 3.888	*0.7 85.95	— 1	— 2	— 3.891		5' — 6 5' — 10	
484	$\epsilon$ Equulei { AB } { AC }		52	86	16	{ 286.81 75.31	5' 6'	9 7	3.881 3.881	*0.8 *10.0	— —	— —	— —		6 — 7 6 — 7	
485	12 Aquarii		56	96	25	191.69	18	20	2.825	2.80	12'	24	2.824		6' — 8'	
486	61 Cygni	21	0	52	0	{ 104.30 104.73	13 12'	10 10	2.756 3.892	17.405 17.68	7 7	12 12	2.756 3.892		6 — 6 —	
487	$\theta$ Indi		9	144	4	298.44	15'	20	2.746	3.30	10'	24	2.746		6 — 8.2	
488	B.A.C. 7578		38	138	0	{ 9.03 8.54	12' 11'	10 10	2.763 3.894	32.89 33.14	6' 8	12 12	2.763 3.894		6' — 9 6' — 9'	
489	h 5319	22	3	129	2	113.54	9'	10	2.740	1.47	5'	12	2.742		8 — 8	
490	$\zeta$ Aquarii		21	90	49	346.84	10	10	2.729	3.78	7'	12	2.729		4 — 4	
491	$\gamma$ Pis. Aust.		44	123	40	{ 273.92 275.03	19' 9'	21 11	2.798 3.906	4.178 4.21	12 6	24 12	2.798 3.907		4' — 9' —	
492	$\theta$ Gruis { AB } { AC }		58	134	21	{ 11.53 12.78 292.81	9 15 8'	10 19 5	2.740 2.960 2.814	2.74 2.49 159.33	7' 12 1	12 24 2	2.740 2.969 2.747		5' — 9 5' — 8' 5' — 8'	
493	94 Aquarii	23	10	104	18	345.55	23	21	2.955	13.62	14	24	2.953		5' — 9	
494	$\theta$ Phoenicis		31	137	30	269.96	17	20	2.800	4.00	11'	22	2.795		6 — 6	
495	h 5437		53	143	56	292.48	7'	15	2.918	2.89	2'	8	2.872		6.3 — 11.5	

480 The distance is perceptibly decreasing.

482 There will probably be an appulse of this pair about 1863; and the period seems somewhere about 100 years.

486 The relative motion of these stars appears to differ little from a straight line, so that there may still be some doubt of their physical connection.

488 The changes of this pair are probably due to the proper motion of A.  
492 Little or no change.

\* Estimated.

## PARALLAX OF $\alpha$ HERCULIS.\*

In the notes to the 1st Series of Observations of Double Stars, made with the Lerebours' Equatorial, it was pointed out that the Observations of  $\alpha$  Herculis gave indications of parallax. In consequence of these indications, the pair was sedulously observed during the years 1852-3, not only at the times when the effect of parallax on the position-angle was near a maximum, but also at intermediate points, with a view to ascertain if the curve of parallax could be traced out with any degree of precision.

The result has been most satisfactory, as will be apparent from an inspection of Fig. 5, where the observed positions are compared with the curve corresponding to a constant of parallax of  $0.06$ , which would cause an extreme variation in the angle of about  $1.0$ . The dotted curve line shows the position angle at any given time as affected by a parallax of the above amount, and the mark  $\odot$  indicates the several observed positions, which will be seen to agree with the curve within a very moderate amount of error.

The effect of parallax on the position-angle is shown in Fig. 6, where AB is the meridian, O the position of the larger Star unaffected by parallax, or as it would appear from the Sun's Centre, DGEF the path described in consequence of parallax, DE the circle of latitude, and consequently D & E the points where the Star will be found when the earth's longitude is equal to, or differs by  $180^\circ$  from, that of the Star, S the place of the smaller Star supposed unaffected by parallax. Then, if  $x$  be the constant of parallax for the earth's mean distance from the Sun R the earth's radius vector for the time being, &  $\lambda$  the Star's latitude;  $\therefore$   $CG = R.x$  &  $CD = R.x \sin \lambda$ ; and the equation of condition for any observed angle of position will be

$$Z = Z + \frac{57.3}{d} \frac{\rho x \sin X}{\rho} + (t - 1853.0) m$$

Where	$Z'$	is	the	<i>apparent</i>	position-angle	in	degrees.
	$Z$	-	the	<i>mean</i>	position-angle	for	1853.0.
	$d$	-	the	<i>apparent</i>	distance	of	the Stars.
	$x$	-	the	constant	of	parallax.	
	$\rho x$	-	the	elliptic	radius	CI	for the given time.
	$X$	-	the	angle	SCI	reckoned	from SC in the order FDGE.
	$t$	-	the	time	of	observation.	
	$m$	-	the	annual	change	in	the position angle—arising from proper motion.

The co-efficient  $\rho$  of the elliptic radius, and its inclination to the meridian from which to deduce X, can be computed in the following manner. Let L be the earth's longitude at the given time,  $l$  that of the Star, I the angle DCI, and A the angle ACD; and make  $p = R. \cos (L - l)$ .

$$q = R. \sin (L - l).$$

$$\begin{aligned} \text{then Cot. } I &= \frac{p \sin \lambda}{q} \\ \rho &= q \operatorname{cosec} I \\ \& \text{ } X &= Z + I - A \end{aligned}$$

The angle A being the angle of *situation* of the Star is  $= 6^\circ 28\frac{1}{2}' = 6.48$ .

\* For the Observations here discussed see pp. 66, 76, and (11), (17) of this Appendix.

The several equations of condition are then as follow:—

							Weight.	
Z	—	1.247	m	—	$\frac{57.8 \times .571 \times a}{4.57}$	=	117.73	16
Z	—	.748	m	+	$\frac{57.8 \times .608 \times a}{4.45}$	=	118.43	27
Z	—	.264	m	—	$\frac{57.8 \times .530 \times a}{4.39}$	=	117.44	24
Z	—	.212	m	—	$\frac{57.8 \times .626 \times a}{4.616}$	=	117.45	20
Z	—	.180	m	—	$\frac{57.8 \times .662 \times a}{4.58}$	=	117.80	14
Z	+	.089	m	—	$\frac{57.8 \times .176 \times a}{4.54}$	=	118.02	24
Z	+	.127	m	+	$\frac{57.8 \times .181 \times a}{4.627}$	=	118.175	22.5
Z	+	.268	m	+	$\frac{57.8 \times .629 \times a}{4.46}$	=	118.515	27
Z	+	.776	m	—	$\frac{57.8 \times .609 \times a}{4.53}$	=	117.89	24
Z	+	1.042	m	—	$\frac{57.8 \times .165 \times a}{4.376}$	=	117.75	19
Z	+	1.094	m	+	$\frac{57.8 \times .064 \times a}{4.46}$	=	118.04	21

or subtracting 117 from each side, and calling  $Z - 117 = z$ .

1	z	—	1.247	m	—	7.16	a	=	.73
2	z	—	.748	m	+	7.76	a	=	1.43
3	z	—	.264	m	—	6.92	a	=	.44
4	z	—	.212	m	—	7.77	a	=	.45
5	z	—	.180	m	—	8.28	a	=	.80
6	z	+	.089	m	—	2.21	a	=	1.02
7	z	+	.127	m	+	2.24	a	=	1.75
8	z	+	.268	m	+	8.08	a	=	1.515
9	z	+	.776	m	—	7.70	a	=	.39
10	z	+	1.042	m	—	2.16	a	=	.75
11	z	+	1.094	m	+	.69	a	=	1.04

Multiplying these by their respective weights they become

16	z	—	19.95	m	—	114.6	a	=	11.68
27	z	—	20.20	m	+	209.6	a	=	38.61
24	z	—	6.34	m	—	166.1	a	=	10.56
20	z	—	4.24	m	—	155.4	a	=	9.00
14	z	—	2.52	m	—	115.9	a	=	11.20
24	z	+	.94	m	—	53.0	a	=	24.48
22.5	z	+	2.86	m	+	50.4	a	=	26.44
27	z	+	7.24	m	+	218.2	a	=	40.09
24	z	+	18.62	m	—	184.8	a	=	9.86
19	z	+	19.80	m	—	41.8	a	=	14.25
21	z	+	22.97	m	+	14.5	a	=	21.84

Resolving these by the method of least squares we find

$$z = .9846 - .0756 m \quad a = + .06083 + .0091 m$$

$m$ , being a very small quantity, will not materially affect the result; its value derived from these observations is  $= -0.045^*$  which agrees pretty well with that derived from a comparison of the observations for the last 30 years; assuming this value we get,

$$Z = 117.988 \pm .023 \quad a = 0.05993 \pm .00410$$

The probable error of  $a$  being only  $\frac{1}{2}$  of itself, the value may be considered as pretty near the truth; this of course is only the *difference* of parallax of the two stars, it is therefore possible that that of  $A$  may be somewhat greater.

It will be satisfactory to have the above result confirmed by the measures of distance, though the quantity is almost too small to be so dealt with, being less than the probable error of observation under the most favorable circumstances; and, an inspection of the column of distances, though detecting here and there slight traces of parallax, certainly does not show any thing like the regular series observable in the positions.

\* The value is,  $m = -0.045 \pm .043$ , or the probable error is nearly equal to the whole quantity; *s. e. m* is probably between 0 and  $-0.09$ ; but it is evident that an alteration between these limits will scarcely affect the value of  $a$ .

The equation of condition for any observed distance will be,  $d' = d - p x \cos X + (t - 1853.0) n$ , where  $d$  is the mean distance for epoch 1853-0, &  $n$  the annual change in distance from proper motion.

The several equations are as follow :—

					<i>Weight.</i>
(1)	$d +$	$\cdot 747 x -$	$1.247 n =$	$4.657$	2
(2)	$d -$	$\cdot 686 x -$	$\cdot 748 n =$	$4.498$	2
(3)	$d +$	$\cdot 823 x -$	$\cdot 270 n =$	$4.39$	1.5
(4)	$d +$	$\cdot 596 x -$	$\cdot 212 n =$	$4.616$	2
(5)	$d +$	$\cdot 421 x -$	$\cdot 180 n =$	$4.58$	1
(6)	$d -$	$\cdot 781 x +$	$\cdot 089 n =$	$4.53$	1.5
(7)	$d -$	$\cdot 945 x +$	$\cdot 127 n =$	$4.62$	1.5
(8)	$d -$	$\cdot 623 x +$	$\cdot 268 n =$	$4.46$	2
(9)	$d +$	$\cdot 645 x +$	$\cdot 776 n =$	$4.53$	2
(10)	$d -$	$\cdot 786 x +$	$1.042 n =$	$4.375$	2
(11)	$d -$	$\cdot 912 x +$	$1.094 n =$	$4.45$	1.5

The weights assigned are derived from those given in the register by dividing by 7, and taking the nearest integer or half-integer; this was to save the trouble of dealing with large quantities, and the effect on the result will be scarcely sensible.

The solution of the above by least squares gives,

$$\begin{aligned} x &= + 0.06125 & + 0.399 n \\ d &= + 4.525 & + 0.015 n \end{aligned}$$

The value of  $n$  must be very small, not exceeding at most 0.08;  $x$  &  $d$  will be therefore but little affected by it; the observations are insufficient to give this value even approximately,\* but a comparison with the measures of Herschell and South in 1821 gives — 0.24; with those of Struve in 1829, — 0.06; and with those of Dawes in 1830, — 0.13; assuming it at — 0.16 the above results become

$$\begin{aligned} x &= + 0.0549 & \pm 0.0227 \\ d &= 4.525 & \pm 0.0165 \end{aligned}$$

This value of  $x$  agrees sufficiently well with that derived from the positions, the probable error, as might be expected being much larger. The residual errors of each set after correcting for  $x$ ,  $m$ , &  $n$ , are exhibited below.

	1	2	3	4	5	6	7	8	9	10	11	
Position.	in angle	— 0.104	— 0.058	— 0.146	— 0.082	+ 0.299	+ 0.176	+ 0.053	+ 0.024	— 0.102	— 0.059	+ 0.060
	in arc	0.009	0.005	0.012	0.006	0.024	0.014	0.004	0.002	0.008	0.005	0.005
Distance.	+ 0.072	— 0.002	— 0.184	+ 0.056	+ 0.029	+ 0.048	+ 0.149	— 0.027	— 0.018	— 0.090	— 0.008	

The errors in distance look probable enough, while those in the positions will doubtless appear *improbably* small; the average error of a good night's observation being somewhere about 0.04, so that the mean of 4 sets might be expected to shew an average of about 0.02, instead of 0.008 as above; but it must be borne in mind that these observations were taken with unusual care, and under highly favorable circumstances; none being taken unless the definition was unexceptionable, and nearly the whole observed by daylight, a circumstance, according to my experience, remarkably favorable to accuracy.

As it has occurred to me, that the variations in the angles of position might perhaps be attributed to a bias in the Observer's eye, from observing on different sides of the meridian, it may be well to state, that all the observations, excepting those entering into equations 6, 7, 10 & 11 were taken about 1 or 2 W. of the meridian; those in the excepted equations were from necessity taken E of the meridian, but they are just the ones which produce the least effect on the result, on account of the co-efficient of  $x$  being small; moreover they do not indicate any sensible bias of the kind alluded to. In like manner a periodical change of the distance might be attributed to temperature; but the range of temperature throughout the observations was small, scarcely exceeding 10°, and would also have had an *opposing* effect, from the minimum temperature occurring about the time of least apparent distance; i. e. it would *diminish* the apparent parallax; and in fact we find the parallax derived from the distances somewhat less than that from the positions.

It is, however, to be hoped that the subject will be taken in hand at some other Observatory, so that the above results may be confirmed.

\* The value derived from the above equations is,  $n = -0.01 \pm 0.09$ ; from which it can only be inferred that  $n$  is probably between 0.02 and 0.00










Fig. 4




Fig. 5




Fig. 6

